

Seventy-second

Annual Report of the Registrar-General for Scotland

1926



EDINBURGH:

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE

To be purchased directly from H.M. STATIONERY OFFICE at the following addresses.

120 George Street, Edinburgh; Adastral House, Kingsway, London, W.C. 2;

York Street, Manchester; 1 St. Andrew's Crescent, Cardiff;

15 Donegall Square West, Belfast;

or through any Bookseller.

1927

Price 10s. 6d. Net

CONTENTS

	PAGE
<i>REPORT.</i>	
Introductory Letter,	v
General Summary,	vii
Population Estimates,	x
Births,	xi
Marriages,	xvii
Deaths,	xix
Ages of those Dying,	xxiv
Causes of Death,	xxvii
<i>APPENDIX I.</i>	
Sixty-first Annual Report on Vaccination (1925),	1
<i>APPENDIX II.</i>	
Additional Marriage Statistics for Year 1925,	liii
<i>APPENDIX III.</i>	
Weather Report for Year 1926,	lxii
<i>APPENDIX IV.</i>	
Alteration of Boundaries of Burghs, County Districts, etc., which became effective during 1926,	lxxiii

APPENDED TABLES.

BIRTHS, DEATHS, AND MARRIAGES, 1926.

Table 1. Births, Deaths, and Marriages, 1855 to 1926,	lxxv
„ 2. Birth, Death, and Marriage rates, 1855 to 1926,	lxxvi
„ 3. Quarterly Returns of Births, Deaths, and Marriages, 1916 to 1926,	lxxviii
„ 4. Birth, Death, and Marriage rates in Larger Burghs,	lxxix
„ 5. Do. do. Smaller Burghs,	lxxx
„ 6. Do. do. County Districts,	lxxxiv
„ 7. Do. do. Counties,	lxxxvii
„ 8. Birth-rate among Married and among Unmarried Women,	lxxxviii

MARRIAGES, 1925.

Table 9. Method of Celebration, etc., of Marriages, 1855-1925. Numbers and Percentages,	lxxxix
„ 10. Ages, Civil Conditions, etc., of Persons Marrying, 1855-1925. Numbers and Percentages,	xc
„ 11. Regular and Irregular Marriages, 1925,	xc i
„ 12. Church of Celebration of Regular Marriages, 1925,	xc ii
„ 13. Civil Condition of Persons Marrying, 1925,	xc iii
„ 14. Method of Signature of Marriage Registers, or Schedules, 1925,	xc iv
„ 15. Ages of Men at Marriage, 1925,	xc vi
„ 16. Ages of Women at Marriage, 1925,	xc viii
„ 17. Age Distribution of Men and Women at Marriage, 1925,	c

	PAGE
Table 18. Age Distribution of Men and Women at Marriage, 1855-1925,	c
„ 19. Ages in Combination of Men and Women at Marriage, 1925,	ci
„ 20. Ages in Combination of Bachelors and Spinsters at Marriage, 1925,	cii
„ 21. Ages in Combination of Bachelors and Widows at Marriage, 1925,	ciii
„ 22. Ages in Combination of Widowers and Spinsters at Marriage, 1925,	civ
„ 23. Ages in Combination of Widowers and Widows at Marriage, 1925,	cv

DEATHS, 1926.

Table 24. Ages at Death—Scotland, Larger and Smaller Burghs, etc.—by Age Groups,	cvi
„ 25. Death-rates by Age Groups in do.	cvi
„ 26. Percentage of Deaths by Age-Groups in do.	cvi
„ 27. Ages at Death, Single Years of Age, and Condition as to Marriage—Males and Females,	cvi
„ 28. Deaths by Age-Groups in Larger Burghs,	cx
„ 29. Death-rates by Age-Groups in Larger Burghs,	cx
„ 30. Deaths and Death-rates—Age-Groups and Selected Causes—Both Sexes,	cx
„ 31. Deaths and Death-rates—Age-Groups and Selected Causes—Males,	cxii
„ 32. Deaths and Death-rates—Age-Groups and Selected Causes—Females,	cxiii
„ 33. Percentage of Deaths from Selected Causes by Age-Groups,	cxiv
„ 34. Deaths and Death-rates from Selected Causes—Scotland and Groups of Public Health Districts,	cxv
„ 35. Deaths from Selected Causes—Larger Burghs,	cxvi
„ 36. Death-rates from Selected Causes—Larger Burghs,	cxvii
„ 37. Deaths from Selected Causes and in Age-Groups, 1916-1926,	cxviii
„ 38. Death-rates from Selected Causes and in Age-Groups, 1916-1926,	cxix
„ 39. Deaths from Principal Epidemic and certain other Diseases, 1855-1926,	cx
„ 40. Death-rates from Principal Epidemic and certain other Diseases, 1855-1926,	cx
„ 41. Deaths and Death-rates from Puerperal Conditions,	cxiii
„ 42. Deaths from Malignant Disease,	cxiv
„ 43. Deaths from Suicide,	cxvi
„ 44. Deaths from Poison, Accidental and Suicidal, and from Secondary Anæsthetics,	cxviii
„ 45. Deaths of Children of less than One Year from Selected Causes, showing the Age in Completed Months,	cxix
„ 46. Deaths of Children of less than One Year, showing the Month of Registration of Death,	cxix
„ 47. Deaths of Children of less than One Year by Selected Causes—Counties (Landward) and Burghs,	cx
„ 48. Deaths of Children of less than One Year by Age-periods, with Infantile Mortality Rates—Counties (Landward) and Burghs,	cxii
„ 49. Certified and Uncertified Deaths,	cxix

OTHER TABLES.

Table 50. Meteorology of Scotland, and Births, Deaths, and Marriages by Month in 1926,	cxv
„ 51. Weather, and Weekly Death-rates,	cxv
„ 52. Vaccinations in Scotland, 1915-1925, with Percentage of Total Births, and Percentage of Survivors,	cxvi
„ 53. Deaths from Small-pox in Scotland, 1855-1925, with Vaccination Particulars, 1864-1925,	cxvii

ABSTRACTS.

General Registration Summary—Births, Deaths, and Marriages in the Counties and Larger Burghs in 1926, with Vaccination particulars for 1925,	2-3
---	-----

CAUSES OF DEATH—FULL LIST.

Scotland—Both Sexes,	4
Scotland—Males,	9
Scotland—Females,	18
Counties of Scotland—Both Sexes,	28
Scotland, by Month of Registration—Both Sexes,	48
Glasgow—Both Sexes,	53
Edinburgh do.	58
Dundee do.	63
Aberdeen do.	68
Paisley do.	73
Greenock do.	78
Motherwell and Wishaw—Both Sexes,	83
Middle Ward District of Lanark—Both Sexes,	88

STATISTICS OF PUBLIC HEALTH DISTRICTS.

In County of Aberdeen,	94
Do. Argyll,	96
Do. Ayr,	97
Do. Banff,	99
Do. Berwick,	100
Do. Bute,	101
Do. Caithness,	101
Do. Clackmannan,	102
Do. Dumbarton,	102
Do. Dumfries,	103
Do. East Lothian,	104
Do. Fife,	105
Do. Forfar,	108
Do. Inverness,	109
Do. Kincardine,	110
Do. Kinross,	111
Do. Kirkcudbright,	111
Do. Lanark,	113
Do. Midlothian,	114
Do. Moray,	115
Do. Nairn,	115
Do. Orkney,	116
Do. Peebles,	117
Do. Perth,	117
Do. Renfrew,	119
Do. Ross and Cromarty,	119
Do. Roxburgh,	121
Do. Selkirk,	121
Do. Shetland,	122
Do. Stirling,	122
Do. Sutherland,	123
Do. West Lothian,	123
Do. Wigtown,	124

METEOROLOGICAL ABSTRACTS,	126
----------------------------------	-----

REPORT

TO THE SCOTTISH BOARD OF HEALTH.

GENERAL REGISTRY OFFICE OF BIRTHS, &c.,

NEW REGISTER HOUSE,

EDINBURGH, *13th September 1927.*

GENTLEMEN,

In compliance with the requirements of the Registration of Births, Deaths, and Marriages Act (Scotland), 1854, 17 and 18 Vict., c. 80, I have the honour to submit the Seventy-second Annual Report on the Registration Statistics of Scotland, these being applicable to the year 1926, and with it I submit four Appendices, (1) a Report on the Vaccination of Children whose births were registered during the year 1925, (2) a Supplementary and Detailed Report on Marriages registered during the year 1925, (3) a Report on the Meteorological Observations of the Year 1926, this being supplied by the Meteorological Office, Edinburgh, and (4) a list of Alterations of Boundaries which became effective during the year 1926.

I have the honour to be,

GENTLEMEN,

Your most obedient Servant,

J. C. DUNLOP,

Registrar-General.

REPORT ON THE BIRTHS, DEATHS, AND MARRIAGES REGISTERED IN SCOTLAND DURING THE YEAR 1926.

GENERAL SUMMARY.

THE population of Scotland in the middle of the year 1926 is estimated as being 4,896,638. This estimate is 3,606 more than that of the previous year 1925, and 14,141 more than the population ascertained by the Census taken in the middle of the year 1921.

Births registered in Scotland during the year numbered 102,449, and equalled a birth-rate of 20·92 per thousand. These births are 1,688 fewer than in the previous year, 9,796 fewer than the mean of the numbers of the preceding five years, and 8,548 fewer than the mean of those registered in the preceding ten years, and fewer than registered in Scotland in all years since 1856, with the exception of the two years 1917 and 1918, both of which were affected by war conditions. The Scottish birth-rate of the year, 20·92 per thousand, is 0·36 less than that of the previous year, 2·02 less than the mean of those of the preceding five years, and 1·94 less than the mean of those of the preceding ten years. It is lower than all previous annual Scottish birth-rates, with the exception of those of 1917 and 1918. Since 1920 the birth-rate has been continuously falling. In that year it was 28·07; in 1921, 25·23; in 1922, 23·47; in 1923, 22·83; in 1924, 21·90; in 1925, 21·28; and in 1926, 20·92.

The illegitimate children whose births were registered during the year numbered 7,046, which number, although 215 greater than in the previous year, is 560 less than the mean of those of the preceding five years, and 915 less than the mean of those of the preceding ten years. It is the smallest number yet recorded for any one year, with one exception, viz., in 1925, when the number was 6,831. The illegitimate children of the year constituted 6·88 per cent. of the total births registered, which percentage is 0·32 greater than that of the previous year, and 0·10 more than the mean of those of the preceding five years, but is 0·29 less than the mean of those of the preceding ten years. It is markedly less than in the earlier years of registration; from 1859 to 1873 this percentage was constantly over 9, and until 1888 was constantly over 8.

The birth registers of the year contain one instance of the birth of quadruplets, all of whom survived birth. This is the fourth occasion since the commencement of this century on which quadruplets were registered in Scotland.

Marriages registered during the year numbered 31,253, which number is 1,203 less than in the previous year, 3,467 less than the mean of those of the preceding five years, and 4,827 less than the mean of those of the preceding ten years. The marriage rate of the year was 6·38 per thousand, which is 0·26 less than that of the previous year, 0·72 less than the mean of those of the preceding five years, and 1·05 less than the mean of those of the preceding ten years. It is the fourth lowest annual Scottish marriage rate yet recorded, the only lower rates since the institution of registration in 1855 being those of the years 1886, 1887 and 1917.

Marriages terminated by decree of divorce during the year numbered 425, which number is 26 less than that of the previous year, 2 less than the mean of those of the preceding five years, and 54 less than the mean of those of the preceding ten years.

Deaths registered in Scotland during the year in all numbered 63,780, and equalled a death-rate of 13·03 per thousand. These deaths are 1,727 fewer than registered in the previous year, 3,872 fewer than the mean of the numbers of the preceding five years, and 6,229 fewer than the mean of those of the preceding ten years. In 1923 deaths registered numbered 63,283, and that is the only year since 1861 in which a smaller number of deaths was registered in Scotland. The death-rate, 13·03, is 0·36 less than that of the previous year, 0·80 less than the mean of those of the preceding five years, and 1·39 less than the mean of those of the preceding ten years. It is the lowest annual death-rate since the institution of registration in 1855, with the exception of that of 1923, which was 12·91. This is the seventh consecutive year in which the annual death-rate has been less than 15 per thousand.

The infantile mortality rate was 83·1 per thousand registered births. This rate is lower than all previous records, with the exception of that of 1923, which was 78·9. It is 7·5 less than that of the previous year, 8·7 less than the mean of those of the preceding five years, and 12·3 less than the mean of those of the preceding ten years. From 1855 to 1915 the Scottish infantile mortality rate was usually more than 110, but never less than 100. Since 1915, this rate on 8 occasions has been under 100, and on only 3 occasions over that figure.

The usual endeavour has been made to verify the ages of reputed centenarians whose deaths were recorded during the year. These deaths in all numbered 16, 2 being of men and 14 of women. As the result of investigations the attainment of age 100 was verified in 9 instances, and disproved in 5 instances, while in 2 cases satisfactory proof was not available. These searches have now extended over a period of seventeen years, and have in all dealt with the ages of 240 reputed centenarians. In 112 instances attainment of age 100 was verified, in 34 cases disproved, while in 94 definite confirmation could not be ascertained.

The death-rate from all forms of tuberculosis, and from tuberculosis of the respiratory system both show a satisfactory decrease, the former for the first time being below 100 per 100,000, and the latter for the first time being below 70. The former is 17 less than the mean of the corresponding rates of the preceding five years, and 33 less than the mean of those of the preceding ten years. The latter is 11 less than the mean of those of the preceding five years and 21 less than the mean of those of the preceding ten years.

The Annual Reports of the last 50 years have almost without exception, year in and year out, shown an increase in the death-rate from malignant diseases, but in the year now under review, 1926, it is found that the death-rate has not exceeded what it was in the previous year, it remaining at 136 per 100,000. This rate, however, is 7 more than the mean of those of the preceding five years, and 14 more than the mean of those of the preceding ten years.

The number of deaths from whooping-cough and diphtheria, 506 and 490 respectively, were both unusually small, the former number being a minimum, and the latter 48 more than the minimum which occurred in 1924.

Deaths from diseases and accidents of pregnancy and parturition numbered 656, and equalled a death-rate of 6.4 per thousand registered births. This number is 14 more, and this death-rate is 0.2 more, than in the previous year.

In recent Reports attention has been directed to the frequency of accidental and suicidal deaths by coal gas poisoning, the number of such deaths having increased from 61 in 1920 to 117 in 1923, 108 in 1924, and the same number in 1925. The number in 1926 was 149, which shows a further increase.

A Table has been inserted in the Report and will be found on page xlvi showing the increase in the number of fatal motor-car accidents. In the three years 1911 to 1913 such deaths averaged 40. In the three years 1923 to 1925 they averaged 252, and in the year 1926 they numbered 416.

Appendix I deals with the vaccination statistics of children born in the year 1925, and once more the outstanding features are the relatively small proportion of children reported to be successfully vaccinated, and the relatively high proportion exempted from vaccination by reason of Statutory Declarations of Conscientious Objection. Children born in 1925 and remaining alive at the time of statutory vaccination numbered 96,721, and of them only 58,999, or 61.0 per cent., were reported to have been successfully vaccinated, while 37,722, or 39.0 per cent., were not so reported. Of the latter number 31,274 or 32.3 per cent. of the total children surviving at the time of compulsory vaccination were exempted by reason of said Declaration of Conscientious Objection.

Appendix II includes marriage statistics for the year 1925 additional to those given in the last number of this Report. In

the previous Report attention was directed to a marked diminution in the number of irregular marriages, those contracted during 1924 numbering 3,935, as against an average of 6,261 in the preceding five years, but as the irregular marriages of the year now under review (1925) outnumbered those of 1924 by 97, there are appearances that the decrease is not continuing. These marriages in 1925 numbered 4,032, and in the last three years, 1923 to 1925, the average number has been 4,088.

Of the regular marriages of the year 75·1 per cent. were celebrated according to the rites of one or other of the large Presbyterian Churches, and 24·9 per cent. according to those of other denominations. The percentage of regular marriages celebrated according to the rites of the Roman Catholic Church was 13·6, and according to the rites of the Scottish Episcopal Church 3·3 per cent., both of which rates closely approximate those of the previous year. During the year the Marriage Registers recorded the celebration of marriage in Scotland according to the rites of 39 different Christian denominations; in the previous year this number was 42.

ESTIMATED POPULATION FOR THE YEAR 1926.

The population of Scotland in the middle of the year 1926 is estimated as 4,896,638, of whom 2,354,441 were males, and 2,542,197 were females. The Scottish population in the middle of the year 1925 was estimated at 4,893,032, and as between the middle of the year 1925 and that of the year 1926 there was in Scotland an excess of registered births over registered deaths amounting to 37,987, while there was an excess of emigrants from Scotland over immigrants into Scotland amounting to 34,381, a difference of 3,606 falls to be added to the 1925 estimate to obtain that for the middle of the year 1926. The estimated population for the year 1926 is 14,141 in excess of the population as ascertained by the Census of 1921, the excess in the male population being 6,799, and in the case of the female population 7,342.

The population of the larger burghs taken collectively, those burghs in which the population was found by the Census of 1921 to amount to over 30,000, is estimated to be 2,390,885, or 48·8 per

TABLE A.—Population of Scotland and its Groups of Public Health Districts in 1926.

GROUPS OF DISTRICTS.	Census 1921.			Census 1911.			Estimated to 30th June 1926.		
	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.
Larger Burghs	2,381,593	1,142,055	1,239,538	2,339,989	1,121,661	1,218,328	2,390,885	1,146,531	1,244,354
Smaller Burghs	948,752	439,882	508,870	903,643	426,563	477,080	951,820	441,312	510,508
County Districts	1,552,152	765,705	786,447	1,517,272	760,615	756,657	1,553,933	766,598	787,335
SCOTLAND .	4,882,497	2,347,642	2,534,855	4,760,904	2,308,839	2,452,065	4,896,638	2,354,441	2,542,197

cent. of the total, that of the smaller burghs taken collectively, burghs with censal populations of less than 30,000, is estimated at 951,820, or 19·5 per cent. of the total, and the aggregate population of the county or extra-burghal districts is estimated to amount to 1,553,933, or 31·7 per cent. of the total. Compared with the censal population the estimated population of the larger burghs shows an increase of 9,292, that of the smaller burghs an increase of 3,068, and that of the county or extra-burghal districts an increase of 1,781.

As explained in the Report for the year 1921, arbitrary estimates are used for estimating birth-, death-, and marriage-rates in the County of Bute, in the Burghs of Cove and Kilcreggan, Dunoon, Earlsferry, Elie Liberty and Williamsburgh, Girvan, Kinghorn, Largs, Millport, Prestwick, Rothesay, Saltcoats and Troon, and in the County Districts of Arran and of Bute, this course being necessitated by the censal populations having been unduly inflated by the presence of summer visitors at the date of the Census of 1921.

A list of alterations of burgh and other boundaries during the year is contained in Appendix IV. The most important of these was an extension of Glasgow by which a population of 17,344 was added to the population of that city. Of this number 4,842 were by alteration of boundary transferred into Glasgow from the County of Lanark, 12,211 from the County of Renfrew, and 291 from the County of Dumbarton. Other burghs whose boundaries were extended during the year were Denny and Dunipace, Dunblane, North Berwick and Peebles, but by none of these alterations were the populations materially affected.

BIRTH STATISTICS.

The total number of living children registered in Scotland during the year 1926 was 102,449, of whom 52,362 were males, and 50,087 were females. The total number of births registered during the year is 1,688 less than in the previous year, 9,796 less than the mean of the numbers registered in the preceding five years, and 8,548 less than the mean of those registered in the

TABLE B.—Birth-rate in Scotland and its Groups of Public Health Districts in 1926.

GROUPS OF DISTRICTS.	Births.					Birth-rate per 1000 of Estimated Population.			Illegiti- mate Births per 100 Total Births.
	Total.	Legitimate.		Illegitimate.		Total.	Legitimate	Illegitimate.	
		Males.	Females.	Males.	Females.				
Larger Burghs .	52,946	25,357	24,391	1,599	1,599	22·14	20·81	1·34	6·04
Smaller Burghs .	17,752	8,516	8,083	585	568	18·65	17·44	1·21	6·50
County Districts	31,751	14,920	14,136	1,385	1,310	20·43	18·70	1·73	8·49
SCOTLAND . .	102,449	48,793	46,610	3,569	3,477	20·92	19·48	1·44	6·88

preceding ten years. Subsequent to the year 1856 the only years in which fewer births were registered in Scotland were the two war-time years 1917 and 1918. A maximum number of births was registered in the year 1920 and was 136,546, and compared with this number that of the present year is 34,097, or 25·0 per cent., less. (*Table 1.*)

The male children of the year numbered 1,064 fewer than those of the previous year, 5,154 fewer than the mean of the numbers of the five preceding years, and 4,530 fewer than the mean of those of the ten preceding years. The female children of the year numbered 624 fewer than those of the previous year, 4,642 fewer than the mean of those of the preceding five years, and 4,018 fewer than the mean of those of the preceding ten years. (*Table 1.*)

The Scottish birth-rate of the year was 20·92 per thousand of the estimated population. It is 0·36 less than that of the previous year, 2·02 less than the mean of those of the preceding five years, and 1·94 less than the mean of those of the preceding ten years. The only two years in which a lower birth-rate occurred were 1917 and 1918, both of which years were affected by war conditions, and in both the birth-rate was between 20 and 20·5 per thousand. From 1855 to 1893 the Scottish birth-rate was constantly over 30 per thousand, attaining a maximum of 35·62 in the year 1876. It fell below 30 for the first time in 1894, below 28 in 1907, and below 26 in 1911, but in 1914 it recovered somewhat, rising to 26·11. During the war years there was a marked decline, the minimum being 20·26, occurring in 1917. Subsequent to the war there was a sharp rise, a maximum of 28·07 occurring in 1920, but since then the birth-rate has been constantly falling; it fell below 24 in 1922, below 22 in 1924, and is now less than 21. (*Table 2.*)

The birth-rate of male children per thousand of the estimated male population was 22·2, and that of female children per thousand of the estimated female population 19·7, the former being 0·5, and the latter 0·3, less than in the previous year.

TABLE C.—Birth-rate per 1000 Women Aged 15-45, 1926.

GROUPS OF DISTRICTS.	Estimated Number of Women aged 15-45.	Births.		Birth-rate per 1000 of Population.		Birth-rate per 1000 Women aged 15-45.	
		Num-ber.	Percent. of Total.	Rate.	Relative Quantity, Scotland being = 100.	Rate.	Relative Quantity, Scotland being = 100.
Larger Burghs .	608,554	52,946	51·7	22·14	105·8	87·0	101·2
Smaller Burghs .	235,135	17,752	17·3	18·65	89·1	75·5	87·8
County Districts	348,259	31,751	31·0	20·43	97·7	91·2	106·0
SCOTLAND . .	1,191,948	102,449	100·0	20·92	100·0	86·0	100·0

The ratio between male and female births registered during the year was 104·5 to 100. This ratio is 0·9 less than that of the previous year, and is 0·6 less than the mean of those of the preceding five years. (*Table 2.*)

Of the total births registered in Scotland during the year 52,946, or 51·7 per cent., were registered in the larger burghs, 17,752, or 17·3 per cent., in the smaller burghs, and 31,751, or 31·0 per cent., in the county or extra-burghal districts. In the larger burghs the collective birth-rate was 22·14 per thousand, in the smaller burghs 18·65 and in the county districts 20·43. Compared with the corresponding rate in the previous year that of the larger burghs shows a fall of 0·55, that of the smaller burghs a fall of 0·52, and that of the county districts a fall of 0·01. (*Table 4.*)

In the counties, burghs included, the annual birth-rate varied from 24·2 per thousand in Banff, 23·8 in Lanark, 23·2 in West Lothian, 22·6 in Stirling, and 22·0 in Aberdeen, to 12·0 in Argyll, 13·5 in Bute and in Shetland, 14·5 in Sutherland, and 14·6 in Peebles. (*Table 7.*)

In the larger burghs taken individually the birth-rate ranged from 26·1 in Coatbridge, 25·8 in Hamilton, 23·9 in Greenock, and 23·5 in Glasgow, to 18·7 in Edinburgh, 19·8 in Dunfermline, 20·0 in Perth, and 20·1 in Kirkcaldy. In Motherwell and

TABLE D (1).—Frequencies of Specified Birth-rates in Counties, Burghs, and County Districts in 1926.

Birth-rate per 1000.	Counties.	All Burghs and all County Districts.	All Burghs.	All County Districts.	Burghs with Populations		
					Over 30,000.	1000 to 30,000.	Under 1000.
—4
4—	...	2	2	1	1
6—	...	5	4	1	...	4	...
8—	...	10	8	2	...	4	4
10—	...	17	14	3	...	12	2
12—	3	28	18	10	...	16	2
14—	7	36	17	19	...	16	1
16—	3	42	22	20	...	20	2
18—	5	36	25	11	2	23	...
20—	10	49	32	17	7	24	1
22—	4	45	32	13	5	26	1
24—	1	16	12	4	1	9	2
26—	...	12	7	5	1	6	...
28—	...	3	3	3	...
30—	...	3	3	2	1
32—	...	2	2	2
34—
36—
38—
40 and over
TOTALS, ...	33	306	201	105	16	166	19

Wishaw this rate was 23·4, in Clydebank 23·0, in Paisley 22·4, in Dundee 21·9, in Falkirk 21·7, in Aberdeen 21·6, in Kilmarnock 21·2, and in Ayr 21·0. (*Table 4.*)

Of the smaller burghs 74 have populations of 5,000 and over, and in these the annual birth-rate varied from 28·4 per thousand in Buckie, 27·3 in Airdrie, 27·1 in Kirkintilloch, 26·8 in Denny and Dunipace, and 25·6 in Johnstone, to 10·1 in Crieff, 11·4 in Carnoustie, 11·8 in Troon, 11·9 in St. Andrews, and 12·3 in Gourock. (*Table 5.*)

In county or extra-burghal districts with populations of over 5,000 the birth-rate varied from 27·8 in Huntly District of Aberdeen, 27·7 in Turriff District of Aberdeen, 26·6 in Kirkcaldy District of Fife, and 26·1 in Ellon District of Aberdeen and in Ayr District of Ayr, to 7·1 in Cowal District of Argyll, 11·6 in Mid-Argyll District of Argyll, and 12·1 in Highland District of Perth. (*Table 6.*)

The number of women in Scotland of child-bearing age—15 to 45—is estimated at 1,191,948, of whom 513,106 are married, and 678,842 are either widowed or unmarried. As the total births of the year numbered 102,449 the annual birth-rate expressed as per thousand of all women of child-bearing age is found to be 86·0, which rate is 1·4 less than that of the year 1925, 4·0 less than in 1924, 7·8 less than in 1923, and 10·4 less than in 1922. In the larger burghs taken collectively the birth-rate expressed in this manner was 87·0, in the smaller burghs 75·5, and in the county districts 91·2. In the previous year these three rates were 89·2, 77·3 and 91·2 per thousand respectively, and comparison shows that while this rate has remained constant in the county districts, it has fallen in the larger burghs and in the smaller burghs. (*Table 8.*)

Of the 102,449 living children whose births were registered during the year 95,403, or 93·12 per cent., were legitimate, while 7,046, or 6·88 per cent., were illegitimate. Compared with the number in the previous year that of legitimate children is 1,903, or 2·0 per cent., less, but that of illegitimate children is 215, or 3·1 per cent., more. Compared with the mean of the numbers of the preceding five years, that of legitimate children is 9,236, or 8·8 per cent. less, and that of illegitimate children 560, or 7·4 per cent., less. Compared with the mean of the numbers of the preceding ten years that of legitimate children is 7,633, or 7·4 per cent., less, and that of illegitimate children 915, or 11·5 per cent., less. The number of illegitimate children registered during the year, although somewhat greater than in the preceding year, is less than in all other previous years since 1855. During the years 1862 to 1887 the births of more than 10,000 illegitimate children were registered annually, but in 1898 this number for the first time fell below 9,000. During the war years (1915-1918) the annual number was constantly less than 8,000, but in the years 1919 and 1920 the number increased, and in the latter year amounted to 10,204. Subsequent to 1920 the number

steadily decreased, reaching a minimum of 6,831 in 1925. (*Table 1.*)

The illegitimate rate of the year expressed as a percentage of the total births was 6·88. This rate is 0·32 more than that of the previous year, and 0·10 more than the mean of those of the five preceding years, but is 0·29 less than the mean of those of the ten preceding years. It is markedly less than those of the earlier years of registration. From 1859 to 1873 this percentage was constantly more than 9, and attained a maximum of 10·27 in 1866. It fell below 8 per cent. in 1889, below 7 per cent. in 1898, and has for the last five years been constantly under that amount. (*Table 2.*)

In the larger burghs taken collectively the illegitimate rate of the year was 6·04 per cent., in the smaller burghs 6·50, and in the county districts 8·49. In the previous year these three rates were 5·89, 6·35, and 7·80, and thus those of the larger burghs and of the smaller burghs both show an increase of 0·15, while that of the county districts shows an increase of 0·69. (*Table 4.*)

In the counties, burghs included, the illegitimate rate of the year varied from 15·5 per cent. in Wigtown, 13·1 in Kirkcudbright and in Moray, and 12·9 in Banff and in Caithness, to 4·5 in Dumbarton, 4·6 in Renfrew, 5·1 in West Lothian, and 5·2 in Clackmannan and in Stirling. In the larger burghs this rate varied from 7·0 per cent. in Aberdeen, 6·9 in Edinburgh and Dundee, and 6·7 in Perth, to 3·4 in Falkirk, 3·7 in Clydebank, 4·6 in Hamilton, and 4·8 in Dunfermline. In Glasgow this rate was 5·9. In burghs with populations of between 5,000 and 30,000 this rate varied from 13·6 per cent. in Campbeltown, 13·1 in Rothesay, 13·0 in Buckie, and 12·1 in Brechin, to 1·7 in Renfrew, 2·2 in Gourock, 2·4 in Cowdenbeath, and 2·5 in Grangemouth. In county or extra-burghal districts with populations of over 5,000 the illegitimate rate varied between 23·8 per cent. in Huntly District of Aberdeen, 22·4 in Langholm District of Dumfries, 21·7 in Turriff District of Aberdeen, 20·8 in Islay District of Argyll, and 19·4 in St. Cyrus District of Kincardine, to 3·6 in Lower Ward District of Lanark, 3·7 in Upper Ward District of Renfrew, and 3·8 in West District of Berwick. (*Tables 4-7.*)

The legitimate birth-rate of the year expressed as per thousand of the estimated number of married women of child-bearing age—15-45—was 186, which rate is 4 less than in the previous year, 9 less than in the year 1924, 17 less than in 1923, and 23 less than in 1922. In the larger burghs taken collectively this rate was 188, in the smaller burghs 166, and in the county districts 195. In the previous year these three rates were 193, 171 and 197. In the counties, burghs included, this rate varied from 221 in Caithness, 219 in Banff, 216 in Inverness, and 203 in Stirling, to 126 in Argyll, 143 in Peebles, and 146 in Bute, in Roxburgh and in Selkirk. In the larger burghs it varied from

231 in Coatbridge, 216 in Hamilton, and 201 in Greenock, to 137 in Dunfermline, 168 in Edinburgh, and 170 in Kirkcaldy. (*Table 8.*)

The illegitimate rate expressed as per thousand of the estimated number of unmarried women of ages 15 to 45 was 10·4, which rate is 0·3 more than that of the previous year, 0·1 less than that of 1924, 0·6 less than that of 1923, and 1·2 less than that of 1922. In the larger burghs taken collectively this rate was 9·3 per thousand, in the smaller burghs 8·5, and in the county districts 13·5. In the previous year these three rates were 9·3, 8·5 and 12·4 respectively, and thus, while this rate has remained steady in the larger burghs and in the smaller burghs, it shows an increase in the county districts. In the counties, burghs included, the illegitimate birth-rate so expressed varied from 25·6 in Banff, 21·8 in Wigtown, and 20·4 in Moray, to 5·3 in Peebles, 5·6 in Selkirk, 6·6 in Ross and Cromarty, and 6·9 in Dumbarton. In the larger burghs this rate varied from 13·5 in Coatbridge, 11·8 in Greenock, 11·0 in Motherwell and Wishaw, 10·4 in Hamilton, and 10·0 in Aberdeen, to 6·1 in Falkirk, 7·4 in Paisley, and 7·8 in Clydebank. (*Table 8.*)

Of the 102,449 births registered during the year, 99,854, or 97·47 per cent., were of single children, 2,558, or 2·50 per cent., were of twins, 33, or 0·03 per cent., were of triplets, while 4 were of quadruplets. From the foregoing figures it may be deduced that the total number of women giving birth to living children during the year was 101,145, and of them 99,854, or 98·72 per cent., gave birth to single children, 1,279, or 1·27 per cent., to twins, 11, or 0·01 per cent., to triplets, and 1 to quadruplets. During the year 1 child in 40 was a twin, and 1 child in 3,105 a triplet, while 1 birth in 79 was a twin birth, and 1 birth in 9,195 was a triplet birth. In this computation of single births, twins and triplets only live-born children are counted—still-born children are not registered in Scotland—and thus the birth of one living child and one still-born child, or of one live child and two still-born children, is counted as a single birth, and a birth of two live children and one still-born child is counted as a twin birth.

During the present century there have been only three previous occasions on which the births of living quadruplets have been recorded, these occasions being in the years 1903, 1907 and 1919, and to show the extreme rarity of such an event it may be noted that during these 26 years the births of 3,122,628 children have been registered. (*Table 1.*)

The Scottish birth-rate in the first quarter of the year was 21·6 per thousand, in the second quarter of the year 22·1, in the third quarter 20·1, and in the fourth quarter 19·8. Compared with the rate for the corresponding quarter of the previous year that of the first quarter is 0·7 more, of the second quarter 0·8 less, of the third quarter 0·7 less, and of the fourth quarter 0·8 less. (*Table 3.*)

The monthly birth-rate during the year ranged from 22·9 per thousand in April, 22·5 in March, 21·8 in May, and 21·6 in June, to 19·4 in December, 19·7 in September, and 19·8 in October. In February this rate was 21·5, in January 20·9, in July 20·6, in November 20·2 and in August 20·0. (*Table 50.*)

The birth-rate for the year in England and Wales was 17·8, and in the Irish Free State 20·6. Compared with the Scottish rate the birth-rate of the year in England and Wales is 3·1 less, and in the Irish Free State 0·3 less.

MARRIAGE STATISTICS.

In conformity with the scheme of these Reports the marriage statistics of the year 1926 fall to be dealt with in two portions. In this Report there is incorporated the number of marriages registered during the year in Scotland and in its geographical divisions, while in the subsequent Report, that dealing with the births and deaths of the year 1927, the more detailed marriage statistics of the year now under review, 1926, will be included. The statistics which will appear in the subsequent Report include those of the church of celebration, of the ages of the persons married, &c., in the same manner as the detailed marriage statistics for the year 1925 are given in Appendix II and in Tables 9 to 23 of this Report.

Marriages registered in Scotland during the year 1926 in all numbered 31,253, which number is considerably less than in recent years. It is 1,203 less than that of the previous year, 3,467 less than the mean of those of the five preceding years, and 4,827 less than the mean of those of the ten preceding years. A maximum number of marriages registered in Scotland in a year occurred in 1920 and was 46,754, compared with which number that of this year is 15,501 less. (*Table 1.*)

The Scottish marriage-rate of the year was 6·38 per thousand. This rate is 0·26 less than that of the previous year, 0·72 less than the mean of those of the preceding five years, and 1·05 less than

TABLE D (2).—Marriages in Scotland and its Groups of Public Health Districts in 1926.

GROUPS OF DISTRICTS.	Marriages.		Marriage-rate per 1000 of Population.	
	Number.	Per cent. of Total.	Rate.	Relative Quantity, Scotland being = 100.
Larger Burghs . . .	18,774	60·1	7·85	123·0
Smaller Burghs . . .	5,928	19·0	6·23	97·6
County Districts . . .	6,551	20·9	4·22	66·1
SCOTLAND	31,253	100·0	6·38	100·0

the mean of those of the preceding ten years. There have been only three years since 1855 in which the marriage-rate was lower than in 1926, those three years being 1917, 1887 and 1886, when the marriage-rates were 6·32, 6·35 and 6·31. (*Table 2.*)

The highest Scottish marriage-rate recorded was in the year 1920 and was 9·61, and compared with it that of 1926 is 3·23 less. (*Table 2.*)

Of the 31,253 marriages registered during the year, 18,774, or 60·1 per cent., were registered in the larger burghs, 5,928, or 19·0 per cent., in the smaller burghs, and 6,551, or 20·9 per cent., in the county districts. The marriage-rate in the larger burghs is 7·85 per thousand, in the smaller burghs 6·23, and in the county districts 4·22. In the previous year these three rates were 8·18, 6·37 and 4·47, and thus the collective marriage-rate in the larger burghs shows a decrease of 0·33, in the smaller burghs a decrease of 0·14, and in the county districts a decrease of 0·25. In the counties, burghs included, the marriage-rate of the year varied from 8·3 per thousand in Midlothian, 7·2 in Aberdeen and in Lanark, and 6·8 in Dumfries and in Forfar, to 3·9 in Ross and Cromarty, 3·2 in Argyll, 3·1 in Sutherland and 3·0 in Kinross. (*Tables D(2) and 7.*)

In the larger burghs taken individually the marriage-rate varied from 9·0 per thousand in Edinburgh, 8·9 in Aberdeen, 8·6 in Perth, and 8·3 in Glasgow, to 4·7 in Motherwell and Wishaw, 4·9 in Hamilton, 5·0 in Clydebank and 5·4 in Greenock. (*Table 4.*)

The marriage-rates of the smaller burghs and of the county districts are shown in Tables 5 and 6. These rates, and indeed those of the larger burghs and of the counties, may be indicative of the frequency of marriage within the particular localities, but on account of the frequency of removal from a county district

TABLE D (3).—Number of Divorces in Scotland, 1855-1926,
including Cases of Nullity of Marriage.

Year.	Intimations.	Year.	Intimations.	Year.	Intimations.	Year.	Intimations.
1855	11	1873	25	1891	107	1909	192
1856	16	1874	38	1892	118	1910	223
1857	18	1875	33	1893	112	1911	234
1858	12	1876	40	1894	120	1912	249
1859	24	1877	29	1895	117	1913	250
1860	23	1878	66	1896	133	1914	347
1861	27	1879	55	1897	142	1915	242
1862	26	1880	80	1898	135	1916	267
1863	9	1881	71	1899	176	1917	297
1864	2	1882	69	1900	144	1918	485
1865	4	1883	65	1901	158	1919	829
1866	4	1884	87	1902	204	1920	776
1867	5	1885	76	1903	194	1921	500
1868	13	1886	97	1904	182	1922	382
1869	7	1887	80	1905	167	1923	363
1870	17	1888	107	1906	173	1924	438
1871	11	1889	100	1907	200	1925	451
1872	12	1890	87	1908	189	1926	425

to a burgh and from a smaller to a larger burgh, for the purpose of marriage, these rates cannot be accepted as indicative of the frequency of marriage among the populations of the particular areas.

Marriages terminated during the year by decree of divorce or nullity numbered 425, this number being 26 less than that of the previous year, 2 less than the mean of those of the preceding five years, and 54 less than the mean of those of the preceding ten years. Divorces registered in the year 1919 attained a maximum of 829, since which date their number has been falling. (*Table D(3).*)

The Scottish marriage-rate of the first quarter of the year was 6·5 per thousand, of the second quarter 6·3, of the third quarter 6·8 and of the fourth quarter 5·9. In the previous year these four quarterly marriage-rates were 6·3, 6·6, 7·4 and 6·2, and comparison shows that while that of the first quarter of this year was higher, those of the remaining three quarters were each lower. (*Table 3.*)

The Scottish monthly marriage-rate of the year ranged from 9·0 in January, 8·6 in June, and 8·4 in July, to 3·5 in May, 5·1 in March and 5·2 in February and in November. In December this rate was 7·2, in April 6·9, in September 6·6, in August 5·5, and in October 5·3. (*Table 50.*)

In England and Wales the marriage-rate of the year was 7·1 per thousand, which rate is 0·7 higher than the Scottish rate.

DEATH STATISTICS.

The deaths of 63,780 persons were registered in Scotland during the year 1926, of whom 32,021 were males and 31,759 were females. The total deaths registered during the year numbered 1,727 fewer than in the previous year, 3,872 fewer than the mean of the numbers of the five preceding years, and 6,229 fewer than the mean of those of the ten preceding years. The deaths of males numbered 1,015 fewer, and those of females 712 fewer,

TABLE E.—Deaths in Scotland and its Groups of Public Health Districts in 1926.

GROUPS OF DISTRICTS.	Deaths.			Death-rate per 1000 of Population.		
	Registered.		(Corrected for Transfers.)	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and Adjusted for Age and Sex Distribution.
	Number.	Per cent. of Total.				
Larger Burghs .	35,160	55·1	33,511	14·71	14·02	15·15
Smaller Burghs .	11,054	17·3	12,005	11·61	12·61	11·91
County Districts	17,566	27·6	18,264	11·30	11·75	10·91
SCOTLAND . .	63,780	100·0	63,780	13·03	13·03	13·03

than in the previous year. The number of deaths registered during the year—63,780—is the smallest number in any year since 1861 with the exception of that of 1923, which was 63,283. (*Table 1.*)

The Scottish death-rate of the year was 13·03 per thousand, and is the lowest Scottish death-rate in all years since the institution of national registration with the exception of 1923, when the death-rate was 12·91. It is 0·36 less than that of the previous year, 0·80 less than the mean of those of the preceding five years, and 1·39 less than the mean of those of the preceding ten years. The maximum Scottish death-rate since 1855 occurred in 1864 and was 23·58 per thousand. From 1857 to 1880 the annual death-rate was constantly more than 20 per thousand, from 1881 to 1893 constantly over 18 per thousand, from 1894 to 1908 constantly over 16 per thousand, and from 1910 to 1920 constantly more than 14 per thousand. In 1921 it fell to 13·56, and in 1923 attained a minimum of 12·91. In 1924 it rose to 14·41, but since then has been falling, being 13·39 in 1925, and 13·03 in 1926. (*Table 2.*)

The death-rate in the male population was 13·60 per thousand, and in the female population 12·49, the former being 0·44, and the latter 0·29, less than in the previous year.

When dealing in this Report with the death statistics of counties, of burghs, and of county districts, three rates are given. The first, the crude death-rate, is based on the number of deaths registered in the county, burgh or district, and is neither corrected nor adjusted in any manner. The second, the corrected death-rate, is based on the number of deaths registered, but is

TABLE F.—Showing the Effect on the Death-rates of the Larger Burghs of Correction for Transfers and of Adjustment for Age and Sex Distribution in 1926.

LARGER BURGHS.	Death-rates.				
	Uncorrected.	Effect of Correction.	Corrected for Transfers.	Effect of Adjustment.	Adjusted for Age and Sex Distribution.
Glasgow	15·8	−0·7	15·1	+1·9	17·0
Paisley	14·9	−0·7	14·2	+1·4	15·6
Coatbridge	12·5	+1·1	13·6	+1·8	15·4
Greenock	14·2	−0·5	13·7	+1·3	15·0
Dundee	15·5	−0·7	14·8	0·0	14·8
Hamilton	11·0	+1·6	12·6	+2·0	14·6
Falkirk	13·6	−1·2	12·4	+1·4	13·8
Edinburgh	15·0	−1·5	13·5	+0·2	13·7
Aberdeen	14·1	−0·7	13·4	0·0	13·4
Clydebank	7·2	+3·4	10·6	+2·8	13·4
Kilmarnock	14·2	−1·7	12·5	+0·8	13·3
Motherwell and Wishaw	9·7	+1·3	11·0	+2·2	13·2
Kirkcaldy	11·6	+1·1	12·7	+0·1	12·8
Ayr	14·8	−2·7	12·1	+0·6	12·7
Perth	17·4	−4·2	13·2	−0·7	12·5
Dunfermline	12·3	−1·3	11·0	+0·9	11·9

corrected by the exclusion of deaths of Scottish non-residents and the inclusion of deaths of residents which have taken place elsewhere in Scotland. The third, the corrected and adjusted rate, is the corrected death-rate adjusted to compensate for difference between the age and sex distribution of the local population and that of Scotland in its entirety. The first of these rates shows the actual frequency of death in the county, burgh or district, and the second the frequency of death in the population thereof, while the third is a statistical measurement useful for the purpose of comparison, as it indicates the relative frequency of death uncomplicated by variation in sex and age distribution.

In the counties, burghs included, the crude death-rate of the year varied from 15·5 per thousand in Kinross, 15·4 in Inverness, 15·2 in Caithness, 14·7 in Forfar, and 14·6 in Nairn and in Selkirk, to 9·1 in East Lothian, 9·4 in Peebles, 9·6 in West Lothian, and 10·1 in Dumbarton. (*Table 7.*)

In 17 counties the crude death-rate was higher than the national rate, while in 16 counties it was lower.

In the counties the corrected death-rate ranged from 15·7 in Caithness, 15·1 in Nairn and in Orkney, 15·0 in Inverness and 14·9 in Selkirk, to 10·2 in East Lothian and in Peebles, 10·7 in West Lothian, and 10·8 in Ayr. In 18 counties the corrected death-rate was higher than the national death-rate, in 2 counties it was the same, while in 13 it was lower. (*Table 7.*)

TABLE G.—Frequencies of Specified Death-rates, Corrected and Adjusted, in Counties, Burghs, and County Districts in 1926.

Death-rate per 1000.	Coun- ties.	All Burghs and all County Districts.	All Burghs.	All County Districts.	Burghs with Populations		
					Over 30,000.	1000 to 30,000.	Under 1000.
5	...	2	2	1	1
6	...	7	6	1	...	5	1
7	...	6	5	1	...	5	...
8	1	17	7	10	...	7	...
9	2	40	17	23	...	15	2
10	7	53	24	29	...	22	2
11	9	53	29	24	1	26	2
12	9	41	29	12	3	24	2
13	3	35	31	4	6	23	2
14	1	23	23	...	2	19	2
15	1	18	17	1	3	11	3
16	...	3	3	3	...
17	...	3	3	...	1	2	...
18	...	2	2	1	1
19	...	1	1	1	...
20	...	1	1	1	...
21
22
23	...	1	1	1
TOTALS	33	306	201	105	16	166	19

The corrected and adjusted death-rate in the counties ranged from 15·8 in Lanark, 14·1 in Renfrew, 13·5 in Midlothian, 13·4 in Selkirk, and 13·2 in Forfar, to 8·9 in Peebles, 9·0 in Argyll, 9·2 in Shetland, and 9·7 in Sutherland. In 5 counties, namely, Forfar, Lanark, Midlothian, Renfrew and Selkirk, the corrected and adjusted death-rate was higher than the national rate, while in the remaining 28 counties it was lower. (*Table 7.*)

Of the 63,780 deaths registered during the year 35,160, or 55·1 per cent., were registered in the larger burghs, 11,054, or 17·3 per cent., in the smaller burghs, and 17,566, or 27·6 per cent., in the county districts. When the 63,780 deaths are distributed according to the place of usual residence it is found that 33,511, or 52·6 per cent., occurred among the population of the larger burghs, 12,005, or 18·8 per cent., among that of the smaller burghs, and 18,264, or 28·6 per cent., among that of the county districts. Deaths among the population of the larger burghs number 535 fewer than in the previous year, among the population of the smaller burghs 439 fewer, and among that of the county districts 753 fewer. (*Table E.*)

In the larger burghs taken collectively the crude or uncorrected death-rate of the year was 14·71 per thousand, the corrected death-rate 14·02, and the corrected and adjusted death-rate 15·15. Compared with the corresponding rate in the previous year the crude death-rate is 0·23 less, the corrected death-rate 0·34 less, and the corrected and adjusted death-rate 0·37 less. In these burghs the corrected and adjusted death-rate is 2·12 more than the national death-rate. In the previous year this difference was 2·13. (*Table 4.*)

In the smaller burghs taken collectively the crude death-rate was 11·61, the corrected death-rate 12·61, and the corrected and adjusted death-rate 11·91. Compared with the corresponding rate in the previous year the crude death-rate is 0·53 less, the corrected death-rate 0·49 less, and the corrected and adjusted death-rate 0·46 less. The corrected and adjusted death-rate of the smaller burghs is 1·12 less than the national death-rate, and 3·24 less than the corrected and adjusted death-rate in the larger burghs. (*Table 4.*)

In the county districts taken collectively the crude death-rate was 11·30, the corrected death-rate 11·75 and the corrected and adjusted death-rate 10·91. In the previous year these three death-rates were 11·80, 12·10, and 11·24 respectively, and comparison shows that the crude death-rate is 0·50 less, the corrected death-rate 0·35 less, and the corrected and adjusted death-rate 0·35 less. In these districts taken collectively the crude death-rate of the year is 1·73 less than the national rate, the corrected death-rate is 1·28 less, and the corrected and adjusted death-rate is 2·12 less, the last-named being 1·00 less than that for the smaller burghs and 4·24 less than that for the larger burghs. (*Table E.*)

In the larger burghs taken individually the crude death-rate

of the year ranged from 17·4 in Perth, 15·8 in Glasgow, 15·5 in Dundee, and 15·0 in Edinburgh, to 7·2 in Clydebank, 9·7 in Motherwell and Wishaw, 11·0 in Hamilton and 11·6 in Kirkcaldy. In them the corrected death-rate varied from 15·1 in Glasgow, 14·8 in Dundee, 14·2 in Paisley and 13·7 in Greenock, to 10·6 in Clydebank, 11·0 in Motherwell and Wishaw and in Dunfermline, and 12·1 in Ayr. The corrected and adjusted death-rate in these burghs varied from 17·0 in Glasgow, 15·6 in Paisley, 15·4 in Coatbridge, 15·0 in Greenock, and 14·8 in Dundee, to 11·9 in Dunfermline, 12·5 in Perth, 12·7 in Ayr and 12·8 in Kirkcaldy. In four of these burghs, Dunfermline, Kirkcaldy, Ayr and Perth, the corrected and adjusted death-rate was less than the national rate, while in the remaining 12 it was higher. (*Table 4.*)

In the smaller burghs, excluding those with populations of less than 5,000, the crude death-rate of the year varied from 21·7 in Dumfries, 21·4 in Inverness, 17·5 in Stirling, and 17·2 in Elgin, to 5·3 in Lochgelly, 6·0 in Troon, 7·4 in Denny and Dunipace, 7·8 in Borrowstounness, and 7·9 in Ardrossan and in Renfrew. In these burghs the corrected death-rate varied from 18·6 in Inverness, 17·6 in Campbeltown, 16·7 in Brechin, and 16·1 in Dunbar and in Galashiels, to 7·4 in Troon, 8·2 in Lochgelly, 9·0 in St. Andrews, 9·6 in Buckhaven and Methil, and 10·0 in Ardrossan and in Denny and Dunipace. The corrected and adjusted death-rate in these burghs ranged from 16·5 in Inverness, 16·2 in Johnstone, 15·9 in Dumfries, 15·8 in Port-Glasgow, and 15·5 in Rutherglen, to 7·9 in Troon, 8·8 in St. Andrews, 9·0 in Helensburgh and 9·5 in Rothesay. (*Table 5.*)

There are 56 of the smaller burghs with populations exceeding 5,000, and in them the corrected and adjusted death-rate exceeded the national death-rate in 26 instances, equalled it in 1 instance, and was less than it in 29 instances.

In the county districts, those with censal populations of 5,000 and over, the crude death-rate varied from 20·8 per thousand in Aberdeen District of Aberdeen, 17·1 in County District of Kinross, and 17·0 in Inverness District of Inverness, to 6·5 in Cowal District of Argyll, 7·8 in Dunfermline District of Fife, and 8·0 in Bathgate District of West Lothian. In these districts the corrected death-rate varied from 17·5 in Islay District of Argyll, 16·1 in Mid-Ross District of Ross and Cromarty, and 16·0 in Black Isle District of Ross and Cromarty, to 7·4 in Cowal District of Argyll, 8·7 in Dunfermline District of Fife, and 9·2 in County District of Peebles. In these districts the corrected and adjusted death-rate varied from 13·3 in Thornhill District of Dumfries, 13·2 in Islay District of Argyll, and 13·0 in Middle Ward District of Lanark, to 6·0 in Cowal District of Argyll, 8·1 in County District of Peebles, and 8·2 in Mid-Argyll District of Argyll. In 4 of these districts the corrected and adjusted death-rate was higher than the national rate and in 1 it equalled that rate, while in 100 it was lower. (*Table 6.*)

The Scottish death-rate in the first quarter of the year was 14·8 per thousand, in the second quarter 13·9, in the third quarter 10·4, and in the fourth quarter 12·9. Compared with the corresponding rate in the previous year that of the second quarter is 0·9 higher, but that of the first quarter is 0·4 lower, of the third quarter 0·5 lower, and of the fourth quarter 1·5 lower. (*Table 3.*)

The monthly death-rates during the year varied from 17·1 in April, 15·7 in March, and 14·4 in January and February, to 10·2 in August, 10·5 in September, 10·6 in July, and 10·7 in October. In November it was 14·2, in December 14·0, in May 13·4, and in June 11·3. (*Table 50.*)

The death-rate of the year in England and Wales was 11·6 per thousand, which is 1·4 less than the Scottish rate.

AGES OF THOSE DYING.

Of the 63,780 persons whose deaths were registered during the year 12,742, or 20·0 per cent., were children of less than 5 years old, 26,229, or 41·1 per cent., were persons aged 5 to 65, and 24,809, or 38·9 per cent., were persons aged 65 and over. Compared with the number in the previous year deaths of children of less than 5 years old are 1,507 fewer, and those of persons aged 5 to 65 are 294 fewer, but those of persons aged 65 and over are 76 more. (*Tables 24 and 26.*)

The age-group death-rates, both sexes included, ranged from 287·9 per thousand in age-group 85 and over, 129·2 in age-group 75 to 84, and 75·4 in age-group under 1, to 1·7 in

TABLE H.—Monthly Mortality and Mean Temperature in Scotland during 1926, compared with the mean of the Ten Years 1911-1920.

MONTHS.	YEAR 1926.			1911-1920.	
	Mean Tempera- ture.	Actual Deaths.	Relative number per month of 31 days.	Relative number per month of 31 days.	Mean Tempera- ture.
January	40·0	5,981	1,103	1,137	37·9
February	41·3	5,416	1,106	1,235	39·0
March	43·0	6,531	1,204	1,175	39·6
April	47·0	6,892	1,313	1,092	44·2
May	48·3	5,569	1,027	992	50·1
June	55·3	4,547	867	878	54·3
July	60·4	4,426	816	841	57·1
August	59·1	4,234	781	781	56·9
September	54·6	4,206	801	823	52·5
October	43·8	4,441	819	934	46·9
November	40·9	5,734	1,093	1,032	41·7
December	40·4	5,803	1,070	1,080	38·8
YEAR	47·8	63,780	1,000	1,000	46·6

Note.—For columns 4 and 5, deaths for each month have been equalised to a month of 31 days. This had not been done for this Table in previous years.

age-group 10 to 15, 2·4 in age-group 5 to 10, and 2·9 in age-group 15 to 25. A comparison of the age-group death-rates with those of the previous year shows comparatively small differences. (*Table 25.*)

A comparison between the age-group death-rates of the male and female populations shows that the latter are lower in all age periods with the exception of the periods 15-25 and 25-35. The death-rates of these two age periods in the male population are 2·9 and 4·1 respectively, while those in the female population are 3·0 and 4·2. (*Table 25.*)

Table 25 includes figures comparing the age-group death-rates of the larger burghs, smaller burghs, and county districts, and it may there be noted that these death-rates in the larger burghs are all considerably higher than in the county districts, while those of the smaller burghs are intermediate in amount between those of the larger burghs and the county districts, those of age-groups 10 to 15, 15 to 25 and 25 to 35 excepted, which are lower than in the county districts.

The average age at death of all persons dying during the year was 47·83, that of males being 45·58 and that of females 50·10. In the previous year these three averages were 46·64, 44·15 and 49·17 respectively, and thus the general average shows an increase of 1·19, the male average an increase of 1·43 and the female average an increase of 0·93.

The average age at death of unmarried males was 20·4 years and of unmarried females 28·2, both being 1·0 more than in the previous year.

The average age at death of married and widowed males taken collectively was 64·7 years, which is 0·2 more than in the previous year, while that of married and widowed females was 64·8, which is 0·1 less than in that year.

The average age of married men dying during the year was 60·5 and of married women 54·4, the former being 0·1 more but the latter 0·2 less than in the previous year.

TABLE J.—Age-group Death-rates per 1000 of Population in 1926 and 1925.

	1926.		1925.		Difference, 1926 compared with 1925.		Difference per cent., 1926 compared with 1925.	
	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
- 1	86·3	64·3	96·9	70·0	- 10·6	- 5·7	- 10·9	- 8·1
1- 4	12·6	10·9	13·9	12·8	- 1·3	- 1·9	- 9·4	- 14·8
5- 9	2·5	2·3	2·7	2·3	- 0·2	0·0	- 7·4	0·0
10-14	1·8	1·6	1·7	1·8	+ 0·1	- 0·2	+ 5·9	- 11·1
15-24	2·9	3·0	3·2	3·0	- 0·3	0·0	- 9·4	0·0
25-34	4·1	4·2	4·1	4·1	0·0	+ 0·1	0·0	+ 2·4
35-44	6·1	5·7	6·7	5·5	- 0·6	+ 0·2	- 9·0	+ 3·6
45-54	12·0	10·1	11·6	10·0	+ 0·4	+ 0·1	+ 3·4	+ 1·0
55-64	27·8	21·7	28·0	22·4	- 0·2	- 0·7	- 0·7	- 3·1
65-74	67·3	51·2	67·3	51·3	0·0	- 0·1	0·0	- 0·2
75-84	146·1	119·0	144·9	118·6	+ 1·2	+ 0·4	+ 0·8	+ 0·3
85 & over	322·1	272·7	310·7	274·2	+ 11·4	- 1·5	+ 3·7	- 0·5

The average age at death of widowers was 73·6 and of widows 74·5. In the previous year these two averages were 72·9 and 74·6, and thus the male average of this year shows an increase of 0·7 while the female average shows a decrease of 0·1.

Deaths of children of less than one year old numbered 8,514, and as the registered births of the year numbered 102,449 these deaths equal an infantile mortality rate of 83·1 per thousand registered births. These deaths number 916 fewer than in the previous year, 1,785 fewer than the mean of the numbers of the preceding five years and 2,070 fewer than the mean of those of the preceding ten years. It is the smallest number of deaths of children of less than one year old since the introduction of national registration in 1855, the previous minimum being 8,825, which occurred in 1923. (*Table 1.*)

The infantile mortality rate of the year, 83·1 per thousand registered births, is with one exception the lowest yet recorded for Scotland, the exception being a rate of 78·9, which occurred in the year 1923. This death-rate is 7·5 lower than in the previous year, 8·7 less than the mean of those of the preceding five years and 12·3 less than the mean of those of the preceding ten years. Up to and including 1915 the infantile mortality rate was constantly over 100, but in the 11 years that since then have elapsed it has exceeded 100 only 3 times, has been between 90 and 100 six times, between 80 and 90 once, and been less than 80 once. (*Table 2.*)

Deaths of male children of under 1 year old numbered 4,924 and of female children of that age 3,590, the former number being 603 and the latter 313 fewer than in the previous year. The male infantile mortality rate of the year was 94·0 per thousand male births registered and the female rate 71·7 per thousand female births registered, the former being 9·5 and the latter 5·3 less than in the previous year. The male infantile mortality rate of the year is 22·3 or 31·1 per cent. higher than the female rate. In the previous year the male rate was 34 per cent. higher than the female. (*Table 24.*)

In the counties, burghs included, the infantile mortality rate of the year ranged from 96 per thousand in Forfar and in Lanark, 89 in Aberdeen and in Renfrew, and 84 in Kincardine, to 32 in Peebles, 36 in Kinross, 38 in Sutherland, 39 in Argyll, and 40 in Shetland. (*Table 7.*)

In the larger burghs taken collectively the infantile mortality rate of the year was 93·7, in the smaller burghs 76·4 and in the county districts 69·2. In the previous year these three rates were 101·0, 85·4 and 76·0, comparison showing that the larger burgh rate is 7·3 less, the smaller burgh rate 9·0 less and the county district rate 6·8 less. (*Table 4.*)

In the larger burghs taken individually this rate varied from 114 per thousand in Paisley, 104 in Glasgow, 103 in Dundee, 97 in Coatbridge, and 96 in Aberdeen, to 54 in Perth, 57 in Kirkcaldy, 60 in Clydebank, and 62 in Ayr and in Kilmarnock.

In those of the smaller burghs which have a population of more than 5,000 it varied from 134 in Montrose, 126 in Dumfries, 120 in Kilsyth, 112 in Lanark, and 111 in Kirkintilloch and in Peterhead, to 10 in Dunoon, 23 in Peebles, 29 in Carnoustie, 40 in Burntisland, and 43 in St. Andrews. (*Tables 4 and 5.*)

In county districts with populations of more than 5,000 the infantile mortality rate varied from 102 in Annan District of Dumfries, 99 in Rhins District of Wigtown, 96 in Ellon District of Aberdeen, 92 in Central District of Perth, and 90 in Middle District of Berwick, to 6 in Skye District of Inverness, 10 in Badenoch District of Inverness, 13 in Cowal District of Argyll, and 22 in Aird District of Inverness. (*Table 6.*)

Deaths among persons aged 70 and upwards numbered 19,212, of which 8,445 were of males and 10,767 were of females. Deaths among males of these ages equal a death-rate of 127·2 per thousand of the male population of these ages and those of females a death-rate of 104·8 per thousand of the corresponding female population. The death-rate at these ages, both sexes included, was 113·6. In the previous year these three death-rates were 124·8, 104·8 and 112·7 respectively. The male death-rate at these ages exceeds the female death-rate by 22·4, or 21·4 per cent. In the previous year this difference was 20·0.

The deaths of 16 reputed centenarians were registered during the year, of whom 2 were males and 14 were females. One male was recorded as being aged 100 and the other as 102. Of the 14 females 3 were reputed to be aged 103 years old, 3 to be aged 102, 3 to be aged 101 and 5 to be aged 100. The usual endeavour has been made to verify the age at death in each instance with the result that proof of attainment of age 100 was obtained in 9 instances, 1 male being found to be aged 102, 2 females aged 103, 3 females aged 102, 1 aged 101 and 2 aged 100. In 5 instances proof was found that age 100 was not attained, while in 2 instances no proof of exact age was obtainable. This is the seventeenth year in which special research has been made into the exact ages of reputed centenarians and these researches have now dealt with 240 such deaths. In 112 instances proof of attainment of age 100 has been obtained, in 34 instances the attainment of such age has been disproved, while in 94 instances satisfactory proof in support or in contradiction of attainment of age 100 was not found. The oldest person whose age has been verified in the course of this study was a female dying in 1924 whose age by reference to the Old Parochial Registers was found to be 106 years, 213 days.

CAUSES OF DEATH.

Of the 63,780 deaths registered during the year 63,362, or 99·3 per cent., were certified as to the cause of death either by a registered medical practitioner or by a Procurator Fiscal, while 418, or 0·7 per cent., were not so certified. The number of

uncertified deaths is 80 less than in the previous year and is the smallest number yet recorded. In the years 1881-1883 uncertified deaths amounted to over 7,000 annually but this number has constantly decreased. It fell below 5,000 in 1889, below 3,000 in 1896, below 2,000 in 1904 and below 1,000 in 1920. This is the second consecutive year in which the number has been less than 500. Of the 418 deaths from uncertified causes the largest numbers were in Ross and Cromarty (136, or 15·1 per cent., of the total deaths registered in that county), in Inverness (109, or 9·0 per cent.), in Shetland (40, or 13·1 per cent.), in Argyll (28, or 3·3 per cent.), and in Sutherland (26, or 11·3 per cent.). In Argyll the number of uncertified deaths was greater than in the previous year (28 as against 13) but in each of the other named counties these deaths were fewer. In Ross and Cromarty they were 49 fewer, in Inverness 7 fewer, in Shetland 15 fewer and in Sutherland 20 fewer. (*Table 49.*)

Of the 63,780 deaths the cause of death was specified in 62,657 instances, or in 98·2 per cent. of the total, while the cause of death in 1,123 instances, or 1·8 per cent. of the total, was either unspecified or ill-defined. Of these 1,123 deaths 919 were imperfectly specified, being attributed to sudden death, heart failure, syncope, of other ill-defined cause, while in 204 instances the cause of death was unspecified or merely described as “natural causes.” In the previous year deaths from ill-defined causes numbered 951 and those from unspecified causes 201, and thus the deaths from ill-defined causes number 32 fewer than in that year, but the deaths from unspecified causes number 3 more. (*Page 8.*)

Enteric Fever.—Deaths from enteric fever registered during

TABLE K.—Deaths from Uncertified Causes, 1881-1926.

Year.	Uncertified Causes.	Percentage of Uncertified to Total.	Year.	Uncertified Causes.	Percentage of Uncertified to Total.
1881	7863	10·9	1904	1893	2·4
1882	7220	9·9	1905	1741	2·3
1883	7278	9·5	1906	1727	2·3
1884	6487	8·6	1907	1796	2·3
1885	6204	8·3	1908	1654	2·1
1886	5932	8·1	1909	1552	2·1
1887	5466	7·3	1910	1396	1·9
1888	5029	7·1	1911	1135	1·6
1889	4566	6·2	1912	1362	1·9
1890	4569	5·8	1913	1401	1·9
1891	4691	5·6	1914	1220	1·7
1892	4267	5·6	1915	1514	1·9
1893	3729	4·7	1916	1294	1·8
1894	3290	4·6	1917	1387	2·0
1895	3222	3·9	1918	1216	1·6
1896	2509	3·6	1919	1100	1·5
1897	3041	3·8	1920	757	1·1
1898	2459	3·1	1921	716	1·1
1899	2425	3·0	1922	675	0·9
1900	2757	3·4	1923	573	0·9
1901	2392	3·0	1924	608	0·9
1902	2180	2·8	1925	498	0·8
1903	2058	2·8	1926	418	0·7

the year numbered 39, which number is less than those of all preceding years with the exception of that of 1924, which was 34. This is the eighth consecutive year in which deaths from enteric fever in Scotland have numbered less than 100. Of these 39 deaths 20 occurred among males and 19 among females, and of them 24 occurred in the larger burghs, 4 in the smaller burghs and 11 in the county districts. (*Tables 30-40.*)

Typhus Fever.—There were 3 deaths from this cause registered during the year. In the previous year these deaths numbered 4. (*Tables 30-40.*)

Smallpox.—For the fifth year in succession no deaths from this cause were registered in Scotland.

Measles.—Deaths from measles numbered 928, 488 being of males and 440 of females. These deaths number 416 more than in the previous year, but 309 less than a five years' average and 323 less than a ten years' average. The death-rate from this cause was 19 per 100,000, which rate is 9 more than in the previous year, but is 6 less than the mean of those of the preceding five years and 7 less than the mean of those of the preceding ten years. Of these 928 deaths 657 were registered in the larger burghs, 101 in the smaller burghs and 170 in the county districts, the death-rate from this cause in the larger burghs being 27 per 100,000, in the smaller burghs 11, and in the county districts 11. Of these 928 deaths 878, or 94·6 per cent., were among children of less than 5 years old, 39 among children of between 5 and 15 years old and 11 among persons aged 15 and over. In the larger burghs the death-rate from this cause varied from 63 per 100,000 in Hamilton, 47 in Greenock and in Coatbridge, 43 in Paisley, and 41 in Glasgow, to 1 in Dundee, and 2 in Clydebank and in Kirkcaldy. (*Tables 30-40.*)

Scarlet Fever.—Deaths attributed to scarlet fever number 343, which number is 61 less than in the previous year, but is 6 more than the mean of the numbers of the preceding five years and 31 more than the mean of those of the preceding ten years. A minimum number of deaths from scarlet fever in Scotland occurred in 1918 and was 168, but since then these deaths have been tending to increase. In the years 1919-1922 they varied from 222 to 270 but since 1923 these deaths have constantly numbered more than 340 annually. A maximum number of deaths from this cause in Scotland occurred in the year 1874 and was 6,321, with which number those of recent years are in great contrast. The annual death-rate from this cause was 7 per 100,000. In the larger burghs this death-rate was 8, in the smaller burghs 5, and in the county districts 6. Of those dying from scarlet fever 197, or 57·4 per cent., were children of less than five years old, 107, or 31·2 per cent., were children of 5 to 15 years old, while 39 were persons aged 15 and over. In the larger burghs the death-rate from this cause varied from 16 per 100,000 in Dundee, 15 in Paisley, and 14 in Coatbridge and in Kilmarnock, to 0 in Greenock, in Kirkcaldy and in Ayr. In

Glasgow this death-rate was 9 and in Edinburgh 8. (*Tables 30-40.*)

Whooping-Cough.—Deaths from whooping-cough during the year in all numbered 506 and equalled a death-rate of 10 per 100,000. These deaths are 1,231 fewer than in the previous year, 941 fewer than the mean of the numbers of the preceding five years and 883 fewer than the mean of those of the preceding ten years. It is the smallest annual number of deaths from whooping-cough in Scotland yet recorded, the previous smallest being 628, which occurred in the year 1920. In the larger burghs taken collectively the death-rate from whooping-cough was 12 per 100,000, in the smaller burghs 10 and in the county districts 8. In the larger burghs taken individually this death-rate varied from 40 per 100,000 in Paisley, 23 in Hamilton, 22 in Kirkcaldy, and 17 in Glasgow, to 0 in Kilmarnock and in Falkirk, 1 in Greenock, and 2 in Dundee and in Coatbridge. Of those dying from whooping-cough 239 were males and 267 were females. Of them 492, or 97·2 per cent., were children of less than 5 years old, 11 were children aged 5 but less than 10, while only 3 were persons aged 10 and upwards. (*Tables 30-40.*)

Diphtheria.—Deaths from diphtheria in all numbered 490, 249 being of males and 241 of females. These deaths numbered 15 fewer than in the previous year, 27 fewer than the mean of the numbers of the preceding five years and 135 fewer than the mean of those of the preceding ten years. The only year in which a smaller number of deaths from this cause was recorded was 1924, when they numbered 442. From 1856 to 1896 these deaths constantly numbered more than 1,000 annually, from 1897 onwards the number has constantly been below 1,000. It fell below 800 for the first time in 1902, below 700 in 1917, and below 600 in 1922. It has now three times been less than 500—in 1923, in 1924 and in 1926. The death-rate from diphtheria was 10 per 100,000, which is the same as in the previous year but is 1 less than the mean of those of the preceding five years and 3 less than the mean of those of the preceding ten years. In the male population this death-rate was 11 and in the female 9. In the larger burghs taken collectively this death-rate was 13, in the smaller burghs 8, and in the county districts 7. In the larger burghs taken individually the death-rate from diphtheria varied from 39 per 100,000 in Dundee, 29 in Falkirk, and 13 in Glasgow, in Aberdeen and in Greenock, to 0 in Clydebank, in Hamilton and in Kilmarnock. Of those dying from diphtheria 322, or 65·7 per cent., were children of less than 5 years old, 149, or 30·4 per cent., were children aged between 5 and 15, while only 19 were persons aged 15 and over. (*Tables 30-40.*)

Principal Epidemic Diseases Death-Rate.—Enteric fever, measles, scarlet fever, whooping-cough and diphtheria for statistical purposes are grouped along with diarrhoeas among children of less than 2 years old as the principal epidemic diseases and the death-rate caused by them collectively is referred to as

the principal epidemic diseases death-rate. These deaths in all during the year numbered 3,104 and this death-rate was 0·63 per 1,000. This death-rate is 0·21 less than in the previous year, 0·31 less than the mean of those of the preceding five years and 0·35 less than the mean of those of the preceding ten years. In the larger burghs taken collectively this death-rate was 0·84 per 1,000, in the smaller burghs 0·44 and in the county districts 0·44. In the previous year these three rates were 1·10, 0·57 and 0·59 respectively, and comparison shows this rate in the larger burghs to be 0·26, in the smaller burghs 0·13, and in the county districts 0·15 less than in that year. In the larger burghs taken individually the principal epidemic diseases death-rate varied from 1·25 in Paisley, 1·12 in Glasgow, 1·10 in Hamilton, and 1·04 in Coatbridge, to 0·28 in Clydebank, 0·29 in Dunfermline, 0·29 in Kirkcaldy, and 0·36 in Perth. In those of the smaller burghs which have populations of more than 5,000 relatively high principal epidemic diseases death-rates occurred in Campbeltown (2·74), Lanark (1·27), Cowdenbeath (1·07), Kirkintilloch (1·06), Port-Glasgow (1·06), Dumbarton (1·05), and Stirling (1·00). In 6 of these burghs with populations of between 5,000 and 30,000 no deaths from the principal epidemic diseases were registered during the year, these 6 being Burntisland, Carnoustie, Kilsyth, Peebles, Rothesay and St. Andrews. In county districts with populations of 5,000 and over the principal epidemic diseases death-rate was relatively high in Dundee District of Forfar (1·51), Central District of Stirling (0·91), Kirkcaldy District of Fife (0·87) and Forfar District of Forfar (0·81). In 26 of these districts no deaths from these causes were registered. (*Tables 4-6.*)

Other Epidemic Diseases.—Deaths due to epidemic or infectious diseases other than those already named, but exclusive of those from influenza, included amongst others 169 from encephalitis lethargica, 145 from erysipelas, 108 from cerebro-spinal meningitis, 22 from infantile paralysis, 14 from dysentery and 4 from malaria. Compared with the number in the previous year deaths from cerebro-spinal meningitis are 25 more, from encephalitis lethargica 15 more, from dysentery 7 more, and from infantile paralysis 1 more, but those from erysipelas and from malaria are each 5 fewer. Of the 169 deaths from encephalitis lethargica 89 were of males and 80 of females. Of them 87 occurred in the larger burghs, 31 in the smaller burghs, and 51 in the county districts. Of those dying from this cause 26 were children of less than 15 years of age, 127 were persons aged 15 to 65 and 16 were persons aged 65 and over. Of the 108 persons dying from cerebro-spinal meningitis 59 were males and 49 were females. Of these deaths 74 occurred in the larger burghs, 11 in the smaller burghs and 23 in the county districts. Of the 108 persons dying from this cause 90 were children of under 15 and 18 were persons aged 15 to 65. (*Tables 30-34 and page 4.*)

In addition to the foregoing deaths from infectious and epi-

demic diseases 11 deaths were ascribed to paratyphoid fever, 6 to chickenpox, 5 to German measles, 2 each to mumps and to infective jaundice, and 1 each to septic parotitis and cholera nostras.

Influenza.—Deaths from influenza in all numbered 1,421. In the previous year these deaths numbered 1,246 and thus those of this year are 175 more. In 1918 deaths from influenza numbered 11,111 and in 1919 numbered 7,215, but in 1920 and 1921 they were fewer, the numbers being 1,339 and 1,330. In 1922 the number rose to 3,706 but in 1923 it fell to 531. In 1924 it again rose to 2,490 but since then the number has been smaller, 1,246 in 1925 and 1,421 in 1926. Of the 1,421 persons dying from influenza during the year 713 were males and 708 females. Of these deaths 723 occurred in the larger burghs, 275 in the smaller burghs and 423 in the county districts. The general death-rate from this cause was 29 per 100,000: among males it was 30 and among females 28. In the larger burghs this rate was 30, in the smaller burghs 29 and in the county districts 27. Of those dying from influenza 166 were children of less than 15 years of age, 672 were persons aged 15 to 65 and 583 were persons aged 65 and over. Of the 1,421 deaths 319 were attributed to influenza as a sole cause, 582 to influenza complicated with pneumonia, 185 to influenza complicated with bronchitis, 66 to influenza complicated with other respiratory diseases, 16 to influenza complicated by phthisis, 10 to influenza complicated by some disease or accident of pregnancy or parturition, and 243 to influenza complicated with other cause. In the previous year deaths attributed to influenza as a sole cause numbered 295 and to influenza complicated with pneumonia 428. In the principal burghs relatively

TABLE L.—Deaths from Influenza in Scotland in each month, 1925 and 1926.

MONTHS.	INFLUENZA.			MONTHS.	INFLUENZA.		
	TOTAL.	Sole Named Cause.	Named with other Causes.		TOTAL.	Sole Named Cause.	Named with other Causes.
1926.				1925.			
January .	82	18	64	January .	245	56	189
February .	80	18	62	February .	251	48	203
March .	167	51	116	March .	169	42	127
April .	569	95	474	April .	115	27	88
May .	172	46	126	May .	45	12	33
June .	59	17	42	June .	38	5	33
July .	32	7	25	July .	27	3	24
August .	28	8	20	August .	26	9	17
September .	20	5	15	September .	37	13	24
October .	43	14	29	October .	62	16	46
November .	83	16	67	November .	97	29	68
December .	86	24	62	December .	134	35	99
YEAR .	1421	319	1102	YEAR .	1246	295	951

high death-rates from influenza occurred in Hamilton (50 per 100,000), in Greenock (47), in Glasgow (37), and in Perth (36). The months of the year in which deaths from influenza were most frequent were April (569), May (172) and March (167). (*Tables L, 30-36, and page 4.*)

Tuberculosis.—Deaths from all forms of tuberculous disease numbered 4,861, of which 2,490 were of males and 2,371 were females. The total deaths of the year from tuberculous disease are 529 fewer than those of the previous year, 817 fewer than the mean of the numbers of the preceding five years and 1,514 fewer than the mean of those of the preceding ten years. It is the smallest number of deaths from tubercle yet recorded in Scotland, the previous smallest being that of the previous year, which was 5,390. A maximum number of deaths from tuberculosis occurred in the year 1870 and was 13,027. This number constantly remained over 10,000 up to and including 1887. It fell below 9,000 for the first time in 1910, below 7,000 for the first time in 1919, and below 6,000 for the first time in 1921. In 1926 this number for the first time is below 5,000. (*Tables 30-40.*)

The tuberculosis death-rate of the year was 99 per 100,000, which rate is the lowest yet recorded. It is 11 less than that of the previous year, 17 less than the mean of those of the preceding five years and 33 less than the mean of those of the preceding ten years. In 1870 the death-rate from tuberculosis attained a maximum of 404 per 100,000. It fell below 300 for the first

TABLE M (1).—Death-rate from Tuberculosis in 1926.

	Estimated Population, 1926.	Death-rate per 100,000 from				
		All Tuberculosis.	Tuberc. of Respiratory System.	Tuberc. Meningitis.	Abdom. Tuberc.	Other Tuberc.
SCOTLAND . . .	4,896,638	99	69	10	7	13
Males . . .	2,354,441	106	74	12	8	13
Females . . .	2,542,197	93	65	9	7	12
Larger Burghs . . .	2,390,885	115	82	12	8	13
Smaller Burghs . . .	951,820	87	57	9	6	15
County Districts . . .	1,553,933	83	56	8	8	11
Glasgow	1,048,963	125	90	13	7	14
Edinburgh	424,025	114	84	12	8	11
Dundee	170,060	112	81	11	8	11
Aberdeen	157,771	114	74	20	10	10
Paisley	86,103	103	74	8	10	10
Greenock	81,558	132	93	6	12	16
Motherwell & Wishaw	70,789	76	52	10	6	8
Clydebank	46,561	107	79	13	6	9
Coatbridge	44,397	106	68	11	11	16
Dunfermline	38,515	88	57	10	8	13
Kirkcaldy	40,974	90	56	5	12	17
Hamilton	39,916	105	70	13	15	7
Kilmarnock	36,615	93	63	5	16	8
Ayr	37,367	86	67	5	5	8
Falkirk	34,244	137	96	6	12	23
Perth	33,027	55	39	0	6	9

time in 1883, below 200 in 1909, below 150 in 1919, and in this year for the first time is below 100. The male death-rate from tuberculosis was 106 and the female death-rate 93, the former being 13 and the latter 9 less than in the previous year. (*Tables 30-40.*)

In the counties, burghs included, the death-rate from tuberculosis ranged from 137 per 100,000 in Ross and Cromarty, 126 in Shetland, 116 in Kincardine, 115 in Inverness, 113 in Lanark, and 111 in Dumfries, to 39 in Bute, 58 in Wigtown, 61 in Perth, 66 in Peebles and 69 in Fife. (*Table 7.*)

In the larger burghs taken collectively the tuberculosis death-rate was 115 per 100,000, in the smaller burghs 87, and in the county districts 83. In the previous year these three rates were 128, 99 and 91 respectively. (*Table 4.*)

In the larger burghs taken individually this death-rate ranged from 137 per 100,000 in Falkirk, 132 in Greenock, 125 in Glasgow, 114 in Aberdeen, 114 in Edinburgh and 112 in Dundee, to 55 in Perth, 76 in Motherwell and Wishaw, 86 in Ayr and 88 in Dunfermline. In the smaller burghs with populations of over 5,000 the tuberculosis death-rate varied from 258 per 100,000 in Campbeltown, 170 in Dumfries, 161 in Brechin, 156 in Borrowstounness and 153 in Dalkeith, to 13 in Leven, 16 in Lanark, 28 in Montrose, 30 in St. Andrews, 32 in Irvine, 34 in Crieff and 35 in Bathgate. In county districts with populations of more than 5,000 this rate varied from 208 in Lewis District of Ross and Cromarty, 183 in Lorn District of Argyll, 176 in Black Isle District of Ross and Cromarty, 166 in Eastern District of Berwick, and 163 in Thornhill District of Dumfries, to 20 in Western District of Berwick, 26 in Machars District of Wigtown, 32 in Brechin District of Forfar, 33 in Rhins District of Wigtown, 36 in Eastern District of East Lothian, and 39 in Ellon District of Aberdeen. (*Tables 4-6.*)

Of the 4,861 deaths from tuberculosis 3,384 were ascribed to tuberculosis of the respiratory system, these including 14 deaths from laryngeal tuberculosis, 496 to tuberculous meningitis, 367 to tuberculosis of intestines and peritoneum, 89 to tuberculous disease of the spine, 35 to tuberculous diseases of joints, and 490 others, these last including 387 from disseminated tuberculosis, of which 106 were returned as acute, and 281 as chronic. Deaths from tuberculosis of the skin numbered 13, of bones, spine excepted, 24, of lymphatic glands, abdominal glands excepted, 16, and of the genito-urinary system 46. (*Page 4.*)

Deaths certified as due to tuberculosis of the respiratory system numbered 3,384. This number is 350 less than that of the previous year, 546 less than the mean of those of the preceding five years and 971 less than the mean of those of the preceding ten years. It is the lowest number of deaths from this cause yet recorded in Scotland, the previous lowest being 3,734, which occurred in the previous year. During the 22 years 1862 to 1883 with only three exceptions the deaths from tuberculosis of the respiratory system numbered more than 8,000.

annually and attained a maximum of 9,148 in 1870, but since then the number of these deaths has been constantly falling. It fell below 8,000 in 1884, below 7,000 in 1892, below 6,000 in 1910, below 5,000 in 1914, and below 4,000 in 1921. Compared with the maximum number that of this year is 5,764, or 63 per cent., less. (*Table 39.*)

The annual death-rate from tuberculosis of the respiratory system was 69 per 100,000 and is the lowest in Scotland since the introduction of national registration. It is 7 less than that of the previous year, 11 less than the mean of those of the preceding five years and 21 less than the mean of those of the preceding ten years. A maximum death-rate from this cause occurred in the year 1870 and was 283 per 100,000, compared with which that of this year is 214, or 75·6 per cent., less. In the years 1871 to 1880 the mean death-rate from respiratory tuberculosis was 244, in the decade 1881 to 1890 the mean was 202, in the decade 1891 to 1900 it was 171, in the decade 1901 to 1910 it was 139, in the decade 1911 to 1920 it was 105, and in the years 1921 onwards it has been constantly less than 90. This year, 1926, is the first in which the death-rate from this cause has fallen below 70. (*Table 40.*)

In the male population the death-rate from tuberculosis of the respiratory system was 74 per 100,000, and in the female population 65, the former being 8, and the latter 6, less than in the previous year. (*Table 34.*)

In the counties, burghs included, the death-rate from tuberculosis of the respiratory system varied from 110 per 100,000 in Ross and Cromarty, 88 in Shetland, 85 in Inverness, 84 in Nairn and 81 in Dumfries, to 28 in Bute, 43 in Fife, 44 in Wigtown and 45 in Kirkcudbright. (*Table 7.*)

In the larger burghs taken collectively this death-rate was 82, in the smaller burghs 57, and in the county districts 56. In the previous year these three rates were 91, 65 and 62 respectively. In the larger burghs taken individually the tuberculosis of the respiratory system death-rate ranged from 98 in Greenock, 96 in Falkirk, 90 in Glasgow, 84 in Edinburgh, and 81 in Dundee, to 39 in Perth, 52 in Motherwell and Wishaw, 56 in Kirkcaldy, and 57 in Dunfermline. In the smaller burghs with populations of more than 5,000 this death-rate varied from 161 in Campbeltown, 124 in Dumfries, 111 in Elgin, 106 in Oban and 103 in Brechin, to 0 in Lanark, 12 in Buckie, 13 in Leven, 16 in Irvine, 19 in Montrose, 20 in Denny and Dunipace and 24 in Bathgate. In county districts with populations of over 5,000 this rate ranged from 186 per 100,000 in Lewis District of Ross and Cromarty, 157 in Harris District of Inverness, 151 in Lorn District of Argyll, and 119 in East District of Berwick, to 16 in Brechin District of Forfar, 20 in West District of Berwick, 24 in Ellon District of Aberdeen, and 26 in Machars District of Wigtown and in Western District of Stirling. (*Tables 4-6.*)

Of the 3,384 persons dying from tuberculosis of the respiratory system 217 were children of less than 15 years of age, 830

were persons aged 15 to 24, 825 were persons aged 25 to 34, 584 were persons aged 35 to 44, 488 were persons aged 45 to 54, 306 were persons aged 55 to 64, and 134 were persons aged 65 and over. In age-group 65 and over these deaths were of the same number as in the previous year but in all other groups they were fewer. In age-group 15 to 24 they numbered 114 fewer, in age-group 25 to 34, 52 fewer, and in age-group 35 to 44, 108 fewer. (*Table 30.*)

The months of the year in which deaths from tuberculosis of the respiratory system were most frequent were March (358), April (352) and May (330), and those in which these deaths were less frequent were September (199), August (242) and December (246). (*Page 48.*)

Deaths from tuberculous meningitis in all numbered 496 and equalled a death-rate of 10 per 100,000. Of those dying from this cause 271 were males and 225 were females, the death-rate in the male population being 12 and in the female 9 per 100,000. The general death-rate from this cause is 2 less than in the previous year, the male death-rate 1 less and the female death-rate 2 less. In the larger burghs taken collectively the death-rate from this cause was 12, in the smaller burghs 9, and in the county districts 8. In the previous year these three rates were 13, 12 and 9 respectively. In the larger burghs taken individually the death-rate from this cause varied from 20 per 100,000 in Aberdeen, 13 in Clydebank, in Glasgow and in Hamilton, to 0 in Perth, and 5 in Kirkcaldy, in Kilmarnock, and in Ayr. (*Tables 30-38.*)

Of the 496 persons dying from this cause 343, or 69·1 per cent., were children of less than 5 years old, 98, or 19·8 per cent., were children aged 5 to 14, and 55, or 11·1 per cent., were persons aged 15 and over. Compared with the number in the previous year deaths from this cause among children of less than 5 years old are 46 fewer, among children aged 5 to 14, 17 fewer, and among persons aged 15 and over, 10 fewer. (*Tables 30-38.*)

Deaths from tuberculosis of the intestines and peritoneum numbered 367 and equalled a death-rate of 7 per 100,000. These deaths are 98 fewer than in the previous year and this death-rate is 3 less. In the male population the death-rate from this cause was 8 per 100,000 and in the female population 7. In the larger burghs taken collectively this death-rate was 8, in the smaller burghs 6, and in the county districts 8. In the previous year these three death-rates were 10, 10, and 9 respectively. In the larger burghs the death-rate from this cause varied from 16 in Kilmarnock, 15 in Hamilton, and 12 in Greenock, in Kirkcaldy and in Falkirk, to 5 in Ayr, and 6 in Motherwell and Wishaw, in Clydebank and in Perth. (*Tables 30-38.*)

Malignant Disease.—Deaths from cancer and other forms of malignant disease numbered 6,640 and equalled a death-rate of 136 per 100,000. These deaths number 35 fewer than in the previous year but 311 more than the mean of the numbers of the preceding five years and 689 more than the mean of those of

the preceding ten years. This death-rate is the same as in the previous year but is 7 more than the mean of those of the preceding five years and 14 more than the mean of those of the preceding ten years. This is the first occasion since 1918 on which no rise in this death-rate has occurred. In the decade 1871 to 1880 the mean cancer death-rate was 49 per 100,000, in the decade 1881 to 1890 it rose to 59, in the decade 1891 to 1900 to 74, in the decade 1901 to 1910 to 93 and in the decade 1911 to 1920 to 113, since which date it has been constantly over 122, a maximum of 136 being attained in 1925 and maintained in 1926. (*Tables 39-40.*)

Of the 6,640 deaths from cancer and other malignant diseases 2,983 were of males and 3,657 of females, the former number being 42 less but the latter 7 more than in the previous year. The death-rate in the male population from this cause was 127 per 100,000 and in the female population 144, the former being 2 less but the latter of the same amount as in the previous year. In the larger burghs taken collectively the cancer death-rate of the year was 141 per 100,000, in the smaller burghs 145, and in the county districts 121. In the previous year these three rates were 143, 140 and 125 respectively. (*Tables 30-40.*)

As is constantly the case the age-group death-rates from this cause increase with advancing years. In the year now under review in age-groups under 35 it was less than 18, in age-group 35 to 44 it was 63, in age-group 45 to 54 it was 211, in age-group 55 to 64 it was 504, in age-group 65 to 74 it was 981 and in age-groups 75 and onwards more than 1,200. (*Table 30.*)

Of the 6,640 deaths attributed to malignant disease 4,746 were ascribed to carcinoma, 235 to sarcoma, and 1,659 to other or unspecified form of cancer. In the previous year these three figures were 4,679, 266 and 1,730 respectively.

The most frequent sites of malignant disease among males during the year were the stomach (818), intestines (495), rectum (208), liver (201), œsophagus (143), tongue (124), and prostate (118), which order of frequency is the same as in the previous year except that in the previous year cancers of the prostate outnumbered those of the tongue. Compared with the number in the previous year deaths among males from cancer of the stomach show an increase of 55, those of the liver an increase of 8, those of the intestine an increase of 5, and those of the tongue an increase of 5, but those of the œsophagus show a decrease of 12, of the prostate a decrease of 18 and of the rectum a decrease of 30. The most frequent sites of malignant disease among women were the stomach (749), intestine (557), breast (552), uterus (497), liver (310) and rectum (149). Compared with the number in the previous year deaths from malignant tumours of the uterus show an increase of 36, of the liver an increase of 16, and of the stomach an increase of 1, but those of the breast show a decrease of 14, of the intestines a decrease of 28, and of the rectum a decrease of 37. (*Table 42.*)

Diabetes.—Deaths from this cause in all numbered 518 and

equalled a death-rate of 10 per 100,000. These deaths number 61 more than in the previous year and 20 more than the mean of the numbers of the preceding five years. Of these 518 deaths 183 were of males and 335 of females, the former numbering 15 and the latter 46 more than in the previous year. The death-rate from this cause in the male population was 8 and in the female population 13, the former being 1 more and the latter 2 more than in the previous year. During recent years deaths from diabetes have been a declining number, this being more especially the case with those in the male population, which in 1922 numbered 230, but only numbered 168 in 1925, but this year's figures show, instead of a further decline, an increase. A tabular statement of the number of deaths from this cause by sex and age since 1920 is annexed, and it may there be seen that the number of deaths from this disease in both sexes at the younger ages has within recent years been falling, but that no corresponding fall is observable in the older ages. Thus among males of under 35 these deaths in the five years 1921 to 1925 averaged 43, while those of the year 1926 only numbered 33, and among males aged 55 and over in 1926 the number was 119 as against an average of 113. The corresponding two averages among females were 39 and 204, while the 1926 numbers were 30 and 243.

Deaths from Diabetes in Scotland, 1920-1926.

Year.	All Ages.	Under 15.	15 -	35 -	55 -	75 and over.
MALES.						
1920	202	14	35	53	86	14
1921	204	16	40	44	87	17
1922	230	3	54	49	100	24
1923	212	5	44	45	97	21
1924	181	8	25	42	90	16
1925	168	4	16	36	95	17
1926	183	3	30	31	101	18
FEMALES.						
1920	237	11	38	42	118	28
1921	296	12	44	62	152	26
1922	298	8	37	52	170	31
1923	305	3	35	50	186	31
1924	306	8	27	54	187	30
1925	289	10	13	57	171	38
1926	335	6	24	62	200	43

Syphilis.—Syphilis was the stated cause of death in 147 instances. This number is 33 more than in the previous year but is 12 less than the mean of those of the preceding five years and 31 less than the mean of those of the preceding ten years. These deaths equal a death-rate of 3 per 100,000, which rate is 1 more than that of the previous year but equals the mean of those of the preceding five years and is 1 less than the mean of those of the preceding ten years. Of these 147 deaths 89 were of males and 58 of females, the former being 18 and the latter 15 more than in the previous year. In addition to these 147 deaths there were 375 deaths attributed to parasyphilitic diseases,

including 170 from general paralysis of the insane, 133 from aneurysm, and 72 from locomotor ataxy. These deaths from parasymphilitic diseases numbered 16 fewer than in the previous year, those from general paralysis of the insane being 21 fewer, while those from aneurysm and locomotor ataxy were 4 more and 1 more respectively. (*Tables 39-40 and pages 5-6.*)

Other General Diseases.—The foregoing causes of death are of a general rather than of a local anatomical distribution, and in addition to them deaths grouped as general diseases included among others 219 from rheumatic fever, 145 from chronic rheumatism, osteo-arthritis or gout, and 574 from anæmia, of which 512 were attributed to pernicious anæmia. Compared with the number in the previous year deaths from anæmia are 71 more and from rheumatic fever 69 more, but those from chronic rheumatism, osteo-arthritis and gout are of the same number. Deaths attributed to pernicious anæmia numbered 65 more than in the previous year. (*Page 5.*)

Diseases of the Ductless Glands.—Deaths from these diseases during the year in all numbered 303, which is 14 fewer than in the previous year. Of these deaths 132 were from diseases of the thyroid and parathyroid, these including 86 from exophthalmic goitre, 23 from Addison's disease or other diseases of the suprarenal capsules, 9 from diseases of the pituitary glands, 6 from those of the spleen, 1 from diseases of the thymus, and 132 from Hodgkin's disease, lymphadenoma or leuchæmia. Compared with the number in the previous year deaths from Hodgkin's disease, lymphadenoma or leuchæmia are 16 fewer, from diseases of the suprarenal capsules 3 fewer, and from diseases of the thymus 1 fewer, but those from diseases of the pituitary glands are 3 more, from diseases of the thyroid and parathyroid 2 more, and from diseases of the spleen 1 more. Deaths from exophthalmic goitre number 16 more than in the previous year. (*Page 5.*)

Chronic Poisonings.—Deaths attributed to chronic poisonings in all numbered 53, of which 52 were attributed to alcoholism and 1 to morphinism. There were no deaths during the year from lead or other chronic inorganic poisonings. Of the 52 deaths from alcoholism 3 were attributed to delirium tremens, 15 to acute alcoholism and 34 to chronic or unspecified alcoholism. In the previous year deaths from delirium tremens numbered 7, from acute alcoholism 17, and the total deaths from alcoholism numbered 54. (*Page 5.*)

Diseases of the Nervous System.—Deaths from these diseases in all numbered 8,249, which is 147 less than in the previous year. These deaths include 84 from cerebral abscess and other inflammations of the brain, 168 from cerebral tumour, 460 from meningitis other than tuberculous or cerebro-spinal, 225 from locomotor ataxy and other diseases of the spinal column, 5,906 from cerebral hæmorrhage, embolism and thrombosis, and inclusive of deaths certified as due to apoplexy and hemiplegia, 281 from insanity, of which 170 were attributed to general paralysis

of the insane, 198 to epilepsy, and 445 to convulsions or eclampsia, of which 436 were among children of less than 5 years old. Compared with the number in the previous year deaths from cerebral tumour are 18 more and from meningitis 18 more, but those from epilepsy are 4 fewer, from apoplexy 14 fewer, from cerebral abscess 17 fewer, from insanity 43 fewer, from locomotor ataxy and other diseases of the spinal cord 44 fewer, and from convulsions 69 fewer. (*Page 5.*)

Deaths from general paralysis of the insane numbered 170, which number is the smallest during recent years. It is 21 less than that of the previous year, 51 less than the mean of those of the preceding five years and 59 less than the mean of those of the preceding ten years. Of the 170 dying from this cause 133 were males and 37 were females. In the previous year deaths of males from this cause numbered 156 and those of females 35. (*Page 5.*)

In addition to the above-mentioned 8,249 deaths from diseases of the nervous system there were 191 from diseases of the organs of special sense, these including 7 from diseases of the eye, 59 from diseases of the mastoid, and 125 from diseases of the ear. Deaths from diseases of the ear are 16 more than in the previous year and those from diseases of the mastoid 10 more, but those from diseases of the eye are 2 fewer. (*Page 6.*)

Diseases of the Circulatory System.—Deaths attributed to the various diseases of the circulatory system in all numbered 8,442, which is 62 more than in the previous year. These 8,442 deaths do not include 847 returned as due to syncope or heart failure, deaths so certified being classified among those of ill-defined causes, as such unsatisfactory certificates give no indication that the deaths were in fact due to diseases of the circulatory system. Of the 8,442 deaths 7,410 were attributed to diseases of the heart, 844 to diseases of arteries, 26 to diseases of veins, 132 to embolism and thrombosis (other than cerebral), 22 to diseases of the lymphatic system other than Hodgkin's disease, and 8 to other diseases of the circulatory system, of which 5 were certified as due to hæmorrhage of which the cause was unspecified. Deaths from diseases of the heart numbered 35 more than in the previous year, from embolism and thrombosis 28 more, from diseases of arteries 5 more, and from other circulatory diseases 5 more, while those from diseases of the lymphatic system numbered 5 fewer and from diseases of veins 6 fewer. (*Page 6.*)

Diseases of the Respiratory System.—Deaths from diseases of the respiratory system (other than tuberculous and exclusive of those associated with influenza) in all numbered 9,706, which is 567 fewer than in the previous year. Of these 9,706 deaths 15 were attributed to diseases of the nose, 54 to diseases of the larynx, 8,848 to bronchitis or pneumonia, 246 to pleurisy, and 543 to other diseases of the respiratory organs, including 359 ascribed to congestion of the lungs and 89 to asthma. Compared with the number in the previous year deaths from bronchitis

and pneumonia are 572 fewer, from diseases of the nose 6 fewer, and from diseases of the larynx 5 fewer, but those from pleurisy numbered 32 more. (*Page 6.*)

Bronchitis.—Deaths from bronchitis including those associated with influenza in all numbered 3,771, which is 420 fewer than in the previous year. The number of these deaths is 736 less than the mean of those of the preceding five years and 982 less than the mean of those of the preceding ten years. These deaths equal a death-rate of 77 per 100,000, which death-rate is 9 less than in the previous year, 15 less than the mean of those of the preceding five years and 21 less than the mean of those of the preceding ten years. (*Tables 39-40.*)

Deaths from bronchitis, other than those associated with influenza, numbered 3,586, 1,782 being of males and 1,804 of females. The male death-rate from this cause was 76, the female death-rate 71, and the death-rate in the two sexes taken conjointly 73. Compared with what it was in the previous year the male death-rate is 9 less, the female death-rate 9 less, and the general death-rate 9 less. In the larger burghs taken collectively the death-rate from bronchitis was 84 per 100,000, in the smaller burghs 64, and in the county districts 62. In the previous year these three rates were 96, 75 and 66 respectively, each being lower in this than in that year. In the larger burghs taken individually the bronchitis death-rate ranged from 109 in Motherwell and Wishaw, and in Perth, 100 in Glasgow, and 86 in Dundee, to 17 in Clydebank, 56 in Aberdeen and 58 in Hamilton. Of the 3,586 persons whose deaths were attributed to bronchitis 535, or 14·9 per cent., were children of less than 5 years old, 943, or 26·3 per cent., were persons aged 5 to 65, and 2,108, or 58·8 per cent., were persons aged 65 and over. In the previous year these three numbers were 671, 1,103 and 2,253 respectively. The age-group death-rate from this disease as is usual was markedly highest in the youngest and oldest age periods. In age periods 75 and over it exceeded 1,100 per 100,000, in age-groups 65 to 74 it was 483 and in age-group 55 to 64 it was 154, in age-group under 1 it was 369, in age-groups from 5 to 45 it was 15 or less. (*Tables 30-38.*)

Pneumonia.—The total number of deaths attributed to pneumonia, including broncho-pneumonia and also including deaths from pneumonia associated with influenza, was 5,844. This number is 23 more than in the previous year but is 558 less than the mean of the numbers of the preceding five years and 1,629 less than the mean of those of the preceding ten years. These 5,844 deaths equal a death-rate of 119 per 100,000, which rate equals that of the previous year but is 12 less than the mean of those of the five preceding years and 35 less than the mean of those of the ten preceding years. (*Tables 39-40.*)

Deaths from pneumonia exclusive of those associated with influenza numbered 5,262, of which 2,618 were ascribed to broncho-pneumonia and 2,644 to lobar pneumonia, or to pneumonia not otherwise specified. These 5,262 deaths equal a

death-rate of 107 per 100,000. Compared with the number in the previous year deaths from broncho-pneumonia are 133 fewer but those from other forms of pneumonia are 2 more. Deaths from pneumonia in the male population number 2,990 and in the female 2,272, the death-rate in the male population being 127 per 100,000 and in the female 89, both of which rates are 3 less than in the previous year. In the larger burghs taken collectively this death-rate was 145, in the smaller burghs 77, and in the county districts 68. In the previous year these three rates were 146, 79 and 75 respectively. In the larger burghs taken individually this death-rate ranged from 194 in Glasgow, 187 in Coatbridge, 157 in Paisley, and 153 in Hamilton, to 61 in Kirkcaldy, 61 in Perth, 64 in Falkirk, and 70 in Kilmarnock. Of the 2,618 deaths from broncho-pneumonia 1,793, or 68·5 per cent., were among children of less than 5 years old, 1,000 of them being among children of less than 1 year old, 448, or 17·1 per cent., were of persons aged 5 to 65, and 377, or 14·4 per cent., were among persons aged 65 and over. Of the 2,644 deaths certified as due to pneumonia other than broncho-pneumonia 535, or 20·2 per cent., were among children of less than 5 years old, 1,363, or 51·6 per cent., were among persons aged 5 to 65, and 746, or 28·2 per cent., were among persons aged 65 and over. Deaths from broncho-pneumonia at ages under 5 numbered 204 fewer than in the previous year, but those at ages 5 to 65 numbered 39 more and at ages 65 and over 32 more. Deaths from other forms of pneumonia at ages under 5 numbered 27 fewer than in the previous year, but at ages 5 to 65, 19 more, and at ages 65 and over, 10 more. Age-group death-rates from pneumonia—all forms—were highest in the young ages and old ages and lowest at ages between 5 and 35. Among children of less than 1 year old this death-rate was 1,132 per 100,000, and in age-group 1 to 4, 291, in age-group 55 to 65 it was 132, in age-group 65 to 75, 284, in age-group 75 to 85, 565, and in age-group 85 and over, 1,043. In age-groups between 5 and 25 this death-rate was constantly below 25 per 100,000. (*Tables 30-38.*)

*Diseases of the Digestive System (other than Malignant).—*Deaths from diseases of the digestive system collectively numbered 3,912, which is 150 more than in the previous year. These 3,912 deaths include 35 from diseases of the mouth, 69 from diseases of the tonsils and pharynx and 5 from diseases of the œsophagus, these three groups collectively numbering 109, which figure is 6 less than in the previous year. Deaths from diseases of the stomach collectively number 701, which is 83 more than in the previous year. Of them 402 were ascribed to ulcer, a number which is 102 in excess of that of the previous year. (*Page 6.*)

Deaths from diseases of the intestines numbered 2,384, which is 15 fewer than in the previous year. These 2,384 deaths included 197 from duodenal ulcer, 23 from other ulceration of the intestines, 1,070 from diarrhœa and enteritis, of which 798 were among children of less than 2 years old, 483 from appendicitis,

222 from hernia, 308 from intestinal obstruction, 2 from intestinal parasites, and 79 from idiopathic peritonitis or other disease of the intestines. Compared with the number in the previous year deaths from duodenal ulcer numbered 46 more, from intestinal obstruction 15 more, from appendicitis 4 more, and from hernia 2 more, but those from ulceration other than duodenal numbered 1 fewer and from diarrhoeas 91 fewer. (Page 7.)

Deaths from all forms of diarrhoea, including those certified as due to enteritis, gastro-enteritis and dysentery, numbered 1084, which number is 84 less than that of the previous year, 258 less than the mean of those of the preceding five years and 497 less than the mean of those of the preceding ten years. The death-rate from these causes combined was 22 per 100,000, which rate is 2 less than that of the previous year, 5 less than the mean of those of the preceding five years and 11 less than the mean of those of the preceding ten years. It is the lowest death-rate from these causes yet recorded. In the decade 1861 to 1870 the death-rate from these causes averaged 95 per 100,000, in the decade 1871 to 1880 the average was 90, in the decade 1881 to 1890 the average was 72, in the decade 1891 to 1900 it was 84, in the decade 1901 to 1910 it was 64 and in the decade 1911 to 1920 it was 45. This is the fifth consecutive year in which this death-rate has been less than 30 per 100,000. (Tables 39-40.)

Deaths from diseases of the liver in all numbered 577, which is 68 more than in the previous year. These deaths included 177 due to cirrhosis, 166 to gallstones, 18 to acute yellow atrophy of the liver, and 216 to other diseases of the liver. Deaths from cirrhosis of the liver numbered 3 more than in the previous year, those from gallstones 8 more and those from acute yellow atrophy 8 more. (Page 7.)

Deaths from diseases of the digestive system also included 47 from diseases of the pancreas and 94 others, of which 93 were ascribed to peritonitis, the nature of which was unspecified. In the previous year deaths from diseases of the pancreas numbered 34 and those from peritonitis 86. (Page 7.)

Diseases of the Genito-Urinary System (other than Malignant).—Deaths attributed to these diseases collectively number 2,746, which is 8 more than in the previous year. Of these deaths 1,969 were attributed to diseases of the kidney, 252 to calculus or to other diseases of the bladder and urethra, 355 to diseases of the male reproductive organs and 170 to diseases of the female reproductive organs. Compared with the number in the previous year deaths from diseases of the kidney number the same, from diseases of the male reproductive organs 37 more, and from calculus and other diseases of the bladder and urethra 6 more, but those from diseases of the female reproductive organs are 35 fewer. Of the 1,969 deaths from diseases of the kidney 252 were ascribed to acute nephritis or Bright's disease, 1,582 to chronic nephritis, and 135 to other diseases of the kidney. Deaths from acute and chronic nephritis taken collectively

numbered 1,834 and equalled a death-rate of 37 per 100,000, which rate in the male population was 39 and in the female 36. In the previous year the death-rate from nephritis was 37. (*Tables 30-34 and page 7.*)

Diseases and Accidents of Pregnancy and Parturition.—Deaths from these causes during the year collectively numbered 656, which is 14 more than in the previous year, and 34 more than in the year 1924, but 62 fewer than in the year 1923. Of these 656 deaths 107 were ascribed to diseases and accidents of pregnancy, of which 43 were ascribed to abortion, 38 to uncontrollable vomiting, and 7 to ectopic gestation. One hundred and fifty-two were ascribed to accidents of parturition, of which 86 were attributed to puerperal hæmorrhage, and 66 to other accidents, while 397 were attributed to diseases of the puerperium, of which 173 were caused by puerperal sepsis, 49 by phlegmasia alba dolens or embolism, 119 by eclampsia or albuminuria, 4 by diseases of the breast, and 52 by other diseases of the puerperium. Compared with the numbers of the previous year deaths due to diseases and accidents of pregnancy are of the same number, but those due to diseases and accidents of parturition are 5 more and those due to diseases of the puerperium are 9 more. (*Page 7.*)

Births registered in the year numbered 102,449, and as deaths from diseases and accidents of pregnancy and parturition numbered 656, these deaths equalled a death-rate of 6·4 per thousand registered births. This rate is 0·2 more than that of the previous year, and 0·1 more than the mean of those of the preceding five years. In the larger burghs taken collectively the puerperal death-rate per thousand births was 6·9, in the smaller burghs 6·3, and in the county districts 5·7. In the previous year these three rates were 6·7, 4·7 and 6·0 respectively, and while a decrease of 0·3 is found in the case of the county districts, an increase of 0·2 is found in the case of the larger burghs and an increase of 1·6 in the case of the smaller burghs. In the larger burghs taken individually this death-rate ranged from 13·4 in Kirkcaldy, 11·6 in Kilmarnock, 9·5 in Coatbridge, and 9·4 in Falkirk, to 3·8 in Ayr, 4·7 in Paisley and 4·9 in Edinburgh. In Glasgow this rate was 6·7, in Dundee 8·9, and in Aberdeen 5·9. (*Table 41.*)

Diseases of the Skin and Cellular Tissue.—Deaths from these causes collectively numbered 542, which is 24 more than in the previous year. Of these 542 deaths 281 were ascribed to senile gangrene, 17 to other forms of gangrene, 39 to carbuncle or boil, 138 to phlegmon or abscess, and 67 to other diseases of the skin and cellular tissue. (*Page 7.*)

Diseases of the Organs of Locomotion.—Deaths from these causes collectively number 104, which is 25 fewer than in the previous year. Of these 104 deaths 81 were attributed to diseases of the bones, other than the mastoid, and 12 to diseases of joints, the former being 20 fewer and the latter 9 fewer than in the previous year. (*Page 8.*)

Malformations.—Deaths attributed to malformations in all numbered 477, which is 54 fewer than in the previous year. Of

those dying from these causes 279 were males and 198 were females, the former, as is usual, outnumbering the latter. Of the 477 persons whose deaths were due to malformations 429 were children of less than 1 year old and 24 were children of more than 1 but less than 5 years old, while 24 were persons aged 5 and upwards. (*Page 8.*)

Diseases Peculiar to Early Infancy.—Deaths from these causes in all numbered 3,474, which is 35 more than in the previous year. Of these deaths 1,794 were attributed to premature birth and 132 to injury at birth, both numbers being 3 in excess of what they were in the previous year. (*Page 8.*)

Old Age.—Deaths attributed to senility, including those attributed to senile dementia, in all numbered 3,521. In the previous year this number was 3,576, and thus these deaths were 55 fewer than in the previous year. Of those dying from these causes 1,331 were males and 2,190 were females, the former number being 27 more but the latter 82 less than in the previous year. (*Page 8.*)

Violence.—Deaths attributed to violent causes in all numbered 2,657. This number is 160 less than that of the previous year and 153 less than the mean of those of the preceding ten years, but is 51 more than the mean of those of the preceding five years. These 2,657 deaths equal a death-rate of 54 per hundred thousand, which rate is 4 less than that of the previous year and the same amount less than the mean of those of the preceding ten years, but is 1 more than the mean of those of the preceding five years. The mean death-rates in the four decades 1861 to 1900 were each 70 or more per 100,000. In the decade 1901 to 1910 it fell to 66, in the decade 1911 to 1920 to 64, and since then has been constantly under 60, attaining a minimum of 50 in the years 1922 and 1923. (*Tables 39-40.*)

The death-rate from violence in the male population was 76, and in the female population 34, the former being 8 less than in the previous year, while the latter was of the same amount. In the larger burghs taken collectively this death-rate was 57 per 100,000, in the smaller burghs 48, and in the county districts 54. In the previous year these three rates were 59, 52 and 59, and thus each was lower in this than in that year. In the larger burghs taken individually the death-rate from violent causes varied from 77 per 100,000 in Clydebank, 72 in Coatbridge, 62 in Glasgow, and 58 in Edinburgh, to 32 in Falkirk, 36 in Dunfermline, 41 in Kilmarnock, and 42 in Perth. (*Tables 30-38.*)

Of the 2,657 deaths from violence 424 were attributed to suicide, 2,201 to accident, 17 to homicide and 15 to war casualties. Compared with the number in the previous year deaths from suicide are 52 more, but those from accident are 204 fewer, from homicide 2 fewer, and from war casualties 6 fewer. (*Page 8.*)

Of the 424 deaths from suicide, 285 were among males and 139 among females, the former number being 31 and the latter 21 more than in the previous year. The death-rate from suicide

in the male population was 12 per 100,000 and in the female 5. In the previous year these two rates were 11 and 5. The death-rate from suicide in the two sexes taken conjointly was 9 per 100,000 as against 8 in the previous year. (*Table 34.*)

Of the 2,201 deaths from accidental causes, 262 were due to burns or scalds, 325 to drowning, 197 to falls and 63 to poisons, these last including 4 deaths attributed to accidental food poisoning, 29 to exposure to poisonous vapours and 30 others. Deaths by burns or scalds numbered 69 fewer than in the previous year, by drowning 68 fewer, and by falls 34 fewer, but those by poisonings numbered 11 more. Deaths due to fatal accidents in coal and other mines and quarries numbered 81, on railways 61, with motor vehicles 416, with horses and horse vehicles 11, and with tramcars 10. Accidents with motor vehicles numbered 97 more than in the previous year but those in mines and quarries numbered 56 fewer, on railways 31 fewer, with horses 11 fewer, and with tramcars 2 fewer. (*Page 8.*)

The following table has been drawn up to show the increase in the number of deaths attributed to motor accidents within recent years. It may there be noted that during the four years 1921 to 1924 fatal motor accidents averaged 218 annually, that in the year 1925 the number rose to 319 and in the year now under review, 1926, to 416.

Accidents with				Accidents with			
		Motors.	Horses and Horse-drawn Vehicles.			Motors.	Horses and Horse-drawn Vehicles.
1926	.	416	11	1918	.	79	47
1925	.	319	22	1917	.	107	51
1924	.	239	15	1916	.	118	45
1923	.	199	19	1915	.	113	49
1922	.	213	19	1914	.	48	34
1921	.	220	30	1913	.	32	40
1920	.	161	36	1912	.	51	54
1919	.	141	57	1911	.	38	81

Deaths of children of less than 1 year old by overlaying or other form of suffocation numbered 93. In the previous year these deaths numbered 88, the number in this year showing an increase of 5. (*Page 8.*)

Of the 29 deaths attributed to exposure to poisonous vapours during the year and not specified as suicidal 21 were due to exposure to coal gas, 4 to exposure to carbon monoxide, 2 to exposure to carbonic acid gas, 1 to exposure to benzole vapour and 1 to chloroform vapour. Of the 21 deaths due to accidental coal gas poisoning 13 were among males and 8 among females. In the previous year these deaths among males numbered 11 and among females 9. Of the 30 deaths from accidental poisoning other than exposure to poisonous vapours or to food poisoning 11 were stated as due to lysol, 3 to carbolic acid, 2 to poisonous berries and 1 each to spirits of salt, sorrel, strychnine, dialacetin, methyl salycilate, liniment, acetic acid, paraldehyde, methylated spirit, caustic soda, formalin, paraffin oil, disinfectant, and one not stated. (*Table 44.*)

In addition to the 29 deaths from exposure to poisonous

vapours during the year there were 102 cases in which death occurred during or after the administration of an anæsthetic for therapeutic purposes and in which the anæsthetic may or may not have been a contributory cause. In the previous year these deaths also numbered 102. In 1924 they numbered 84, in 1923 they numbered 76, and in 1922 they numbered 81. In 60 of these cases the anæsthetic used was chloroform, in 27 a mixture of chloroform and ether, in 8 ether, in 2 stovaine, and in 1 case each ethyl-bromide, ethyl-chloride, ethyl-chloride and ether, nitrous oxide and oxygen, and nitrous oxide, oxygen and ether. Of these 102 deaths 54 were among males and 48 among females. (*Table 44.*)

Of the 424 deaths attributed to suicide 218 were by poisoning, 65 by drowning, 59 by cutting and stabbing, these including cut throat, 42 by hanging, 16 by gun-shot, 13 by precipitation, and 11 on railways. Compared with the number in the previous year suicides by poisoning are 73 more, by drowning 18 more, by precipitation 2 more and on railways 2 more, but those by hanging are 28 fewer, by gun-shot 9 fewer, and by cutting 6 fewer. (*Table 43.*)

Of the 218 deaths from suicidal poisoning 128 were by coal gas, 61 by lysol, 5 by carbolic acid, 3 by phosphorus, 2 by bisulphide of carbon, 2 by corrosive sublimate, and 1 each by veronal, dial, carbon monoxide, izal, sulphuric acid, nicotine, luminal, ammonia, salts of lemon, arsenic, morphia, salts of sorrel, hydrocyanic acid, rat paste, corrosive acid, and unspecified poison. Compared with the number in the previous year suicides by coal gas are 40 more, and those by lysol are 23 more. (*Table 44.*)

The total number of deaths by coal gas poisoning during the year, suicidal and accidental combined, was 149, which number is 41 more than that of the previous year. (*Tables 43-44.*)

Relative Frequency of Causes of Death.—The following tabular statement shows in order of frequency those causes of death which during this year or the previous year were the prescribed cause of at least 1 per cent. of the total deaths and the percentage of the total deaths caused by each :—

<i>Causes of Death.</i>	1926.		1925.	
	<i>Number.</i>	<i>Per Cent. of Total.</i>	<i>Number.</i>	<i>Per Cent. of Total.</i>
Heart Disease	7,410	11·62	7,375	11·26
Malignant Tumours	6,640	10·41	6,675	10·19
Apoplexy	5,906	9·26	5,920	9·04
Pneumonia	5,262	8·25	5,393	8·23
All Tuberculosis	4,861	7·63	5,390	8·23
Diseases of Early Infancy and Malformations	3,951	6·19	3,970	6·06
Bronchitis	3,586	5·62	4,027	6·15
Violence	2,657	4·16	2,817	4·30
Nephritis—Acute and Chronic	1,834	2·88	1,833	2·80
Influenza	1,421	2·23	1,246	1·90
Measles	928	1·46	512	0·78
Diseases of Arteries	844	1·32	839	1·28
Diarrhœa (under 2 years)	798	1·25	876	1·34
Whooping-cough	506	0·79	1,737	2·65

The foregoing list includes 46,604 deaths registered in 1926, and these amount to 73·1 per cent. of the total deaths of the year. The percentage of total deaths attributable to tuberculous disease, as shown in the foregoing table, was 7·63. Of this percentage 5·31 were attributable to tuberculosis of the respiratory system, 0·78 to tuberculous meningitis, 0·58 to tuberculosis of the intestines and peritoneum, and 0·96 to other forms of tuberculosis. (*Table 33.*)

Infant Deaths.—Deaths of children of less than 1 year old numbered 8,514 and as previously stated equalled an infantile mortality rate of 83·1 per 100,000. Of these deaths 4,924 were of males and 3,590 of females. Of them 3,732, or 43·8 per cent., were of children of less than one month old, which number is 107 less than in the previous year. The total number of children dying less than three months old and including those dying under one month old was 4,940, or 58·0 per cent. of the total dying under 1 year, those dying aged three to six months numbered 1,448, or 17·0 per cent., those dying aged six to nine months numbered 1,088, or 12·8 per cent., and those of ages nine to twelve months 1,038, or 12·2 per cent. Compared with the number in the previous year deaths of children of less than three months old are 374 fewer, those of children aged three to six months 191 fewer, those of children aged six to nine months 167 fewer, and those of children aged nine to twelve months 184 fewer. (*Tables 45-48.*)

The most frequent causes of death among children during the year, the numbers caused by each, and the percentage of infantile deaths caused by them were—premature birth 1,794, or 21·1 per cent., congenital debility 1,344, or 15·8 per cent., pneumonia (all forms) 1,278, or 15·0 per cent., diarrhoea and enteritis 677, or 8·0 per cent., congenital malformations 429, or 5·0 per cent., bronchitis 416, or 4·9 per cent., and convulsions 376, or 4·4 per cent. Of these seven causes congenital debility and premature birth are the only two to which more deaths are attributed in this than in the previous year, those due to congenital debility numbering 23 more and to premature birth 3 more. Deaths caused by pneumonia among children of less than 1 year old are 243 fewer in this than the previous year and those caused by bronchitis are 109 fewer. (*Tables 45-48.*)

Deaths among children of less than 1 year old from all forms of tuberculous disease numbered 185, 104 being attributed to tuberculous meningitis, 36 to tuberculosis of the intestines and peritoneum, 15 to tuberculosis of the respiratory system, and 30 to other forms of tuberculous disease. These deaths collectively number 41 fewer than in the previous year, those from tuberculous meningitis being 14 fewer, from abdominal tuberculosis 13 fewer, from tuberculosis of the respiratory system 1 fewer and from other tuberculous diseases 13 fewer. (*Tables 45-48.*)

Deaths among children of less than 1 year old from all forms

of meningitis, encephalitis, and convulsions numbered 703, which is 38 fewer than in the preceding year. Of these 703 deaths, 376 were attributed to convulsions, 168 to meningitis other than cerebro-spinal, posterior basal, or tuberculous, 104 to tuberculous meningitis, 37 to cerebro-spinal meningitis, 8 to posterior basal meningitis, and 5 each to encephalitis lethargica, and encephalitis other than encephalitis lethargica. Compared with the number in the previous year deaths attributed to convulsions are 15 fewer and to tuberculous meningitis 14 fewer. (Tables 45-48.)

Table M(2) is constructed to show the number of deaths among children aged under 5 and the causes thereof. These deaths in all numbered 12,742, which is 1,507 fewer than in the previous year. Deaths under one year are 916 fewer, at age one 410 fewer, at age two 90 fewer, at age three 84 fewer, and at age four 7 fewer. The most frequent causes of death at these combined ages during the year are congenital causes 3,927, pneumonia (all forms) 2,328, digestive diseases 1,158, and measles 878. Compared with the number in the previous year deaths at these ages from measles are 409 more, but those from congenital causes are 14 fewer, from diseases of the digestive system 77 fewer and from pneumonia 231 fewer.

TABLE M (2).—Number of Deaths from Selected Causes among Children aged under Five Years in 1926.

Deaths from	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Total aged under 5 years.
Measles	245	404	138	66	25	878
Scarlet Fever	20	47	46	50	34	197
Whooping-Cough	242	145	65	25	15	492
Diphtheria	48	91	60	63	60	322
Erysipelas	21	3	1	1	...	26
Chicken-pox	1	3	...	1	...	5
Tuberc. Meningitis	104	115	52	44	28	343
Abdom. Tuberc.	36	58	35	10	9	148
Other Tuberc. Dis.	45	73	43	19	21	201
Meningitis, not Tuberc.	168	73	30	20	16	307
Convulsions	376	46	7	3	4	436
Pneumonia, All Forms	1,273	699	210	84	57	2,328
Bronchitis	416	77	27	8	7	535
Digestive Diseases	862	161	61	34	40	1,158
Congenital Causes	3,903	13	4	5	2	3,927
Other Causes	749	296	153	105	136	1,439
TOTALS	8,514	2,304	930	540	454	12,742

APPENDIX I.

SIXTY-SECOND ANNUAL REPORT ON THE VACCINATION OF CHILDREN IN SCOTLAND (1925).

This Report deals more especially with the vaccination of children born in the year 1925, who in ordinary course should have been vaccinated during that year or during the first half of the year 1926.

Children whose births were shown in the vaccination returns for the year 1925 numbered 104,155. Of them, 7,434 died before reaching the age of statutory vaccination (six months), while 96,721 survived at that date, and it is the latter number which more especially falls to be accounted for here. (*Table 52.*)

Of the 96,721 children surviving at the time of statutory vaccination 58,999, or 61·00 per cent., were either certified as having been successfully vaccinated or reported to be insusceptible to vaccination by reason of previous uncertified vaccination, 800, or 0·83 per cent., were certified as insusceptible to vaccination for reasons other than previous vaccination, while 36,922, or 38·17 per cent., were not reported as being vaccinated, the majority of these, 31,274, being unvaccinated by reason of Declaration of Conscientious Objection on the part of the parents. (*Table 52.*)

The vaccinated children of the year numbered 58,999, of whom 58,694 were reported to have been successfully vaccinated, while 305 were reported to be insusceptible to vaccination by reason of previous uncertified vaccination. These 58,999 children constituted 56·64 per cent. of the total children born and registered, and 61·00 per cent. of those surviving at the time of compulsory vaccination, the latter percentage being 1·96 less than in the preceding year. Previous to the passing of the Vaccination (Scotland) Act, 1907, which made the conscientious objection of parents a valid reason for avoiding statutory vaccination, more than 91 per cent. of the children born in Scotland who survived at the time of statutory vaccination were successfully vaccinated. In the year in which the Act passed this percentage fell below 90, and thereafter continued to fall, reaching a minimum of 54·5 in 1918. In 1920, a year in which there was an epidemic of smallpox in Glasgow, the percentage rose to 70·54, but since then has fallen, and during the last five years has been fairly constant, varying between 62·96 and 61·00. (*Table 52.*)

In the counties the percentage of children surviving at the time of compulsory vaccination and successfully vaccinated varied from 90·6 in Nairn, 82·8 in Aberdeen, 82·0 in Berwick, and 80·0 in Peebles, to 9·5 in Shetland, 40·3 in Forfar, 41·3 in

Orkney, 41·7 in Dumbarton, 45·9 in Fife, and 46·5 in Caithness. In 27 counties that percentage was over 50, in 6 counties it was less than 50.

In the larger burghs this percentage varied from 87·9 in Aberdeen, 79·0 in Ayr, 73·2 in Edinburgh, 69·0 in Glasgow, and 68·4 in Perth, to 28·5 in Dundee, 32·3 in Falkirk, 38·4 in Hamilton, and 38·9 in Greenock and in Clydebank. In 9 of the principal burghs this percentage was more than 50, and in 7 of them it was under 50.

Children born during the year 1925 and surviving at the date of compulsory vaccination, but who up to the end of the year 1926 had not been reported as vaccinated, in all numbered 37,722, and constituted 39·00 per cent. of the total survivors. In the previous year such children numbered 36,695, and constituted 37·04 per cent. of the total. Of the 37,722 unvaccinated children, 800 were certified as insusceptible to vaccination, 31,274 were unvaccinated by reason of Statutory Declaration of Conscientious Objection, 2,457 were unvaccinated by reason of postponement of vaccination on medical grounds, and 3,191 were unvaccinated, or presumed to be so, through being lost sight of by removal from the district or otherwise. (*Table 52.*)

Certificates of Constitutional Insusceptibility in all numbered 800, which number is 87 less than in the previous year, and is less than in all years subsequent to 1919. The number, however, is in marked excess of those of the years 1915-1919, when they varied between 329 and 540. These 800 children constitute 0·83 per cent. of the total children surviving at the time of compulsory vaccination. In the counties certificates of insusceptibility were relatively most frequent in Kinross (2·3 per cent.), Bute (1·9), Perth (1·4), Wigtown (1·4), Midlothian (1·1), and Stirling (1·1). In the counties of Caithness, Nairn, Selkirk and Shetland no cases of insusceptibility were reported. In Glasgow, Edinburgh, Clydebank, Ayr and Perth the proportion of children reported as insusceptible exceeded 1 per cent., while in the remaining 11 large burghs the proportion was less than 1 per cent.

Children exempted from vaccination by reason of parental conscientious objection in all numbered 31,274, and constituted 32·33 per cent. of the total children surviving at the time of statutory vaccination. During the years 1913 to 1919 this percentage was constantly over 33, and attained a maximum of 37·20 in 1918. In 1920, a year in which smallpox was epidemic in Glasgow, this percentage fell to 22·30, but it has since increased, having been 30·04 in 1921, 31·08 in 1922, 31·11 in 1923, 29·84 in 1924 and 32·33 in 1925. In the counties, burghs included, the percentage of surviving children unvaccinated by reason of conscientious objection varied from 84·2 per cent. in Shetland, 54·8 in Forfar, 54·4 in Orkney, 50·8 in Dumbarton, and 49·1 in Fife, to 8·1 in Nairn, 9·4 in Wigtown, 12·1 in Bute, 12·6 in Moray, 12·7 in Kincardine, and 12·8 in Aberdeen. In the larger

burghs this percentage varied from 65·9 in Dundee, 64·7 in Falkirk, 59·4 in Greenock, 59·2 in Hamilton, 51·8 in Clydebank, 50·9 in Kilmarnock, and 50·2 in Kirkcaldy, to 8·2 in Aberdeen, 14·3 in Ayr, and 20·5 in Edinburgh. In 14 of the less populous registration districts all children surviving at the time of statutory vaccination were exempted for this reason. Of these 14 districts, 9 are in Shetland, 1 in Orkney, 2 in Ross and Cromarty, and 2 in Argyll. Since the passing of the 1907 Amending Act, 572,397 children have been exempted from vaccination by reason of parental conscientious objection.

Children whose births were registered during the year 1925 and who at the end of 1926 were still unvaccinated by reason of postponement on medical grounds numbered 2,457, and constituted 2·54 per cent. of those surviving at the time of statutory vaccination. This number is 162 less than in the previous year and is the smallest number in any year since 1919.

Children whose vaccinations are unaccounted for through removal from the district of registration or otherwise numbered 3,191, and constituted 3·30 per cent. of those surviving at the time of statutory vaccination. This number is 430 less than in the previous year, and is the smallest in any year since 1895. This percentage is 0·36 less than in the previous year, and is lower than in all years since 1904.

•

APPENDIX II.

ADDITIONAL STATISTICS REGARDING MARRIAGES REGISTERED IN SCOTLAND DURING THE YEAR 1925.

A statement regarding marriages registered in Scotland during the year 1925 was incorporated in the Seventy-first Annual Report of the Registrar-General, that dealing with the detailed statistics of the registered births and deaths of that year, but as full details of the registered marriages were not available at the time when the Report was prepared, the statement then made is now supplemented by a more detailed one. The already published statement of marriage statistics of the year 1925 dealt only with the numbers registered and with the marriage-rates, while in this additional statement facts regarding the method of proclamation, the church of celebration, ages and conjugal conditions of those marrying, and the methods of signing the marriage schedules, by mark or writing, are included.

In the Seventy-first Annual Report it was stated that the marriages registered in Scotland during the year numbered 32,473, but by a complete examination of the Registers this number is found to be 32,456, the original figure being an overstatement by 17. This small correction does not materially affect the rates published in the Seventy-first Annual Report. The corrected number of marriages registered in Scotland during 1925 is 128 more than that of the previous year, but is 5,124 less than the mean of the numbers of the preceding five years, and 4,000 less than the mean of those of the ten preceding years. The marriage-rate of the year was 6·63 per thousand, which rate is slightly more than that of the previous year, but is 1·06 less than the mean of those of the preceding five years, and 0·89 less than the mean of those of the preceding ten years. The highest Scottish marriage-rate occurred in 1920 and was 9·61 per thousand, while the lowest was in 1886 and was 6·31 per thousand. Compared with the former that of this year is 2·98 less, while compared with the latter it is 0·32 more. (*Table 9.*)

Regular and Irregular Marriages.—Of the 32,456 marriages registered during the year 28,424, or 87·58 per cent., were regular, i.e. solemnised by a Minister of religion after Proclamation of Banns or after Public Notice at a Registrar's Office, while 4,032, or 12·42 per cent., were irregular; i.e. contracted without Proclamation of Banns or Public Notice and not solemnised by a minister of religion. In the previous year regular marriages constituted 87·83 per cent., and irregular marriages 12·17 per cent. The regular marriages of the year are 31 more than those of the previous year, but are 3,778 fewer than the mean of the numbers of the five preceding years, and

2,077 fewer than the mean of those of the ten preceding years. The number of irregular marriages recorded in 1925 is 97 greater than that of the previous year, but is 1,346 less than the mean of those of the preceding five years, and 1,923 less than the mean of those of the preceding ten years. In the earlier period of registration few irregular marriages were registered annually, in the years 1855 to 1860 the annual average being only 19, and in the decade 1861 to 1870 only 41. In the decade 1871 to 1880 this average rose to 263, in the decade 1881 to 1890 to 650, and in the decade 1891 to 1900 to 1,428. In the decade 1901 to 1910 it rose to 2,034. Since 1923 the number of those marriages has been nearly constantly over 4,000, a maximum of 8,351 having been reached in 1919. (*Table 9.*)

Of the 4,032 irregular marriages registered during the year, 3,571, or 88·6 per cent., were registered in one or other of the four principal burghs, Glasgow, Edinburgh, Dundee and Aberdeen, and only 451, or 11·4 per cent., elsewhere in Scotland. Of all marriages celebrated in the four principal burghs taken collectively 22·8 per cent. were irregular; in the other large burghs this percentage was 6·6, and in the remainder of Scotland 1·7. Irregular marriages registered in Glasgow numbered 80 more than in the previous year, in Dundee 19 more, and in Aberdeen 14 more, but those in Edinburgh numbered 10 fewer. (*Table 11.*)

In the larger burghs taken individually the percentage of irregular marriages varied from 27·3 in Edinburgh, 22·6 in Glasgow, and 22·2 in Dunfermline, to 0·0 in Clydebank and in Coatbridge, and 1·5 in Paisley. In Aberdeen this rate was 19·6, in Perth 18·0, in Dundee 13·5, in Falkirk 12·1, in Ayr 9·4, in Kirkcaldy 7·7, in Hamilton 4·4, in Greenock 4·3, in Kilmarnock 3·8, and in Motherwell and Wishaw 2·5. In the counties, burghs included, the relative frequency of irregular marriage varied from 24·5 per cent. in Midlothian, 17·3 in Lanark, 13·8 in Moray, 13·3 in Aberdeen, and 10·2 in Forfar, to 0·0 in Clackmannan, in Kinross, and in Kirkcudbright. (*Table 11.*)

Of the 4,032 irregular marriages registered during the year, 4,026 were registered by Sheriff's Warrant in terms of Lord Brougham's Act, while 6 were registered on production of an Extract Decree of Declarator. (*Table 11.*)

Method of Publication.—Regular marriages during the year numbered 28,424, and of them 19,796, or 69·6 per cent., were solemnised after Proclamation by Banns in respect of both parties, 8,064, or 28·4 per cent., after Proclamation by Public Notice in respect of both parties, and 564, or 2·0 per cent., by Proclamation of Banns in respect of one party and Public Notice in respect of the other. Compared with the number in the previous year marriages celebrated after Banns are 266 more, and those after Banns in respect of one party and Public Notice in respect of the other are 18 more, but those after Public Notice in respect of both parties are 253 fewer. (*Table N.*)

In the larger burghs taken collectively the regular marriages of the year numbered 15,567, and constituted 80·3 per cent. of the total in those burghs, while in the remainder of Scotland they numbered 12,857, and constituted 98·4 per cent. of the total outwith the larger burghs. Of the regular marriages celebrated in the larger burghs 57·7 per cent. were celebrated after Proclamation by Banns, 40·3 per cent. after Proclamation by Public Notice in respect of both parties, and 2·0 per cent. after Publication by Banns in respect of one party and by Public Notice in respect of the other. In the remainder of Scotland these three percentages were 84·2, 13·9 and 1·9 respectively, and the differences indicate that Proclamation by Banns is relatively less frequent, and Proclamation by Public Notice relatively more frequent, in the larger burghs than elsewhere in Scotland. All marriages celebrated in the county of Kinross during the year were after publication by Banns, while in the counties of Berwick, Caithness, Kirkcudbright, Nairn, Peebles, Shetland and Wigtown more than 95 per cent. were so published. (Table 11.)

Of the marriages celebrated according to the rites of the Established Church 85·4 per cent. were celebrated after banns in respect of both parties, which proportion in the United Free Church was 73·4 per cent., and in the Free Church 58·0, but of those celebrated in the Jewish Church only 16·2 per cent. were published by banns, and of those celebrated in the Roman Catholic Church, 17·9 per cent. (Table N.)

Church of Celebration.—Of the 28,424 regular marriages celebrated during the year, 13,548, or 47·7 per cent., were celebrated according to the rites of the Established Church of Scotland, 7,531, or 26·5 per cent., according to those of the United Free Church, 3,865, or 13·6 per cent., according to those

TABLE N.—Regular Marriages in Scotland in 1925, following Proclamation of Banns or Publication at Registrar's Office.

Church of Celebration.	Number.				Percentage of Total for each Church, etc.		
	Total.	Banns.	Publication.	Banns and Publication.	Banns.	Publication.	Banns and Publication.
Established Church .	13,548	11,575	1,734	239	85·4	12·8	1·8
United Free „ . .	7,531	5,530	1,848	153	73·4	24·6	2·0
Free „ . . .	262	152	100	10	58·0	38·2	3·8
Roman Catholic „ . .	3,865	693	3,089	83	17·9	79·9	2·2
Scottish Episcopal „ . .	951	560	365	26	58·9	38·4	2·7
Congregational „ . .	980	568	394	18	58·0	40·2	1·8
Baptist „ . . .	396	266	122	8	67·2	30·8	2·0
Wesleyan Methodist Church	239	172	60	7	72·0	25·1	2·9
Jewish Church . . .	74	12	61	1	16·2	82·4	1·4
All other Regular Marriages	578	268	291	19	46·4	50·3	3·3
All Regular Marriages	28,424	19,796	8,064	564	69·6	28·4	2·0

of the Roman Catholic Church, 951, or 3·3 per cent., according to those of the Scottish Episcopal Church, 262, or 0·9 per cent., according to those of the Free Church, and 2,267, or 8·0 per cent., according to those of churches of other denominations. Compared with the number in the previous year, United Free Church marriages are 126 fewer, Free Church marriages 36 fewer, and Episcopal Church marriages 23 fewer, but Established Church marriages are 60 more, Roman Catholic marriages 16 more, and marriages in denominations other than the foregoing are 140 more. Marriages celebrated according to the rites of the three large Presbyterian Churches of Scotland, the Church of Scotland, the United Free Church, and the Free Church, collectively numbered 21,341, and constituted 75·1 per cent. of the regular marriages of the year, and 65·8 per cent. of the total marriages of the year, regular and irregular included. In the previous year this number was 21,443, and these two percentages were 75·5 and 65·3 respectively. (*Tables N and 12.*)

The counties in which marriages according to the rites of the Church of Scotland were relatively most frequent were Peebles (82·1 per cent.), Wigtown (78·4 per cent.), Kirkcudbright (77·6 per cent.), East Lothian (72·3 per cent.), Kincardine (70·9 per cent.), Shetland (66·4 per cent.), Berwick (64·4 per cent.), Kinross (64·3 per cent.), and Dumfries (61·7 per cent.). (The percentages given in this and in the four following paragraphs are those of the total marriages registered inclusive of irregular marriages.) (*Table 12.*)

United Free Church marriages were relatively numerous in Orkney (45·8 per cent.), in Bute (39·3 per cent.), in Caithness (37·7 per cent.), in Sutherland (35·6 per cent.), in Selkirk (33·6 per cent.), in Kinross (30·9 per cent.), in Clackmannan (30·7 per cent.), in Stirling (30·4 per cent.), and in Ross and Cromarty (30·2 per cent.). (*Table 12.*)

Free Church marriages constituted 26·2 per cent. of the total marriages registered in Ross and Cromarty, 15·5 in Sutherland, 11·3 in Nairn, 9·7 in Inverness, and 4·4 in Argyll. (*Table 12.*)

TABLE O.—Regular and Irregular Marriages in 1925.

		Number.			Percentage of Total Marriages.		
		SCOTLAND.	Larger Burghs.	Other Districts.	SCOTLAND.	Larger Burghs.	Other Districts.
Regular Marriages.	Established Church .	13,548	6,219	7,329	41·8	32·1	56·1
	United Free Church	7,531	4,343	3,188	23·2	22·4	24·4
	Free Church	262	114	148	0·8	0·6	1·1
	Roman Catholic Ch.	3,865	2,606	1,259	11·9	13·4	9·6
	Scottish Episcopal Ch.	951	664	287	2·9	3·4	2·2
	Other Denominations	2,267	1,621	646	7·0	8·4	5·0
Irregular Marriages		4,032	3,815	217	12·4	19·7	1·6
Total Marriages		32,456	19,382	13,074	100·0	100·0	100·0

Roman Catholic Church marriages constituted 26·9 per cent. of the total in Dumbarton, 22·4 per cent. in Renfrew, 17·7 per cent. in Lanark, 13·7 per cent. in West Lothian, 13·6 per cent. in Forfar, 11·0 per cent. in Inverness, and 9·7 per cent. in Stirling. (*Table 12.*)

Marriages according to the rites of the Scottish Episcopal Church were relatively most frequent in Kincardine (11·7 per cent.), in Roxburgh (8·3 per cent.), in Bute (6·6 per cent.), and in Forfar (6·0 per cent.).

A complete list of the religious denominations named in the Marriage Registers of the year is given in Table P., and it may there be seen that these denominations in all numbered 39. In the previous year they numbered 42, and in 1923 they numbered 38. These 39 denominations included 4 other than those named in the preceding paragraphs in which at least 100 marriages were celebrated during the year, those being Congregational Church (980 marriages), Baptist Church (396 marriages), Wesleyan Methodist Church (239 marriages), and Christian Brethren (139 marriages).

Conjugal Condition of those Marrying.—Of the 32,456 men marrying during the year 30,019, or 92·5 per cent., were bachelors, while 2,436, or 7·5 per cent., were widowers. Compared with the previous year the number of bachelors marrying is 132 more, but that of widowers marrying is 5 less. Of the 32,456 women marrying during the year, 30,932, or 95·3 per cent., were spinsters, while 1,523, or 4·7 per cent., were

TABLE P.—Marriages in Scotland in 1925 by Denominations in Order of Frequency.

1. Established Church	13,548	25. New Jerusalem Church .	6
2. United Free „	7,531	26. Church of England . . .	4
3. Roman Catholic „	3,865	27. Gilfillan Memorial Church	4
4. Congregational „	980	28. Plantation Tabernacle „	3
5. Scottish Episcopal „	951	29. Christadelphian „	3
6. Baptist „	396	30. Presbyterian Church of	
7. Free „	262	England	3
8. Wesleyan Methodist „	239	31. City Mission	3
9. Christian Brethren (including Plymouth Brethren).	139	32. Christian Church	2
10. Jewish Church	74	33. Independent Methodist	
11. Salvation Army	60	Church	2
12. Original Secession Church	48	34. Church of Baptized	
13. Unitarian „	47	Believers	1
14. Free Presbyterian „	45	35. Society of Friends	1
15. Primitive Methodist „	41	36. Seventh Day Adventists .	1
16. Evangelical Union „	26	37. Church for the Deaf and	
17. Christian Union „	21	Dumb	1
18. Gospel Mission „	21	38. Independent City Mission	1
19. Pentecostal „	20	39. Mission Church	1
20. Church of Christ	17		
21. Catholic Apostolic Church	17	All Religious Denomina-	
22. Reformed Presbyterian		tions	28,424
Church	14		
23. Church of God	13	Irregular Marriages . . .	4,032
24. Free Church of England .	13		
		All Marriages	32,456

widows. Compared with the number in the previous year that of spinsters is 238 more, but that of widows is 111 less. (*Table 13.*)

Of the 32,456 marriages registered during the year 29,217, or 90·0 per cent., were between bachelors and spinsters, 802, or 2·5 per cent., between bachelors and widows, 1,715, or 5·3 per cent., between widowers and spinsters, and 721, or 2·2 per cent., between widowers and widows. Compared with the number in the previous year marriages between bachelors and spinsters are 215 more, and those between widowers and spinsters are 23 more, but those between bachelors and widows are 83 fewer, and those between widowers and widows are 28 fewer. (*Table 13.*)

Method of Signature.—Of the 64,912 persons marrying during the year, only 178 signed the marriage registers by mark in place of by signature. Of these 178 persons, 79 were males and 99 were females. The number of males signing by mark during the year was 11 more than in the previous year, but with the exception of the two years 1922 and 1924, is the smallest number yet recorded. This is the fourth consecutive year in which less than 90 males signed the marriage schedules by mark. Women signing by mark during the year numbered 1 fewer than in the previous year, and the total number, 99, is the smallest yet recorded.

Of the 178 persons signing by mark, 78 contracted marriage in Glasgow, 26 elsewhere in the county of Lanark, and 74 in the remainder of Scotland. These numbers are in great contrast to what they were in the earlier years of registration. In the years 1855 to 1882 more than 5,000 persons annually signed the Schedules or the Registers by mark. In 1883 this number for the first time fell below 5,000, in 1885 below 4,000, in 1888 below 3,000, in 1893 below 2,000, in 1908 below 1,000, in 1915 below 500, and in 1922 below 200. (*Tables 10 and 14.*)

The age distribution of those using the mark is shown in Table Q., and it may there be seen that the larger numbers of these are in age-groups 20 to 29 and 30 to 39, while the larger

TABLE Q.—Ages of Persons Marrying who Signed by Mark in 1925.

Ages.	Numbers.			Percentage of Persons Marrying at each Age.		
	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.
Under 20	7	2	5	0·16	0·24	0·14
20-29	46	26	20	0·11	0·13	0·09
30-39	46	20	26	0·36	0·27	0·48
40-49	25	9	16	0·73	0·42	1·25
50-59	26	9	17	2·03	1·01	4·34
60 and over	28	13	15	5·31	3·15	13·16
All Ages	178	79	99	0·27	0·24	0·31

percentage is in age-group 65 and over. Of the 178 persons using the mark, 92 were aged between 20 and 40. Of the 527 persons marrying at age 60 and over, 5·3 per cent. used the mark, this percentage among males being 3·2, and among females 13·2. It is probable that the number aged between 20 and 40 using the mark is largely attributable to the presence of aliens.

Ages of Persons Marrying.—The average age of all persons marrying during the year was 28·04 years, that of all bridegrooms 29·48, and that of all brides 26·60. Compared with the figure of the previous year, that of all persons marrying is 0·03 more, of all men marrying 0·02 more, and of all women marrying 0·03 more. In the larger burghs taken collectively the average age of all persons marrying was 28·25, and in the rest of Scotland 27·73, the former being 0·07 more, but the latter being 0·03 less than in the previous year. In the larger burghs the average age of men marrying was 29·68, and in the rest of Scotland 29·19. The former average was 0·08 more, but the latter 0·05 less than in the previous year. In the larger burghs the average age of women marrying was 26·82, and in the rest of Scotland 26·27, the former being 0·06 more, but the latter 0·01 less than in the previous year. (*Tables 15-16.*)

The average age of all bachelors marrying during the year was 28·1 years, of those marrying spinsters 27·9, and of those marrying widows 37·1. Compared with the corresponding figure in the previous year the average age of all bachelors is the same, but that of bachelors marrying spinsters is 0·1 more, and that of bachelors marrying widows 1·1 more. The average age of all widowers marrying during the year was 46·5, of those marrying spinsters 44·8, and of those marrying widows 50·4. The average age of all widowers marrying during the year was 0·2 more than

TABLE R.—Church of Celebration of Persons Marrying who Signed by Mark in 1925.

Church.	Entries in which Mark was Used by			Persons Using Mark.		
	Men only.	Women only.	Both Sexes.	Men.	Women.	Both Sexes.
Established	10	14	6	16	20	36
United Free	5	15	6	11	21	32
Roman Catholic	21	25	5	26	30	56
Scottish Episcopal	2	1	—	2	1	3
Congregational	1	2	—	1	2	3
Baptist	1	—	1	2	1	3
Wesleyan Methodist	1	1	—	1	1	2
Jewish	2	1	1	3	2	5
Unitarian	—	—	1	1	1	2
Evangelical Union	—	1	—	—	1	1
Irregular Marriages	15	18	1	16	19	35
TOTAL	58	78	21	79	99	178

in the previous year, and that of widowers marrying spinsters 0·4 more, but that of widowers marrying widows 0·1 less. (*Table S.*)

The average age of all spinsters marrying during the year was 25·9, which is the same as in the previous year. The average age of spinsters marrying bachelors was 25·4, and of spinsters marrying widowers 35·5, the former being 0·1 and the latter 0·6 more than in the previous year. The average age of all widows marrying during the year was 40·6, which is 0·7 more than in the previous year. That of widows marrying bachelors is 37·1, and of widows marrying widowers 44·4—the former figure being 1·0 more than in the previous year, but the latter being of the same amount. (*Table S.*)

The average age of all bridegrooms during the year exceeded that of all brides by 2·9 years; in the previous year (1924) this difference was also 2·9, in 1923 it was 2·8, in 1922, 2·9, and in 1921, 2·7. In the case of widowers marrying spinsters, the average age of the husband was 9·3 years more than that of the wife. In the case of widowers marrying widows this average was 6·0 more, and in the case of bachelors marrying spinsters 2·5 more, but in the case of bachelors marrying widows the average age was identical. These average differences closely approximate those of the previous year. (*Table S.*)

In the counties, burghs included, the average age of men at the time of marriage varied from 34·5 years in Shetland, 33·7 in Inverness, 33·5 in Argyll, 33·4 in Sutherland, 33·1 in Bute and in Ross and Cromarty, 31·4 in Orkney, and 31·1 in Caithness, to 27·4 in West Lothian, 28·1 in Fife, 28·3 in East Lothian, 28·4 in Ayr, and 28·5 in Stirling. In the counties the average age of women marrying varied from 30·8 in Shetland, 30·4 in Sutherland, 29·4 in Argyll, 29·2 in Bute, 28·8 in Inverness, 28·4 in Ross and Cromarty, and 28·2 in Selkirk, to 24·7 in West Lothian,

TABLE S.—Average Age at Marriage in 1925.

Conjugal Condition.		Average Age.					
Bridegroom.	Bride.	Bridegrooms.		Brides.		Excess of average age of Bridegroom over that of Bride.	
		1925	1924	1925	1924	1925	1924
*All Bridegrooms.	†All Brides	29·5	29·5	26·6	26·6	2·9	2·9
"	Spinsters only	28·3	28·8	25·9	25·9	2·4	2·9
"	Widows only	42·9	42·7	40·6	39·9	2·3	2·8
Bachelors only	†All Brides	28·1	28·1	25·2	25·6	2·9	2·5
"	Spinsters only	27·9	27·8	25·4	25·3	2·5	2·5
"	Widows only	37·1	36·0	37·1	36·1	0·0	-0·1
Widowers only	†All Brides	46·5	46·3	37·6	37·8	8·9	8·5
"	Spinsters only	44·8	44·4	35·5	34·9	9·3	9·5
"	Widows only	50·4	50·5	44·4	44·4	6·0	6·1

* Bachelors and Widowers taken collectively.

† Spinsters and Widows taken collectively.

25·5 in Stirling, 25·6 in Fife, 25·8 in Ayr, 26·0 in East Lothian, and 26·0 in Clackmannan. (*Tables 15-16.*)

In the larger burghs taken individually the average age at marriage of men varied from 30·6 in Perth, 30·3 in Edinburgh, 29·9 in Glasgow, 29·6 in Aberdeen and 29·4 in Dundee, to 28·1 in Clydebank, in Dunfermline, in Hamilton, and in Kilmarnock, and 28·2 in Motherwell and Wishaw, and in Coatbridge. In these burghs the average age at marriage of women varied from 27·6 in Perth, 27·4 in Edinburgh, 27·0 in Glasgow, 26·7 in Dundee, 26·5 in Aberdeen, and 26·5 in Paisley, to 25·0 in Coatbridge, 25·1 in Hamilton, 25·5 in Greenock and in Dunfermline, 25·6 in Motherwell and Wishaw, and 25·6 in Clydebank. (*Tables 15-16.*)

The youngest bridegrooms of the year were 4 bachelors aged 16 and 30 aged 17. The youngest widowers marrying during the year were 27 aged between 21 and 25. The youngest spinsters marrying during the year were 5 aged 15, and 82 aged 16, and the youngest widows were 1 aged 20, and 39 aged 21 to 24. (*Tables 19-23.*)

The oldest men marrying during the year were 12 aged 75 to 79, and 4 aged 80 and over, 2 of these 16 being bachelors and 14 widowers. The oldest women marrying during the year were 11 aged 70 to 74, and 2 aged 75 and over. These 13 were all widows, 2 of whom married bachelors and 11 of whom married widowers. (*Tables 19-23.*)

The average combined age of the bridegrooms and brides of the year was 56·1 years. The youngest combined ages were 33 years, which occurred in one case of a boy of 18 marrying a girl of 15, and in 5 cases of boys of 17 marrying girls of 16. The oldest combined ages were 154 years (a marriage between a widower of 82 and a widow of 72), 152 years (a marriage between a widower of 83 and a widow of 69), 150 years (a marriage between a bachelor of 74 and a widow of 76), 149 years (a marriage between a widower of 76 and a widow of 73), 148 years (a marriage between a bachelor of 84 and a spinster of 64), and 146 years (a marriage between a widower of 77 and a widow of 69). (*Tables 19-23.*)

APPENDIX III.

REPORT ON THE WEATHER OF SCOTLAND FOR THE YEAR ENDING 31st DECEMBER 1926.

Supplied by the Meteorological Office, Edinburgh.

This report consists of a description of the weather for each month of 1926 and detailed statistics for 67 stations. In preparing the descriptive matter, additional sources of information have been utilised, including numerous rainfall records and meteorological returns from the Northern Lighthouses.

January 1926.—For the first ten days the pressure distribution over the British Isles was of a south-westerly type; but by 12th, with pressure high over Scandinavia and low near Spain, easterly winds developed, and for a few days with winds from east or north wintry weather prevailed. From 18th onwards mild, wet and rather stormy south-westerly to westerly conditions were again much in evidence.

A prolonged cold spell had come to an end on 27th December 1925, and after rather low temperatures on 1st and 2nd January 1926, a somewhat mild type of weather continued until about 12th. The cold which followed was much more acute in England than in Scotland, and with mild conditions from 18th to 30th the mean temperature was appreciably above the normal, and about 5° above the mean for the preceding month. The extremes reported were 58° at Onich on 11th, and 16° at Braemar on 1st.

Precipitation was below the normal in the extreme north, but above it over the greater part of Scotland, and in some districts the excess was considerable. Thus Dumfries and Perth had about twice, and Dundee nearly two and a half times, the normal. Within the wetter areas the month was, as a rule, less wet than in 1921; but at Dundee it was the wettest January since 1867, and at Colmonell in South Ayrshire the wettest since 1894. Conditions were very unsettled during the first ten days, with some heavy falls towards west and north-west. On 8th Kinlochquoich had 2.89 in., and on 10th Achdaluie, near Fort-William, 3.18 in. and Arrochar 2.23 in. From 11th to 16th very fine weather was experienced towards the north-west, but from 17th onwards many districts had rain on every day, with some heavy falls, notably on 22nd, 24th, and 29th.

Wind force was at times high, especially around 9th, 16th, and 29th. About the middle of the month, and especially on night of 17th-18th, snow was general. Braemar reported "snow-lying" from 1st to 9th, and from 14th to 25th, with a

depth of 5 in. on 18th. Flooding occurred in Perthshire and elsewhere about 10th and towards the end of the month.

Lightning occurred at Aberdeen on 6th, and a thunderstorm in Fifeshire and towards north-west on 25th.

Sunshine amounts were largest around the upper Moray Firth; but the month in most districts was very cloudy. At Aberdeen practically no sunshine was recorded from 14th to 24th, and half of the month's small aggregate was accounted for on 25th, 26th, and 28th.

Aurora was widely observed, from Shetland as far south as West Linton on 13th, and at one or two places on 7th, 15th, or 22nd.

February 1926.—Until 8th the pressure distribution over the British Isles was of a well-defined southerly type; from about 9th to 13th south-easterly winds prevailed; whilst during the latter half of the month winds were continuously from south-west or west, and the pressure gradient was at times very steep.

The mild conditions which had set in about January 18th continued during the first week or so of February, but from 10th to 13th there was a brief incursion of wintry weather. On 14th a milder type was again in evidence, and towards the end of the month temperature was abnormally high. The extremes reported were 59° at Gordon Castle on 24th and 8° at Logie Coldstone on 12th. The month was, on the whole, the mildest February since 1920, and the nights were at times exceptionally mild.

Precipitation was decidedly below the normal in north-west and north; notably low in the Spey Valley; and slightly deficient in southern Ayrshire. In most other areas there was a decided excess, and this was most marked in and around Forfarshire. Thus Dundee had more than two and a half times the normal, and the month there was the wettest February since 1872. Except towards the north-west conditions were unsettled at first with heavy to very heavy rains between 5th and 7th; at Craibstone, near Aberdeen, about three-fifths of the month's aggregate was accounted for during that period and nearly 2 in. fell on 6th. From 9th to 12th many areas were rainless, whilst in others snow fell. From 13th to 28th a rainy type of weather prevailed, with falls on every day in most southern and western districts,—very heavy from 13th to 16th, on 20th, and on 25th. At Fort William about half the month's aggregate was accounted for between 13th and 16th.

Wind force was frequently very high, notably about 6th and 7th, on 14th, and on 25th and 26th. Moderate snow falls were experienced, chiefly in eastern and central districts, from 10th to 13th.

Thunderstorms occurred locally—near Mallaig on 15th and near Strachur on 16th.

There were a few very sunny days, but in general conditions

were cloudy, especially in the east. Towards the north-west sunshine aggregates were slightly above the normal.

Aurora was observed at one or more points on as many as 12 occasions,—frequently in Orkney and Shetland; at Aberdeen on 15th, 17th, 18th; as far south as Edinburgh on 11th; and as far south as Rothesay on 17th.

March 1926.—Until about 13th pressure distribution over the British Isles was mainly of a stormy south-westerly to westerly type. By 15th an anticyclone had begun to spread northwards over England and Scotland, gradually moving to Scandinavia, with easterly winds; but towards the end of the month south-westerly winds were again in evidence.

During the early part of the month very mild weather was interrupted by sharp drops of temperature, on 4th and again on 9th, with shifts of the wind to a north-westerly point. Thus at Aberdeen a maximum of 61° on 2nd compared with only 39° on 4th, and 60° on 8th, with only 40° on 9th. During the spell of easterly winds temperature was moderate, though in general above the normal, except from 23rd to 25th, with mild conditions again from 27th onwards. The mean for the month was considerably above the normal, and the nights were at times exceptionally mild. The extremes reported were 61° at Aberdeen on 2nd and at Montrose on 13th, and 18° at Wolfelee on 5th.

From 1st to 8th rainfall was moderate in the east; but very heavy towards west and north-west especially on 7th and 8th. Over considerable areas from Loch Fyne to Loch Carron the aggregate rainfall of these two days exceeded 3 or 4 inches, and in the Lochaber district Kinlochquich had 4.26 in. on 7th followed by 2.49 in. on 8th. After moderate to trifling falls during the next three or four days a spell of very fine weather was experienced in west and south, and wide areas were rainless, or all but so, from 14th to 27th. In the east during this period some moderate falls occurred, and on 28th conditions had become generally unsettled. In east and south the month's rainfall was decidedly deficient, but elsewhere there was a well-marked excess, though within the wettest areas amounts were as a rule less than those recorded in March 1921.

The first ten days, and notably 4th and 8th, were of a stormy character, and the heavy rains of 7th and 8th caused flooding in various areas and landslides in Glencroe and near Invergarry. On 12th serious sand drifts blocked the railway line between Hopeman and Burghead in Morayshire. Snow fell rather widely on 4th and 9th, and in some districts on 22nd.

Thunderstorms were experienced here and there between 3rd and 6th; rather widely on 9th; and here and there from 27th onwards.

Sunshine aggregates were below the normal.

Aurora was frequently observed,—at one or more points on as

many as 15 nights,—and a brilliant display on 9th was witnessed as far south as the Channel Islands.

April 1926.—Light southerly breezes prevailed at first, followed by quiet anticyclonic conditions from about 9th to 13th. With the approach of a depression from the Atlantic on 14th unsettled weather became general, and from 19th onwards, with high pressure areas over the Arctic regions or Scandinavia, there were persistent winds from north-east or east.

The mild conditions which had set in on 27th March were on the whole maintained throughout nearly the first three weeks of April, though during the anticyclonic period sharp frost occurred. On 2nd and from 4th to 8th temperature was decidedly high. As the easterly type of weather developed colder conditions set in, and from 26th to 30th the days were very cold and the range of temperature notably small. The mean temperature of the month was the highest recorded in April since 1914, and the extremes reported were 70° at Logie Coldstone on 5th, and 23° at Wolfelee on 12th.

From 1st to 13th the only rains of importance occurred on 3rd and 8th, and the last few days of the period were everywhere fine. On 14th heavy rains spread from the west and considerable areas had more than 1 in. on that day (1.62 in. at Langholm); but there was a speedy improvement in western districts, and towards the south-west there were only one or two trifling falls during the last two weeks of the month. In the east, on the other hand, many places had rain on every day from 14th onwards, though frequently the falls were very small. In general aggregates were appreciably above the normal in eastern districts, but deficient in west and south. At some places fully half the month's rainfall was accounted for on 14th and 15th.

Wind force was as a rule moderate though high around 15th. Sleet occurred around 16th, and snow at high levels on 23rd and 24th.

Thunderstorms were experienced here and there from 2nd to 4th and from 17th to 22nd; on 17th along the north-east coast; on 19th at Edinburgh and towards the Borders; and on 20th in the Clyde area and the south of Scotland.

There was much sunshine during the anticyclonic period, but from 26th to 30th the sky was continuously cloudy on the east coast. In the east sunshine aggregates for the month were decidedly below the normal.

Aurora was observed rather widely on 7th, and auroral "glows" in Shetland on every night from 8th to 13th, and on 15th and 16th.

May 1926.—During a great part of the month the conditions which had developed about 19th April were maintained, and with pressure as a rule high over the Arctic regions or Scandinavia winds were almost persistently from some northerly point.

Various secondaries caused unsettled weather at times, and towards the end of the month westerly winds associated with Atlantic depressions made their influence felt.

The month was the first since December 1925 with a mean temperature below the normal, fairly warm weather during the last ten days hardly counterbalancing some very cold weather during the first three weeks. Around 6th and 7th the days were very cold, whilst between 13th and 17th most districts experienced sharp frost on one or two nights, with a reading in screen at Wolfelee of 23° on 15th and 19th. Highest readings occurred very generally between 25th and 27th (75° at Edinburgh (Liberton) on 26th), and the nights at that time were rather warm. The temperature deficiency for the month as a whole was more pronounced by day than by night.

Light to moderate rains were general from 4th to 7th and from 11th to 13th or 14th, with some rather heavier falls towards north-west on 11th (1.36 in. at Roshven). The period from 14th to 23rd was almost rainless in many districts, except for moderate falls on 19th and 20th, whilst from 24th to 31st conditions were rather unsettled, with rain on every day in some areas. On 24th, 27th, and 30th some fairly heavy falls occurred, with nearly 1 in. at Boghall, near Edinburgh, on 30th. Relatively to the normal, aggregates varied irregularly. Thus in the Lothians and in Central Perthshire there was a fairly well-defined excess; whereas Aberdeen had only 66 per cent. of the normal and Fort William only 77 per cent.

The mean wind force of the month was remarkably low.

Snow occurred on high ground on 5th, 6th, and 14th; on 14th at lower levels also, as at Edinburgh and Kelso.

Thunderstorms over limited or rather wide areas occurred on 5th; on each day from 10th to 14th, and again from 17th to 22nd; and on 25th, 26th, 29th, and 30th. Apparently the extreme north was most free from thunder, and the most general storms occurred on 11th (in the west), on 13th (in east, south, and south-west), and on 20th (very widely).

There were some very sunny days, notably 22nd and 23rd, but sunshine aggregates did not differ greatly from the normal. Thus Edinburgh had a slight excess and Aberdeen a slight deficiency.

June 1926.—In the rear of a secondary depression which passed across the south of England on 1st and 2nd, pressure rose considerably; but with a low-pressure area over Ireland from about 9th to 14th, and secondaries moving eastwards, conditions were very unsettled for several days. By 21st an Atlantic anti-cyclone had developed, and this gradually drifted towards the Continent. The mean pressure of the month was the lowest recorded in June since 1916.

After rather low temperatures at first (32° at Balmoral on 1st), warm days were experienced from about 4th to 9th (79° at

Ruthwell on 6th). Thereafter, except for a brief outburst of warmth on 20th, temperature was hardly more than moderate until near the end of the month, when the days became rather warm. Nowhere did the mean temperature of the month differ greatly from the normal, and, on the whole, the days were slightly colder, and the nights slightly warmer, than the average.

Light rains were fairly general on the 1st, and, after some fine days, moderate falls on 7th. Rather heavy falls in east on 9th were followed by very wet weather in south, west, and central Scotland on 10th and 11th, with further moderate falls in some districts on 12th. At Glenbranter, near Strachur, and at Arrochar, the three days' total from 10th to 12th exceeded 4 inches, and at Glenbranter as much as 2·26 in. was registered on 11th. Towards south-east very heavy rain fell from 14th to 16th, with about 1 in. at Edinburgh on 14th. From 17th onwards conditions were very settled in west and south, with practically no rain at e.g. Dumfries; but towards the north-west the period from 19th to 22nd was the wettest time of the month, and there were moderate falls in some districts on 26th and 27th, and some heavy falls locally during a thunderstorm on the evening of 30th. In most eastern districts aggregates were appreciably above the normal; in the west the distribution was rather irregular; and in south-west there was a decided deficiency. Balmoral had fully twice the normal, and the month in the upper Dee Valley was the wettest June since 1897.

Wind force was on the whole low, but on 14th a north-easterly gale prevailed over the North Sea. On the night of 13th a steamer was wrecked on Auskerry, Orkney, during a dense fog. Snow fell on the top of the Cairngorm mountains as late as 24th.

Thunderstorms occurred sporadically on 1st, 2nd, 4th, 8th, 9th, 16th, 17th, 24th, 28th, and 29th. The thunderstorm of 30th was very severe in East Lothian and over a great part of the east, north-east, and north of Scotland.

During the first week or so, and the last ten days of the month, much sunshine was experienced in many districts. Aggregates were deficient in the north; slightly so in the east; but above the normal in west and south.

July 1926.—Pressure was very high at first, but by 6th low pressure systems were in evidence. About 11th an anticyclone began to move from France towards Denmark, and on 15th another which had developed near Iceland began to move south-east. By 19th a depression had moved up from the Bay of Biscay and conditions had become very unsettled, but by the end of the month pressure was again very high.

Temperature was moderate to fairly high during the first ten days, and on 11th a brief spell of very warm weather developed (87° at Kelso on 13th and 14th). This came to an abrupt

end on the afternoon of 15th with the arrival of a flow of polar air down the eastern side of the Icelandic anticyclone, and at Edinburgh temperature fell about 20° within an hour or two. From 16th to 18th there was another fairly warm spell, but thereafter temperature remained at a considerably lower level until 29th, with readings in screen on night of 25th-26th of 32° at Balmoral and 33° at Braemar. Judged by its mean temperature the month was the warmest July since 1921.

The first week or so was rainless over considerable areas; but there were fairly heavy falls towards the Border counties on 1st, in parts of Perthshire and Inverness-shire on 2nd or 3rd, and in the south on 6th. Somewhat unsettled conditions were fairly general from 7th to 9th, but from 10th or 11th to 17th most districts were rainless. Heavy rains fell very generally from 18th-20th; towards the north-west on 22nd; and rather widely on 23rd and 24th. Thereafter, except for unimportant falls on 27th and 28th, fine weather prevailed. At Aberdeen, practically no rain fell until 18th, and half of the month's total was accounted for by a fall of 1.20 in. on 19th; on 22nd Kinloch-quoich in West Inverness-shire had as much as 4.23 in.; on 23rd Glasgow 1.40 in.; and on 24th Falkirk 2.44 in. between 2 a.m. and 8.30 p.m. In many districts the heaviest falls occurred during thunderstorms, and relatively to the normal the distribution was irregular. Most central and northern districts had aggregates below, or much below, the normal; and most districts along the south of the Forth-Clyde belt a moderate excess.

Thunderstorms occurred over limited or wide areas on 1st, 2nd, 3rd, 6th, 8th, 9th, 10th, 18th, 19th, 24th, 26th, and 29th. One of considerable severity was experienced on the Borders on 1st, and the most widespread were those of 18th, 19th, and 24th. In the Glasgow and other areas intense falls of rain within brief periods on 24th caused rather serious flooding.

Sunshine aggregates were above the normal. At Aberdeen the month was the sunniest July since 1911, and Stornoway exceeded the normal by more than two hours per day.

August 1926.—Pressure was very high at first, but from about 6th to 21st conditions were rather unsettled, with persistent low pressures at first to the south of Iceland and later over the Atlantic. On 20th-21st a deep depression moved across Shetlands to Scandinavia. A more stable type of weather gradually asserted itself and around 28th pressure was again very high.

There was an almost entire absence of cold weather, and temperature was decidedly high during the first few days, around 17th, and in most districts from 28th to 30th. The extremes were 78° (at Kelso and Perth on 1st and at Kilmarnock and Ruthwell on 30th), and 36° at Balmoral on 8th. Judged by its mean temperature the month was the warmest August in Scot-

land since 1911, and the temperature excess was well-marked both by day and by night.

Some districts were practically rainless until 9th, but in many there were moderate to fairly heavy falls on 5th and 6th. Over considerable areas rain fell on every day from 9th to 21st; there were some rather heavy falls around 10th, on 16th, and on 20th (2·20 in. in Glenetive and 1·76 in. in Glenbranter, near Strachur); and at e.g. Fort William fully half the month's total was accounted for between 16th and 21st. There were further moderate to heavy falls in some districts around 23rd and on 30th; but at Aberdeen no rain fell after 23rd, and during the last week of the month there was in general much fine weather. Relatively to the normal aggregates varied widely. Some western and southern districts had a moderate excess, but over the eastern half of the country there was a decided deficiency, and this was most marked in the valley of the Dee (Aberdeenshire). At Balmoral the month was much the driest August since 1911.

Thunderstorms were again very frequent, and occurred over limited or wide areas on 2nd, 5th, 6th, on every day from 8th to 12th, and again from 16th to 20th, on 29th, and on 30th. The most widespread storms were experienced on 6th, 10th, and 11th. That of 6th was exceptionally severe in Dundee, and that of 11th in Glasgow. In Dundee on 6th destructive flooding occurred; but the rainfall intensity varied greatly, being apparently most severe in the centre of the city, where about 1·00 in. fell in 20 minutes (from about 2.25 p.m. to 2.45 p.m. G.M.T.).

Sunshine aggregates were somewhat above the normal, decidedly so towards the south-east. At Edinburgh the month was the sunniest August since 1919.

September 1926.—Pressure was at first decidedly high; but a south-westerly type of weather soon developed, and from 11th onwards conditions were very unsettled for some days. By 19th an anticyclone had drifted eastwards to Central Europe, and on 20th the wind veered from south to north in the rear of a trough of low pressure which moved across our Islands. Thereafter winds were on the whole from some northerly point.

During the first ten days or so temperature was as a rule high or moderately so; for two or three days around 13th rather low; whilst an incursion of very warm air from 17th to 19th was followed by a sharp drop on 20th. Thus at Aberdeen the 19th was the warmest day of the month with a maximum of 72°, and the 20th the coldest with a maximum of 51°. During the last ten days temperature was seldom more than moderate, and on 25th and 26th distinctly low. The extremes were 81° at Edinburgh (The University) on 18th and 25° at Eskdalemuir on 26th. The month was on the whole the warmest September since 1921.

The first three days were rainless or nearly so; in various

districts there were light to moderate falls from 4th to 7th; whilst from 9th to 14th, and in the west from 9th to 16th, rain was more or less general, with more than 1 in. over considerable areas in west and south on 14th and at Kinlochquoich as much as 2.50 in. In east, south-east, and south very heavy rain fell during a thunderstorm in the early morning and forenoon of 20th,—with 2 inches or more at e.g. Dunbar, Duns, Galashiels, Jedburgh and Langholm, and as much as 2.64 in. near Prestonkirk. Following a short fine spell there were moderate to heavy falls in most districts from 22nd to 24th or 25th. Very unsettled conditions developed in the north-west on 29th, and these had spread to most districts on 30th (2.79 in. at Kyleakin, Skye). In some western areas aggregates hardly reached the normal; but in general there was an excess, and this was considerable in east and south-east. Thus Aberdeen and Edinburgh had fully twice the normal, and at these places the month was the wettest September since 1908.

On 24th and 25th snow fell on the Cairngorms and other northern mountains.

The thunderstorm of 20th was confined to eastern, south-eastern, and some southern districts. At widely separated places thunder and lightning are reported to have occurred at intervals from about 1 a.m. to about 8 a.m. G.M.T.; and at Edinburgh rain commenced at 1.50 a.m. and continued without interruption for 10 hours. In various districts flooding occurred, and the Border rivers especially were in high flood. Thunder also occurred here and there on 15th, 18th, 21st, 25th, and 26th, and rather widely in the west on 24th.

Sunshine aggregates were above the normal in the east, but deficient in the west. At Edinburgh the month was the sunniest September since 1906.

A brilliant aurora was widely observed on the night of 15th-16th; another here and there on 8th; and minor displays were reported from one or more points on 6th, 7th, 14th, and 28th.

October 1926.—A secondary depression caused some heavy rain on 1st, but for a few days thereafter anticyclonic conditions prevailed. On 8th a very deep depression developed over the Hebrides and moved to Scandinavia, with northerly winds in its rear, and further depressions from 11th to 14th. From 16th onwards, with pressure high over or near Iceland, cold winds prevailed, and from 21st to 26th especially the weather was of a very disturbed and wintry type.

Temperature was decidedly high during the first week, but thereafter there was a steady fall, and the last two weeks were exceptionally cold for the time of the year. In various districts the mean temperature of these two weeks was as much as 9 or 10 degrees below the normal. The month on the whole was the coldest October since 1917, and the range of temperature was

very large,—from 77° at Perth on 4th, to 13° at Braemar on 27th and at Wolfelee, in Roxburghshire, on 31st. A lower minimum in October has seldom been recorded.

After heavy rains in many districts on 1st.—fully 2 ins. over the Loch Fyne area,—some fine days followed; but from 7th to 9th, and again from 11th to 14th, conditions were very unsettled. On 8th and 9th many places had falls exceeding 1 in., and on 12th Ardross Castle (Ross-shire) had practically 2 in. From 14th to 22nd the only rains of importance occurred towards the extreme north, and in Orkney there were heavy falls around 21st. On 23rd conditions again became very disturbed, with heavy falls on 23rd and 24th in most districts. At Glenbranter, near Strachur, the aggregate of these two days was 3.92 in., of which 2.75 in. fell on 24th. Thereafter the only general falls occurred on 27th, though towards the north moderate precipitation was frequent. At one or two points aggregates were below the normal, but in general there was a well-marked excess, notably in the Clyde area, Forfarshire, and some northern districts. At Deerness the month was the wettest October since 1845, and the rainfall exceeded that recorded in any single month in Orkney back to at least 1841.

Extremely stormy weather prevailed on 9th, around 13th, and around 25th. Snow fell in the north on 18th and on various days thereafter there were heavy falls, some extending on 24th to Border districts. At Dalnaspidal on 28th snow lay to a depth of 12 inches. Flooding occurred widely about 9th and 24th.

Thunderstorms occurred here and there on 9th, 11th and 21st; more widely on 22nd; in many eastern, central, and western districts on 23rd; somewhat widely on 24th and 25th; and towards the north on 26th and 29th. The storm of 23rd was of great severity in some places,—with serious damage from lightning to the lighthouse on Mull of Galloway about midday and in the Dundee district and elsewhere in the evening.

Sunshine aggregates were above the normal in the east. At Edinburgh the month was the sunniest October since 1904.

Auroral glows were recorded at Lerwick Observatory on 7th, 9th, and 11th, and active displays on 1st, 14th, and 15th. That of 15th was very brilliant and observed in many districts. Other displays were noted here and there on 13th and 19th.

November 1926.—During the first three weeks or so conditions were at times very disturbed, especially on 5th, when a very deep depression moved from the Hebrides on a north-north-easterly track; on 13th; and between 18th and 22nd, when secondaries were associated with a major disturbance over Ireland. During the last week a depression over the North Sea filled up and conditions became more stable.

The last two weeks of October had been exceptionally cold for the time of year, and at the beginning of November tempera-

ture was very low (9° at Balmoral and Braemar on 1st). On 4th and 5th there was a decided rise to a maximum for the month in practically all districts (59° at Edinburgh University on 4th and 58° at Ruthwell on 5th). Thereafter temperature was on the whole moderate, and fluctuations unimportant. The last week, though slightly colder than the normal, was much less cold than the last week of October.

Moderate to rather heavy rain occurred in many districts on 1st and 2nd, and on 4th and 5th very heavy falls were more or less general except in some northern districts, with unsettled conditions for the next day or two. After a temporary recovery the period from 10th to 14th was very wet in Perthshire and in the west of Scotland, and on 18th heavy falls were fairly general, with further falls in some districts from 20th to 22nd. Thereafter fair to fine conditions prevailed, except for moderate rains on 25th. In some northern districts aggregates were below the normal, but in general there was a decided excess, and this was most pronounced in the drainage area of the Tay and in the south of Scotland. At Dundee and Perth the month was the wettest November since 1888, and at Cargen, near Dumfries, the wettest since 1890. Amongst the heaviest daily falls of the month may be noted 2·87 in. at Eskdalemuir on 4th, with 2·50 in. at Langholm on the same day; and 2·74 in. at Eallabus (Islay) on 18th.

Very stormy weather prevailed on the east coast on 2nd; very generally on 5th and 13th; and rather widely on various days until 20th. With heavy rains augmented by the melting of snow which had accumulated on the hills during October there was extensive flooding on 5th, the Nith rising to its highest level since 1910 and the Tweed to its highest level since 1891. The precipitation of the month was entirely in the form of rain, except for snow in some districts on 2nd.

Thunderstorms occurred here and there in the west on 5th, 6th, and 11th; and somewhat widely on 13th, 14th, and 15th, almost entirely in western districts.

Sunshine aggregates were above the normal in the east, and decidedly so towards north and north-west. Fog was prevalent on 24th, 25th, and 28th.

Aurora was observed at Gordon Castle on 12th, 22nd, and 29th, and at Deerness on 28th. At Lerwick Observatory no active displays were seen, but "auroral glows" were noted on 3rd, 4th, 6th, 24th, 28th, and 29th.

December 1926.—The passage of a depression over the North Sea at the beginning of the month was followed by anticyclonic conditions for a few days around 7th, and these in turn by rather unstable conditions during a great part of the third week. By 20th an anticyclone of unusual intensity had begun to develop, pressure reaching a maximum on 24th,—as high as 31·06 in. at Wick. The month closed with a south-westerly type

of weather. The mean pressure of the month was decidedly the highest ever recorded in December.

Rather cold weather at first was followed by a decided rise of temperature to a fairly high level between 9th and 11th. On 14th and 15th northerly winds caused a sharp reaction; from 21st to 25th temperature was decidedly low; and during the last few days conditions were mild. The extremes were 58° at Gordon Castle on 29th and 7° at Braemar on 25th.

In some northern districts rainfall exceeded the normal; but over a great part of Scotland there was a decided deficiency, and over considerable areas towards the east aggregates were trifling and represented only one quarter or less of the normal. At Dundee the month, with an aggregate of 0·31 in., was the driest December for at least 60 years. Rain was general on 1st and 2nd, but within the driest areas the only appreciable falls thereafter occurred between 13th and 17th, any later falls being very trifling. Towards north and west, on the other hand, rain was frequent during the first ten days, with some heavy falls on 9th, —as much as 2·24 in. at Ardgour; from 13th to 20th; and from 27th to 31st. Very wide areas recorded no precipitation from 21st to 26th.

Wind force was high about 12th to 20th and during the last few days of the month, with gales on several days in Shetland. Snow fell in some districts on 3rd and about 15th, and in the north on 21st, but there was a noteworthy absence of any general falls.

Thunder occurred locally—in north on 3rd and in west on 17th and 18th.

Fog was rather prevalent during the anticyclonic periods, but in the east sunshine aggregates were rather above the normal.

Aurora was observed here and there on 4th, 11th, or 25th. In Shetland there was an active display on 23rd, with “auroral glows” noted on 16th and 28th.

[For Statistical Tables, see page 126.]

APPENDIX IV.

ALTERATIONS OF BOUNDARIES OF BURGHES, COUNTY PUBLIC HEALTH DISTRICTS, CIVIL PARISHES AND REGISTRATION DISTRICTS REPORTED TO THE REGISTRAR-GENERAL AS BECOMING EFFECTIVE IN 1926.

Area.	Nature of Alteration.	Population as at Census 1921.					
		Before Alteration.			After Alteration.		
		Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.
BURGHES— Glasgow	Extension within Civil Parishes of Cadder, Glasgow and Rutherglen in the County of Lanark, New Kilpatrick in the County of Dumbarton, and Cathcart, Eastwood, Paisley and Renfrew in the County of Renfrew.	1,034,174	504,568	529,606	1,051,518	513,266	538,252
Denny and Dunipace	Extension within Civil Parish of Denny (no population).	—	—	—	—	—	—

APPENDIX IV.—continued.

Area.	Nature of Alteration.	Population as at Census 1921.					
		Before Alteration.			After Alteration.		
		Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.
I. BURGHES— <i>continued.</i>							
Dunblane - - -	Extension within Civil Parish of Dunblane and Lecropt.	2,931	1,202	1,729	2,942	1,207	1,735
North Berwick - -	Extension within Civil Parish of North Berwick.	4,579	1,672	2,907	4,583	1,673	2,910
Peebles - - -	Extension within Civil Parish of Peebles.	5,539	2,338	3,201	5,542	2,339	3,203
II. COUNTY PUBLIC HEALTH DISTRICTS—							
Lower Ward of Lanark	Extension of Burgh of Glasgow.	29,933	15,122	14,811	25,091	12,493	12,598
Eastern District of Dumbarton - -	Do., do.	23,713	11,697	12,016	23,422	11,539	11,883
Upper Ward of Renfrew	Do., do.	37,666	17,690	19,976	25,455	11,779	13,676
Central District of Stirling	Extension of Burgh of Denny and Dunipace (no population).	—	—	—	—	—	—
Western District of Perth - - -	Extension of Burgh of Dunblane	10,801	5,308	5,493	10,790	5,303	5,487
Eastern District of East Lothian	Extension of Burgh of North Berwick.	5,807	2,787	3,020	5,803	2,786	3,017
Peebles District - -	Extension of Burgh of Peebles -	7,390	3,444	3,946	7,387	3,443	3,944
III. CIVIL PARISHES—	<i>None.</i>						
IV. COUNTIES—							
Lanark - - -	{ Areas within Counties of Dumbarton and Renfrew affected by Glasgow extension united to County of Lanark.	1,539,442	761,340	778,102	1,551,944	767,409	784,535
Dumbarton - - -		150,861	74,128	76,733	150,570	73,970	76,600
Renfrew - - -		298,904	146,259	152,645	286,693	140,348	146,345
V. REGISTRATION DISTRICTS—							
Bellie - - -	Part of Enzie annexed* - -	1,680	763	917	1,968	900	1,068
Enzie - - -	Part annexed to Bellie* - -	2,338	1,107	1,231	2,050	970	1,080
Cullen - - -	Part of Seafield annexed* - -	1,986	889	1,097	2,104	945	1,159
Seafield - - -	Part annexed to Cullen* - -	2,120	1,040	1,080	2,002	984	1,018
Little Dunkeld - -	Part of Logiealmond annexed† -	2,244	1,034	1,210	2,291	1,059	1,232
Logiealmond - - -	Parts annexed to Little Dunkeld and to Methven.†	473	235	238	355	171	184
Methven - - -	Part of Logiealmond annexed† -	1,701	878	823	1,772	917	855
Bonnybridge - - -	Part of Falkirk annexed‡ - -	5,969	3,123	2,846	6,085	3,185	2,900
Falkirk - - -	Part annexed to Bonnybridge‡ -	38,256	19,647	18,609	38,140	19,585	18,555
Whitburn - - -	Divided into two Districts - -	6,617	3,611	3,006	—	—	—
	Whitburn - - -	—	—	—	4,439	2,409	2,030
	Stoneyburn - - -	—	—	—	2,178	1,202	976
New Kilpatrick - -	Part annexed to Scotstoun and Yoker.	5,250	2,314	2,936	4,959	2,156	2,803
Paisley - - -	Parts annexed to Pollokshields and to Govan.	91,904	43,295	48,609	88,246	41,604	46,642
Renfrew - - -	Part (no population) annexed to Govan.	—	—	—	—	—	—
Western District of Cadder	Parts annexed to Maryhill and to Garngadhill.	6,069	2,896	3,173	5,140	2,536	2,604
Garngadhill - - -	Parts of Western Cadder, Springburn and Shettleston annexed.	35,981	18,273	17,708	37,083	18,722	18,361
Springburn - - -	Part annexed to Garngadhill -	31,660	15,662	15,998	31,649	15,657	15,992
Maryhill - - -	Part of Western Cadder annexed	35,250	17,738	17,512	35,618	17,924	17,694
Govanhill - - -	Part of Rutherglen annexed -	40,365	19,521	20,844	40,431	19,550	20,881
Pollokshields - - -	Parts of Paisley and of Plantation annexed.	35,857	16,727	19,130	47,700	22,767	24,933
Shettleston - - -	Part annexed to Garngadhill -	33,415	16,669	16,746	32,885	16,399	16,486
Plantation - - -	Part annexed to Pollokshields.	35,328	17,877	17,451	59,048	29,780	29,268
Govan - - -	Part of Govan annexed.	62,026	31,268	30,758	30,121	15,016	15,105
	Part annexed to Plantation.	—	—	—	—	—	—
Scotstoun and Yoker -	Parts of Paisley and of Renfrew (no population) annexed.	33,557	16,646	16,911	33,848	16,804	17,044
Rutherglen - - -	Part of New Kilpatrick annexed	29,043	14,060	14,983	28,977	14,031	14,946
	Part annexed to Govanhill -	—	—	—	—	—	—

* As from 1st April, 1926.

† As from 1st July, 1926.

‡ As from 1st October, 1926.

Remaining alterations in Registration District Boundaries are all as from 1st January, 1927.

TABLE 1.—Population of Scotland, estimated to the middle of each year, with the Numbers of Births, Deaths, and Marriages registered in each year, 1855-1926.

YEAR	Estimated Mid-Year Population.	BIRTHS.						MARRIAGES.	DEATHS.				Excess of Births over Deaths.
		Total.	Males.	Fem.	Illegit.	Twin Births	Triplet Births.		Total.	Males.	Fem.	Under 1 Year.	
1855	2,978,065	93349	47804	45545	7357	19680	62004	30626	31378	11691	31345
1856	2,995,771	101821	52239	49582	8695	1267	12	20740	58529	29418	29111	12058	43292
1857	3,012,310	103415	53158	50257	8859	1300	*16	21369	61906	30937	30969	12191	41509
1858	3,027,665	104018	53694	50324	9354	1262	17	19655	63539	31652	31887	12622	40479
1859	3,041,812	106543	54628	51915	9715	1335	11	21201	61714	30588	31126	11523	44829
1860	3,054,738	105629	54409	51220	9736	1247	23	21225	68170	33610	34560	13413	37459
1861	3,069,403	107009	54606	52403	9929	1249	18	20896	62341	30890	31451	11869	44668
1862	3,098,008	107069	55257	51812	10376	1279	18	20597	67195	33179	34016	12556	39874
1863	3,126,879	109341	56226	53115	10948	1267	6	22234	71481	35631	35850	13125	37860
1864	3,156,023	112333	57374	54959	11197	1332	12	22725	74416	37010	37406	14180	37917
1865	3,185,439	113070	58220	54850	11262	1364	9	23611	70891	35190	35701	14099	42179
1866	3,215,130	113667	58360	55307	11673	1366	12	23688	71348	35355	35993	13915	42319
1867	3,245,101	114044	58517	55527	11148	1365	*13	22618	69068	34363	34705	13521	44976
1868	3,275,353	115514	59222	56292	11354	1443	15	21855	69416	34662	34754	13600	46098
1869	3,305,889	113354	58321	55033	11066	1407	15	22144	75875	37868	38007	14654	37479
1870	3,336,712	115390	58959	56431	11108	1384	9	23854	74165	36866	37299	14166	41225
1871	3,368,926	116128	60029	56099	11077	1299	17	24019	74712	36827	37885	15134	41416
1872	3,404,799	118765	61293	57472	10927	1383	11	25641	75794	37939	37855	14720	42971
1873	3,441,057	119700	61467	58233	10925	1410	15	26748	76946	39037	37909	14950	42754
1874	3,477,704	123711	63602	60109	10991	1512	13	26390	80720	40678	40042	15447	42991
1875	3,514,744	123578	63432	60146	10786	1477	9	25974	81767	40323	41444	16320	41811
1876	3,552,182	126534	64819	61715	11029	1463	20	26579	74129	37404	36725	15340	52405
1877	3,590,021	126822	65089	61733	10568	1429	12	25817	73937	37173	36764	14571	52885
1878	3,628,268	126773	65200	61573	10641	1367	12	24358	76793	38389	38404	15599	49980
1879	3,666,923	125730	64346	61384	10727	1452	20	23519	73347	36296	37051	13571	52383
1880	3,705,994	124570	63786	60784	10589	1438	8	24505	75803	38055	37748	15523	48767
1881	3,742,564	126171	64720	61451	10484	1418	13	26004	72325	36097	36228	14198	53846
1882	3,770,656	126158	64505	61653	10546	1415	7	26596	72989	36325	36664	14883	53169
1883	3,798,961	124458	63879	60579	10114	1370	18	26869	76891	38296	38595	14812	47567
1884	3,827,476	129157	66379	62778	10439	1457	19	26106	75168	37556	37612	15228	53989
1885	3,856,207	126100	64543	61557	10680	1423	14	25304	74607	36932	37675	15200	51493
1886	3,885,154	127890	65910	61980	10506	1331	10	24515	73640	36432	37208	14797	54250
1887	3,914,318	124418	63842	60576	10380	1335	18	24876	74546	36805	37741	15202	49872
1888	3,943,701	123269	63129	60140	9968	1380	12	25305	71174	34953	36221	13945	52095
1889	3,973,304	122783	63303	59480	9770	1423	10	26344	73238	36328	36910	14895	49545
1890	4,003,131	121526	62187	59339	9241	1421	13	27469	79004	39130	39874	15877	42522
1891	4,036,245	125986	64769	61217	9647	1372	14	27969	83573	41122	42451	16110	42413
1892	4,078,910	125043	64356	60687	9248	1468	17	28670	75545	37463	38082	14693	49498
1893	4,122,029	127110	65010	62100	9467	1469	10	27145	79670	39585	40085	17286	47440
1894	4,165,606	124367	63857	60510	9064	1450	13	27604	71113	35153	35960	14516	53254
1895	4,209,645	126494	64799	61695	9204	1342	12	28422	81852	40663	41189	16874	44642
1896	4,254,153	129172	66214	62958	9393	1493	21	30270	70677	35321	35356	14924	58495
1897	4,299,132	128877	65817	63060	9068	1375	15	31050	79144	39506	39638	17773	49733
1898	4,344,589	130861	66814	64047	8870	1450	14	32112	78397	39344	39053	17566	52464
1899	4,390,530	130733	66778	63955	8486	1463	15	32978	79593	39903	39690	17132	51140
1900	4,436,958	131401	67147	64254	8534	1544	15	32444	82296	41276	41020	16888	49105
1901	4,479,104	132192	67753	64439	8359	1547	13	31387	80107	40213	39894	17104	52085
1902	4,507,220	132267	67442	64825	8300	1620	25	31913	77941	39183	38758	15004	54326
1903	4,535,513	133525	68087	65438	8295	1604	*13	32351	76002	38136	37866	15693	57523
1904	4,563,985	132603	67794	64809	9010	1603	18	32271	77981	38851	39130	16329	54622
1905	4,592,636	131410	66750	64660	9082	1619	17	31270	74536	37196	37340	15275	56874

* Including one case of quadruplets.

TABLE 1—continued.

YEAR	Estimated Mid-Year Popula- tion.	BIRTHS.						MARRIAGES.	DEATHS.				Excess of Births over Deaths.
		Total.	Males.	Fem.	Illegit.	Twin Births	Triplet Births.		Total.	Males.	Fem.	Under 1 Year.	
1906	4,621,466	132005	67461	64544	9306	1524	21	33142	75635	37731	37904	15174	56370
1907	4,650,478	128840	65901	62939	8791	1676	*14	33298	77296	38240	39056	14140	51544
1908	4,679,671	131362	66826	64536	9111	1675	15	31606	77838	38864	38974	15900	53524
1909	4,709,048	128669	65725	62944	9370	1627	12	30108	74632	37094	37538	13856	54037
1910	4,738,611	124059	63144	60915	9049	1541	8	30902	72268	36049	36219	13436	51791
1911	4,751,132	121850	62274	59576	9200	1552	11	31844	71732	35823	35909	13707	50118
1912	4,741,077	122790	62931	59859	8989	1524	13	32506	72340	36072	36268	12949	50450
1913	4,728,131	120516	61464	59052	8548	1527	21	33676	73069	36504	36565	13214	47447
1914	4,747,167	123934	62974	60960	8879	1634	16	35028	73557	36757	36800	13710	50377
1915	4,770,798	114181	58392	55789	7875	1451	15	36233	81631	41110	40521	14441	32559
1916	4,794,708	109942	56471	53471	7797	1419	6	31419	70640	35649	34991	10674	39302
1917	4,810,338	97441	50011	47430	7295	1274	7	30421	69483	35361	34122	10473	27958
1918	4,812,274	98554	50373	48181	7854	1357	10	34529	78372	39144	39228	9836	20182
1919	4,820,077	106268	54771	51497	8424	1584	*14	44060	75149	37500	37649	10795	31119
1920	4,864,396	136546	69719	66827	10204	1822	15	46754	68179	34619	33560	12565	68367
1921	4,882,497	123201	63075	60126	8757	1596	8	39243	66210	33085	33125	11130	56991
1922	4,904,456	115085	58826	56259	7881	1498	11	34375	72915	36244	36661	11664	42180
1923	4,901,100	111902	57332	54570	7477	1491	9	35200	63283	31682	31601	8825	48619
1924	4,881,637	106900	54919	51981	7086	1400	13	32328	70357	35168	35189	10446	36543
1925	4,893,032	104137	53426	50711	6831	1309	7	32456	65507	33036	32471	9430	38630
1926	4,896,638	102449	52362	50087	7046	1279	*12	31253	63780	32021	31759	8514	38669

* Including one case of quadruplets.

TABLE 2.—Birth-, Death-, and Marriage-rates in Scotland, 1855-1926.

YEAR.	Rates per 1000 of Population.						Illegit. Births per cent. of Total Births.	Male Births per cent. of Female Births.	Percentage of Mothers who had Multiple Births.	Deaths of Children under one year per 1000 Births.	YEAR
	Birth- rate.	Mar- riage- rate.	Death-rate.			Natural Increase (excess of Births over Deaths).					
			Total.	Males.	Fem.						
1855	31·346	6·608	20·820	21·62	20·03	10·53	7·88	104·9	...	125·2	1855
1856	33·988	6·923	19·537	20·65	18·50	14·45	8·54	105·3	1·27	118·4	1856
1857	34·331	7·094	20·551	21·61	19·58	13·78	8·58	105·7	1·29	117·9	1857
1858	34·356	6·492	20·986	22·02	20·05	13·37	8·99	106·6	1·25	121·3	1858
1859	35·026	6·969	20·288	21·20	19·40	14·74	9·12	105·2	1·28	108·2	1859
1860	35·578	6·948	22·316	23·21	21·50	13·26	9·22	106·2	1·22	127·0	1860
1861	34·863	6·808	20·310	21·25	19·46	14·55	9·28	104·2	1·20	110·9	1861
1862	34·561	6·648	21·690	22·60	20·87	12·87	9·69	106·6	1·23	117·3	1862
1863	34·968	7·160	22·860	24·02	21·81	12·11	10·01	105·8	1·18	120·0	1863
1864	35·594	7·200	23·579	24·70	22·56	12·02	9·97	104·4	1·21	126·2	1864
1865	35·496	7·412	22·255	23·25	21·35	13·24	9·96	106·1	1·23	124·7	1865
1866	35·354	7·367	22·191	23·13	21·34	13·16	10·27	105·5	1·23	122·4	1866
1867	35·063	6·970	21·284	22·26	20·40	13·78	9·78	105·4	1·22	118·6	1867
1868	35·267	6·673	21·193	22·22	20·25	14·07	9·83	105·2	1·28	117·7	1868
1869	34·288	6·698	22·951	24·04	21·96	11·34	9·76	105·9	1·27	129·3	1869
1870	34·582	7·149	22·227	23·17	21·37	12·36	9·63	104·4	1·22	122·8	1870

TABLE 2—continued.

YEAR.	Rates per 1000 of Population.						Illegit. Births per cent. of Total Births.	Male Births per cent. of Female Births.	Percentage of Mothers who had Multiple Births.	Deaths of Children under one year per 1000 Births.	YEAR
	Birth- rate.	Mar- riage- rate.	Death-rate.			Natural Increase (excess of Births over Deaths).					
			Total.	Males.	Fem.						
1871	34.470	7.130	22.177	22.90	21.51	12.29	9.54	107.0	1.15	130.3	1871
1872	34.882	7.531	22.261	23.33	21.00	12.62	9.20	106.6	1.19	123.9	1872
1873	34.786	7.773	22.361	23.72	21.11	12.43	9.13	105.5	1.20	124.9	1873
1874	35.573	7.588	23.211	24.44	22.08	12.36	8.88	105.8	1.25	124.9	1874
1875	35.160	7.390	23.264	23.94	22.63	11.90	8.73	105.5	1.22	132.1	1875
1876	35.621	7.482	20.869	21.96	19.86	14.75	8.72	105.0	1.19	121.2	1876
1877	35.326	7.191	20.595	21.57	19.69	14.73	8.33	105.4	1.15	114.9	1877
1878	34.940	6.713	21.165	22.02	20.37	12.78	8.39	105.9	1.10	123.0	1878
1879	34.288	6.414	20.002	20.58	19.47	14.29	8.53	104.8	1.18	107.9	1879
1880	33.613	6.612	20.454	21.33	19.64	13.16	8.50	104.9	1.17	124.6	1880
1881	33.712	6.948	19.325	20.02	18.68	14.39	8.31	105.3	1.15	112.5	1881
1882	33.458	7.053	19.357	19.98	18.77	14.10	8.36	104.6	1.14	118.0	1882
1883	32.761	7.073	20.240	20.90	19.61	12.52	8.13	105.4	1.13	119.0	1883
1884	33.745	6.821	19.639	20.32	18.97	14.11	8.08	105.7	1.16	117.9	1884
1885	32.700	6.562	19.347	19.83	18.87	13.35	8.47	104.9	1.15	120.5	1885
1886	32.918	6.310	18.954	19.40	18.50	13.96	8.21	106.3	1.06	115.7	1886
1887	31.785	6.355	19.044	19.44	18.63	12.74	8.34	105.4	1.10	122.2	1887
1888	31.257	6.417	18.048	18.32	17.75	13.21	8.09	105.0	1.14	113.1	1888
1889	30.902	6.630	18.433	18.88	17.96	12.47	7.96	106.4	1.18	121.3	1889
1890	30.358	6.862	19.736	20.26	19.25	10.62	7.60	104.8	1.19	130.6	1890
1891	31.214	6.929	20.706	21.11	20.33	10.51	7.66	105.8	1.11	127.9	1891
1892	30.656	7.029	18.521	19.01	18.06	12.14	7.40	106.0	1.20	117.5	1892
1893	30.837	6.585	19.328	19.87	18.82	11.51	7.45	104.7	1.18	136.0	1893
1894	29.856	6.627	17.071	17.45	16.72	12.79	7.29	105.5	1.19	116.7	1894
1895	30.049	6.752	19.444	19.95	18.96	10.61	7.28	105.0	1.08	133.4	1895
1896	30.364	7.115	16.614	17.14	16.12	13.75	7.27	105.2	1.19	115.5	1896
1897	29.977	7.222	18.409	18.96	17.89	11.57	7.04	104.4	1.09	137.9	1897
1898	30.120	7.391	18.045	18.67	17.46	12.08	6.78	104.3	1.13	134.2	1898
1899	29.776	7.511	18.128	18.72	17.57	11.65	6.49	104.4	1.14	131.0	1899
1900	29.615	7.312	18.548	19.15	17.98	11.07	6.49	104.5	1.20	128.5	1900
1901	29.513	7.007	17.885	18.47	17.33	11.63	6.32	105.1	1.19	129.4	1901
1902	29.346	7.080	17.292	17.89	16.73	12.05	6.28	104.0	1.26	113.4	1902
1903	29.440	7.133	16.757	17.31	16.24	12.68	6.21	104.0	1.23	117.5	1903
1904	29.054	7.071	17.086	17.53	16.67	11.97	6.79	104.6	1.24	123.1	1904
1905	28.613	6.809	16.229	16.68	15.81	12.38	6.91	103.2	1.26	116.2	1905
1906	28.563	7.171	16.366	16.82	15.94	12.20	7.05	104.5	1.18	115.0	1906
1907	27.705	7.160	16.621	16.94	16.32	11.08	6.82	104.7	1.33	109.7	1907
1908	28.071	6.754	16.633	17.11	16.18	11.44	6.94	103.5	1.30	121.0	1908
1909	27.324	6.394	15.849	16.24	15.48	11.48	7.28	104.4	1.29	107.7	1909
1910	26.180	6.521	15.251	15.68	14.84	10.93	7.29	103.7	1.26	108.3	1910
1911	25.647	6.702	15.098	15.55	14.67	10.55	7.55	104.5	1.30	112.5	1911
1912	25.899	6.856	15.258	15.68	14.86	10.64	7.32	105.1	1.27	105.5	1912
1913	25.489	7.122	15.454	15.90	15.04	10.04	7.09	104.1	1.30	109.6	1913
1914	26.107	7.379	15.495	15.93	15.08	10.61	7.16	103.3	1.35	110.6	1914
1915	23.933	7.595	17.111	17.77	16.49	6.82	6.90	104.7	1.30	126.5	1915
1916	22.930	6.553	14.733	15.37	14.13	8.20	7.09	105.6	1.31	97.1	1916
1917	20.257	6.324	14.445	15.24	13.71	5.81	7.49	105.4	1.33	107.5	1917
1918	20.480	7.175	16.286	16.96	15.67	4.19	7.97	104.5	1.41	99.8	1918
1919	22.047	9.141	15.591	16.20	15.02	6.46	7.93	106.4	1.53	101.6	1919
1920	28.070	9.611	14.016	14.81	13.28	14.05	7.47	104.3	1.36	92.0	1920
1921	25.233	8.037	13.561	14.09	13.07	11.67	7.11	104.9	1.32	90.3	1921
1922	23.465	7.009	14.865	15.37	14.40	8.60	6.85	104.6	1.33	101.4	1922
1923	22.832	7.182	12.912	13.44	12.42	9.92	6.68	105.1	1.36	78.9	1923
1924	21.898	6.622	14.413	14.98	13.88	7.49	6.63	105.7	1.34	97.7	1924
1925	21.283	6.633	13.388	14.04	12.78	7.89	6.56	105.4	1.28	90.6	1925
1926	20.922	6.383	13.025	13.60	12.49	7.89	6.88	104.5	1.28	83.1	1926

TABLE 3.—Births, Deaths and Marriages in Scotland, 1916 to 1926.

	Numbers.					Rates.				
	Births.		Marri- ages.	Deaths.		Per 1000 of Estimated Population.			Illegit. Births per cent. of Total Births.	Deaths under One Year per 1000 Births.
	Total.	Illegiti- mate.		All Ages.	Under One Year.	Births.	Marri- ages.	Deaths		
1st Quarter 1916 .	27,352	1,921	8,588	19,508	2,903	22·9	7·2	16·3	7·0	106
2nd " " .	29,931	1,983	7,620	18,272	2,561	25·0	6·4	15·3	6·6	86
3rd " " .	27,144	1,974	7,750	15,026	2,426	22·5	6·4	12·4	7·3	89
4th " " .	25,515	1,919	7,461	17,834	2,784	21·1	6·2	14·8	7·5	109
Year 1916 .	109,942	7,797	31,419	70,640	10,674	22·9	6·6	14·7	7·1	97
1st Quarter 1917 .	25,371	1,812	7,244	21,789	3,329	21·4	6·1	18·4	7·1	131
2nd " " .	26,198	1,844	7,318	18,612	2,781	21·8	6·1	15·5	7·0	106
3rd " " .	23,096	1,830	7,811	13,735	1,987	19·0	6·5	11·3	7·9	86
4th " " .	22,776	1,809	8,048	15,347	2,376	18·8	6·7	12·7	7·9	104
Year 1917 .	97,441	7,295	30,421	69,483	10,473	20·3	6·3	14·4	7·5	107
1st Quarter 1918 .	23,221	1,716	8,222	17,885	2,582	19·6	6·9	15·1	7·4	111
2nd " " .	26,054	2,026	8,031	16,680	2,332	21·7	6·7	13·9	7·8	90
3rd " " .	24,700	2,019	9,386	15,188	1,972	20·4	7·8	12·5	8·2	80
4th " " .	24,579	2,093	8,890	28,619	2,950	20·3	7·3	23·6	8·5	120
Year 1918 .	98,554	7,854	34,529	78,372	9,836	20·5	7·2	16·3	8·0	100
1st Quarter 1919 .	22,507	2,070	8,792	28,959	4,003	18·9	7·4	24·4	9·2	178
2nd " " .	23,856	1,877	11,623	16,612	2,250	19·9	9·7	13·8	7·9	94
3rd " " .	25,424	2,059	12,248	13,325	1,992	20·9	10·1	11·0	8·1	78
4th " " .	34,481	2,418	11,397	16,253	2,550	28·4	9·4	13·4	7·0	74
Year 1919 .	106,268	8,424	44,060	75,149	10,795	22·0	9·1	15·6	7·9	102
1st Quarter 1920 .	37,751	2,690	11,730	18,926	3,466	31·1	9·7	15·6	7·1	92
2nd " " .	36,220	2,755	11,862	18,249	3,482	29·9	9·8	15·0	7·6	96
3rd " " .	31,626	2,388	12,680	13,950	2,356	25·8	10·4	11·4	7·6	74
4th " " .	30,949	2,371	10,482	17,054	3,261	25·2	8·6	13·9	7·7	105
Year 1920 .	136,546	10,204	46,754	68,179	12,565	28·1	9·6	14·0	7·5	92
1st Quarter 1921 .	29,824	2,175	10,934	19,940	3,537	24·8	9·1	16·6	7·3	119
2nd " " .	33,473	2,267	9,459	16,122	2,529	27·5	7·8	13·2	6·8	76
3rd " " .	30,083	2,236	9,756	13,971	2,444	24·4	7·9	11·4	7·4	81
4th " " .	29,821	2,079	9,094	16,177	2,620	24·2	7·4	13·1	7·0	88
Year 1921 .	123,201	8,757	39,243	66,210	11,130	25·2	8·0	13·6	7·1	90
1st Quarter 1922 .	30,854	2,103	7,888	26,263	4,362	25·5	6·5	21·7	6·8	141
2nd " " .	30,046	2,024	8,717	17,768	3,022	24·6	7·1	14·5	6·7	101
3rd " " .	28,019	1,962	9,381	13,179	1,786	22·7	7·6	10·7	7·0	64
4th " " .	26,166	1,792	8,389	15,695	2,494	21·2	6·8	12·7	6·8	95
Year 1922 .	115,085	7,881	34,375	72,905	11,664	23·5	7·0	14·9	6·8	101
1st Quarter 1923 .	28,530	1,915	8,083	17,671	2,804	23·6	6·7	14·6	6·7	98
2nd " " .	29,140	1,868	8,881	16,321	2,292	23·8	7·3	13·4	6·4	79
3rd " " .	27,087	1,881	9,872	13,172	1,679	21·9	8·0	10·7	6·9	62
4th " " .	27,145	1,813	8,364	16,119	2,050	22·0	6·8	13·0	6·7	76
Year 1923 .	111,902	7,477	35,200	63,283	8,825	22·8	7·2	12·9	6·7	79
1st Quarter 1924 .	27,452	1,801	7,296	21,967	3,622	22·7	6·0	18·1	6·6	132
2nd " " .	27,935	1,802	7,971	17,872	2,590	23·1	6·5	14·8	6·4	93
3rd " " .	26,175	1,743	9,141	13,703	1,801	21·4	7·4	11·2	6·7	69
4th " " .	25,288	1,740	7,920	16,815	2,433	20·7	6·4	13·7	6·9	96
Year 1924 .	106,900	7,086	32,328	70,357	10,446	21·9	6·6	14·4	6·6	98
1st Quarter 1925 .	25,230	1,628	7,644	18,350	2,723	20·9	6·3	15·2	6·5	108
2nd " " .	27,909	1,769	8,014	15,911	2,246	22·9	6·6	13·0	6·3	81
3rd " " .	25,595	1,785	9,137	13,450	1,861	20·8	7·4	10·9	7·0	73
4th " " .	25,403	1,649	7,661	17,796	2,600	20·6	6·2	14·4	6·5	102
Year 1925 .	104,137	6,831	32,456	65,507	9,430	21·3	6·6	13·4	6·6	91
1st Quarter 1926 .	26,170	1,778	7,825	17,928	2,520	21·6	6·5	14·8	6·8	96
2nd " " .	26,996	1,783	7,685	17,008	2,158	22·1	6·3	13·9	6·6	80
3rd " " .	24,821	1,749	8,408	12,866	1,588	20·1	6·8	10·4	7·0	64
4th " " .	24,462	1,736	7,335	15,978	2,248	19·8	5·9	12·9	7·1	92
Year 1926 .	102,449	7,046	31,253	63,780	8,514	20·9	6·4	13·0	6·9	83

TABLE 4.—Birth-, Death-, and Marriage-rates in Scotland, its Groups of Districts and Larger Burghs, in 1926.

RATES PER 1000 OF POPULATION.										Infantile Mor- tality, Rate per 1000 Births.
Estimated Popula- tion.	Birth- rate.	Marriage-rate.	Death-rate.				*Principal Epidemic Diseases.	Illegiti- mate Births, per cent. of Total Births.		
			Uncor- rected.	Cor- rected for Trans- fers.	Cor- rected and Adjust- ed for Age and Sex Distribution	All Tuber- culosis.			Tuber- culosis of Respira- tory System.	
SCOTLAND	4,896,638	20·92	6·38	13·03	13·03	13·03	0·99	0·69	0·63	83·1
LARGER BURGHS	2,390,885	22·14	7·85	14·71	14·02	15·15	1·15	0·82	0·84	93·7
SMALLER BURGHS	951,820	18·65	6·23	11·61	12·61	11·91	0·87	0·57	0·44	76·4
COUNTY DISTRICTS	1,553,933	20·43	4·22	11·30	11·75	10·91	0·83	0·56	0·44	69·2
Glasgow	1,048,963	23·5	8·3	15·8	15·1	17·0	1·25	0·90	1·12	104
Edinburgh	424,025	18·7	9·0	15·0	13·5	13·7	1·14	0·84	0·46	80
Dundee	170,060	21·9	7·7	15·5	14·8	14·8	1·12	0·81	0·79	103
Aberdeen	157,771	21·6	8·9	14·1	13·4	13·4	1·14	0·74	0·60	96
Paisley	86,103	22·4	6·2	14·9	14·2	15·6	1·03	0·74	1·25	114
Greenock	81,558	23·9	5·4	14·2	13·7	15·0	1·32	0·98	0·78	90
Motherwell and Wishaw	70,789	23·4	4·7	9·7	11·0	13·2	0·76	0·52	0·66	73
Clydebank	46,561	23·0	5·0	7·2	10·6	13·4	1·07	0·79	0·28	60
Coatbridge	44,397	26·1	5·7	12·5	13·6	15·4	1·06	0·68	1·04	97
Dunfermline	38,515	19·8	6·6	12·3	11·0	11·9	0·88	0·57	0·29	64
Kirkcaldy	40,974	20·1	6·7	11·6	12·7	12·8	0·90	0·56	0·29	57
Hamilton	39,916	25·8	4·9	11·0	12·6	14·6	1·05	0·70	1·10	93
Kilmarnock	36,615	21·2	6·9	14·2	12·5	13·3	0·93	0·63	0·52	62
Ayr	37,367	21·0	7·5	14·8	12·1	12·7	0·86	0·67	0·48	62
Falkirk	34,244	21·7	7·0	13·6	12·4	13·8	1·37	0·96	0·61	70
Perth	33,027	20·0	8·6	17·4	13·2	12·5	0·55	0·39	0·36	54

*Enteric Fever, Measles. Scarlet Fever, Whooping Cough, Diphtheria, Diarrhoea under 2 years.

TABLE 5.—Birth-, Death-, and Marriage-rates in the Smaller Burghs of Scotland in 1926.

BURGHS.	Estimated Population.	RATES PER 1000 OF POPULATION.								Illegitimate Births per cent. of Total Births.	Rate per 1000 Births.
		Birth-rate.	Marriage-rate.	Death-rate.							
				Uncorrected.	Corrected for Transfers.	Corrected and Adjusted for Age and Sex Distribution.	All Tuberculosis.	Tuberculosis of Respiratory System.	†Principal Epidemic Diseases.		
Aberchirder	888	20·3	9·0	18·0	20·3	15·1	3·38	3·38	0·00	16·7	111
Aberfeldy	1,512	9·9	4·0	13·2	16·5	12·2	1·32	1·32	0·66	0·0	67
Aberlour (<i>vide</i> Charles-town of Aberlour)											
Abernethy	623	11·2	6·4	11·2	17·7	11·9	1·61	1·61	0·00	0·0	0
Airdrie	24,911	27·3	7·5	11·1	12·8	14·5	0·72	0·40	0·76	4·7	82
Alloa	13,308	20·1	6·2	12·8	14·3	15·0	0·75	0·53	0·98	4·1	104
Alva	3,914	22·7	2·0	13·5	14·6	13·6	1·02	1·02	0·00	7·9	67
Alyth	1,603	23·7	6·2	14·3	19·3	13·2	0·00	0·00	0·00	2·6	79
Annan	3,707	23·5	7·3	12·7	14·3	12·9	0·54	0·27	0·27	11·5	46
Anstruther-Easter	924	8·7	5·4	8·7	10·8	8·4	2·16	1·08	0·00	0·0	0
Anstruther-Wester	577	5·2	0·0	10·4	12·1	9·7	0·00	0·00	0·00	0·0	0
Arbroath	18,540	18·8	6·4	15·2	15·3	13·5	1·19	0·65	0·38	5·7	92
Ardrossan	7,762	17·9	3·9	7·9	10·0	10·1	0·64	0·52	0·64	5·0	72
Armadale	4,915	29·3	5·7	8·3	10·4	12·4	1·22	0·20	1·22	3·5	49
Auchterarder	2,201	15·9	9·5	17·3	18·6	13·8	0·91	0·91	0·00	11·4	86
Auchtermuchty	1,136	17·6	3·5	15·0	17·6	11·2	0·00	0·00	0·00	0·0	100
Ballater	1,655	9·7	3·6	8·5	10·3	7·9	0·00	0·00	0·00	6·3	125
Banchory	1,808	12·2	8·8	12·2	14·9	11·2	1·11	0·00	0·00	4·5	0
Banff	3,300	24·5	10·6	27·3	18·5	15·5	0·30	0·30	0·30	11·1	74
Barrhead	11,265	23·7	6·1	9·3	11·6	12·7	1·33	0·80	0·53	4·1	52
Bathgate	8,461	25·1	6·7	8·3	11·1	13·0	0·35	0·24	0·83	2·8	66
Biggar	1,536	11·1	3·3	14·3	14·3	9·6	0·00	0·00	0·00	5·9	59
Blairgowrie	2,923	18·5	12·0	20·2	20·5	15·0	0·68	0·68	0·00	11·1	19
Bonnyrigg	3,110	23·8	1·0	9·3	12·2	11·3	0·32	0·32	0·64	6·8	41
Borrowstounness	9,616	22·7	8·2	7·8	12·4	14·5	1·56	0·83	0·31	5·5	96
Brechin	6,816	17·0	7·3	15·6	16·7	12·9	1·61	1·03	0·15	12·1	86
Bridge-of-Allan	3,724	7·8	4·8	9·1	11·0	10·2	0·54	0·27	0·54	0·0	103
Buckhaven and Methil	16,907	25·4	6·6	8·5	9·6	11·5	0·89	0·65	0·18	4·2	74
Buckie	8,411	28·4	5·0	10·9	11·8	11·6	0·48	0·12	0·12	13·0	50
Burghead	1,255	19·9	2·4	11·2	11·2	9·5	0·00	0·00	0·00	0·0	0
Burntisland	5,965	16·9	5·0	8·2	10·7	10·2	0·67	0·34	0·00	8·9	40
Callander	2,012	7·5	2·5	7·0	7·5	6·2	0·99	0·99	0·00	13·3	0
Campbeltown	6,201	23·7	7·4	16·4	17·6	14·7	2·58	1·61	2·74	13·6	61
Carnoustie	6,120	11·4	4·2	12·3	13·2	10·7	0·49	0·49	0·00	5·7	29
Castle-Douglas	2,640	18·9	6·8	15·5	13·6	11·7	1·14	0·00	0·38	26·0	40
Charlestown of Aberlour	1,221	9·0	2·5	4·9	6·6	7·6	0·82	0·82	0·00	36·4	0
Cockenzie and Port-Seton	2,989	16·4	5·0	7·0	8·4	8·9	0·33	0·33	0·00	6·1	82
Coldstream	1,230	16·3	9·8	12·2	13·8	10·4	0·81	0·00	0·00	15·0	50
Coupar-Angus	1,878	14·4	8·5	11·2	16·5	12·7	0·53	0·00	0·53	14·8	148
*Cove and Kilcreggan	861	18·6	4·6	8·1	11·6	9·7	0·00	0·00	1·16	0·0	125
Cowdenbeath	14,009	20·9	5·3	9·1	11·3	13·5	0·64	0·36	1·07	2·4	92
Crail	1,624	5·5	2·5	8·6	9·2	6·5	0·62	0·62	0·00	11·1	111
Crieff	5,953	10·1	6·6	11·6	13·4	10·3	0·34	0·34	0·17	8·3	83
Cromarty	1,113	14·4	2·7	12·6	11·7	8·4	0·00	0·00	0·00	0·0	63
Cullen	1,942	22·7	3·6	12·4	12·9	10·3	1·54	1·03	0·51	13·6	91
Culross	523	32·5	9·6	13·4	19·1	14·2	0·00	0·00	5·74	17·6	59
Cumnock and Holmhead	3,527	21·5	8·2	9·6	12·2	12·6	0·28	0·28	0·28	9·2	132
Cupar	3,946	17·2	10·6	15·2	16·0	11·4	0·51	0·25	0·00	5·9	15
Dalbeattie	2,763	22·1	10·9	13·4	15·6	12·9	1·45	0·72	0·36	11·5	82
Dalkeith	7,206	21·0	6·4	13·0	15·5	14·4	1·53	0·56	0·69	7·9	99
Darvel	3,150	13·3	7·9	9·2	10·8	11·1	0·63	0·32	0·00	4·8	48
Denny and Dunipace	5,007	26·8	6·8	7·4	10·0	11·2	0·60	0·20	0·80	3·7	52
Dingwall	2,124	17·9	19·3	16·0	15·1	12·2	0·47	0·47	0·47	2·6	105
Dollar	1,592	11·9	1·9	13·2	15·7	12·2	0·00	0·00	0·63	15·8	53

* See footnote at end of Table 5.

† Enteric Fever, Measles, Scarlet Fever, Whooping Cough, Diphtheria, Diarrhœa under 2 years.

TABLE 5—continued.

BURGHES.	Estimated Population.	RATES PER 1000 OF POPULATION.								Illegitimate Births per cent. of Total Births.	Rate per 1000 Births.
		Birth-rate.	Marriage-rate.	Death-rate.							
				Uncorrected.	Corrected for Transfers.	Corrected and Adjusted for Age and Sex Distribution.	All Tuberculosis.	Tuberculosis of Respiratory System.	Principal Epidemic Diseases.		
Dornoch	766	11·7	6·5	9·1	9·1	6·6	1·31	1·31	0·00	11·1	0
Doune	834	16·8	7·2	10·8	15·6	12·3	1·20	0·00	0·00	21·4	71
Dufftown	1,342	23·1	15·6	12·7	12·7	8·8	1·49	0·75	0·00	19·4	32
Dumbarton	22,910	19·8	3·5	12·3	12·7	13·7	1·22	0·96	1·05	4·4	86
Dumfries	15,267	23·4	10·5	21·7	16·1	15·9	1·70	1·24	0·85	7·6	126
Dunbar	3,996	14·3	3·3	9·0	10·3	9·0	0·25	0·25	0·25	1·8	70
Dunblane	2,855	15·8	3·5	15·1	13·0	10·4	0·35	0·35	0·35	6·7	44
Dunipace (<i>vide</i> Denny and Dunipace)											
*Dunoon	6,939	15·0	4·8	16·3	16·0	13·9	0·72	0·29	0·14	6·7	10
Duns	1,733	13·3	12·7	10·4	11·5	8·2	0·58	0·58	0·00	0·0	0
Dysart	4,696	25·1	7·2	11·1	13·0	13·9	0·85	0·64	0·85	5·9	76
*Earisferry	322	9·3	0·0	21·7	21·7	18·7	0·00	0·00	0·00	0·0	0
East Linton	689	13·1	1·5	11·6	7·3	5·2	1·45	1·45	0·00	0·0	0
Elgin	7,193	19·5	13·6	17·2	15·6	12·9	1·39	1·11	0·70	10·0	71
*Elie, Liberty, and Williamsburgh	692	11·6	7·2	17·3	20·2	19·3	0·00	0·00	0·00	12·5	0
Ellon	1,213	19·8	31·3	12·4	12·4	8·8	0·82	0·82	0·00	20·8	83
Eyemouth	2,437	16·8	8·2	17·6	19·3	18·3	0·82	0·82	0·41	4·9	195
Falkland	741	31·0	14·8	12·1	16·2	10·7	2·70	1·35	0·00	17·4	0
Findochty	1,545	31·7	1·9	13·6	14·2	13·5	1·29	1·29	0·00	6·1	82
Forfar	8,776	17·7	8·1	15·3	15·5	13·2	0·68	0·34	0·23	10·3	71
Forres	3,886	20·6	10·3	16·5	19·0	14·3	1·54	1·54	0·00	15·0	88
Fortrose	938	9·6	3·2	26·7	20·3	13·1	2·13	2·13	0·00	0·0	333
Fort-William	1,831	22·4	9·3	20·2	18·0	16·0	1·09	0·55	0·55	12·2	73
Fraserburgh	10,307	23·6	4·8	11·4	12·1	12·9	0·97	0·78	0·78	7·8	99
Galashiels	11,918	15·0	6·5	15·6	16·1	14·6	0·67	0·50	0·08	6·7	61
Galston	4,722	21·8	8·3	11·6	14·2	15·6	0·85	0·64	0·85	1·0	97
Gatehouse	808	23·5	2·5	18·6	19·8	12·9	1·24	1·24	0·00	10·5	316
*Girvan	5,868	17·0	3·6	11·1	11·9	10·9	0·51	0·34	0·17	6·0	110
Gourock	11,226	12·3	3·2	8·4	10·1	10·1	1·07	0·62	0·18	2·2	51
Grangemouth	9,513	25·0	7·4	10·4	12·7	14·2	1·16	0·63	0·95	2·5	84
Grantown-on-Spey	1,670	13·2	4·8	9·0	14·4	11·3	1·80	1·80	0·00	4·5	45
Greenholm (<i>vide</i> Newmilns and Greenholm)											
Haddington	3,928	19·6	6·1	16·3	13·5	11·8	0·51	0·51	0·76	5·2	52
Hawick	15,762	15·4	6·0	14·2	15·5	14·3	1·27	0·89	0·13	7·8	74
Helensburgh	10,064	13·5	3·4	10·0	10·1	9·0	0·70	0·70	0·20	5·1	74
Holmhead (<i>vide</i> Cumnock and Holmhead)											
Huntly	3,445	21·2	11·3	10·7	12·5	9·1	0·29	0·00	0·87	13·7	110
Innerleithen	2,284	14·4	8·3	8·8	10·5	9·3	1·31	0·44	0·00	9·1	30
Inveraray	459	13·1	2·2	15·3	17·4	15·9	0·00	0·00	0·00	0·0	0
Inverbervie	957	31·4	6·3	16·7	18·8	14·5	1·05	1·05	2·09	6·7	167
Invergordon	1,515	7·9	4·0	5·9	5·9	5·7	1·32	0·66	0·66	16·7	0
Inverkeithing	3,309	23·0	3·6	6·3	9·4	9·6	0·60	0·00	0·00	6·6	66
Inverness	19,901	21·1	12·7	21·4	18·6	16·5	1·36	0·90	0·15	6·2	79
Inverurie	4,327	21·5	9·5	11·8	12·0	10·6	0·92	0·23	0·69	9·7	75
Irvine	12,370	23·9	6·0	9·4	11·6	12·2	0·32	0·16	0·57	5·4	68
Jedburgh	2,220	16·2	6·3	18·9	21·2	17·8	2·25	0·90	0·45	0·0	83
Johnstone	12,421	25·6	7·7	12·2	14·9	16·2	1·29	0·89	0·81	3·5	107

* See footnotes at end of Table 5.

TABLE 5—continued.

BURGHES.	Estimated Population.	RATES PER 1000 OF POPULATION.								Illegitimate Births per cent. of Total Births.	Rate per 1000 Births.
		Birth-rate.	Marriage-rate.	Death-rate.							
				Uncorrected.	Corrected for Transfers.	Corrected and Adjusted for Age and Sex Distribution.	All Tuberculosis.	Tuberculosis of Respiratory System.	Principal Epidemic Diseases.		
Keith	4,074	18·2	9·1	15·0	16·7	13·0	0·25	0·00	0·49	16·2	135
Kelso	3,236	17·0	6·2	19·8	17·6	14·0	0·93	0·93	0·00	0·0	36
Kilcreggan and Cove (<i>vide</i> Cove and Kilcreggan)											
Kilrenny	1,769	23·7	7·3	14·1	15·8	13·1	1·13	0·57	0·00	0·0	0
Kilsyth	7,201	23·1	6·4	9·7	12·8	14·8	1·25	0·97	0·00	4·2	120
Kilwinning	5,535	21·7	4·9	11·2	11·7	11·9	0·54	0·36	0·54	5·8	67
*Kinghorn	1,549	21·9	6·5	7·7	11·0	10·6	0·00	0·00	0·00	5·9	0
Kingussie	1,192	13·4	11·7	15·9	17·6	14·4	3·36	2·52	0·84	6·3	125
Kinross	2,583	22·5	5·8	12·0	15·5	13·1	1·55	1·55	0·39	5·2	17
Kintore	689	24·7	10·2	17·4	30·5	23·5	1·45	0·00	1·45	11·8	118
Kirkcudbright	2,007	20·4	10·5	14·4	17·4	14·1	1·00	0·50	0·00	9·8	122
Kirkintilloch	11,330	27·1	6·0	13·8	13·6	15·0	0·62	0·44	1·06	6·2	111
Kirkwall	3,567	18·2	8·7	17·9	14·3	10·3	0·84	0·28	0·56	6·2	62
Kirriemuir	3,268	11·9	6·4	10·1	15·6	11·0	1·22	0·61	0·61	15·4	26
Ladybank and Monkston	1,097	13·7	0·0	10·9	14·6	12·0	0·00	0·00	0·91	0·0	200
Lanark	6,314	21·2	7·4	12·2	12·4	11·8	0·16	0·00	1·27	5·2	112
Langholm	2,469	18·6	7·7	12·2	12·6	10·4	0·41	0·41	0·00	15·2	43
*Largs	4,104	14·6	5·1	12·4	13·4	12·1	0·49	0·49	0·00	8·3	33
Lasswade	910	33·0	6·6	12·1	16·5	15·8	0·00	0·00	0·00	0·0	100
Lauder	791	8·8	1·3	10·1	12·6	9·3	0·00	0·00	0·00	0·0	0
Laurencekirk	1,442	22·2	4·9	16·0	16·0	10·6	0·00	0·00	0·00	21·9	63
Lerwick	4,753	15·4	16·4	13·9	11·2	10·0	1·26	0·42	0·42	9·6	14
Leslie	2,266	20·3	5·7	10·6	12·4	10·3	0·88	0·44	0·00	2·2	22
Leven	7,515	17·3	5·5	8·9	10·5	10·9	0·13	0·13	0·27	6·9	69
Liberty (<i>vide</i> Elie, Liberty, and Wil- liamsburgh)											
Linlithgow	3,742	21·4	5·6	10·4	11·8	11·6	0·27	0·27	0·53	1·3	50
Loanhead	3,349	21·2	6·3	9·9	11·9	13·2	1·19	0·60	0·30	2·8	85
Lochgelly	10,801	19·3	4·3	5·3	8·2	9·9	0·56	0·37	0·74	2·9	72
Lochgilphhead	928	9·7	7·5	16·2	17·2	10·6	3·23	2·16	1·08	11·1	111
Lochmaben	936	24·6	8·5	15·0	15·0	11·3	1·07	1·07	0·00	13·0	0
Lockerbie	2,243	18·3	6·2	14·3	15·2	13·8	1·34	0·89	0·00	9·8	49
Lossiemouth	4,060	22·4	3·0	12·1	13·8	12·4	0·49	0·49	0·25	14·3	121
Macduff	3,242	24·4	0·9	13·3	16·7	13·7	1·54	0·93	0·00	11·4	101
Markinch	1,562	23·0	12·8	10·9	14·7	12·8	1·28	0·64	0·00	2·8	28
Maybole	4,127	20·6	6·1	15·7	17·0	17·0	0·97	0·73	0·48	16·5	94
Maxwelltown	5,917	22·8	6·1	11·2	15·2	14·7	0·85	0·34	0·34	3·7	74
Melrose	2,104	10·5	5·2	19·0	8·6	6·9	0·95	0·95	0·00	4·5	45
Methil (<i>vide</i> Buckhaven and Methil)											
*Millport	1,500	10·0	2·7	15·3	10·0	10·4	0·00	0·00	0·00	0·0	67
Milngavie	4,294	20·5	3·5	8·2	11·2	11·2	0·23	0·23	0·00	2·3	45
Moffat	2,542	13·0	5·9	9·0	9·4	7·7	0·39	0·39	0·00	12·1	61
Monifieth	3,219	10·3	4·3	11·8	15·5	13·3	0·62	0·62	0·93	3·0	91
Monkston (<i>vide</i> Lady- bank and Monkston)											
Montrose	10,754	15·3	5·6	15·3	14·7	11·8	0·28	0·19	0·09	11·0	134
Musselburgh	17,316	21·4	6·0	11·0	13·3	14·0	0·98	0·58	0·75	3·0	105
Nairn	4,269	18·5	8·7	13·1	14·8	11·7	0·94	0·94	0·00	11·4	51
Newburgh	2,235	18·3	8·1	10·3	12·1	9·2	0·45	0·45	0·00	4·9	24
New Galloway	339	17·7	5·9	14·7	20·6	14·5	2·95	2·95	0·00	0·0	167
Newmilns and Green- holm	3,764	16·5	4·5	11·4	12·0	11·5	0·53	0·27	0·53	1·6	16

* See footnote at end of Table 5.

TABLE 5—continued.

BURGHS.	Estimated Population.	RATES PER 1000 OF POPULATION.								Illegitimate Births per cent. of Total Births.	Rate per 1000 Births.
		Birth-rate.	Marriage-rate.	Death-rate.							
				Uncorrected.	Corrected for Transfers.	Corrected and Adjusted for Age and Sex Distribution.	All Tuberculosis.	Tuberculosis of Respiratory System.	Principal Epidemic Diseases.		
Newport	3,060	10·5	3·6	7·8	8·2	6·3	0·33	0·33	0·00	3·1	31
Newton-Stewart . . .	1,682	13·7	3·0	19·0	19·6	15·0	0·59	0·59	0·00	34·8	43
North Berwick . . .	5,104	6·9	2·4	5·7	7·2	6·6	0·59	0·39	0·00	5·7	0
Oban	6,589	13·7	10·0	15·6	11·8	11·1	1·37	1·06	0·30	6·7	78
Old Meldrum	949	17·9	7·4	17·9	22·1	14·9	0·00	0·00	1·05	23·5	0
Peebles	5,406	15·9	8·0	10·7	11·5	9·8	0·55	0·55	0·00	5·8	23
Penicuik	2,587	17·4	6·6	11·6	13·1	11·6	1·16	0·77	0·39	2·2	178
Peterhead	12,621	23·5	6·3	11·3	12·0	12·1	0·55	0·48	0·48	7·7	111
Pittenweem	1,649	15·8	5·5	15·8	17·6	14·7	1·21	1·21	0·00	3·8	192
Port-Glasgow	21,783	24·9	6·3	12·5	14·0	15·8	1·42	0·92	1·06	2·8	87
Portknockie	1,590	28·3	1·3	13·8	14·5	13·2	2·52	1·26	0·00	0·0	22
Port-Seton (<i>vide</i> Cockenzie and Port-Seton)											
Portsoy	1,579	19·6	11·4	10·8	14·6	11·0	0·63	0·63	0·63	9·7	65
Prestonpans	2,016	24·8	9·4	9·9	14·9	15·9	2·48	1·49	0·50	10·0	40
*Prestwick	7,500	18·0	4·9	11·2	13·6	13·1	0·93	0·53	0·13	5·9	67
Queensferry	2,240	22·8	6·3	7·1	8·9	10·1	0·89	0·45	0·00	7·8	20
Rattray	1,709	23·4	2·3	20·5	26·3	20·6	1·17	0·59	0·59	20·0	100
Renfrew	14,625	20·4	3·4	7·9	11·1	13·2	0·89	0·55	0·55	1·7	57
Rosehearty	1,221	17·2	2·5	14·7	17·2	13·7	0·82	0·00	0·00	9·5	0
Roths	1,198	27·5	6·7	15·9	19·2	15·3	0·00	0·00	0·00	15·2	30
*Rothesay	9,299	15·6	5·1	11·1	10·8	9·5	0·43	0·32	0·00	13·1	55
Rutherglen	24,435	18·7	8·7	9·0	13·8	15·5	1·19	0·74	0·61	4·6	57
St. Andrews	9,837	11·9	4·5	8·6	9·0	8·8	0·30	0·30	0·00	5·1	43
*Saltcoats	10,400	17·8	3·9	8·7	11·0	11·4	1·35	0·38	0·10	4·9	81
Sanquhar	1,757	19·9	8·5	7·4	8·0	7·8	0·00	0·00	0·00	5·7	0
Selkirk	5,602	13·2	6·6	15·5	14·6	12·9	1·07	0·71	0·54	2·7	54
Stewarton	2,800	20·4	9·3	9·6	11·8	10·8	0·36	0·36	0·36	3·5	53
Stirling	20,972	23·6	9·0	17·5	13·8	13·9	1·29	0·76	1·00	8·5	87
Stonehaven	5,038	12·9	8·1	15·1	15·7	11·2	0·99	0·60	0·00	13·8	31
Stornoway	4,126	14·1	4·8	12·1	13·1	11·7	0·48	0·48	0·48	5·2	69
Stranraer	5,864	20·8	6·8	16·9	15·2	14·3	1·02	0·68	0·85	8·2	107
Stromness	1,582	12·0	3·2	15·2	17·7	12·6	3·16	3·16	0·00	5·3	105
Tain	1,496	12·0	20·1	17·4	17·4	12·6	2·01	2·01	0·00	5·6	56
Tayport	3,239	18·2	4·3	11·1	13·3	11·0	0·31	0·31	0·31	5·1	85
Thurso	2,834	21·2	9·5	17·6	20·1	14·8	2·47	1·41	0·35	6·7	83
Tillicoultry	3,034	18·1	5·9	7·9	11·5	9·8	0·99	0·99	0·00	3·6	91
Tobermory	761	15·8	1·3	18·4	19·7	13·3	1·31	1·31	0·00	0·0	0
Tranent	4,853	26·4	6·4	6·6	8·4	9·5	0·41	0·21	0·62	7·0	55
*Troon	8,492	11·8	4·2	6·0	7·4	7·9	0·71	0·71	0·24	8·0	50
Turriff	2,014	21·4	9·9	15·4	18·9	12·6	0·50	0·50	0·00	18·6	116
Whitburn	1,976	26·8	9·6	7·1	9·1	9·9	1·01	0·51	0·00	5·7	19
Whithorn	946	13·7	3·2	19·0	20·1	12·3	2·11	2·11	0·00	23·1	77
Wick	7,482	22·1	7·9	14·7	14·2	12·6	0·80	0·80	0·27	9·7	55
Wigtown	1,239	16·9	4·8	12·9	12·9	10·3	1·61	0·00	0·00	23·8	95
Williamsburgh (<i>vide</i> Elie, Liberty, and Williamsburgh)											

* Population as ascertained by 1921 Census contained a large proportion of non-residents, and rates have therefore been calculated on an estimate of population based on the 1911 Census.

TABLE 6.—Birth-, Death-, and Marriage-rates in the County Districts of Scotland in 1926.

COUNTY DISTRICTS.	Estimated Population.	RATES PER 1000 OF POPULATION.								Illegitimate Births per cent. of Total Births.	Infantile Mortality. Rate per 1000 Births.
		Birth-rate.	Marriage-rate.	Death-rate.							
				Uncorrected.	Corrected for Transfers.	Corrected and Ad- justed for Age and Sex Distribution.	All Tuberculosis.	Tuberculosis of Re- spiratory System.	†Principal Epi- demic Diseases.		
ABERDEEN COUNTY—											
Aberdeen	22,258	20·4	4·0	20·8	13·4	11·2	0·99	0·81	0·67	12·1	64
Alford	8,092	21·6	4·7	12·0	13·3	11·1	0·49	0·49	0·37	15·4	69
Deer	25,969	23·6	4·2	12·2	13·4	11·0	0·92	0·73	0·46	15·8	88
Deeside	11,701	17·9	5·5	10·5	12·7	10·1	0·85	0·60	0·26	17·6	52
Ellon	12,744	26·1	2·6	9·5	12·6	11·2	0·39	0·24	0·47	16·9	96
Garioch	11,788	22·9	4·2	10·5	12·0	10·2	0·59	0·34	0·25	18·1	70
Huntly	6,036	27·8	3·3	10·8	11·4	9·8	0·66	0·66	0·33	23·8	60
Turriff	10,152	27·7	4·8	9·7	11·4	9·7	0·49	0·39	0·30	21·7	68
ARGYLL COUNTY—											
Ardnamurchan	2,290	8·3	0·4	12·2	14·8	10·1	1·75	1·31	0·00	5·3	53
Cowal	10,516	7·1	1·8	6·5	7·4	6·0	0·57	0·29	0·10	6·7	13
Islay	6,069	16·6	2·6	15·7	17·5	13·2	0·66	0·66	0·16	20·8	30
Kintyre	6,544	17·6	3·8	9·5	10·4	8·8	1·07	0·92	0·15	13·0	43
Lorn	9,282	14·2	2·4	10·6	12·6	10·3	1·83	1·51	0·22	6·1	38
Mid-Argyll	6,454	11·6	1·7	13·5	11·0	8·2	0·62	0·46	0·31	6·7	27
Mull	4,709	13·8	1·1	13·8	15·7	10·4	1·27	1·27	0·00	9·2	31
AYR COUNTY—											
Ayr	41,807	26·1	5·2	10·9	10·6	11·3	0·62	0·29	0·38	10·1	69
Carrick	14,269	17·0	4·7	9·8	11·5	10·7	1·54	0·84	0·42	9·9	54
Kilmarnock	24,575	21·2	4·6	9·7	11·3	11·8	0·94	0·65	0·53	7·3	65
Northern	50,682	19·2	4·6	10·4	11·2	11·6	0·73	0·51	0·67	5·8	84
BANFF COUNTY—											
Banff	14,772	24·5	4·3	11·6	12·3	10·5	0·81	0·61	0·14	10·8	58
Keith	10,238	23·9	3·0	11·7	12·8	10·4	1·17	0·88	0·49	18·0	69
BERWICK COUNTY—											
East	8,430	18·4	4·3	11·5	12·8	10·6	1·66	1·19	0·00	5·8	65
Middle	7,255	16·8	4·1	10·5	12·5	10·3	0·55	0·55	0·28	13·9	90
West	5,116	20·3	6·5	8·8	10·4	9·1	0·20	0·20	0·00	3·8	48
BUTE COUNTY—											
*Arran	4,628	11·5	3·5	13·0	14·7	12·5	0·65	0·43	0·00	3·8	57
*Bute	2,552	12·1	2·7	11·4	11·0	9·3	0·00	0·00	0·00	3·2	32
‡Cumbræ	118	—	—	—	—	—	—	—	—	—	—
CAITHNESS COUNTY—											
Caithness	15,598	18·3	2·7	15·0	15·6	10·4	0·77	0·45	0·32	16·1	77
CLACKMANNAN COUNTY—											
Clackmannan	10,700	19·4	5·0	9·3	10·2	10·2	0·93	0·65	0·19	4·8	38
DUMBARTON COUNTY—											
Eastern	23,438	22·0	4·9	12·7	10·1	10·5	1·02	0·68	0·47	4·8	58
Western	30,789	16·5	5·2	10·2	11·7	11·7	0·88	0·58	0·32	4·9	67
DUMFRIES COUNTY—											
Annan	13,267	20·7	6·2	11·0	11·7	10·8	0·60	0·45	0·68	10·9	102
Dumfries	8,838	18·8	4·5	16·3	11·1	9·8	1·24	1·02	0·57	15·1	42
Langholm	2,924	16·8	4·8	11·3	12·7	11·0	1·37	1·03	0·00	22·4	82
Lockerbie	8,169	22·5	5·4	12·6	13·0	11·1	0·61	0·49	0·24	12·5	49
Thornhill	12,910	24·9	5·7	12·1	14·6	13·3	1·63	1·08	0·77	9·3	75
EAST LOTHIAN COUNTY—											
Eastern	5,522	22·3	4·9	9·1	10·9	10·3	0·36	0·36	0·18	11·4	49
Western	19,434	22·2	3·1	9·3	10·5	11·3	1·03	0·57	0·26	6·3	72

* See footnote at end of Table 5.

† Enteric Fever, Measles, Scarlet Fever, Whooping Cough, Diphtheria, Diarrhoea under 2 years.

‡ The population of this District is too small for the calculation of significant rates.

TABLE 6—continued.

COUNTY DISTRICTS.	Estimated Population.	RATES PER 1000 OF POPULATION.								Illegitimate Births per cent. of Total Births.	Rate per 1000 Births.
		Birth-rate.	Marriage-rate.	Death-rate.							
				Uncorrected.	Corrected for Transfers.	Corrected and Ad- justed for Age and Sex Distribution.	All Tuberculosis.	Tuberculosis of Re- spiratory System.	Principal Epi- demic Diseases.		
FIFE COUNTY—											
Cupar	15,047	17·8	5·3	14·2	12·4	9·4	0·47	0·27	0·33	12·3	71
Dunfermline	36,343	21·4	5·0	7·8	8·7	9·5	0·55	0·33	0·47	6·2	60
Kirkcaldy	44,776	26·6	4·3	10·9	11·1	12·3	0·76	0·47	0·87	7·0	84
St. Andrews	14,818	15·9	4·1	11·3	13·0	11·1	0·67	0·34	0·54	5·5	47
FORFAR COUNTY—											
Arbroath	8,578	18·3	4·9	9·2	10·3	9·0	0·70	0·47	0·47	12·1	89
Brechin	12,329	16·4	3·2	14·0	10·1	8·7	0·32	0·16	0·00	9·4	69
Dundee	9,941	20·3	3·1	10·9	9·6	9·1	0·50	0·30	1·51	5·9	79
Forfar	11,149	17·3	3·3	12·0	13·1	10·2	0·63	0·36	0·81	10·4	73
INVERNESS COUNTY—											
Inverness	7,475	19·3	2·1	17·0	11·2	9·3	1·07	0·94	0·00	9·0	63
Aird	8,052	16·9	3·1	9·6	11·9	8·7	0·99	0·75	0·12	11·8	22
Badenoch	7,749	12·6	2·8	9·5	11·6	8·9	0·77	0·65	0·13	14·3	10
Lochaber	6,859	16·6	2·0	13·1	15·7	12·1	1·02	0·73	0·29	7·0	35
Skye	10,546	15·2	2·2	14·4	15·5	9·6	1·33	0·76	0·00	10·0	6
Harris	5,084	20·7	4·1	14·0	14·6	11·0	1·57	1·57	0·59	12·4	38
North Uist	2,939	14·0	3·7	17·0	17·7	11·3	1·02	1·02	0·00	17·1	0
South Uist	6,812	17·6	2·3	12·5	12·5	8·7	0·44	0·44	0·15	5·8	33
KINCARDINE COUNTY—											
Laurencekirk	4,936	22·5	3·4	9·7	11·8	10·7	0·61	0·41	0·41	13·5	54
Lower Deeside	3,712	22·4	8·1	11·9	13·2	12·5	0·54	0·00	1·08	13·3	133
St. Cyrus	4,496	20·7	2·7	11·8	13·1	11·3	0·44	0·22	2·22	19·4	129
Stonehaven	4,542	17·4	2·4	8·8	10·3	9·6	0·44	0·44	0·22	15·2	51
Upper Deeside	3,291	18·8	2·1	15·2	12·8	10·6	1·22	0·91	0·00	11·3	113
KINROSS COUNTY—											
Kinross	5,424	14·7	1·7	17·1	11·2	9·5	0·74	0·37	0·37	7·5	50
KIRKCUDBRIGHT C'NTY.											
Eastern	7,716	20·3	5·6	10·4	12·2	10·5	0·65	0·39	0·26	15·9	32
Northern	2,785	17·2	7·9	7·2	9·0	7·7	0·36	0·00	0·36	16·7	42
Southern	7,946	22·1	5·3	12·0	13·5	11·8	1·01	0·63	0·25	17·0	74
Western	2,883	18·4	8·0	12·8	14·6	11·6	0·69	0·35	0·00	7·5	57
LANARK COUNTY—											
Lower Ward	30,220	18·1	3·8	13·5	11·1	12·8	0·81	0·62	0·75	3·6	69
Middle Ward	231,720	25·6	4·9	10·7	11·3	13·0	0·94	0·54	0·70	5·7	84
Upper Ward	47,660	21·0	4·2	9·4	10·5	10·9	0·65	0·42	0·36	7·6	52
MIDLOTHIAN COUNTY—											
Calder	19,050	20·3	5·6	8·3	11·6	12·2	0·89	0·37	0·37	6·0	57
Gala-Water	7,141	17·5	5·0	10·8	12·6	11·9	0·98	0·70	0·28	5·6	80
Lasswade	24,853	21·2	3·6	11·2	11·4	12·0	0·68	0·48	0·36	5·1	76
MORAY COUNTY—											
Moray	20,538	22·3	3·5	12·3	11·7	9·5	0·63	0·49	0·44	14·4	76
NAIRN COUNTY—											
Nairn	4,086	21·8	2·7	16·2	15·4	12·7	0·98	0·73	0·00	13·5	67
ORKNEY COUNTY—											
Mainland	8,395	17·0	6·4	12·9	14·8	10·0	0·60	0·60	0·12	4·9	56
North Isles	5,899	14·6	3·4	13·2	14·2	9·4	0·68	0·51	0·00	8·1	35
South Ronaldsay	1,916	13·6	7·3	16·2	17·2	11·0	1·04	1·04	0·00	15·4	38
Walls	1,395	13·6	2·9	15·8	16·5	11·0	2·15	1·43	0·00	5·3	53
PEEBLES COUNTY—											
Peebles	7,361	13·6	3·8	8·7	9·2	8·1	0·54	0·54	0·41	5·0	40

TABLE 6—continued.

COUNTY DISTRICTS.	Estimated Population.	RATES PER 1000 OF POPULATION.								Illegitimate Births per cent. of Total Births.	Infantile Mortality. Rate per 1000 Births.
		Birth-rate.	Marriage-rate.	Death-rate.							
				Uncorrected.	Corrected for Transfers.	Corrected and Ad- justed for Age and Sex Distribution.	All Tuberculosis.	Tuberculosis of Re- spiratory System.	Principal Epi- demic Diseases.		
PERTH COUNTY—											
Blairgowrie . . .	9,823	12·9	3·4	10·2	12·0	9·7	0·41	0·31	0·41	9·4	47
Central . . .	11,186	15·5	4·5	11·2	12·6	10·4	0·54	0·45	0·18	14·5	92
Highland . . .	14,244	12·1	3·3	12·1	11·7	9·0	0·56	0·42	0·14	9·9	81
Perth . . .	21,957	15·7	4·4	9·7	12·3	10·7	0·87	0·68	0·18	9·9	58
Western . . .	10,891	15·3	2·3	8·4	9·3	8·5	0·55	0·46	0·00	13·2	54
RENFREW COUNTY—											
Upper Ward . . .	25,851	18·5	4·7	15·1	12·0	12·5	0·56	0·49	0·29	3·7	58
Lower Ward . . .	26,969	14·6	2·9	9·0	9·5	10·3	0·82	0·48	0·33	4·6	59
ROSS & CROMARTY C'NTY.											
Black Isle . . .	5,126	17·0	2·5	14·0	16·0	12·3	1·76	0·98	0·00	6·9	80
Easter Ross . . .	10,529	17·4	2·8	13·3	13·2	10·2	0·85	0·57	0·00	10·9	87
Lewis . . .	23,077	15·8	2·8	11·7	12·0	9·5	2·08	1·86	0·26	4·1	47
Mid-Ross . . .	11,432	14·9	3·4	13·0	16·1	10·8	0·87	0·52	0·17	5·9	35
South-Western . . .	3,244	14·5	3·7	16·3	16·0	9·6	0·62	0·31	0·00	6·4	21
Western . . .	3,408	13·2	1·2	17·9	19·1	10·3	1·47	1·47	0·29	8·9	0
ROXBURGH COUNTY—											
Hawick . . .	2,896	15·2	7·3	18·3	18·0	15·4	0·69	0·35	0·00	11·4	0
Jedburgh . . .	4,539	15·9	3·7	13·7	15·4	13·7	0·88	0·44	0·22	15·3	139
Kelso . . .	5,776	14·4	5·5	10·0	11·8	10·5	1·21	0·52	0·35	10·8	72
Liddesdale . . .	1,776	15·2	3·9	10·7	10·7	8·6	1·13	1·13	0·56	7·4	111
Melrose . . .	4,692	14·7	4·3	10·7	12·1	9·1	0·43	0·43	0·00	8·7	14
SELKIRK COUNTY—											
Selkirk . . .	3,662	18·6	3·5	9·8	11·5	10·2	0·55	0·55	0·00	8·8	44
SHETLAND COUNTY—											
Mainland . . .	15,258	12·8	2·2	12·8	14·0	9·1	1·18	0·92	0·13	6·1	41
North Isles . . .	3,834	13·6	1·6	11·2	13·0	8·8	1·56	1·30	0·00	11·5	77
STIRLING COUNTY—											
Central . . .	27,500	25·3	5·2	9·5	11·4	12·3	0·58	0·47	0·91	5·5	70
Eastern . . .	40,692	23·1	5·3	10·8	10·6	11·7	0·66	0·37	0·47	5·5	71
Western . . .	11,618	16·2	3·6	9·5	10·4	9·5	0·69	0·26	0·34	6·4	59
SUTHERLAND COUNTY—											
Sutherland . . .	15,528	14·7	2·9	14·4	15·0	9·8	0·90	0·64	0·06	11·0	39
WEST LOTHIAN COUNTY—											
Bathgate . . .	38,315	23·3	3·9	8·0	10·4	12·1	0·84	0·42	0·65	5·1	79
Linlithgow . . .	15,500	20·2	4·1	16·3	10·3	11·8	1·16	0·77	0·26	7·3	86
WIGTOWN COUNTY—											
Machars . . .	7,783	21·7	2·8	12·2	13·9	11·9	0·26	0·26	0·00	14·8	36
Rhins . . .	12,050	21·0	4·7	12·0	13·0	11·7	0·33	0·33	0·17	16·6	99

COUNTIES.	Estimated Population.	Births.		Marriages.	Deaths.				RATES PER 1000 OF POPULATION.						Illegitimate Births per cent. of Total Births.	Infantile Mortality. Rate per 1000 Births.		
		Total.	Illegitimate.		Total (Corrected for Transfers).	All Tuberculosis.	Tuberculosis of Respiratory System.	*Principal Epidemic Diseases.	Birth-rate.	Marriage-rate.	Death-rate.							
											Uncorrected.	Corrected for Transfers.	Corrected and Adjusted for Age and Sex Distribution.	All Tuberculosis.			Tubercu- losis of Respiratory Syst-m.	*Principal Epidemic Diseases.
SCOTLAND	4,896,638	102,449	7,046	31,253	63,780	4,861	3,384	3,104	20.92	6.38	13.03	13.03	13.03	0.99	0.69	0.63	6.88	83.1
Aberdeen	292,912	6,457	737	2,104	3,866	259	178	153	22.0	7.2	13.6	13.2	12.1	0.88	0.61	0.52	11.4	89
Argyll	79,001	950	95	253	885	82	61	28	12.0	3.2	10.8	11.2	9.0	1.04	0.77	0.35	10.0	39
Avr	309,866	5,953	414	1,614	3,347	232	150	136	19.2	5.2	10.5	10.8	11.1	0.75	0.48	0.44	7.0	70
Banff	54,144	1,309	169	273	731	51	35	13	24.2	5.0	12.9	13.5	11.5	0.94	0.65	0.24	12.9	67
Berwick	26,992	472	35	154	346	23	18	3	17.5	5.7	11.2	12.8	10.6	0.85	0.67	0.11	7.4	74
Bute	118,100	244	22	74	211	7	5	0	13.5	4.1	11.9	11.7	10.4	0.39	0.28	0.00	9.0	53
Caithness	25,914	511	66	128	407	25	17	8	19.7	4.9	15.2	15.7	11.4	0.96	0.66	0.31	12.9	70
Clackmannan	32,548	639	33	165	416	27	21	16	19.6	5.1	11.3	12.8	12.5	0.83	0.65	0.49	5.2	75
Dumbarton	151,084	3,100	138	708	1,699	144	106	73	20.5	4.7	10.1	11.2	12.1	0.95	0.70	0.48	4.5	70
Dun.fries	75,029	1,618	176	513	1,000	83	61	40	21.6	6.8	14.3	13.3	12.1	1.11	0.81	0.53	10.9	78
East Lothian	48,531	960	65	203	496	37	24	14	19.8	4.2	9.1	10.2	10.2	0.76	0.49	0.29	6.8	60
Fife	295,452	6,023	353	1,617	3,264	204	128	129	20.4	5.5	10.3	11.0	11.1	0.69	0.43	0.44	5.9	67
Forfar	269,550	5,403	405	1,826	3,841	263	182	179	20.0	6.8	14.7	14.2	13.2	0.98	0.68	0.66	7.5	96
Inverness	78,440	1,395	126	432	1,176	90	67	13	17.8	5.5	15.4	15.0	11.4	1.15	0.85	0.17	9.0	46
Kincardine	42,262	873	90	187	546	49	30	30	20.7	4.4	11.2	12.9	11.6	1.16	0.71	0.71	10.3	84
Kinross	8,007	138	9	24	101	8	6	3	17.2	3.0	15.5	12.6	10.7	1.00	0.75	0.37	6.5	36
Kirkcudbright	35,804	746	98	239	495	32	16	9	20.8	6.7	11.9	13.8	11.8	0.89	0.45	0.25	13.1	70
Lanark	1,570,888	37,196	2,156	11,340	21,858	1,765	1,230	1,547	23.8	7.2	14.1	14.0	15.8	1.13	0.79	0.99	5.8	96
Midlothian	509,547	9,705	637	4,253	6,773	559	399	233	19.0	8.3	14.2	13.3	13.5	1.10	0.78	0.46	6.6	80
Moray	39,800	850	111	241	544	34	29	15	21.4	6.1	13.5	13.7	11.2	0.85	0.73	0.38	13.1	76
Nairn	8,355	168	21	48	126	8	7	0	20.1	5.7	14.6	15.1	12.2	0.96	0.84	0.00	12.5	60
Orkney	22,754	358	24	128	343	22	18	3	13.7	5.6	14.4	15.1	10.2	0.97	0.79	0.13	6.7	53
Peebles	15,051	219	13	90	154	10	8	3	14.6	6.0	9.4	10.2	8.9	0.66	0.53	0.20	5.9	32
Perth	125,231	1,995	190	692	1,623	77	60	29	15.9	5.5	12.9	13.0	11.0	0.61	0.48	0.23	9.5	63
Renfrew	291,773	6,397	294	1,585	3,865	323	227	239	21.6	5.3	13.1	13.0	14.1	1.09	0.77	0.81	4.6	89
Ross and Cromarty	68,128	1,048	65	266	952	93	75	13	15.4	3.9	13.3	14.0	10.3	1.37	1.10	0.19	6.2	57
Roxburgh	43,001	651	53	237	632	47	31	7	15.1	5.5	14.2	14.7	12.7	1.09	0.72	0.16	8.1	68
Selkirk	21,182	321	20	128	316	16	12	4	15.2	6.0	14.6	14.9	13.4	0.76	0.57	0.19	6.2	56
Shetland	23,845	321	25	117	317	30	21	4	13.5	4.9	12.8	13.3	9.2	1.26	0.83	0.17	7.8	40
Stirling	160,471	3,626	187	998	1,884	150	96	105	22.6	6.2	11.7	11.7	12.5	0.93	0.60	0.65	5.2	75
Sutherland	16,294	237	26	50	240	15	11	1	14.5	3.1	14.2	14.7	9.7	0.92	0.68	0.06	11.0	38
West Lothian	84,765	1,965	100	433	904	79	42	47	23.2	5.1	9.6	10.7	12.3	0.93	0.50	0.55	5.1	74
Wigtown	29,564	601	93	133	422	17	13	7	20.3	4.5	13.7	14.3	12.4	0.58	0.44	0.24	15.5	80

* Enteric Fever, Measles, Scarlet Fever, Whooping Cough, Diphtheria, Diarrhoea under 2 years. † The Census Population of the County of Bute was grossly inflated by the inclusion of summer visitors, and for the purpose of calculating rates an arbitrary population figure of 18,100 is used.

TABLE 8.—Birth-rate among Married and among Unmarried Women in 1926.

	Estimated Number of		Births.		Birth Rates.		
	Married Women aged 15-45.	Un-married Women and Widows aged 15-45.	Legiti-mate.	Illegiti-mate.	Total per 1000 Women aged 15-45.	Legiti-mate Births per 1000 Married Women aged 15-45.	Illegiti-mate Births per 1000 Un-married Women aged 15-45.
SCOTLAND	513,106	678,842	95,403	7,046	86·0	185·9	10·4
LARGER BURGHS	264,314	344,240	49,748	3,198	87·0	188·2	9·3
SMALLER BURGHS	99,873	135,262	16,599	1,153	75·5	166·2	8·5
COUNTY DISTRICTS	148,919	199,340	29,056	2,695	91·2	195·1	13·5
Counties.							
Aberdeen	29,152	41,871	5,720	737	90·9	196·2	17·6
Argyll	6,764	12,052	855	95	50·5	126·4	7·9
Ayr	34,082	42,402	5,539	414	77·8	162·5	9·8
Banff	5,206	6,602	1,140	169	110·9	219·0	25·6
Berwick	2,641	3,672	437	35	74·8	165·5	9·5
*Bute	1,517	3,071	222	22	53·2	146·3	7·2
Caithness	2,017	3,487	445	66	92·8	220·6	18·9
Clackmannan	3,437	4,617	603	33	79·3	176·3	7·1
Dumbarton	16,564	20,035	2,962	138	84·7	178·8	6·9
Dumfries	7,387	10,341	1,442	176	91·3	195·2	17·0
East Lothian	4,978	6,528	895	65	83·4	179·8	10·0
Fife	33,615	36,112	5,670	353	86·4	168·7	9·8
Forfar	26,973	41,835	4,998	405	78·5	185·3	9·8
Inverness	5,862	11,254	1,269	126	81·5	216·5	11·2
Kincardine	4,278	5,458	783	90	89·7	183·0	16·5
Kinross	738	1,098	129	9	75·2	174·8	8·2
Kirkcudbright	3,292	5,287	648	98	87·0	196·8	18·5
Lanark	175,149	208,650	35,040	2,156	96·9	200·0	10·3
Midlothian	52,921	79,638	9,068	637	73·2	171·3	8·0
Moray	3,690	5,445	739	111	93·0	200·3	20·4
Nairn	751	1,250	147	21	84·0	195·7	16·8
Orkney	1,853	2,912	334	24	75·1	180·2	8·2
Peebles	1,445	2,447	206	13	56·3	142·6	5·3
Perth	11,249	19,247	1,805	190	65·4	160·5	9·9
Renfrew	31,494	40,472	6,103	294	88·9	193·8	7·3
Ross and Cromarty	5,019	9,811	983	65	70·7	195·8	6·6
Roxburgh	4,110	6,952	598	53	58·9	145·5	7·6
Selkirk	2,066	3,600	301	20	56·7	145·7	5·6
Shetland	1,674	3,836	296	25	58·3	176·8	6·5
Stirling	16,925	19,863	3,439	187	98·6	203·2	9·4
Sutherland	1,130	2,163	211	26	72·0	186·7	12·0
West Lothian	9,365	8,742	1,865	100	108·5	199·1	11·4
Wigtown	2,711	4,262	508	93	86·2	187·4	21·8
Larger Burghs.							
Glasgow	118,502	147,513	23,082	1,460	92·3	194·8	9·9
Edinburgh	43,832	69,716	7,377	549	69·8	168·3	7·9
Dundee	17,842	27,418	3,468	256	83·3	194·4	9·3
Aberdeen	17,205	24,029	3,166	240	82·6	184·0	10·0
Paisley	9,266	13,478	1,829	100	84·8	197·4	7·4
Greenock	9,140	9,357	1,837	110	105·3	201·0	11·8
Motherwell and Wishaw	8,263	7,103	1,575	85	104·0	190·6	11·0
Clydebank	5,726	5,135	1,032	40	98·7	180·2	7·8
Coatbridge	4,736	4,906	1,094	66	120·3	231·0	13·5
Dunfermline	5,321	4,475	727	37	78·0	136·6	8·3
Kirkcaldy	4,561	5,714	775	47	80·0	169·9	8·2
Hamilton	4,557	4,535	982	47	113·2	215·5	10·4
Kilmarnock	4,108	5,208	733	44	83·4	178·4	8·4
Ayr	4,137	5,690	737	48	79·9	178·1	8·4
Falkirk	3,804	4,086	717	25	94·0	188·5	6·1
Perth	3,314	5,277	617	44	76·9	186·2	8·3

* See footnote, Table 7.

TABLE 9.—Method of Celebration, etc. of Marriages in Scotland, 1855-1925.

YEAR.	Total MARRIAGES.		REGULAR MARRIAGES according to Rites of the							IRREGULAR MARRIAGES.
	Number.	Proportion per 1000 of Population.	Established Church.	Free Church.	United Presbyterian Church.	Rom. Cath. Church.	Scottish Episcopal Church.	Other Denominations	Denomination not stated.	
DECENNIAL AVERAGES.										
1855-1860	20645	6·840	9586	4747	2872	1846	383	1058	135	19
1861-1870	22422	7·004	9929	5278	3214	2071	464	1324	101	41
1871-1880	25355	7·172	11549	5649	3305	2286	646	1633	25	263
1881-1890	25939	6·700	11971	5277	3011	2558	732	1728	12	650
1891-1900	29866	7·054	13497	5638	3292	2934	899	2179	0	1428
				Un. Free Ch.*						
1901-1910	31825	6·907	14414	8477		3331	936	2634	0	2034
1911-1920	35647	7·451	14231	8340		3964	1131	2669	0	5312
ANNUAL NUMBERS.										
1915	36233	7·595	13414	7901		3907	1155	2436	0	7420
1916	31419	6·553	11632	7037		3612	985	2191	0	5962
1917	30421	6·324	11922	6858		3429	1070	2160	0	4982
1918	34529	7·175	13299	7790		3789	1243	2465	0	5943
1919	44060	9·141	16709	9808		4663	1429	3100	0	8351
1920	46754	9·611	18157	10739		5318	1346	3346	0	7848
1921	39243	8·037	15976	9082		4220	1076	2754	0	6135
1922	34375	7·009	14329	8022		3730	1031	2588	0	4675
1923	35200	7·182	14757	8411		4034	1005	2697	0	4296
1924	32328	6·622	13488	7657		3849	974	2425	0	3935
1925	32456	6·633	13548	7531		3865	951	2529	0	4032
RATE PER HUNDRED MARRIAGES—DECENNIAL.										
1855-1860	100·00	...	46·42	23·01	13·92	8·94	1·85	5·12	0·65	0·09
1861-1870	100·00	...	44·30	23·54	14·33	9·22	2·07	5·89	0·47	0·18
1871-1880	100·00	...	45·56	22·28	13·02	9·02	2·55	6·42	0·11	1·04
1881-1890	100·00	...	46·17	20·34	11·61	9·85	2·82	6·66	0·05	2·50
1891-1900	100·00	...	45·20	18·91	11·04	9·81	3·00	7·29	0·00	4·75
				Un. Free Ch.*						
1901-1910	100·00	...	45·29	26·63		10·46	2·94	8·28	0·00	6·40
1911-1920	100·00	...	39·92	23·40		11·12	3·17	7·49	0·00	14·90
RATE PER HUNDRED MARRIAGES—ANNUAL.										
1915	100·00	...	37·02	21·81		10·78	3·19	6·72	0·00	20·48
1916	100·00	...	37·02	22·40		11·50	3·13	6·97	0·00	18·98
1917	100·00	...	39·19	22·54		11·27	3·52	7·10	0·00	16·38
1918	100·00	...	38·52	22·56		10·97	3·60	7·14	0·00	17·21
1919	100·00	...	37·92	22·26		10·58	3·24	7·04	0·00	18·96
1920	100·00	...	38·84	22·97		11·37	2·88	7·16	0·00	16·78
1921	100·00	...	40·72	23·14		10·76	2·74	7·02	0·00	15·62
1922	100·00	...	41·68	23·34		10·85	3·00	7·53	0·00	13·60
1923	100·00	...	41·92	23·90		11·46	2·85	7·67	0·00	12·20
1924	100·00	...	41·72	23·69		11·91	3·01	7·50	0·00	12·17
1925	100·00	...	41·75	23·20		11·91	2·93	7·79	0·00	12·42

* The Free Church and the United Presbyterian Church were united on 31st October 1900 under the name of the United Free Church.

Appendix Tables.

TABLE 10.—Ages, Civil Conditions, etc., of Persons Marrying in Scotland, 1855 to 1925. Numbers and Percentages.

YEARS.	Under 21 years.		Under 25 years.		25 years and over.		Signed by Writing.		Signed by Mark.		Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.
	Men.	Women	Men.	Women	Men.	Women	Men.	Women	Men.	Women				
	DECENNIAL AVERAGES.													
1855-1860	1543	4478	8437	11997	12208	8648	18310	15841	2335	4804	16871	530	1743	587
1861-1870	1621	4756	9268	13085	13154	9337	20035	17686	2387	4736	19034	528	1956	636
1871-1880	1998	5774	10780	14992	14575	10363	23205	21034	2150	4321	21485	775	2242	811
1881-1890	1801	5482	10320	15104	15619	10835	24557	23396	1381	2572	22286	705	2153	787
1891-1900	1831	5624	11053	15909	18813	13357	29106	28704	740	1162	26138	786	2135	801
1901-1910	1884	5712	11080	16721	20744	15103	31354	31183	471	642	28296	815	1986	741
1911-1920	2132	6258	11596	17766	24051	17881	35426	35347	221	300	31306	1378	1995	959
	ANNUAL NUMBERS.													
1915	2111	6655	12479	18533	23754	17700	36011	35957	222	276	32515	1032	1834	847
1916	1679	5445	9935	15475	21484	15944	31163	31124	256	295	27457	1288	1781	886
1917	1900	5215	9348	14869	21073	15552	30200	30172	221	249	26200	1416	1845	959
1918	2081	5609	10425	16513	24104	18016	34338	34288	191	241	29542	1804	2042	1137
1919	2602	6991	13303	21098	30757	22962	43868	43788	192	272	37526	2679	2478	1375
1920	3020	8300	15785	23596	30969	23158	46586	46551	168	203	40618	2424	2472	1236
1921	2680	7342	13728	20136	25515	19107	39140	39096	103	147	34620	1665	2020	938
1922	2276	6489	11869	17687	22506	16688	34305	34270	70	105	30396	1247	1974	758
1923	2218	6326	12143	17899	23057	17301	35116	35078	84	122	31510	1093	1821	771
1924	2001	5955	11179	16546	21149	15782	32260	32228	68	100	29002	885	1692	749
1925	1991	6029	11039	16660	21417	15796	32377	32357	79	99	29217	802	1715	721
	PERCENTAGES.													
1855-1860	7·41	21·51	40·85	58·11	59·15	41·89	88·69	76·73	11·31	23·27	85·47	2·69	8·86	2·98
1861-1870	7·23	21·25	41·34	58·37	58·66	41·63	89·35	78·88	10·65	21·12	85·94	2·37	8·03	3·66
1871-1880	7·87	22·37	42·49	59·12	57·51	40·88	91·52	82·98	8·48	17·02	84·88	3·06	8·86	3·20
1881-1890	6·94	21·13	40·59	58·23	59·41	41·77	94·68	90·21	5·32	9·79	85·94	2·72	8·30	3·04
1891-1900	6·13	18·85	37·01	54·36	62·99	45·64	97·49	96·05	2·51	3·95	87·54	2·63	7·15	2·68
1901-1910	5·92	17·94	34·81	52·50	65·19	47·50	98·52	97·99	1·48	2·01	88·87	2·56	6·24	2·33
1911-1920	5·98	17·56	32·53	49·84	67·47	50·16	99·38	99·16	0·62	0·84	87·84	3·87	5·60	2·69
1915	5·33	18·37	34·44	51·15	65·56	48·85	99·39	99·24	0·61	0·76	89·75	2·85	5·06	2·34
1916	5·34	17·33	31·62	49·25	68·38	50·75	99·19	99·06	0·81	0·94	87·41	4·10	5·67	2·82
1917	6·25	17·14	30·73	48·88	69·27	51·12	99·27	99·18	0·73	0·82	86·13	4·65	6·07	3·15
1918	6·03	16·24	30·19	47·82	69·81	52·18	99·45	99·30	0·55	0·70	85·57	5·23	5·91	3·29
1919	5·91	15·87	30·19	47·88	69·81	52·12	99·56	99·38	0·44	0·62	85·17	6·08	5·63	3·12
1920	6·46	17·75	33·76	50·47	66·24	49·53	99·64	99·56	0·36	0·44	86·88	5·19	5·29	2·64
1921	6·83	18·71	34·98	51·31	65·02	48·69	99·74	99·63	0·26	0·37	88·22	4·24	5·15	2·39
1922	6·62	18·88	34·53	51·45	65·47	48·55	99·80	99·69	0·20	0·31	88·42	3·63	5·74	2·21
1923	6·30	17·97	34·50	50·85	65·50	49·15	99·76	99·65	0·24	0·35	89·52	3·12	5·17	2·19
1924	6·19	18·42	34·58	51·18	65·42	48·82	99·79	99·69	0·21	0·31	89·71	2·74	5·23	2·32
1925	6·13	18·58	34·01	51·33	65·99	48·67	99·76	99·69	0·24	0·31	90·02	2·47	5·29	2·22

TABLE 11.—Regular and Irregular Marriages in Scotland, 1925.

	Total Marriages.	NUMBERS.					PERCENTAGE OF TOTAL MARRIAGES.				
		REGULAR MARRIAGES.			IRREGULAR MARRIAGES.		REGULAR MARRIAGES.			IRREGULAR MARRIAGES.	
		Banns.	Public Notice at Registrar's.	Banns and Public Notice.	Registered by Sheriff's Warrant.	Otherwise Registered.	Banns.	Public Notice at Registrar's.	Banns and Public Notice.	Registered by Sheriff's Warrant.	Otherwise Registered.
SCOTLAND	32,456	19,796	8,064	564	4,026	6	61·0	24·9	1·7	12·4	0·0
LARGER BURGHS	19,382	8,975	6,274	318	3,811	4	46·3	32·4	1·6	19·7	0·0
OTHER DISTRICTS	13,074	10,821	1,790	246	215	2	82·8	13·7	1·9	1·6	0·0
Counties.											
Aberdeen	2,268	1,425	494	47	302	—	62·8	21·8	2·1	13·3	—
Argyll	250	226	16	3	5	—	90·4	6·4	1·2	2·0	—
Ayr	1,669	1,440	159	31	37	2	86·3	9·5	1·9	2·2	0·1
Banff	322	295	11	4	12	—	91·6	3·4	1·3	3·7	—
Berwick	146	144	—	1	1	—	98·6	—	0·7	0·7	—
Bute	61	52	4	3	2	—	85·2	6·6	4·9	3·3	—
Caithness	151	144	—	1	6	—	95·3	—	0·7	4·0	—
Clackmannan	179	156	23	—	—	—	87·2	12·8	—	—	—
Dumbarton	733	466	248	16	3	—	63·6	33·8	2·2	0·4	—
Dumfries	472	420	21	3	28	—	89·0	4·5	0·6	5·9	—
East Lothian	224	208	10	5	1	—	92·9	4·5	2·2	0·4	—
Fife	1,640	1,255	277	33	75	—	76·5	16·9	2·0	4·6	—
Forfar	1,810	1,051	540	34	185	—	58·1	29·8	1·9	10·2	—
Inverness	391	301	51	8	31	—	77·0	13·1	2·0	7·9	—
Kincardine	189	151	32	5	1	—	79·9	16·9	2·7	0·5	—
Kinross	42	42	—	—	—	—	100·0	—	—	—	—
Kirkcudbright	214	210	3	1	—	—	98·1	1·4	0·5	—	—
Lanark	11,767	5,268	4,277	198	2,023	1	44·7	36·3	1·7	17·3	—
Midlothian	4,536	2,375	968	85	1,105	3	52·3	21·3	1·9	24·4	0·1
Moray	269	215	14	3	37	—	79·9	5·2	1·1	13·8	—
Nairn	44	42	1	—	1	—	95·4	2·3	—	2·3	—
Orkney	120	104	8	—	8	—	86·6	6·7	—	6·7	—
Peebles	78	75	1	1	1	—	96·1	1·3	1·3	1·3	—
Perth	664	530	65	11	58	—	79·8	9·8	1·7	8·7	—
Renfrew	1,743	1,119	567	29	28	—	64·2	32·5	1·7	1·6	—
Ross and Cromarty	248	181	52	4	11	—	73·0	21·0	1·6	4·4	—
Roxburgh	228	214	8	3	3	—	93·9	3·5	1·3	1·3	—
Selkirk	125	112	7	5	1	—	89·6	5·6	4·0	0·8	—
Shetland	113	110	2	—	1	—	97·3	1·8	—	0·9	—
Stirling	1,055	834	151	18	52	—	79·1	14·3	1·7	4·9	—
Sutherland	45	40	4	—	1	—	88·9	8·9	—	2·2	—
West Lothian	475	412	50	11	2	—	86·8	10·5	2·3	0·4	—
Wigtown	185	179	—	1	5	—	96·8	—	0·5	2·7	—
Larger Burghs.											
Glasgow	8,810	3,390	3,299	130	1,990	1	38·5	37·4	1·5	22·6	—
Edinburgh	4,054	1,966	906	76	1,104	2	48·5	22·3	1·9	27·2	0·1
Dundee	1,293	589	505	24	175	—	45·5	39·1	1·9	13·5	—
Aberdeen	1,522	686	502	35	299	—	45·1	33·0	2·3	19·6	—
Paisley	612	389	210	4	9	—	63·6	34·3	0·6	1·5	—
Greenock	446	277	144	6	19	—	62·1	32·3	1·3	4·3	—
Motherwell & Wishaw	367	206	142	10	9	—	56·1	38·7	2·7	2·5	—
Clydebank	209	122	83	4	—	—	58·4	39·7	1·9	—	—
Coatbridge	236	113	122	1	—	—	47·9	51·7	0·4	—	—
Dunfermline	230	74	98	7	51	—	32·2	42·6	3·0	22·2	—
Kirkcaldy	261	205	34	2	20	—	78·5	13·0	0·8	7·7	—
Hamilton	227	152	58	7	10	—	67·0	25·5	3·1	4·4	—
Kilmarnock	235	155	69	2	9	—	65·9	29·4	0·9	3·8	—
Ayr	297	251	16	2	27	1	84·5	5·4	0·7	9·1	0·3
Falkirk	272	211	25	3	33	—	77·6	9·2	1·1	12·1	—
Perth	311	189	61	5	56	—	60·8	19·6	1·6	18·0	—

TABLE 12.—Church of Celebration of Regular Marriages in Scotland, 1925.

	Total Marriages.	MARRIAGES ACCORDING TO EACH DENOMINATION.						Irregular.	PERCENTAGE TO TOTAL MARRIAGES.						Irregular.
		Established Church.	United Free Church.	Free Church.	Roman Catholic Church.	Scottish Episcopal Church.	Other Denominations.		Established Church.	United Free Church.	Free Church.	Roman Catholic Church.	Scottish Episcopal Church.	Other Denominations.	
SCOTLAND	32,456	13,548	7,531	262	3,865	951	2,267	4,032	41·8	23·2	0·8	11·9	2·9	7·0	12·1
LARGER BURGHS	19,382	6,219	4,343	114	2,606	664	1,621	3,815	32·1	22·4	0·6	13·4	3·4	8·4	19·1
(OTHER DISTRICTS)	13,074	7,329	3,188	148	1,259	287	646	217	56·1	24·4	1·1	9·6	2·2	5·0	1·1
Counties.															
Aberdeen	2,268	1,195	506	1	56	69	139	302	52·7	22·3	—	2·5	3·1	6·1	13·3
Argyll	250	141	66	11	19	3	5	5	56·4	26·4	4·4	7·6	1·2	2·0	2·2
Ayr	1,669	968	409	1	118	42	92	39	58·0	24·5	0·1	7·1	2·5	5·5	2·2
Banff	322	180	76	—	11	9	34	12	55·9	23·6	—	3·4	2·8	10·6	3·3
Berwick	146	94	41	—	—	4	6	1	64·4	28·1	—	—	2·7	4·1	0·4
Bute	61	22	24	2	4	4	3	2	56·0	39·3	3·3	6·6	6·6	4·9	3·3
Caithness	151	77	57	4	—	1	6	6	51·0	37·7	2·6	—	0·7	4·0	4·4
Clackmannan	179	93	55	—	13	7	11	—	52·0	30·7	—	7·3	3·9	6·1	—
Dumbarton	733	298	142	4	197	29	60	3	40·6	19·4	0·5	26·9	4·0	8·2	0·4
Dumfries	472	291	98	1	21	18	15	28	61·7	20·8	0·2	4·4	3·8	3·2	5·5
East Lothian	224	162	32	—	17	4	8	1	72·3	14·3	—	7·6	1·8	3·6	0·4
Fife	1,640	908	426	6	85	48	92	75	55·3	26·0	0·4	5·2	2·9	5·6	4·4
Forfar	1,810	749	400	1	247	108	120	185	41·4	22·1	0·1	13·6	6·0	6·6	10·1
Inverness	391	139	106	38	43	12	22	31	35·6	27·1	9·7	11·0	3·1	5·6	7·1
Kincardine	189	134	30	—	1	22	1	1	70·9	15·9	—	0·5	11·7	0·5	0·4
Kinross	42	27	13	—	—	2	—	—	64·3	30·9	—	—	4·8	—	—
Kirkcudbright	214	166	31	—	12	1	4	—	77·6	14·5	—	5·6	0·4	1·9	—
Lanark	11,767	3,595	2,626	91	2,081	214	1,136	2,024	30·5	22·3	0·8	17·7	1·8	9·6	17·1
Midlothian	4,536	1,789	932	13	313	196	185	1,108	39·4	20·5	0·3	6·9	4·3	4·1	24·4
Moray	269	131	71	5	8	3	14	37	48·7	26·4	1·8	3·0	1·1	5·2	13·3
Nairn	44	26	9	5	1	1	1	1	59·1	20·4	11·3	2·3	2·3	2·3	2·2
Orkney	120	50	55	—	1	1	5	8	41·7	45·8	—	0·8	0·8	4·2	6·6
Peebles	78	64	6	—	4	—	3	1	82·1	7·7	—	5·1	—	3·8	1·1
Perth	664	354	166	3	25	28	30	58	53·3	25·0	0·5	3·8	4·2	4·5	8·8
Renfrew	1,743	615	481	4	390	69	156	28	35·3	27·6	0·2	22·4	4·0	8·9	1·1
Ross & Cromarty	248	76	75	65	1	3	17	11	30·7	30·2	26·2	0·4	1·2	6·9	4·4
Roxburgh	228	127	55	—	15	19	9	3	55·7	24·1	—	6·6	8·3	4·0	1·1
Selkirk	125	59	42	—	7	6	10	1	47·2	33·6	—	5·6	4·8	8·0	0·4
Shetland	113	75	23	—	—	1	13	1	66·4	20·3	—	—	0·9	11·5	0·4
Stirling	1,055	503	321	—	102	19	58	52	47·7	30·4	—	9·7	1·8	5·5	4·4
Sutherland	45	18	16	7	—	—	3	1	40·0	35·6	15·5	—	—	6·7	2·2
West Lothian	475	277	119	—	65	6	6	2	58·3	25·0	—	13·7	1·3	1·3	0·4
Wigtown	185	145	22	—	8	2	3	5	78·4	11·9	—	4·3	1·1	1·6	2·2
Larger Burghs.															
Glasgow	8,810	2,380	1,863	78	1,448	177	873	1,991	27·0	21·2	0·9	16·4	2·0	9·9	22·1
Edinburgh	4,054	1,481	840	13	260	183	171	1,106	36·6	20·7	0·3	6·4	4·5	4·2	27·1
Dundee	1,293	394	276	1	242	94	111	175	30·5	21·3	0·1	18·7	7·3	8·6	13·3
Aberdeen	1,522	599	396	1	53	69	105	299	39·4	26·0	0·1	3·5	4·5	6·9	19·1
Paisley	612	185	218	2	115	17	66	9	30·2	35·6	0·3	18·8	2·8	10·8	1·1
Greenock	446	146	99	1	121	15	45	19	32·7	22·2	0·2	27·1	3·4	10·1	4·4
Motherwell and Wishaw	367	125	90	—	92	11	40	9	34·0	24·5	—	25·1	3·0	10·9	2·2
Clydebank	209	78	30	—	56	6	39	—	37·3	14·3	—	26·8	2·9	18·7	—
Coatbridge	236	55	77	12	69	9	14	—	23·3	32·6	5·1	29·2	3·8	6·0	—
Dunfermline	230	77	48	—	9	11	34	51	33·5	20·8	—	3·9	4·8	14·8	22·1
Kirkcaldy	261	120	65	5	11	12	28	20	46·0	24·9	1·9	4·2	4·6	10·7	7·7
Hamilton	227	83	56	—	50	5	23	10	36·6	24·7	—	22·0	2·2	10·1	4·4
Kilmarnock	235	116	70	—	16	10	14	9	49·4	29·8	—	6·8	4·2	6·0	3·3
Ayr	297	153	46	—	23	23	24	28	51·5	15·5	—	7·7	7·7	8·2	9·9
Falkirk	272	112	85	—	22	7	13	33	41·2	31·2	—	8·1	2·6	4·8	12·1
Perth	311	115	84	1	19	15	21	56	37·0	27·0	0·3	6·1	4·8	6·8	18·1

TABLE 13.—Civil Condition of Persons Marrying in Scotland, 1925.

	Total Marriages.	NO. OF MARRIAGES BETWEEN				Condition not Stated.	PERCENTAGE OF MARRIAGES BETWEEN				Percentage Condition not Stated.
		Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.		Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	
SCOTLAND . . .	32,456	29,217	802	1,715	721	1	90·0	2·5	5·3	2·2	0·0
LARGER BURGHES . .	19,382	17,148	589	1,113	531	1	88·5	3·0	5·8	2·7	0·0
OTHER DISTRICTS . .	13,074	12,069	213	602	190	—	92·3	1·6	4·6	1·5	—
Counties.											
Aberdeen	2,268	2,051	52	124	41	—	90·4	2·3	5·5	1·8	—
Argyll	250	220	9	17	4	—	88·0	3·6	6·8	1·6	—
Ayr	1,669	1,541	30	70	28	—	92·3	1·8	4·2	1·7	—
Banff	322	303	3	12	4	—	94·1	0·9	3·7	1·3	—
Berwick	146	140	—	6	—	—	95·9	—	4·1	—	—
Bute	61	54	1	5	1	—	88·6	1·6	8·2	1·6	—
Caithness	151	133	4	11	3	—	88·1	2·6	7·3	2·0	—
Clackmannan	179	168	1	6	4	—	93·8	0·6	3·4	2·2	—
Dumbarton	733	674	9	36	14	—	92·0	1·2	4·9	1·9	—
Dumfries	472	439	6	22	5	—	93·0	1·3	4·7	1·0	—
East Lothian	224	212	2	8	2	—	94·6	0·9	3·6	0·9	—
Fife	1,640	1,499	28	82	31	—	91·4	1·7	5·0	1·9	—
Forfar	1,810	1,629	26	113	42	—	90·0	1·4	6·3	2·3	—
Inverness	391	347	10	31	3	—	88·7	2·6	7·9	0·8	—
Kincardine	189	172	2	12	3	—	91·0	1·1	6·3	1·6	—
Kinross	42	41	—	1	—	—	97·6	—	2·4	—	—
Kirkcudbright	214	191	7	16	—	—	89·2	3·3	7·5	—	—
Lanark	11,767	10,385	377	657	348	—	88·2	3·2	5·6	3·0	—
Midlothian	4,536	4,043	143	246	104	—	89·1	3·2	5·4	2·3	—
Moray	269	247	5	13	4	—	91·8	1·9	4·8	1·5	—
Nairn	44	42	1	1	—	—	95·4	2·3	2·3	—	—
Orkney	120	107	2	6	5	—	89·1	1·7	5·0	4·2	—
Peebles	78	72	1	5	—	—	92·3	1·3	6·4	—	—
Perth	664	609	11	34	10	—	91·7	1·7	5·1	1·5	—
Renfrew	1,743	1,595	28	90	29	1	91·5	1·6	5·2	1·7	0·0
Ross and Cromarty	248	231	2	12	3	—	93·2	0·8	4·8	1·2	—
Roxburgh	228	209	6	11	2	—	91·7	2·6	4·8	0·9	—
Selkirk	125	118	2	4	1	—	94·4	1·6	3·2	0·8	—
Shetland	113	96	—	16	1	—	84·9	—	14·2	0·9	—
Stirling	1,055	980	22	33	20	—	92·9	2·1	3·1	1·9	—
Sutherland	45	43	1	1	—	—	95·6	2·2	2·2	—	—
West Lothian	475	458	6	5	6	—	96·4	1·3	1·0	1·3	—
Wigtown	185	168	5	9	3	—	90·8	2·7	4·9	1·6	—
Larger Burghs.											
Glasgow	8,810	7,665	313	541	291	—	87·0	3·6	6·1	3·3	—
Edinburgh	4,054	3,602	136	221	95	—	88·8	3·4	5·5	2·3	—
Dundee	1,293	1,150	22	91	30	—	89·0	1·7	7·0	2·3	—
Aberdeen	1,522	1,360	40	89	33	—	89·4	2·6	5·8	2·2	—
Paisley	612	563	6	32	10	1	92·0	1·0	5·2	1·6	0·2
Greenock	446	407	9	19	11	—	91·2	2·0	4·3	2·5	—
Motherwell & Wishaw	367	331	11	17	8	—	90·2	3·0	4·6	2·2	—
Clydebank	209	189	4	10	6	—	90·4	1·9	4·8	2·9	—
Coatbridge	236	215	7	11	3	—	91·1	3·0	4·6	1·3	—
Dunfermline	230	208	2	14	6	—	90·4	0·9	6·1	2·6	—
Kirkcaldy	261	238	6	13	4	—	91·2	2·3	5·0	1·5	—
Hamilton	227	204	8	7	8	—	89·9	3·5	3·1	3·5	—
Kilmarnock	235	216	7	8	4	—	91·9	3·0	3·4	1·7	—
Ayr	297	272	4	14	7	—	91·6	1·3	4·7	2·4	—
Falkirk	272	245	7	9	11	—	90·1	2·6	3·3	4·0	—
Perth	311	283	7	17	4	—	91·0	2·2	5·5	1·3	—

TABLE 14.—Method of Signature of Marriage Registers, or Schedules, in Scotland, 1925.

	Total Mar- riages.	NUMBER OF				PERCENTAGE OF			
		MEN.		WOMEN.		MEN.		WOMEN.	
		Signing by Writing.	Sign- ing by Mark	Signing by Writing.	Sign- ing by Mark.	Signing by Writing.	Signing by Mark.	Signing by Writing.	Signing by Mark.
SCOTLAND . . .	32,456	32,377	79	32,357	99	99·8	0·2	99·7	0·3
LARGER BURGHS . . .	19,382	19,326	56	19,312	70	99·7	0·3	99·6	0·4
OTHER DISTRICTS . . .	13,074	13,051	23	13,045	29	99·8	0·2	99·8	0·2
Counties.									
Aberdeen	2,268	2,268	—	2,265	3	100·0	—	99·9	0·1
Argyll	250	250	—	250	—	100·0	—	100·0	—
Ayr	1,669	1,668	1	1,669	—	99·9	0·1	100·0	—
Banff	322	322	—	322	—	100·0	—	100·0	—
Berwick	146	146	—	146	—	100·0	—	100·0	—
Bute	61	61	—	60	1	100·0	—	98·4	1·6
Caithness	151	151	—	150	1	100·0	—	99·3	0·7
Clackmannan	179	179	—	178	1	100·0	—	99·4	0·6
Dumbarton	733	732	1	733	—	99·9	0·1	100·0	—
Dumfries	472	472	—	472	—	100·0	—	100·0	—
East Lothian	224	224	—	224	—	100·0	—	100·0	—
Fife	1,640	1,639	1	1,639	1	99·9	0·1	99·9	0·1
Forfar	1,810	1,805	5	1,801	9	99·7	0·3	99·5	0·5
Inverness	391	391	—	389	2	100·0	—	99·5	0·5
Kincardine	189	189	—	189	—	100·0	—	100·0	—
Kinross	42	42	—	42	—	100·0	—	100·0	—
Kirkcudbright	214	213	1	214	—	99·5	0·5	100·0	—
Lanark	11,767	11,720	47	11,710	57	99·6	0·4	99·5	0·5
Midlothian	4,536	4,531	5	4,527	9	99·9	0·1	99·8	0·2
Moray	269	268	1	268	1	99·6	0·4	99·6	0·4
Nairn	44	44	—	44	—	100·0	—	100·0	—
Orkney	120	120	—	120	—	100·0	—	100·0	—
Peebles	78	78	—	78	—	100·0	—	100·0	—
Perth	664	659	5	659	5	99·2	0·8	99·2	0·8
Renfrew	1,743	1,740	3	1,740	3	99·8	0·2	99·8	0·2
Ross and Cromarty	248	246	2	245	3	99·2	0·8	99·2	0·8
Roxburgh	228	228	—	228	—	100·0	—	100·0	—
Selkirk	125	125	—	125	—	100·0	—	100·0	—
Shetland	113	113	—	113	—	100·0	—	100·0	—
Stirling	1,055	1,051	4	1,053	2	99·6	0·4	99·8	0·2
Sutherland	45	45	—	45	—	100·0	—	100·0	—
West Lothian	475	474	1	474	1	99·8	0·2	99·8	0·2
Wigtown	185	183	2	185	—	98·9	1·1	100·0	—
Larger Burghs.									
Glasgow	8,810	8,774	36	8,768	42	99·6	0·4	99·5	0·5
Edinburgh	4,054	4,050	4	4,045	9	99·9	0·1	99·8	0·2
Dundee	1,293	1,288	5	1,288	5	99·6	0·4	99·6	0·4
Aberdeen	1,522	1,522	—	1,520	2	100·0	—	99·9	0·1
Paisley	612	611	1	611	1	99·8	0·2	99·8	0·2
Greenock	446	445	1	445	1	99·8	0·2	99·8	0·2
Motherwell & Wishaw	367	363	4	364	3	98·9	1·1	99·2	0·8
Clydebank	209	209	—	209	—	100·0	—	100·0	—
Coatbridge	236	236	—	234	2	100·0	—	99·2	0·8
Dunfermline	230	230	—	230	—	100·0	—	100·0	—
Kirkcaldy	261	261	—	261	—	100·0	—	100·0	—
Hamilton	227	225	2	226	1	99·1	0·9	99·6	0·4
Kilmarnock	235	235	—	235	—	100·0	—	100·0	—
Ayr	297	297	—	297	—	100·0	—	100·0	—
Falkirk	272	271	1	272	—	99·6	0·4	100·0	—
Perth	311	309	2	307	4	99·4	0·6	98·7	1·3

TABLE 15.—AGES OF MEN AT MARRIAGE IN SCOTLAND,
1925.

TABLE 15.—AGES of MEN at Marriage in Scotland, 1925.

TABLE 15.—AGES of MEN at Marriage in Scotland, 1925.

	All Ages.	Average Age. 15	Under 15	15-	16-	17-	18-	19-	20-	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80 and over.	Not stated.
SCOTLAND	32,456	29·48	—	4	30	208	589	1,160	9,048	10,565	5,070	2,351	1,298	833	537	350	231	111	55	12	4	—	—
LARGER BURGHS	19,382	29·63	—	2	21	143	386	706	5,326	6,139	3,040	1,418	794	535	340	253	160	74	36	7	2	—	—
OTHER DISTRICTS	13,074	29·19	—	2	9	65	203	454	3,722	4,426	2,030	933	504	298	197	97	71	37	19	5	2	—	—
<i>Counties.</i>																							
Aberdeen . . .	2,268	29·27	—	—	2	9	48	96	677	704	337	161	80	58	35	27	25	5	3	1	—	—	—
Argyll . . .	250	33·54	—	—	—	—	2	3	39	67	46	41	17	14	12	2	2	3	1	—	—	—	—
Ayr . . .	1,669	28·36	—	—	—	14	34	61	525	584	223	96	61	28	18	11	7	4	3	—	—	—	—
Banff . . .	322	29·56	—	—	—	1	4	5	75	125	63	21	13	9	2	1	—	—	3	—	—	—	—
Berwick . . .	146	29·82	—	—	—	—	3	4	29	54	30	11	9	2	3	—	1	—	3	—	—	—	—
Bute . . .	61	33·12	—	—	—	—	1	2	9	18	16	6	1	1	4	—	—	1	2	—	—	—	—
Caithness . . .	151	31·10	—	—	—	—	6	6	42	38	21	14	9	4	4	1	2	3	1	—	—	—	—
Clackmannan . . .	179	28·65	—	—	—	—	2	8	53	67	24	13	5	1	2	1	2	1	—	—	—	—	—
Dumbarton . . .	733	29·02	—	—	—	—	12	18	212	272	107	53	20	15	15	5	2	1	—	—	—	—	—
Dumfries . . .	472	29·58	—	—	—	2	5	16	126	164	76	32	20	14	7	4	3	2	1	—	—	—	—
East Lothian . . .	224	28·30	—	—	—	1	4	10	66	79	35	14	7	4	—	2	2	—	—	—	—	—	—
Fife . . .	1,640	28·09	—	—	1	13	30	74	533	567	200	101	52	24	23	10	9	2	1	—	—	—	—
Forfar . . .	1,810	29·57	—	1	2	12	41	71	507	574	275	129	60	53	28	25	15	13	4	—	—	—	—
Inverness . . .	391	33·68	—	—	1	1	1	4	59	99	86	58	35	18	15	8	3	1	2	—	—	—	—
Kincardine . . .	189	29·28	—	1	—	1	4	5	59	58	31	9	5	9	3	1	2	—	1	—	—	—	—
Kinross . . .	42	28·98	—	—	—	—	2	—	12	19	4	1	—	3	1	—	—	—	—	—	—	—	—
Kirkcudbright . . .	214	30·97	—	—	1	—	1	3	49	78	39	13	11	8	4	1	2	3	—	—	—	—	—
Lanark . . .	11,767	29·37	—	1	16	90	246	479	3,279	3,741	1,837	836	469	307	189	145	75	39	13	4	1	—	—
Midlothian . . .	4,536	30·12	—	1	4	30	67	134	1,194	1,489	731	325	205	125	93	57	40	24	14	2	1	—	—
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)

AGES of MEN at Marriage in Scotland, 1925.

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)
Moray	269	30·35	-	-	-	-	-	4	10	78	82	36	17	18	14	2	3	2	2	1	-	-	-
Nairn	44	30·86	-	-	-	-	-	1	1	9	11	11	6	3	1	1	-	-	-	-	-	1	-
Orkney	120	31·38	-	-	-	1	-	4	-	30	32	23	10	8	6	4	1	1	-	-	-	-	-
Peebles	78	30·27	-	-	-	-	1	2	1	18	28	11	7	4	2	3	1	-	-	-	-	-	-
Perth	664	30·73	-	-	-	-	7	4	16	158	219	108	58	38	22	12	11	8	2	1	-	-	-
Renfrew	1,743	28·77	-	-	-	1	14	32	66	513	583	285	109	51	35	23	11	14	2	1	2	1	-
Ross & Cromarty	248	33·10	-	-	-	-	-	3	1	36	70	58	44	11	8	8	4	4	-	-	1	-	-
Roxburgh	228	30·12	-	-	-	1	3	1	3	53	81	42	21	11	5	3	1	1	2	-	1	-	-
Selkirk	125	30·30	-	-	-	-	-	-	2	30	40	25	15	7	4	1	-	1	-	-	-	-	-
Shetland	113	34·45	-	-	-	-	-	-	-	11	41	23	13	6	8	2	5	3	-	1	-	-	-
Stirling	1,055	28·46	-	-	-	-	6	17	43	342	337	157	68	40	19	15	6	2	1	2	-	-	-
Sutherland	45	33·37	-	-	-	-	-	-	-	8	13	8	7	3	2	2	1	1	-	-	-	-	-
West Lothian	475	27·40	-	-	-	-	2	6	12	155	186	74	25	8	5	1	1	-	-	-	-	-	-
Wigtown	185	30·06	-	-	-	-	-	2	6	62	45	28	17	11	5	2	5	2	-	-	-	-	-
<i>Larger Burghs.</i>																							
Glasgow	8,810	29·89	-	-	1	13	74	188	329	2,339	2,670	1,456	687	382	258	162	135	68	33	12	3	-	-
Edinburgh	4,054	30·30	-	-	-	3	26	61	117	1,059	1,304	661	298	194	116	85	51	40	23	13	2	1	-
Dundee	1,293	29·35	-	-	1	1	10	33	55	379	399	182	95	44	35	20	18	10	7	4	-	-	-
Aberdeen	1,522	29·61	-	-	-	2	8	29	61	437	479	228	110	51	45	25	20	19	4	3	1	-	-
Paisley	612	28·75	-	-	-	-	7	11	27	174	204	102	39	17	11	7	7	4	1	-	-	1	-
Greenock	446	28·48	-	-	-	1	-	12	20	149	135	61	33	12	8	8	2	4	1	-	-	-	-
Motherwell and Wishaw	367	28·24	-	-	-	-	2	7	25	108	137	37	20	14	6	5	4	1	-	-	1	-	-
Clydebank	209	28·06	-	-	-	-	-	1	3	79	76	23	13	4	7	2	1	-	-	-	-	-	-
Coatbridge	236	28·20	-	-	-	-	1	2	7	70	96	32	12	4	8	3	-	1	-	-	-	-	-
Dunfermline	230	28·07	-	-	-	-	2	6	8	81	78	23	13	8	5	2	1	2	-	1	-	-	-
Kirkcaldy	261	28·57	-	-	-	-	1	3	10	74	99	35	18	11	4	3	1	1	1	-	-	-	-
Hamilton	227	28·08	-	-	-	1	2	11	8	61	87	28	13	8	3	2	1	1	-	1	-	-	-
Kilmarnock	235	28·12	-	-	-	-	2	7	7	77	87	30	6	5	5	4	3	1	1	-	-	-	-
Ayr	297	29·22	-	-	-	-	5	8	5	86	97	45	20	15	7	3	1	3	2	-	-	-	-
Falkirk	272	28·75	-	-	-	-	-	5	11	84	85	50	15	9	5	2	4	1	2	-	-	-	-
Perth	311	30·64	-	-	-	-	3	2	13	69	106	47	26	16	12	7	4	4	1	1	-	-	-

TABLE 16.—Ages of WOMEN at Marriage in Scotland, 1925.

TABLE 16.—Ages of WOMEN at Marriage in Scotland, 1925.

	All Ages.	Average age.	Under 15	15-16-	17-	18-	19-	20-	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80 and over.	Not stated.	
SCOTLAND	32,456	26·60	—	5	82,461	121,719	191,212	2,352	10,631	8,619	3,662	1,733	796	480	265	127	69	32	11	2	—	—	
LARGER BURGHS	19,382	26·82	—	3	56,298	75,611	116,666	1,358	6,122	5,110	2,225	1,091	524	309	195	90	49	22	6	2	—	—	
OTHER DISTRICTS	13,074	26·27	—	2	26,163	46,146	74,646	994	4,509	3,509	1,437	642	272	171	70	37	20	10	5	—	—	—	
Counties.																							
Aberdeen	2,268	26·35	—	—	3	48	88	150	175	577	258	114	55	32	21	8	2	2	—	—	—	—	
Argyll	250	29·36	—	—	—	3	5	8	8	86	34	29	10	7	2	2	—	—	1	—	—	—	
Ayr	1,669	25·78	—	—	2	32	57	98	158	437	164	68	34	17	9	5	2	—	—	—	—	—	
Banff	322	26·43	—	—	—	2	9	13	18	87	42	14	3	5	2	—	2	—	—	—	—	—	
Berwick	146	27·47	—	—	—	—	4	5	7	55	22	9	2	3	1	—	1	—	—	—	—	—	
Bute	61	29·17	—	—	—	—	1	—	4	22	6	3	4	1	2	—	1	—	—	—	—	—	
Caithness	151	26·81	—	—	—	—	6	9	53	30	22	6	7	1	1	2	1	1	—	—	—	—	
Clackmannan	179	26·02	—	—	1	3	6	8	65	61	14	7	2	1	—	2	1	—	—	—	—	—	
Dumbarton	733	26·13	—	—	3	11	26	43	261	205	75	28	20	9	4	2	2	—	—	—	—	—	
Dumfries	472	26·63	—	—	6	20	28	24	158	131	56	25	11	9	—	2	2	—	—	—	—	—	
East Lothian	224	25·97	—	—	—	1	7	15	84	66	23	9	2	2	2	7	2	—	—	—	—	—	
Fife	1,640	25·63	—	—	2	28	63	109	599	411	162	64	26	12	10	7	2	1	1	—	—	—	
Forfar	1,810	26·91	—	1	5	18	54	108	611	462	217	87	57	28	17	7	5	4	1	—	—	—	
Inverness	391	28·79	—	—	1	2	12	8	92	100	92	37	15	4	3	1	1	—	—	—	—	—	
Kincardine	189	26·20	—	—	—	3	12	8	66	46	15	10	4	4	2	—	—	—	—	—	—	—	
Kinross	42	26·55	—	—	—	—	3	1	12	16	7	2	—	—	—	—	—	—	—	—	—	—	
Kirkcudbright	214	27·76	—	—	1	2	7	5	64	63	33	15	4	9	1	—	—	—	—	—	—	—	
Lanark	11,767	26·53	—	1	45,196	49,549	74,444	888	3,803	3,018	1,260	656	272	186	99	53	30	15	4	2	—	—	
Midlothian	4,536	27·18	—	2	9,552	14,717	22,323	281	1,479	1,229	534	260	147	81	54	22	12	4	—	—	—	—	
(a)	(b)	(c)	(d)	e	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)

AGES of WOMEN at Marriage in Scotland, 1925.

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)
Moray	269	27·31	-	-	1	1	8	17	22	79	73	32	16	9	7	1	3	-	-	-	-	-	-
Nairn	44	27·11	-	-	-	-	4	3	1	11	12	6	7	-	-	-	-	-	-	-	-	-	-
Orkney	120	27·80	-	-	3	2	7	12	4	34	22	13	9	5	6	1	-	1	1	-	-	-	-
Peebles	78	27·01	-	-	-	-	-	4	4	28	25	10	3	4	-	-	-	-	-	-	-	-	-
Perth	664	27·58	-	-	-	5	15	28	33	196	212	92	41	18	13	6	3	1	1	-	-	-	-
Renfrew	1,743	26·15	-	-	4	21	71	132	126	555	488	192	80	34	21	14	1	3	-	1	-	-	-
Ross & Cromarty	248	28·37	-	-	-	2	4	7	16	61	73	45	28	7	1	2	2	-	-	1	-	-	-
Roxburgh	228	27·73	-	-	-	2	2	9	14	65	84	25	15	3	4	1	2	-	1	1	-	-	-
Selkirk	125	28·19	-	-	-	-	2	2	9	31	46	18	9	5	1	1	1	-	-	-	-	-	-
Shetland	113	30·78	-	-	-	-	-	-	6	25	32	22	13	9	2	2	1	1	-	-	-	-	-
Stirling	1,055	25·50	-	-	2	15	57	73	91	373	263	101	44	20	7	5	1	-	2	1	-	-	-
Sutherland	45	30·39	-	-	-	-	-	-	2	14	12	7	2	3	4	-	1	-	-	-	-	-	-
West Lothian	475	24·67	-	-	-	4	21	33	39	196	130	37	12	1	1	1	1	-	-	-	-	-	-
Wigtown	185	26·47	-	1	-	1	4	12	18	60	45	26	11	3	2	1	-	-	-	-	-	-	-
<i>Larger Burghs.</i>																							
Glasgow	8,810	27·00	-	1	34	149	369	527	602	2,692	2,281	1,029	556	233	149	91	51	28	12	4	2	-	-
Edinburgh	4,054	27·36	-	2	8	46	134	203	238	1,286	1,097	499	241	139	74	50	21	12	4	-	-	-	-
Dundee	1,293	26·74	-	-	4	12	43	85	100	425	326	156	58	45	18	12	4	3	2	-	-	-	-
Aberdeen	1,522	26·46	-	-	-	31	65	94	114	485	403	165	80	42	19	16	5	2	1	-	-	-	-
Paisley	612	26·54	-	-	2	5	21	47	44	185	176	74	27	13	8	7	-	2	-	1	-	-	-
Greenock	446	25·50	-	-	2	8	30	38	40	142	106	44	19	7	6	2	1	1	-	-	-	-	-
Motherwell and Wishaw	367	25·64	-	-	1	6	15	20	33	135	99	29	16	5	4	3	1	-	-	-	-	-	-
Clydebank	209	25·61	-	-	1	4	7	13	13	84	55	13	12	4	1	2	-	-	-	-	-	-	-
Coatbridge	236	24·98	-	-	-	2	9	13	29	88	73	11	4	1	5	-	-	-	1	-	-	-	-
Dunfermline	230	25·53	-	-	-	6	7	18	15	94	48	22	10	6	2	-	-	-	1	-	-	-	-
Kirkcaldy	261	26·16	-	-	-	-	9	20	23	77	75	38	8	4	4	1	2	-	-	-	-	-	-
Hamilton	227	25·14	-	-	2	6	11	20	23	80	48	18	8	6	4	1	-	-	-	-	-	-	-
Kilmarnock	235	26·19	-	-	6	6	7	13	21	71	78	20	7	4	5	2	-	1	-	-	-	-	-
Ayr	297	26·05	-	-	1	12	10	14	21	106	70	35	15	5	3	2	3	-	1	-	-	-	-
Falkirk	272	25·73	-	-	-	4	12	25	24	86	78	21	10	5	3	2	-	-	1	-	-	-	-
Perth	311	27·59	-	-	-	1	7	16	18	86	97	51	20	5	4	4	2	-	-	-	-	-	-

TABLE 17.—Percentage Age Distribution of Persons at Marriage in Scotland in 1925.

AGES.	MEN.			WOMEN.		
	Scotland.	Larger Burghs.	Other Districts.	Scotland.	Larger Burghs.	Other Districts.
15—19 years	2·56	2·85	2·13	11·33	11·76	10·69
20—24	31·45	31·12	31·94	40·00	38·59	42·09
25—29	32·55	31·67	33·85	26·56	26·37	26·84
30—34	15·62	15·68	15·53	11·28	11·48	10·99
35—39	7·24	7·32	7·14	5·34	5·63	4·91
40—44	4·00	4·10	3·86	2·45	2·70	2·08
45—49	2·57	2·76	2·28	1·48	1·59	1·31
50 and above	4·01	4·50	3·27	1·56	1·88	1·09
Not stated	—	—	—	—	—	—
TOTAL	100·00	100·00	100·00	100·00	100·00	100·00

TABLE 18.—Age Distribution of Persons at Marriage in Scotland, 1855–1925.

AGES.	MEN.		WOMEN.	
	Number who married at each Age.	Percentage at each Age to Total Marriages.	Number who married at each Age.	Percentage at each Age to Total Marriages.
15—19 years	54,831	2·73	232,592	11·58
20—24	696,662	34·70	870,093	43·33
25—29	642,626	32·00	517,465	25·77
30—34	285,516	14·22	197,719	9·85
35—39	140,574	7·00	95,831	4·77
40—44	76,986	3·83	47,767	2·38
45—49	47,360	2·36	25,588	1·27
50 and above	62,636	3·12	19,623	0·98
Not stated	823	0·04	1,336	0·07
TOTAL	2,008,014	100·00	2,008,014	100·00

TABLE 19.—AGES in Combination of MEN and WOMEN at Marriage in Scotland, 1925.

		AGES OF WIVES.														Total Husbands.						
		Under 15	15-	16-	17-	18-	19-	20-	21-	25-	30-	35-	40-	45-	50-		55-	60-	65-	70-	75-	Not Stated
Under 16	Under 16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
16-	16-	-	-	5	10	10	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	30
17-	17-	-	-	10	59	148	45	27	38	2	-	-	-	-	-	-	-	-	-	-	-	208
18-	18-	-	1	10	26	178	255	220	102	15	3	-	-	-	-	-	-	-	-	-	-	589
19-	19-	-	-	16	90	627	1,073	1,286	348	46	4	1	-	-	-	-	-	-	-	-	-	1,160
20-	20-	-	2	32	220	153	333	553	4,535	1,130	126	16	1	-	-	-	-	-	-	-	-	9,048
21-	21-	-	-	8	39	178	333	111	4,232	4,275	829	123	19	-	1	-	-	-	-	-	-	10,565
25-	25-	-	-	1	7	30	48	112	1,003	2,115	1,378	325	45	4	2	-	-	-	-	-	-	5,070
30-	30-	-	-	-	2	10	11	27	249	692	717	493	108	35	5	2	-	-	-	-	-	2,351
35-	35-	-	-	-	-	1	7	10	77	219	346	347	219	56	12	2	2	-	-	-	-	1,298
40-	40-	-	-	-	-	-	1	2	30	74	148	228	167	133	44	5	1	-	-	-	-	833
45-	45-	-	-	-	-	-	-	1	12	33	71	108	117	105	69	15	5	-	-	-	-	537
50-	50-	-	-	-	-	-	-	1	2	12	26	59	55	83	61	39	6	4	1	1	-	350
55-	55-	-	-	-	-	-	1	-	2	3	11	20	44	35	*44	31	30	9	1	1	-	231
60-	60-	-	-	-	-	-	-	-	2	2	3	9	15	17	16	23	12	11	3	-	-	111
65-	65-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	12	6	4	1	-	55
70-	70-	-	-	-	-	-	-	-	-	-	-	3	5	9	7	8	12	1	1	1	-	12
75-	75-	-	-	-	-	-	-	-	-	-	-	1	1	2	4	2	-	1	1	-	-	4
80-	80-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
85 and over	85 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	Not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total Wives	Total Wives	-	5	82	461	1,217	1,912	2,352	10,631	8,619	3,662	1,733	796	480	265	127	69	32	11	2	-	32,456

Average age—Husbands, 29·48; Wives, 26·60.

Includes 1 in which the conjugal condition of the male contracting party was not stated in the Marriage Schedule, and is consequently not included in Tables 20 to 23.

The Table read *vertically* shows the number of *Wives* at each age, with the ages of their *Husbands at Marriage*:—Thus, of 1,217 *Wives* aged 18, 1 married a *Husband* aged 16, 10 married *Husbands* aged 17, etc.

Read *horizontally* the Table shows the number of *Husbands* at each age, with the ages of their *Wives* at Marriage:—Thus, of 208 Husbands aged 18, 1 married a Wife aged 15, 10 married Wives aged 16, etc.

TABLE 20.—AGES in Combination of BACHELORS and SPINSTERS at Marriage in Scotland, 1925.

AGES OF SPINSTERS.																			Total Bachelors.	AGES OF BACHELORS.											
Under 15	15	16	17	18	19	20	21	25	30	35	40	45	50	55	60	65	70	75		Not stated.											
16-	17-	18-	19-	20-	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	Not stated.		Total Bachelors and Spinsters.											
4	30	208	588	1,155	8,954	10,259	4,665	1,861	814	390	166	71	33	12	5	1	1	-			29,217										
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-											
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-											
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-											
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-											
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-											
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-											
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-											
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-											
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-											
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-											
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-											
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-											
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-											
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-											
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-											
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-											
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-											
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-											
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-											
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-											
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-											
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-											
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-											
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-											
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-											
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-											
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-											
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-											
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-											
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-											
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-											
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-											
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-											
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-											
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-											
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-											
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-											
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-											
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-											
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-											
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-											
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-											
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-											
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-											
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-											
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-											
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-											
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-											
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-											
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-											
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-											
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-											
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-												

Average age—Husbands, 27·86 ; Wives, 25·35.

TABLE 21.—Ages in Combination of BACHELORS and WIDOWS at Marriage in Scotland, 1925.

AGES OF WIDOWS.													Total Bachelors.	AGES OF BACHELORS.										Total Bachelors and Widows.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
17-	18-	19-	20-	21-	25-	30-	35-	40-	45-	50-	55-	60-		65-	70-	75-																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
16-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Average age—Husbands, 37·14 ; Wives, 37·13.

TABLE 23.—AGES in Combination of WIDOWERS and WIDOWS at Marriage in Scotland, 1925.

AGES OF WIDOWS.															Total Widow- ers.	TotalWidowers and Widows.	
19-	20-	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	Not stated			
18-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
19-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
21-	-	-	-	1	4	3	-	-	-	-	-	-	-	-	-	1	10
25-	-	-	2	10	9	13	1	-	-	-	-	-	-	-	-	38	80
30-	-	-	-	10	16	37	21	11	3	-	-	-	-	-	-	110	126
35-	-	-	2	4	24	32	11	3	1	-	-	-	-	-	-	106	96
40-	-	-	-	4	24	37	34	11	3	2	2	1	1	-	-	83	45
45-	-	-	-	10	16	37	34	11	3	2	2	5	3	-	-	65	70
50-	-	-	-	3	9	15	23	24	2	6	6	5	3	-	-	4	2
55-	-	-	-	1	2	8	15	27	12	3	2	2	4	-	-	2	-
60-	-	-	-	-	4	3	7	17	16	1	1	1	1	-	-	-	-
65-	-	-	-	-	-	2	6	9	11	5	5	3	3	-	-	2	-
70-	-	-	-	-	-	1	1	5	2	1	2	2	4	-	-	-	-
75-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	-	-	-
80-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-
85	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total Widows	-	-	4	35	88	148	137	106	97	47	33	15	11	-	-	721	{

Average age—Husbands, 50·41; Wives, 44·38.

TABLE 24.—Ages at Death in 1926.

Age Groups.	SCOTLAND.			Larger Burghs.	Smaller Burghs.	County Districts.
	Both Sexes.	Males.	Females.	Both Sexes.	Both Sexes.	Both Sexes.
Under 1	8,514	4,924	3,590	4,961	1,357	2,196
1	4,228	2,289	1,939	2,640	654	934
5	1,143	593	550	615	209	319
10	818	436	382	418	121	279
15	2,681	1,294	1,387	1,416	452	813
25	3,005	1,360	1,645	1,671	512	822
35	3,739	1,815	1,924	2,192	624	923
45	5,901	3,134	2,767	3,368	1,028	1,505
55	8,942	4,815	4,127	4,936	1,695	2,311
65	12,099	6,185	5,914	6,089	2,454	3,556
75	9,646	4,122	5,524	4,177	2,184	3,285
85	3,064	1,054	2,010	1,028	715	1,321
Not stated	—	—	—	—	—	—
ALL AGES	63,780	32,021	31,759	33,511	12,005	18,264

TABLE 25.—Death-rate per 1000 in each Age-group in 1926.

Age Groups.	SCOTLAND.			Larger Burghs.	Smaller Burghs.	County Districts.
	Both Sexes.	Males.	Females.	Both Sexes.	Both Sexes.	Both Sexes.
Under 1	75·4	86·3	64·3	89·0	63·4	61·5
1	11·7	12·6	10·9	15·4	9·5	7·7
5	2·4	2·5	2·3	2·7	2·3	2·0
10	1·7	1·8	1·6	1·8	1·3	1·7
15	2·9	2·9	3·0	3·1	2·7	2·9
25	4·2	4·1	4·2	4·5	3·7	3·9
35	5·9	6·1	5·7	6·8	5·0	4·8
45	11·0	12·0	10·1	12·6	9·9	9·2
55	24·6	27·8	21·7	29·0	22·7	19·6
65	58·3	67·3	51·2	69·9	53·1	48·1
75	129·2	146·1	119·0	154·8	124·5	109·7
85	287·9	322·1	272·7	326·1	283·5	267·8
Not stated	—	—	—	—	—	—
ALL AGES	13·0	13·6	12·5	14·0	12·6	11·8

TABLE 26.—Percentage of Deaths in each Age-group in 1926.

Age Groups.	SCOTLAND.			Larger Burghs.	Smaller Burghs.	County Districts.
	Both Sexes.	Males.	Females.	Both Sexes.	Both Sexes.	Both Sexes.
Under 1	13·35	15·38	11·30	14·80	11·30	12·03
1	6·63	7·15	6·11	7·88	5·45	5·12
5	1·79	1·85	1·73	1·84	1·74	1·75
10	1·28	1·36	1·20	1·25	1·01	1·53
15	4·21	4·04	4·37	4·23	3·77	4·45
25	4·71	4·25	5·18	4·99	4·26	4·50
35	5·86	5·67	6·06	6·53	5·20	5·05
45	9·25	9·79	8·71	10·05	8·56	8·24
55	14·02	15·04	13·00	14·73	14·12	12·65
65	18·97	19·31	18·62	18·17	20·44	19·47
75	15·13	12·87	17·39	12·46	18·19	17·98
85	4·80	3·29	6·33	3·07	5·96	7·23
Not stated	—	—	—	—	—	—
ALL AGES	100·00	100·00	100·00	100·00	100·00	100·00

TABLE **27.**—DEATHS, MALE AND FEMALE, AT EACH YEAR OF
AGE, AND BY CONDITION AS TO MARRIAGE, IN SCOT-
LAND, 1926.

TABLE 27.—Deaths, Male and Female, at each year of Age,

M A L E S.											
AGES.	TOTAL.	Single.	Married.	Widowed.	Not Stated.	AGES.	TOTAL.	Single.	Married.	Widowed.	Not Stated.
0 ...	4924	4924	—	—	—	50 ...	329	80	229	18	2
1 ...	1282	1282	—	—	—	51 ...	343	79	229	35	—
2 ...	492	492	—	—	—	52 ...	318	69	213	36	—
3 ...	281	281	—	—	—	53 ...	367	87	244	36	—
4 ...	234	234	—	—	—	54 ...	392	87	267	38	—
5 ...	180	180	—	—	—	55 ...	359	65	249	45	—
6 ...	144	144	—	—	—	56 ...	420	90	275	54	1
7 ...	114	114	—	—	—	57 ...	413	80	289	43	1
8 ...	89	89	—	—	—	58 ...	444	83	305	56	—
9 ...	66	66	—	—	—	59 ...	475	86	316	73	—
10 ...	97	97	—	—	—	60 ...	484	110	301	73	—
11 ...	74	74	—	—	—	61 ...	484	69	331	84	—
12 ...	78	78	—	—	—	62 ...	567	115	353	99	—
13 ...	79	79	—	—	—	63 ...	609	97	387	124	1
14 ...	108	108	—	—	—	64 ...	560	92	365	102	1
15 ...	91	91	—	—	—	65 ...	585	92	363	129	1
16 ...	118	118	—	—	—	66 ...	546	93	313	140	—
17 ...	126	126	—	—	—	67 ...	564	90	327	146	1
18 ...	138	137	1	—	—	68 ...	627	102	350	175	—
19 ...	136	136	—	—	—	69 ...	594	88	325	181	—
20 ...	133	129	4	—	—	70 ...	672	98	350	224	—
21 ...	159	149	10	—	—	71 ...	682	97	367	218	—
22 ...	134	121	13	—	—	72 ...	644	98	316	230	—
23 ...	146	125	20	1	—	73 ...	631	95	304	232	—
24 ...	113	98	15	—	—	74 ...	640	81	301	258	—
25 ...	149	115	34	—	—	75 ...	597	68	248	281	—
26 ...	149	103	45	1	—	76 ...	531	59	253	216	3
27 ...	153	93	59	1	—	77 ...	483	51	194	238	—
28 ...	99	59	40	—	—	78 ...	485	53	192	240	—
29 ...	136	69	66	1	—	79 ...	426	33	167	226	—
30 ...	112	61	47	3	1	80 ...	387	36	136	215	—
31 ...	138	61	73	4	—	81 ...	320	31	100	189	—
32 ...	141	44	92	5	—	82 ...	335	21	106	208	—
33 ...	144	55	88	1	—	83 ...	304	30	101	173	—
34 ...	139	47	90	2	—	84 ...	254	18	85	151	—
35 ...	146	55	84	7	—	85 ...	243	24	58	161	—
36 ...	164	52	108	4	—	86 ...	230	21	55	154	—
37 ...	150	46	99	5	—	87 ...	156	15	39	102	—
38 ...	184	53	129	2	—	88 ...	120	7	24	89	—
39 ...	199	58	136	5	—	89 ...	86	7	17	62	—
40 ...	185	55	126	4	—	90 ...	66	4	15	47	—
41 ...	188	50	132	6	—	91 ...	42	1	6	35	—
42 ...	192	55	122	15	—	92 ...	37	2	7	28	—
43 ...	205	55	140	10	—	93 ...	25	—	5	20	—
44 ...	202	71	119	12	—	94 ...	17	1	6	10	—
45 ...	250	68	171	8	3	95 ...	11	—	1	10	—
46 ...	272	82	180	10	—	96 ...	10	1	—	9	—
47 ...	284	81	187	16	—	97 ...	6	1	1	4	—
48 ...	267	68	186	13	—	98 ...	2	—	1	1	—
49 ...	312	82	210	20	—	99 ...	1	—	—	1	—
						100 and over	2	—	1	1	—
						Not Stated	—	—	—	—	—
						All Males	32,021	13,817	12,313	5,876	15

and by Condition as to Marriage, in Scotland, 1926.

F E M A L E S.											
AGES.	TOTAL.	Single.	Married.	Widowed.	Not Stated.	AGES.	TOTAL.	Single.	Married.	Widowed.	Not Stated.
0 ...	3590	3590	-	-	-	50 ...	275	63	179	33	-
1 ...	1022	1022	-	-	-	51 ...	268	68	155	45	-
2 ...	438	438	-	-	-	52 ...	311	70	192	49	-
3 ...	259	259	-	-	-	53 ...	313	70	198	45	-
4 ...	220	220	-	-	-	54 ...	329	58	221	50	-
5 ...	181	181	-	-	-	55 ...	340	73	204	63	-
6 ...	138	138	-	-	-	56 ...	400	88	230	82	-
7 ...	98	98	-	-	-	57 ...	390	85	227	78	-
8 ...	73	73	-	-	-	58 ...	368	69	213	86	-
9 ...	60	60	-	-	-	59 ...	377	75	203	99	-
10 ...	70	70	-	-	-	60 ...	427	77	239	111	-
11 ...	80	80	-	-	-	61 ...	390	69	199	122	-
12 ...	57	57	-	-	-	62 ...	472	95	223	154	-
13 ...	84	84	-	-	-	63 ...	475	84	221	169	1
14 ...	91	91	-	-	-	64 ...	488	96	225	167	-
15 ...	97	97	-	-	-	65 ...	533	100	209	224	-
16 ...	108	107	1	-	-	66 ...	526	98	247	181	-
17 ...	112	111	1	-	-	67 ...	496	109	187	200	-
18 ...	143	141	2	-	-	68 ...	549	105	190	254	-
19 ...	145	127	18	-	-	69 ...	577	126	183	268	-
20 ...	144	120	24	-	-	70 ...	628	113	203	312	-
21 ...	141	109	31	1	-	71 ...	608	128	174	306	-
22 ...	168	115	51	2	-	72 ...	653	141	178	334	-
23 ...	169	110	59	-	-	73 ...	681	129	167	385	-
24 ...	160	95	65	-	-	74 ...	663	115	148	400	-
25 ...	175	101	73	1	-	75 ...	696	165	118	413	-
26 ...	156	58	97	1	-	76 ...	694	127	112	455	-
27 ...	153	58	93	2	-	77 ...	644	108	103	433	-
28 ...	164	56	107	1	-	78 ...	564	109	65	390	-
29 ...	167	61	104	2	-	79 ...	550	118	65	367	-
30 ...	150	48	101	-	1	80 ...	538	107	42	389	-
31 ...	156	49	101	6	-	81 ...	476	86	43	347	-
32 ...	175	48	122	5	-	82 ...	476	92	47	337	-
33 ...	175	49	120	6	-	83 ...	459	101	36	322	-
34 ...	174	40	129	5	-	84 ...	427	83	30	314	-
35 ...	167	38	120	9	-	85 ...	412	92	20	300	-
36 ...	175	40	125	10	-	86 ...	374	72	22	280	-
37 ...	183	38	132	13	-	87 ...	273	64	7	202	-
38 ...	187	38	142	7	-	88 ...	242	48	7	187	-
39 ...	187	40	133	14	-	89 ...	166	35	7	124	-
40 ...	194	43	133	18	-	90 ...	156	36	3	117	-
41 ...	199	45	138	16	-	91 ...	89	14	4	71	-
42 ...	209	59	137	13	-	92 ...	77	16	6	55	-
43 ...	194	42	128	24	-	93 ...	71	16	2	53	-
44 ...	229	55	153	21	-	94 ...	50	8	1	41	-
45 ...	228	52	157	19	-	95 ...	37	9	-	28	-
46 ...	229	62	139	27	1	96 ...	23	4	-	19	-
47 ...	270	73	164	33	-	97 ...	9	1	-	8	-
48 ...	272	63	179	30	-	98 ...	11	2	-	9	-
49 ...	272	66	171	35	-	99 ...	6	1	-	5	-
						100 and over	14	5	-	9	-
						Not stated	-	-	-	-	-
						All Females	31,759	12,738	9,205	9,813	3

TABLE 28.—Deaths at various Age-periods in the Larger Burghs in 1926.

AGE.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Motherwell & Wishaw.	Clydebank.	Coatbridge.	Dun- fermline.	Kirkcaldy.	Hamilton.	Kilmarnock.	Ayr.	Falkirk.	Perth.
Under 1 Year	2548	632	382	328	220	176	122	64	112	49	47	96	48	49	52	36
1—	1485	271	157	105	112	131	79	27	60	23	29	60	29	22	30	20
5—	294	80	47	38	16	25	13	18	22	12	4	7	7	7	17	8
10—	202	61	27	27	8	21	13	11	9	5	7	7	4	7	6	3
15—	692	222	89	75	47	65	30	26	31	21	30	20	22	20	13	13
25—	791	296	99	84	56	68	39	36	28	18	26	28	31	30	19	22
35—	1124	365	152	114	68	66	46	51	39	22	21	29	23	27	26	19
45—	1678	555	224	173	126	111	78	62	62	36	39	53	49	40	49	33
55—	2360	831	364	292	189	145	125	68	83	66	68	67	60	69	68	81
65—	2582	1211	517	383	209	166	144	75	105	92	131	77	107	99	90	101
75—	1632	914	357	387	138	128	76	47	46	59	91	50	67	64	44	77
85—	343	272	99	108	35	19	13	10	9	20	27	10	11	18	10	24
Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
All Ages	15731	5710	2514	2114	1224	1121	778	495	606	423	520	504	458	452	424	437

TABLE 29.—Death-rates per 1000 of Population in the Larger Burghs at various Age-periods in 1926.

AGE.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Motherwell & Wishaw.	Clydebank.	Coatbridge.	Dun- fermline.	Kirkcaldy.	Hamilton.	Kilmarnock.	Ayr.	Falkirk.	Perth.
Under 1 Year	101·3	76·7	95·5	88·7	113·2	81·9	65·2	53·0	88·0	56·3	49·5	84·5	54·6	59·6	64·4	60·8
1—	19·2	11·0	14·5	10·0	17·3	18·2	12·1	6·8	14·4	7·7	10·5	16·5	10·6	8·5	12·0	10·7
5—	2·9	2·2	3·1	2·6	1·9	2·9	1·6	3·5	4·6	3·3	1·0	1·5	2·0	1·9	4·9	2·9
10—	2·0	1·6	1·6	1·7	1·0	2·6	1·6	2·1	1·8	1·5	1·7	1·5	1·1	1·9	1·6	1·0
15—	3·5	2·8	2·8	2·4	2·8	4·2	2·2	2·9	3·6	3·1	3·9	2·5	3·1	2·7	2·0	2·2
25—	4·8	4·6	4·0	3·6	4·1	5·4	3·8	4·9	4·4	2·6	4·3	4·8	5·5	5·3	3·9	4·4
35—	7·9	6·1	6·9	5·8	6·1	6·3	5·1	8·3	7·2	3·9	3·9	6·0	5·0	5·5	5·8	4·1
45—	14·4	10·7	11·0	9·9	13·9	13·4	11·3	12·9	13·7	8·9	8·3	13·8	12·4	10·1	13·0	8·2
55—	33·1	24·2	26·1	25·0	30·7	28·9	31·9	27·1	30·0	26·5	22·3	30·3	23·0	25·7	27·5	28·2
65—	76·8	63·6	67·7	56·4	67·0	62·3	83·6	76·5	83·7	70·6	71·4	70·1	73·5	63·7	76·9	60·9
75—	174·7	142·2	144·9	149·2	146·5	148·1	166·7	203·5	136·1	128·0	150·7	167·8	159·5	122·6	137·9	126·2
85 and over—	339·3	337·5	352·3	324·3	339·8	202·1	206·3	555·6	310·3	307·7	380·3	312·5	261·9	346·2	270·3	230·8
All Ages	15·1	13·5	14·8	13·4	14·2	13·7	11·0	10·6	13·6	11·0	12·7	12·6	12·5	12·1	12·4	13·2

Causes of Death.	NUMBERS AGED												DEATH-RATE PER 100,000 AT AGES												
	All Ages.	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over	All Ages.	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over	
Enteric Fever	39	1	1	1	10	8	6	7	4	-	1	-	1	-	0	0	1	1	1	1	1	-	1	-	
Typhus Fever	3	-	-	-	1	-	-	2	-	-	-	-	0	-	-	-	-	-	-	-	-	-	-	-	
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles	928	633	32	7	1	3	3	2	2	-	-	-	19	175	7	1	4	0	0	0	1	-	-	-	
Scarlet Fever	343	20	86	21	19	9	9	2	-	-	-	-	7	18	49	18	4	2	1	0	-	-	-	-	
Whooping-cough	506	242	250	11	2	-	-	-	-	-	1	-	10	213	69	2	0	1	1	0	-	-	1	-	
Diphtheria	490	48	134	15	10	4	-	3	1	-	-	-	10	43	76	28	3	1	-	1	0	0	-	-	
Influenza	1421	76	59	19	12	68	148	161	230	293	217	73	29	67	16	4	2	7	23	30	63	141	291	686	
Encephalitis Lethargica	169	5	11	3	7	25	23	36	25	14	2	-	3	4	3	1	1	3	4	7	7	7	3	-	
Cerebro-spinal Meningitis	108	37	37	11	5	10	1	4	3	-	-	-	2	33	10	2	1	1	0	1	1	-	-	-	
Other Epidemic Diseases	225	38	26	4	16	11	14	25	35	33	16	3	5	34	7	1	1	2	2	5	10	16	21	28	
Tuberculosis of Respiratory System	3384	15	57	35	110	836	584	488	306	119	15	-	69	13	16	7	22	91	92	91	84	57	20	-	
Tuberculous Meningitis	496	104	239	59	39	32	11	3	7	1	1	-	10	92	66	12	8	4	2	0	1	0	-	-	
Tuberculosis of Intestines and Peritoneum	367	36	112	44	29	52	34	20	8	6	1	-	7	32	31	9	6	6	3	5	4	2	3	-	
Other Tuberculous Disease	614	30	99	43	48	130	57	48	39	28	7	-	13	27	27	9	10	14	9	10	13	9	9	-	
Malignant Tumours	6640	3	13	1	8	30	121	398	1129	1830	2035	927	136	3	4	0	2	3	17	63	211	504	1242	1362	
Rheumatic Fever	219	1	5	21	39	57	21	25	22	14	4	-	4	1	1	4	8	6	3	4	4	5	5	-	
Meningitis (not Cerebro-spinal or Tuberculous)	460	168	139	35	17	41	16	22	7	6	1	-	9	149	39	7	3	5	1	3	4	2	3	1	-
Apoplexy	5906	4	4	2	3	19	94	441	1168	2110	1644	386	121	4	1	0	1	2	4	15	82	322	1017	3626	
Heart Disease	7410	14	14	38	58	152	346	761	1426	2288	1688	379	151	12	4	8	12	17	34	55	142	393	1103	3561	
Diseases of Arteries	844	-	-	-	-	1	15	56	124	223	331	94	17	-	-	-	-	-	0	2	10	34	107	443	883
Bronchitis	3586	416	119	10	2	30	93	215	559	1002	849	257	73	369	33	-	0	3	5	15	40	154	483	1137	2415
Pneumonia (all forms)	5262	1278	1050	117	67	167	335	406	481	590	422	111	107	1132	291	24	14	18	33	53	76	132	284	565	1043
Other Diseases of Respiratory System	858	93	59	14	7	26	34	95	115	150	171	47	18	82	17	3	1	3	5	7	18	32	72	229	442
Diarrhoea and Enteritis (under 2 years)	798	677	121	-	-	-	-	-	-	-	-	-	16	600	34	-	-	-	-	-	-	-	-	-	-
Appendicitis	483	1	28	68	51	98	61	60	40	31	7	1	10	1	8	14	10	9	6	11	11	15	9	9	
All Diseases of Liver (not Malignant)	577	4	8	2	2	11	18	104	158	149	64	11	12	4	2	0	0	1	3	7	19	44	72	86	103
Nephritis, Acute and Chronic	1834	16	28	21	19	80	98	140	317	450	178	19	37	14	8	4	4	9	14	22	59	129	217	238	179
Puerperal Sepsis	173	-	-	-	-	52	79	42	-	-	-	-	4	-	-	-	-	6	11	7	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	483	-	-	-	-	82	239	159	3	-	-	-	10	-	-	-	-	9	33	25	1	-	-	-	-
Diseases of Early Infancy, and Malformations	3951	3903	24	10	7	6	1	-	-	-	-	-	81	3457	7	2	1	1	0	-	-	-	-	-	-
Suicide	424	-	-	1	27	59	93	99	87	48	9	1	9	-	-	-	0	3	8	15	18	24	23	12	9
Other Violent Deaths	2233	128	255	155	109	270	203	237	226	200	177	68	46	113	71	32	22	30	32	44	62	96	237	639	
Other Defined Diseases	11423	835	340	158	121	318	425	722	1011	1334	2010	2723	233	740	94	33	25	35	114	189	367	969	3648	13397	
Causes Ill-defined or Unknown	1123	77	46	9	7	11	24	44	118	251	302	191	23	68	13	2	1	1	3	7	22	69	146	256	404
ALL CAUSES	63780	8514	4228	1143	818	2681	3005	3739	5901	8942	12099	3064	1303	7542	1171	239	166	295	419	589	1101	2463	5831	12923	28786

TABLE 31.—Deaths and Death-rates—MALES—from Selected Causes in each Age-group, 1926.

Causes of Death.	NUMBERS AGED										DEATH-RATE PER 100,000 AT AGES														
	All Ages.	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over	All Ages.	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over	
Enteric Fever	20	-	-	-	5	5	3	4	2	-	1	-	1	-	-	-	1	2	1	2	1	-	4	-	
Typhus Fever	1	-	-	-	-	-	-	1	-	-	-	-	0	-	-	-	-	0	-	0	-	-	-	-	
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles	488	329	18	3	-	-	-	-	-	-	-	-	21	181	7	-	1	0	0	-	-	-	-	-	
Scarlet Fever	168	95	33	9	13	3	4	1	-	-	-	-	7	52	14	-	4	1	1	-	-	-	-	-	
Whooping-cough	239	113	5	1	-	-	-	-	-	-	-	-	10	62	2	-	0	-	-	-	-	-	-	-	
Diphtheria	249	28	141	68	7	1	-	-	-	-	-	-	11	49	28	-	3	0	-	-	-	-	-	-	
Influenza	713	47	32	14	10	38	73	94	118	141	89	26	30	82	18	6	4	9	0	0	36	153	315	795	
Encephalitis Lethargica	89	3	5	1	4	13	6	16	18	9	-	-	4	5	3	0	2	3	2	5	6	10	-	-	
Cerebro-spinal Meningitis	59	23	17	5	4	5	-	3	2	-	-	-	3	40	9	2	2	1	-	1	1	-	-	-	
Other Epidemic Diseases	119	20	13	4	3	9	11	12	20	15	6	1	5	35	7	2	1	2	4	5	12	16	21	31	
Tuberculosis of Respiratory System	1737	8	26	20	37	321	405	311	212	75	10	-	74	14	8	15	72	123	105	119	123	82	35	-	
Tuberculous Meningitis	271	62	124	21	18	3	3	4	-	1	-	-	12	109	68	15	8	4	1	2	-	1	-	-	
Tuberculosis of Intestines and Peritoneum	183	18	70	22	13	21	17	10	1	1	1	-	8	32	9	5	5	3	6	4	1	1	4	-	
Other Tuberculous Disease	299	14	57	21	25	65	32	18	18	10	2	-	13	25	31	9	10	15	11	7	10	11	7	-	
Malignant Tumours	2983	2	7	6	19	58	133	462	865	996	390	45	127	4	4	-	2	4	18	45	176	500	1083	1375	
Rheumatic Fever	94	1	2	10	23	19	4	12	10	5	2	-	4	2	1	4	9	4	1	4	4	3	7	-	
Meningitis (not Cerebro-spinal or Tuberculous)	259	93	81	17	8	21	4	15	5	4	1	-	11	163	44	7	3	5	1	3	6	3	4	-	
Apoplexy	2716	2	2	2	1	11	14	39	195	586	1030	710	115	4	1	1	0	2	4	13	74	339	1120	2516	
Heart Disease	3549	8	9	10	29	93	158	379	787	1168	715	137	151	14	5	4	12	13	28	53	145	455	1271	2533	
Diseases of Arteries	488	-	-	-	-	-	12	45	89	140	167	35	21	-	-	-	-	-	-	4	17	51	152	592	
Bronchitis	1782	248	65	4	16	16	59	129	319	521	332	73	76	434	36	2	-	4	5	20	49	184	567	1176	
Pneumonia (all forms)	2990	743	595	67	43	107	144	266	300	312	165	42	127	1302	327	28	17	24	44	69	101	173	339	585	
Other Diseases of Respiratory System	424	52	34	6	2	15	20	59	63	75	67	16	18	91	19	3	1	3	5	7	23	36	82	237	
Diarrhoea and Enteritis (under 2 years)	447	374	73	-	-	-	-	-	-	-	-	-	19	655	40	-	-	-	-	-	-	-	-	-	
Appendicitis	259	1	12	34	26	36	19	31	23	17	4	1	11	2	7	14	11	12	11	6	12	13	18	14	
All Diseases of Liver (not Malignant)	220	2	3	1	6	9	15	38	66	65	14	1	9	4	2	-	0	1	3	5	14	38	71	50	
Nephritis, Acute and Chronic	924	11	11	9	39	47	59	154	243	241	87	12	39	19	6	5	4	9	14	20	59	141	262	308	
Puerperal Sepsis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diseases of Early Infancy, and Malformations	2310	2277	17	6	5	1	-	-	-	-	-	-	98	3989	9	2	2	1	0	-	-	-	-	-	
Suicide	285	-	-	-	14	40	59	70	60	34	7	1	12	-	-	-	-	3	12	20	27	35	37	25	
Other Violent Deaths	1506	73	149	97	80	220	160	191	159	121	67	17	64	128	82	40	32	50	49	58	73	92	132	237	
Other Defined Diseases	5491	501	180	79	62	173	198	534	695	1037	1176	510	233	878	99	33	25	39	60	116	204	402	1128	4167	
Causes Ill-defined or Unknown	659	47	27	4	9	15	26	81	159	165	109	13	28	82	15	2	2	2	5	9	31	92	179	386	
ALL CAUSES	32021	4924	2289	593	436	1294	1360	3134	4815	6185	4122	1054	1360	8626	1256	246	176	292	414	611	1196	2784	6728	14606	32213

TABLE 32.—Deaths and Death-rates—FEMALES—from Selected Causes in each Age-Group, 1926.

Causes of Death.	NUMBERS AGED													DEATH-RATE PER 100,000 AT AGES												
	All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over	All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over
Enteric Fever	19	-	1	1	1	5	3	3	3	2	-	-	-	1	-	1	0	0	1	1	1	1	1	-	-	-
Typhus Fever	2	-	-	-	-	1	-	1	1	-	-	-	-	0	-	-	-	-	-	-	0	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	440	109	304	14	4	1	2	2	2	2	-	-	-	17	195	170	6	2	0	1	1	1	1	-	-	-
Scarlet Fever	175	10	82	53	12	6	6	5	1	-	-	-	-	7	18	46	22	5	1	2	1	0	-	-	-	-
Whooping-cough	267	122	137	6	1	-	-	-	-	-	-	1	-	11	219	77	3	0	-	-	-	-	-	-	-	-
Diphtheria	241	20	133	66	8	8	3	75	67	112	152	128	47	9	36	74	28	3	2	1	1	1	1	-	2	-
Influenza	708	29	27	5	2	30	34	12	9	20	7	5	2	28	52	15	2	1	6	9	22	24	59	132	276	638
Encephalitis Lethargica	80	2	6	2	3	12	12	9	20	7	5	2	-	3	4	3	1	1	3	3	3	7	4	4	-	-
Cerebro-spinal Meningitis	49	14	20	6	1	5	-	1	1	1	-	-	-	2	25	11	3	0	1	-	0	0	1	-	-	-
Other Epidemic Diseases	106	18	13	-	1	7	6	3	13	15	18	10	2	4	32	7	-	0	2	2	1	5	8	16	22	27
Tuberculosis of Respiratory System	1647	7	31	15	73	509	420	272	177	94	44	5	-	65	13	17	6	30	109	108	81	65	49	38	11	-
Tuberculous Meningitis-	225	42	115	24	18	14	8	-	3	1	-	-	-	9	75	64	10	7	3	2	-	1	1	-	-	-
Tuberculosis of Intestines and Peritoneum	184	18	42	22	16	31	16	17	10	7	5	-	-	7	32	24	9	7	7	4	5	4	4	-	-	-
Other Tuberculous Disease	315	16	42	22	23	65	48	25	30	21	18	5	-	12	29	24	9	9	14	12	7	11	11	16	11	-
Malignant Tumours	3657	1	6	1	2	11	63	265	667	965	1039	537	100	144	2	3	0	1	2	16	78	243	508	899	1157	1356
Rheumatic Fever	125	-	3	11	16	38	17	13	12	9	4	2	-	5	-	2	5	7	8	4	4	4	5	3	4	-
Meningitis (not Cerebro-Spinal or Tuberculous)	201	75	58	18	9	20	4	6	7	2	2	-	-	8	134	32	8	4	4	1	2	3	1	2	-	-
Apoplexy	3190	2	2	-	2	8	17	55	246	582	1080	934	262	125	4	1	-	1	2	4	16	90	306	934	2012	3554
Heart Disease	3861	6	6	28	29	96	153	188	382	639	1120	973	242	152	11	3	12	12	21	39	56	139	336	969	2096	3283
Diseases of Arteries	356	-	-	-	-	-	1	3	11	35	83	164	59	14	-	-	-	-	-	0	1	4	18	72	353	800
Bronchitis	1804	168	54	6	2	14	18	34	86	240	481	517	184	71	301	30	3	1	3	5	10	31	126	416	1114	2496
Pneumonia (all forms)	2272	535	455	50	24	60	94	129	140	181	278	257	69	89	959	255	21	10	13	24	38	51	95	241	554	936
Other diseases of Respiratory System	434	41	25	8	5	11	19	27	36	52	75	104	31	17	73	14	3	2	2	5	8	13	27	65	224	421
Diarrhoea and Enteritis (under 2 years)	351	303	48	-	-	-	-	-	-	-	-	-	-	14	543	27	-	-	-	-	-	-	-	-	-	-
Appendicitis	224	-	16	34	25	43	25	18	29	17	14	3	-	9	-	9	14	10	9	6	5	11	9	12	6	-
All Diseases of Liver (not Malignant)	357	2	5	2	1	5	9	31	66	92	84	50	10	14	4	3	1	0	1	2	9	24	48	73	108	136
Nephritis, Acute and Chronic	910	5	17	10	10	41	51	81	163	225	209	91	7	36	9	10	4	4	9	13	24	59	118	181	196	95
Puerperal Sepsis	173	-	-	-	-	52	79	42	-	-	-	-	-	7	-	-	-	-	11	20	12	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	483	-	-	-	-	82	239	159	3	-	-	-	-	19	-	-	-	-	18	62	47	1	-	-	-	-
Diseases of Early Infancy, and Malformations	1641	1626	7	4	2	2	-	-	-	-	-	-	-	65	2914	4	2	1	0	-	-	-	-	-	-	-
Suicide	139	-	-	-	1	13	19	34	29	27	14	2	-	5	-	-	-	0	3	5	10	11	14	12	4	-
Other Violent Deaths	727	55	106	58	29	50	43	33	46	67	79	110	51	29	99	59	24	12	11	11	10	17	35	68	237	692
Other Defined Diseases	5932	334	160	79	59	145	227	376	477	639	973	1547	916	233	599	90	33	24	31	59	111	174	336	842	3332	12425
Causes Ill-defined or Unknown	464	30	19	5	3	2	9	18	37	92	137	82	30	18	54	11	2	1	0	2	5	14	48	119	177	407
ALL CAUSES	31759	3590	1939	550	382	1387	1645	1924	2767	4127	5914	5524	2010	1249	6433	1085	231	156	297	424	570	1010	2171	5117	11900	27265

TABLE 34.—Deaths and Death-rates from Selected Causes in Scotland and its Groups of Districts, in 1926.

Causes of Death.	NUMBERS.			DEATH-RATES PER 100,000 OF POPULATION.				
	SCOTLAND.			County Districts	Smaller Burghs.	Larger Burghs.	Smaller Burghs.	County Districts
	SCOTLAND.		Females.					
	Both Sexes.	Males.						
Enteric Fever - - - - -	39	20	19	11	4	24	1	1
Typhus Fever - - - - -	3	1	2	-	2	1	0	0
Small-pox - - - - -	-	-	-	-	-	-	-	-
Measles - - - - -	928	488	440	170	101	657	27	11
Scarlet Fever - - - - -	343	168	175	98	47	198	8	6
Whooping-cough - - - - -	506	239	267	117	97	292	10	8
Diphtheria - - - - -	490	249	241	112	72	306	13	7
Influenza - - - - -	1,421	713	708	423	275	723	30	27
Encephalitis Lethargica - - - - -	169	89	80	51	31	87	4	3
Cerebro-spinal Meningitis - - - - -	108	59	49	23	11	74	3	1
Other Epidemic Diseases - - - - -	225	119	106	63	32	130	5	4
Tuberculosis of Respiratory System - - - - -	3,384	1,737	1,647	870	546	1,968	82	56
Tuberculous Meningitis - - - - -	496	271	225	127	86	283	12	8
Tuberc. of Intestines and Peritoneum - - - - -	367	183	184	119	56	192	8	6
Other Tuberculous Disease - - - - -	614	299	315	173	140	301	13	11
Malignant Tumours - - - - -	6,640	2,983	3,657	1,883	1,378	3,379	141	21
Rheumatic Fever - - - - -	219	94	125	78	37	104	4	5
Meningitis (not Cer. Spin. or Tuberc.) - - - - -	460	259	201	123	94	238	10	8
Apoplexy - - - - -	5,906	2,716	3,190	1,708	1,298	2,900	121	110
Heart Disease - - - - -	7,410	3,549	3,861	2,290	1,466	3,654	151	147
Diseases of Arteries - - - - -	844	488	356	214	168	462	21	14
Bronchitis - - - - -	3,586	1,782	1,804	964	605	2,017	76	62
Pneumonia (all forms) - - - - -	5,262	2,990	2,272	1,056	733	3,473	127	68
Other Diseases of Respiratory System - - - - -	858	424	434	266	194	398	17	17
Diarrhoea and Enteritis (under 2 years) - - - - -	798	447	351	173	100	525	13	11
Appendicitis - - - - -	483	259	224	154	100	229	11	10
All Diseases of Liver (not Malignant) - - - - -	577	230	357	146	125	306	9	9
Nephritis, Acute and Chronic - - - - -	1,834	924	910	500	377	957	36	32
Puerperal Sepsis - - - - -	173	-	173	45	21	107	4	3
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	483	-	483	136	90	257	11	9
Dis. of Early Infancy and Malformations - - - - -	3,951	2,310	1,641	1,148	695	2,108	88	74
Suicide - - - - -	424	285	139	104	60	260	6	7
Other Violent Deaths - - - - -	2,233	1,506	727	731	396	1,106	46	47
Other Defined Diseases - - - - -	11,423	5,491	5,932	3,810	2,367	5,246	219	245
Causes Ill-defined or Unknown - - - - -	1,123	659	464	373	201	549	23	24
ALL CAUSES - - - - -	63,780	32,021	31,759	18,264	12,005	33,511	1303	1175

TABLE 35.—Deaths from Selected Causes in the Larger Burghs, 1926.

Causes of Death.	All Larger Burghs.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Motherswell & Wishaw.	Clydebank.	Coatbridge.	Dunfermline.	Kirkcaldy.	Hamilton.	Kilmarnock.	Ayr.	Falkirk.	Perth.
Enteric Fever	24	14	5	1	—	—	—	2	—	—	—	—	—	1	—	1	—
Typhus Fever	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	657	435	42	1	20	37	38	15	1	21	1	1	25	7	7	3	3
Scarlet Fever	198	90	36	28	7	13	—	3	3	6	2	—	2	5	—	1	2
Whooping-cough	292	182	17	4	15	34	1	9	—	1	1	9	9	—	1	2	4
Diphtheria	306	134	43	66	20	5	11	5	—	3	4	1	—	—	2	10	2
Influenza	723	384	116	36	32	23	38	12	7	14	5	7	20	6	4	7	12
Encephalitis Lethargica	87	43	23	3	1	2	2	2	—	2	3	1	3	—	—	1	1
Cerebro-spinal Meningitis	74	41	18	5	2	2	—	1	1	—	1	—	—	—	—	1	—
Other Epidemic Diseases	130	73	24	5	5	1	2	3	1	4	—	3	4	—	1	—	4
Tuberculosis of Respiratory System	1,968	943	356	138	116	64	80	37	37	30	22	23	28	23	25	33	13
Tuberculous Meningitis	283	136	49	19	32	7	5	7	6	5	4	2	5	2	2	2	—
Tuberc. of Intestines and Peritoneum	192	71	32	14	16	9	10	4	3	5	3	5	6	6	2	4	2
Other Tuberculous Disease	301	150	45	19	16	9	13	6	4	7	5	7	3	3	3	8	3
Malignant Tumours	3,379	1,490	653	272	217	145	95	78	54	55	36	54	44	48	50	32	56
Rheumatic Fever	104	37	19	6	10	3	6	2	3	4	2	2	2	5	2	1	—
Meningitis (not Cer. Spin. or Tuberc.)	238	113	28	10	11	5	26	3	9	10	1	2	4	4	5	4	3
Apoplexy	2,900	1,202	606	221	214	73	88	52	46	36	39	80	42	70	48	32	51
Heart Disease	3,654	1,522	794	298	255	132	105	75	51	55	59	59	38	50	63	53	45
Diseases of Arteries	462	147	113	46	61	12	15	7	4	1	6	6	6	10	3	7	18
Bronchitis	2,017	1,044	300	146	88	64	65	77	8	32	29	28	23	24	26	27	36
Pneumonia (all forms)	3,473	2,040	398	219	126	135	122	74	47	83	31	25	61	44	26	22	20
Other Diseases of Respiratory System	398	176	83	36	27	8	17	4	3	3	7	7	3	7	8	2	7
Diarrhoea and Enteritis (under 2 years)	525	309	50	35	33	19	14	13	6	15	3	1	8	6	8	4	1
Appendicitis	229	95	36	12	17	13	8	7	4	4	7	1	4	5	4	6	6
All Diseases of Liver (not Malignant)	306	118	65	26	24	12	5	5	8	8	6	6	3	4	6	5	5
Nephritis, Acute and Chronic	957	452	175	71	57	29	21	26	12	14	17	18	14	15	10	13	13
Puerperal Sepsis	107	52	8	10	8	2	6	6	2	3	1	2	1	1	1	3	1
Other Diseases and Accidents of Pregnancy and Parturition	257	112	31	23	12	7	9	9	8	8	3	9	7	8	2	4	5
Dis. of Early Infancy, and Malformations	2,108	944	281	213	144	106	85	70	32	49	25	27	37	20	22	34	19
Suicide	260	123	61	21	13	6	5	2	3	4	4	2	3	2	6	1	4
Other Violent Deaths	1,106	523	187	76	70	33	35	29	33	28	10	18	16	13	15	10	10
Other Defined Diseases	5,246	2,210	993	385	424	198	167	124	87	85	82	105	75	64	85	82	80
Causes Ill-Defined or Unknown	549	325	23	49	21	16	27	9	9	11	4	9	8	4	14	9	11
TOTAL	33,511	15,731	5,710	2,514	2,114	1,224	1,121	778	495	606	423	520	504	458	452	424	437

TABLE 36.—Death-rates per 100,000 from Selected Causes in the Larger Burghs in 1926.

Causes of Death.	All Larger Burghs.																Perth.
	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Motherwell & Wishaw.	Glydebank.	Coatbridge.	Dunfermline.	Kirkcaldy.	Hamilton.	Kilmarnock.	Ayr.	Falkirk.		
Enteric Fever	1	1	1	-	-	-	3	-	-	-	-	-	3	-	3	-	
Typhus Fever	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles	27	10	1	13	43	47	21	2	47	3	2	63	19	19	9	9	
Scarlet Fever	8	8	16	4	15	-	4	6	14	5	-	5	14	-	3	6	
Whooping-cough	12	4	2	10	40	1	13	6	2	3	22	23	-	3	6	12	
Diphtheria	13	10	39	13	6	13	7	-	7	10	2	50	-	5	29	6	
Influenza	30	27	21	20	27	47	17	15	32	13	17	7	16	11	20	36	
Encephalitis	4	5	2	1	2	4	3	-	5	8	2	-	-	-	3	3	
Lethargica	4	4	3	1	2	-	1	2	-	3	-	-	3	3	3	-	
Cerebro-spinal Meningitis	3	6	3	3	1	1	4	2	9	-	7	10	-	3	-	12	
Other Epidemic Diseases	5	3	3	3	74	98	52	79	68	57	56	70	63	67	96	39	
Tuberculosis of Respiratory System	82	84	81	74	74	8	10	13	11	10	5	13	5	5	6	-	
Tuberculous Meningitis	12	12	11	20	8	6	6	6	11	8	12	15	16	5	12	6	
Tuberc. of Intestines and Peritoneum	8	8	8	10	10	12	8	9	16	13	17	7	8	8	9	9	
Other Tuberculous Disease	13	11	11	10	10	16	8	16	16	93	132	110	131	134	93	170	
Malignant Tumours	141	154	160	138	168	116	110	116	124	93	132	110	131	134	93	170	
Rheumatic Fever	4	4	4	6	4	7	3	6	9	5	5	5	14	5	3	-	
Meningitis (not Cer. Spin. or Tuberc.)	10	7	6	7	6	32	4	19	23	3	5	10	11	13	12	9	
Apoplexy	121	143	130	136	85	108	73	99	81	101	195	105	191	128	93	154	
Heart Disease	153	187	175	162	153	129	106	110	124	153	144	95	137	169	155	136	
Diseases of Arteries	19	27	27	39	14	18	10	9	2	16	15	15	27	8	20	55	
Bronchitis	84	71	86	56	74	80	109	17	72	75	68	58	66	70	79	109	
Pneumonia (all forms)	145	94	129	80	157	150	105	101	187	80	61	153	120	70	64	61	
Other Diseases of Respiratory System	17	22	21	17	9	21	8	6	7	18	17	7	19	21	6	21	
Diarrhoea and Enteritis (under 2 years)	22	12	21	21	22	17	18	13	34	8	2	20	16	21	12	3	
Appendicitis	10	8	7	11	15	10	10	9	9	18	2	10	14	11	18	18	
All Diseases of Liver (not Malignant)	13	15	15	15	14	6	7	17	18	16	15	7	11	16	15	15	
Nephritis, Acute and Chronic	40	41	42	35	34	26	37	26	32	44	44	35	41	27	38	39	
Puerperal Sepsis	4	2	6	5	2	7	8	4	7	3	5	3	3	3	9	3	
Other Diseases and Accidents of Pregnancy and Parturition	11	7	14	7	8	11	13	17	18	8	22	18	22	5	12	15	
Dis. of Early Infancy, and Malformations	88	66	125	91	123	104	99	69	110	65	66	93	55	59	99	58	
Suicide	11	14	12	8	7	6	3	6	9	10	5	7	5	16	3	12	
Other Violent Deaths	46	44	45	44	38	43	41	71	63	26	44	40	36	40	29	30	
Other Defined Diseases	219	234	226	269	230	205	175	187	191	213	256	188	175	227	239	242	
Causes Ill-defined or Unknown	23	5	29	13	19	33	13	19	25	10	22	20	11	37	26	33	
TOTAL.	1402	1347	1478	1340	1422	1374	1099	1063	1365	1098	1269	1263	1251	1210	1238	1323	

TABLE 37.—Deaths from Selected Causes and in Age Groups in Scotland, 1916–1926.

	1926.	1925.	1924.	1923.	1922.	1921.	1920.	1919.	1918.	1917.	1916.
CAUSES OF DEATH.											
Enteric Fever	39	52	34	67	65	87	96	83	125	94	149
Typhus Fever	3	4	..	1	7	4	16	8	15	2	8
Small-pox	24	152	1
Measles	928	512	1,592	1,118	2,695	269	816	899	1,198	1,804	1,603
Scarlet Fever	343	404	410	352	247	270	245	222	168	212	588
Whooping-cough	506	1,737	1,625	989	1,408	1,478	628	1,573	1,603	2,128	718
Diphtheria	490	505	442	492	536	611	699	697	699	615	778
Influenza*	1,421	1,246	2,490	531	3,706	1,330	291	1,245	1,878	299	354
Encephalitis Lethargica†	169	154	181	125	45	61
Cerebro-spinal Meningitis	108	83	87	92	103	102	115	128	124	166	225
Other Epidemic Diseases	225	227	206	228	246	299	255	207	140	191	177
Tuberculosis of Respiratory System	3,384	3,734	3,887	3,996	4,061	3,970	4,194	4,294	5,217	5,073	5,126
Tuberculous Meningitis	496	569	622	664	594	609	590	653	834	861	921
Tuberculosis of Intestines and Peritoneum	367	465	498	521	538	493	525	563	733	788	784
Other Tuberculous Disease	614	622	646	609	625	665	733	811	911	903	841
Malignant Tumours	6,640	6,675	6,498	6,376	6,133	5,962	5,765	5,657	5,472	5,544	5,431
Rheumatic Fever	219	150	145	174	166	184	203	148	151	159	222
Meningitis (not Cerebro-spinal or Tuberculous)	460	442	498	550	584	574	731	832	991	798	868
Apoplexy	5,906	5,920	5,983	5,781	5,808	5,549	5,646	5,721	5,504	5,714	5,825
Heart Disease	7,410	7,375	7,339	6,901	6,727	6,562	6,703	6,829	6,576	6,658	7,141
Diseases of Arteries	844	839	873	802	885	836	699	658	557	524	527
Bronchitis	3,586	4,027	4,480	3,574	5,127	3,971	4,701	5,823	5,217	4,776	4,477
Pneumonia (all forms)	5,262	5,393	6,706	4,674	6,617	4,940	6,689	11,094	14,344	5,353	5,243
Other Diseases of Respiratory System	858	853	896	843	1,036	893	1,023	1,172	1,277	1,088	1,095
Diarrhoea and Enteritis (under 2 years)	798	876	830	790	892	1,527	1,287	1,015	1,046	1,218	1,629
Appendicitis	483	479	486	515	458	499	445	426	402	430	422
All Diseases of Liver (not Malignant)	577	509	422	454	440	425	447	383	392	441	505
Nephritis, Acute and Chronic	1,834	1,833	1,880	1,799	1,967	1,906	1,869	1,947	2,107	2,208	2,137
Puerperal Sepsis	173	171	184	218	228	250	242	150	113	165	185
Other Diseases and Accidents of Preg. and Parturition	483	471	438	500	531	536	598	511	575	409	441
Diseases of Early Infancy, and Malformations	3,951	3,970	4,349	4,250	4,642	5,098	5,106	4,205	3,744	3,697	4,184
Suicide	424	372	360	327	276	273	236	234	190	207	220
Other Violent Deaths	2,233	2,445	2,239	2,142	2,168	2,429	2,633	2,752	2,673	2,761	3,115
Other Defined Diseases	11,423	11,241	11,775	11,692	12,182	12,476	12,372	12,795	11,890	12,642	13,101
Causes Ill-defined or Unknown	1,123	1,152	1,256	1,136	1,162	1,048	1,379	1,414	1,501	1,555	1,599
ALL CAUSES	63,780	65,507	70,357	63,283	72,905	66,210	68,179	75,149	78,372	69,483	70,640
AGES AT DEATH.											
Under 1	8,514	9,430	10,446	8,825	11,664	11,130	12,565	10,795	9,836	10,473	10,674
1- 4	4,228	4,819	6,570	4,926	7,524	4,461	4,361	6,506	8,015	7,245	6,650
5- 9	1,143	1,182	1,190	1,178	1,282	1,377	1,530	1,928	2,407	1,704	1,846
10-14	818	871	927	836	937	966	1,032	1,253	1,766	1,177	1,204
15-24	2,681	2,818	2,881	2,759	3,075	3,033	3,304	4,078	5,725	3,318	3,567
25-34	3,005	2,953	3,133	3,042	3,551	3,403	3,734	5,151	6,873	3,526	3,793
35-44	3,739	3,836	4,037	3,818	4,438	4,182	4,563	5,030	5,951	4,721	4,725
45-54	5,901	5,774	6,143	5,755	6,269	5,928	6,230	6,767	7,089	6,278	6,289
55-64	8,942	9,089	9,118	8,722	9,187	8,680	8,960	9,411	9,072	8,736	8,932
65-74	12,099	12,111	12,481	11,610	12,111	10,907	10,614	11,601	10,711	10,789	11,035
75-84	9,646	9,586	10,371	9,139	9,978	9,402	8,732	9,889	8,497	9,025	9,316
85 and over	3,064	3,036	3,060	2,672	2,888	2,739	2,547	2,722	2,407	2,460	2,578
Not stated	2	..	1	1	2	7	13	23	31	31
ALL AGES	63,780	65,507	70,357	63,283	72,905	66,210	68,179	75,149	78,372	69,483	70,640

* Figures for 1921 and following years include all deaths from Influenza, but those of earlier years are not comparable as they include only those deaths of which Influenza was the sole named cause.

† Figures for 1920 and previous years are included with Meningitis (not Cerebro-spinal or Tuberculous). In 1920 the deaths from Encephalitis Lethargica so included numbered 91.

TABLE 38.—Death-rates from Selected Causes and in Age Groups in Scotland, 1916–1926.

	1926.	1925.	1924.	1923.	1922.	1921.	1920.	1919.	1918.	1917.	1916.
CAUSES OF DEATH.	DEATH-RATE PER 100,000 OF POPULATION.										
Enteric Fever	1	1	1	1	1	2	2	2	3	2	3
Typhus Fever	0	0	..	0	0	0	0	0	0	0	0
Small-pox	0	3	0
Measles	19	10	33	23	55	6	17	19	25	38	33
Scarlet Fever	7	8	8	7	5	6	5	5	3	4	12
Whooping-cough	10	35	33	20	29	30	13	33	33	44	15
Diphtheria	10	10	9	10	11	13	15	15	16	13	17
Influenza*	29	25	51	11	76	27	6	25	38	6	7
Encephalitis Lethargica†	3	3	4	3	1	1	..	3	3	3	4
Cerebro-spinal Meningitis	2	2	2	2	2	2	2	3	3	3	4
Other Epidemic Diseases	5	5	4	5	5	6	5	4	3	4	4
Tuberculosis of Respiratory System	69	76	80	82	83	81	86	89	108	105	107
Tuberculous Meningitis	10	12	13	14	12	12	12	13	17	18	19
Tuberculosis of Intestines and Peritoneum	7	10	10	11	11	10	11	12	15	16	16
Other Tuberculous Disease	13	13	13	12	13	14	15	17	19	19	17
Malignant Tumours	136	136	133	130	125	122	119	117	114	115	113
Rheumatic Fever	4	3	3	4	3	4	4	3	3	3	5
Meningitis (not Cerebro-spinal or Tuberculous)	9	9	10	11	12	12	15	17	20	16	18
Apoplexy	121	121	123	118	118	114	116	117	113	118	122
Heart Disease	151	151	150	141	137	134	138	140	135	137	148
Diseases of Arteries	17	17	18	16	18	17	15	13	10	11	11
Bronchitis	73	82	92	73	105	81	97	119	107	98	93
Pneumonia (all forms)	107	110	137	95	135	101	138	227	293	110	109
Other Diseases of Respiratory System	18	17	18	17	21	18	21	24	26	23	23
Diarrhoea and Enteritis (under 2 years)	16	18	17	16	18	31	26	21	21	25	34
Appendicitis	10	10	10	11	9	10	9	9	8	9	9
All Diseases of Liver (not Malignant)	12	10	9	9	9	9	9	8	8	9	10
Nephritis, Acute and Chronic	37	37	39	37	40	39	38	40	43	45	44
Puerperal Sepsis	4	3	4	4	5	5	5	3	2	3	4
Other Diseases and Accidents of Preg. and Parturition	10	10	9	10	11	11	12	10	12	8	9
Diseases of Early Infancy, and Malformations	81	81	89	87	95	104	105	86	77	76	87
Suicide	9	8	7	7	6	6	5	5	4	4	5
Other Violent Deaths	46	50	46	44	44	50	55	56	55	57	65
Other Defined Diseases	233	230	241	239	248	256	255	260	243	261	270
Causes Ill-defined or Unknown	23	24	26	23	24	21	28	29	31	32	33
ALL CAUSES	1303	1339	1441	1291	1487	1356	1402	1536	1604	1431	1464
AGES AT DEATH.	DEATH-RATE PER 1000 OF AGE-GROUP POPULATION.										
Under 1	75·4	83·6	92·8	78·1	103·2	100·1	113·5	96·9	88·4	94·8	97·2
1-4	11·7	13·4	18·3	13·6	20·8	10·3	10·1	14·9	18·4	16·7	15·5
5-9	2·4	2·5	2·5	2·5	2·7	2·6	2·9	3·7	4·6	3·3	3·5
10-14	1·7	1·8	1·9	1·7	1·9	1·9	2·1	2·5	3·5	2·4	2·4
15-24	2·9	3·1	3·2	3·0	3·4	3·4	3·7	4·5	6·3	3·7	4·0
25-34	4·2	4·1	4·4	4·2	4·9	4·5	4·9	6·8	9·0	4·7	5·0
35-44	5·9	6·1	6·4	6·0	7·0	6·8	7·4	8·1	9·7	7·7	7·8
45-54	11·0	10·8	11·5	10·7	11·7	12·9	13·6	14·7	15·5	13·8	13·9
55-64	24·6	25·1	25·2	24·0	25·3	23·6	29·6	30·9	29·9	29·0	29·8
65-74	58·3	58·4	60·3	55·9	58·3	57·5	56·2	61·0	56·4	57·2	58·9
75-84	129·2	123·5	139·4	122·3	133·5	145·2	152·4	169·3	146·7	155·5	162·0
85 and over	287·9	285·4	288·4	250·8	270·9	286·6					
Not stated
ALL AGES	13·0	13·4	14·4	12·9	14·9	13·6	14·0	15·4	16·0	14·3	14·6

* See footnote, Table 37.

† See footnote, Table 37.

TABLE 39.—DEATHS in SCOTLAND from the PRINCIPAL EPIDEMIC and certain other DISEASES in each of the Years 1855-1926.

YEAR	NUMBER OF DEATHS FROM														
	Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Group.	Whooping-cough.	All Diarrhoeal Diseases.	Typhus.	Enteric Fever.	Syphilis.	Cancer.	Tuberculosis.		Pneumonia.*	Bronchitis.*	Violence.
											All Forms.	Respiratory.			
1855	1309	1180	2138	873	1903	3017	2419		79	871	10,007	7129	2094	3036	1913
1856	1306	1033	3011	1020	2331	2425	2363		81	908	9,077	6247	1970	2762	2003
1857	845	1028	2235	1148	1539	4132	3087		90	960	10,326	7184	1890	2867	2068
1858	332	1538	2671	1494	1963	3169	2790		86	963	10,265	7264	2355	3935	1980
1859	682	972	3614	1336	2660	2736	2436		90	1004	9,951	7172	1900	3228	2054
1860	1495	1587	2927	1485	1812	2379	2344		96	1014	11,212	8165	2416	5400	2186
1861	766	971	1764	1571	2204	2416	2579		122	1165	10,582	7571	1974	5017	2089
1862	426	1404	1281	2393	2799	2350	3021		126	1152	11,429	8211	1932	5764	2057
1863	1646	2212	3413	3615	1649	2493	3441		139	1162	10,981	7614	2212	5484	2260
1864	1741	1102	3411	3156	1993	2581	4804		125	1300	11,445	8083	2268	6383	2291
1865	383	1195	2244	2010	2318	3180	3272		158	1257	11,417	8089	1969	6194	2382
1866	200	1038	2706	1588	1860	3954	2172		156	1327	11,653	8283	2207	6629	2245
1867	100	1341	2253	1535	1728	2811	1745		156	1288	11,668	8248	2070	6777	2196
1868	15	1149	3141	1688	2490	3267	1561		185	1327	11,487	8154	2098	6261	2247
1869	64	1670	4680	1639	2461	2880	2059		215	1426	12,079	8525	2630	8030	2313
1870	114	834	4356	1487	1783	3150	1460		186	1373	13,027	9148	2415	7777	2363
1871	1442	2057	2586	1850	1504	2839	1129		227	1432	13,011	9102	2655	8663	2361
1872	2448	925	2101	2190	2850	2732	795		193	1559	12,596	8715	2570	7897	2571
1873	1126	1450	2227	2335	1598	3491	628		180	1537	11,952	8286	3012	8308	2839
1874	1246	1103	6321	2234	1690	3343	726		193	1646	11,303	7873	3440	8667	3103
1875	76	1022	4720	1842	2431	3604	615		212	1672	12,450	8699	3685	9864	2908
1876	39	1241	2364	1672	2250	3321	471		210	1695	12,219	8491	3296	8194	2990
1877	38	1019	1374	1871	1571	2665	265		222	1732	12,193	8342	3144	9182	2906
1878	4	1372	1870	1892	2788	3576	263		207	1829	12,567	8445	2964	8689	2595
1879	8	769	1592	1590	2483	2374	210		225	1830	12,098	8336	3067	9185	2400
1880	10	1427	2165	1639	2641	3367	170		228	1873	11,989	8074	3203	8562	2537
1881	19	1012	1573	1615	1620	2552	229		225	1914	11,275	7739	3237	8765	2955
1882	3	1289	1583	1867	2108	3119	180		244	2056	11,608	8012	3342	7715	2566
1883	11	1629	1336	1699	2968	2528	152		240	2037	11,092	8401	4824	7983	2882
1884	14	1440	1266	1775	2511	3147	138		276	2110	10,795	7915	4539	7220	2743
1885	39	1426	944	1445	2157	2485	111		243	2173	10,724	7922	4432	7899	2477
1886	24	681	1058	1251	1882	2846	80		248	2313	10,942	7959	4040	7908	2444
1887	17	1598	1179	1605	3212	2863	126		244	2373	10,275	7418	4220	7409	2587
1888	3	1406	732	1614	1722	2190	102		229	2450	9,725	7044	4171	7140	2455
1889	8	1948	701	1882	2268	3028	69		226	2643	9,722	7098	3994	7033	2794
1890	—	2509	739	1762	3039	2743	77		196	2428	10,294	7660	4923	8057	2859
1891	—	1775	736	1450	2437	2989	107		214	2703	10,141	7361	5642	9309	2940
1892	11	2280	871	1347	1792	2504	59		204	2715	9,318	6765	4901	7260	2776
1893	68	3639	832	1679	2026	4312	51		181	2816	9,801	6921	5446	7119	2756
1894	129	791	834	1828	2552	2272	36		164	2928	9,729	7108	4551	6111	2775
1895	47	2063	782	1260	1948	4000	34		208	2993	10,688	7688	5606	8202	2963
1896	2	1515	669	1126	1970	2854	38		217	3013	9,685	6893	4745	5579	2811
1897	10	2056	716	812	2877	3849	29		200	3212	10,085	7200	5942	6768	3019
1898	2	2290	909	850	2476	4351	63		229	3453	10,140	7090	5613	5789	3186
1899	1	1599	831	856	1894	4771	29		202	3572	10,497	7275	5712	6140	3204
1900	53	1825	654	961	1812	3301	35		215	3503	10,336	7299	6270	6914	3422
1901	278	1655	595	878	2751	4336	35		206	3662	9,911	6776	5784	5818	3242
1902	80	1388	524	787	1765	2396	18		180	3711	9,536	6572	6976	6092	3167
1903	41	1133	407	715	1946	2996	13		213	3798	9,726	6630	6475	5421	3114
1904	185	1512	277	750	2405	3158	14		184	3920	10,158	6738	6984	5698	2949
1905	4	1662	211	721	2243	2945	44		248	4132	9,619	6374	6672	4821	2949

* Deaths from Pneumonia and from Bronchitis when associated with Influenza are included in the numbers given.

TABLE 39—continued.

YEAR.	NUMBER OF DEATHS FROM														
	Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.	Whooping-Cough.	All Diarrhoeal Diseases.	Typhus.	Enteric Fever.	Syphilis.	Cancer.	Tuberculosis.		Pneumonia.*	Bronchitis.*	Violence.
											All Forms.	Respiratory.			
1906	1	1445	230	862	1363	3345	10	400	245	4509	9,999	6491	6392	4730	3060
1907	1	1153	233	729	2485	2177	14	367	226	4551	10,070	6415	6934	5167	3123
1908	6	2503	381	748	2144	3081	8	282	230	4611	9,462	6079	6928	5177	3067
1909	-	890	555	917	2215	2171	26	296	246	4782	9,274	6000	7003	5307	2730
1910	-	2243	595	939	999	2711	10	264	199	4863	8,517	5409	6329	4704	2725
1911	5	923	451	931	2347	2909	8	272	210	4948	8,387	5451	5905	4546	2888
1912	17	1983	439	824	1427	1851	14	196	218	5195	8,149	5306	6109	4796	2931
1913	-	1329	591	794	1819	2648	7	171	213	5212	8,005	5103	5551	4662	3124
1914	1	1458	815	901	1342	2753	6	225	227	5388	7,696	4917	5703	4729	3127
1915	2	2221	950	836	2820	2348	5	171	173	5291	7,819	5291	7393	6495	3457
1916	1	1603	588	813	718	2305	8	149	175	5431	7,672	5126	5243	4477	3335
1917	-	1804	212	648	2128	1827	2	94	199	5544	7,625	5073	5353	4776	2968
1918	-	1198	168	756	1603	1507	15	125	177	5472	7,700	5217	14344	5217	2863
1919	-	899	222	727	1573	1569	8	83	193	5657	6,326	4294	11094	5823	2986
1920	152	816	245	724	628	1892	16	96	237	5765	6,042	4194	6689	4701	2919
1921	24	269	270	611	1478	1991	4	87	199	5962	5,737	3970	5393	4135	2702
1922	-	2695	247	536	1408	1244	7	65	162	6133	5,818	4061	8265	5730	2444
1923	-	1118	352	492	989	1159	1	67	168	6376	5,790	3996	4840	3635	2469
1924	-	1592	410	442	1625	1147	-	34	151	6498	5,653	3887	7691	4843	2599
1925	-	512	404	505	1737	1168	4	52	114	6675	5,390	3734	5821	4191	2817
1926	-	928	343	490	506	1084	3	39	147	6640	4,861	3384	5844	3771	2657

* See footnote, previous page.

TABLE 40.—DEATH-RATE per 100,000 of Population in SCOTLAND from the PRINCIPAL EPIDEMIC and certain other DISEASES, 1855-1926.

YEAR.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.	Whooping- cough.	All Diarrhœal Diseases.	Typhus Fever.	Enteric Fever.	Syphilis.	Cancer.	Tuber- culosis.		Pneumonia.*	Bronchitis.*	Violence.
											All Forms.	Respir- atory.			
1855	49	44	79	32	71	112	90		3	32	372	265	78	113	71
1856	47	37	103	37	83	87	85		3	33	325	224	71	99	72
1857	30	37	79	41	55	147	110		3	34	367	255	67	102	73
1858	12	54	94	52	69	111	98		3	34	360	255	83	138	69
1859	24	34	126	47	93	96	85		3	35	347	250	66	113	72
1860	52	55	101	51	63	82	81		3	35	389	283	84	187	76
Mean 1855-1860	35	43	98	44	72	106	91		3	34	360	255	75	126	72
1861	26	33	60	54	75	83	88		4	40	362	259	68	172	72
1862	15	48	44	81	95	80	103		4	39	389	279	66	196	70
1863	55	74	115	121	55	84	116		5	39	369	256	74	184	76
1864	58	37	113	105	66	86	160		4	43	380	268	75	212	76
1865	13	39	74	66	76	105	108	35	5	41	376	266	65	204	78
1866	7	34	88	52	61	129	71	46	5	43	380	270	72	216	73
1867	3	43	73	50	56	91	56	45	5	42	377	267	67	219	71
1868	0	37	100	54	80	104	50	45	6	42	367	261	67	200	72
1869	2	52	147	51	77	90	65	42	7	45	380	268	83	252	73
1870	4	26	135	46	55	98	45	37	6	43	404	283	75	241	73
Mean 1861-1870	18	42	96	68	70	95	†65	†42	5	42	379	268	71	210	73

* See footnote, Table 39.

† Mean 1865-1870.

TABLE 40—continued.

YEAR.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.	Whooping-cough.	All Diarrhoeal Diseases.	Typhus Fever.	Enteric Fever.	Syphilis.	Cancer.	Tuber- culosis.		Pneumonia.*	Bronchitis.†	Violence.
											All Forms.	Respir- atory.			
1871	44	63	79	57	46	87	35	38	7	44	398	278	81	265	72
1872	74	28	64	66	86	83	24	37	6	47	381	264	78	239	78
1873	33	43	66	69	47	104	19	44	5	46	355	246	89	247	84
1874	37	32	186	66	50	98	21	43	6	48	332	231	101	254	91
1875	2	30	137	53	70	104	18	47	6	48	361	252	107	286	84
1876	1	36	68	48	64	95	13	41	6	49	350	243	94	235	86
1877	1	29	39	53	45	76	8	41	6	49	347	237	89	261	83
1878	0	39	52	53	78	100	7	41	6	51	353	237	83	244	73
1879	0	21	44	44	69	66	6	28	6	51	336	231	85	255	67
1880	0	39	59	45	72	92	5	37	6	51	329	221	88	235	70
Mean 1871-1880	19	36	79	55	63	90	15	40	6	49	354	244	90	252	76
1881	1	27	43	44	44	69	6	27	6	52	306	210	88	238	80
1882	0	35	42	50	57	84	5	32	7	55	311	215	90	207	69
1883	0	43	36	45	79	67	4	27	6	54	296	224	129	213	77
1884	0	38	33	47	66	83	4	28	7	56	285	209	120	191	73
1885	1	37	25	38	57	65	3	23	6	57	282	208	116	207	65
1886	1	18	28	33	49	74	2	20	6	60	285	207	105	206	64
1887	0	41	30	41	83	74	3	22	6	61	265	191	109	191	67
1888	0	36	19	41	44	56	3	17	6	63	249	181	107	183	63
1889	0	49	18	48	58	77	2	20	6	67	247	180	101	179	71
1890	-	63	19	44	77	69	2	20	5	61	260	193	124	203	72
Mean 1881-1890	0	39	29	43	61	72	3	22	6	59	278	202	109	201	70
1891	-	44	18	36	61	75	3	20	5	68	254	184	141	233	74
1892	0	56	22	33	44	62	1	16	5	67	231	168	121	180	69
1893	2	89	20	41	50	105	1	23	4	69	240	169	133	174	67
1894	3	19	20	44	62	55	1	17	4	71	235	172	110	148	67
1895	1	49	19	30	47	96	1	17	5	72	256	184	134	196	71
1896	0	36	16	27	47	68	1	16	5	71	229	163	112	132	67
1897	0	48	17	19	67	90	1	15	5	75	237	169	139	159	71
1898	0	53	21	20	57	101	1	19	5	80	235	164	130	134	74
1899	0	37	19	20	44	110	1	18	5	82	241	167	131	141	74
1900	1	42	15	22	41	75	1	15	5	80	235	166	143	157	78
Mean 1891-1900	1	47	19	29	52	84	1	18	5	74	239	171	130	165	71
1901	6	37	13	20	62	98	1	16	5	83	223	153	130	131	73
1902	2	31	12	18	40	54	0	12	4	83	214	147	156	136	71
1903	1	25	9	16	43	67	0	12	5	84	216	147	144	121	69
1904	4	33	6	17	53	70	0	9	4	87	224	151	154	126	65
1905	0	36	5	16	49	65	1	8	5	91	211	140	146	106	65
1906	0	31	5	19	30	73	0	9	5	98	218	141	139	103	67
1907	0	25	5	16	54	47	0	8	5	99	218	139	150	112	68
1908	0	54	8	16	46	66	0	6	5	99	204	131	149	111	66
1909	-	19	12	20	47	46	1	6	5	102	198	128	150	113	58
1910	-	48	13	20	21	58	0	6	4	103	181	115	134	100	58
Mean 1901-1910	1	34	9	18	44	64	0	9	5	93	211	139	145	116	66
1911	0	19	9	20	49	61	0	6	4	104	177	115	124	96	61
1912	0	42	9	17	30	39	0	4	5	110	172	112	129	101	63
1913	-	28	12	17	38	56	0	4	5	110	170	108	117	99	66
1914	0	31	17	19	28	58	0	5	5	113	162	104	120	100	65
1915	0	47	20	18	59	49	0	4	4	111	164	111	155	136	72
1916	0	33	12	17	15	48	0	3	4	113	160	107	109	93	70
1917	-	38	4	13	44	38	0	2	4	115	159	105	111	99	62
1918	-	25	3	16	33	31	0	3	4	114	160	108	298	108	59
1919	-	19	5	15	33	33	0	2	4	117	131	89	230	121	62
1920	3	17	5	15	13	39	0	2	5	119	124	86	138	97	60
Mean 1911-1920	0	30	10	17	34	45	0	4	4	113	158	105	153	105	64
1921	0	6	6	13	30	41	0	2	4	122	118	81	110	85	55
1922	-	55	5	11	29	25	0	1	3	125	119	83	169	117	50
1923	-	23	7	10	20	24	0	1	3	130	118	82	99	74	50
1924	-	33	8	9	33	23	0	1	3	133	116	80	158	99	53
1925	-	10	8	10	35	24	0	1	2	136	110	76	119	86	58
1926	-	19	7	10	10	22	0	1	3	136	99	69	119	77	54

* See footnote, Table 39.

TABLE 41.—Deaths and Death-rates from Puerperal Conditions in 1926.

	Births.	Deaths from Puerperal Con- ditions.	Death-rate per 1000 Births.
SCOTLAND . . .	102,449	656	6·4
LARGER BURGHS .	52,946	364	6·9
SMALLER BURGHS .	17,752	111	6·3
COUNTY DISTRICTS .	31,751	181	5·7
Glasgow . . .	24,542	164	6·7
Edinburgh . . .	7,926	39	4·9
Dundee . . .	3,724	33	8·9
Aberdeen . . .	3,406	20	5·9
Paisley . . .	1,929	9	4·7
Greenock . . .	1,947	15	7·7
Motherwell & Wishaw	1,660	15	9·0
Clydebank . . .	1,072	10	9·3
Coatbridge . . .	1,160	11	9·5
Dunfermline . . .	764	4	5·2
Kirkcaldy . . .	822	11	13·4
Hamilton . . .	1,029	8	7·8
Kilmarnock . . .	777	9	11·6
Ayr . . .	785	3	3·8
Falkirk . . .	742	7	9·4
Perth . . .	661	6	9·1

TABLE 42.—Deaths from Malignant Disease in 1926.

LOCATION.	MALES.									FEMALES.								
	All Ages.	Under 25	25-	35-	45-	55-	65-	75-	85 and over	All Ages.	Under 25	25-	35-	45-	55-	65-	75-	85 and over
Lip	30	-	-	-	1	8	8	10	3	1	-	-	-	-	-	-	-	1
Mouth	50	-	-	-	7	17	19	6	1	6	-	1	-	2	1	1	1	-
Tongue	124	-	1	1	22	33	57	9	1	13	-	-	2	3	1	4	3	-
Jaw	81	1	-	4	11	24	25	14	2	19	-	1	1	2	6	6	3	-
Pharynx, Throat	52	-	1	3	8	16	19	4	1	25	1	-	1	5	6	8	4	-
Esophagus	143	-	1	2	27	54	45	13	1	79	-	-	2	14	23	25	14	1
Stomach	818	3	11	54	145	243	272	81	9	749	1	9	24	115	206	237	136	21
Intestine	495	5	11	13	67	134	166	90	9	557	2	5	23	69	135	199	105	19
Rectum	208	-	10	9	24	66	65	30	4	149	-	4	12	22	34	46	27	4
Salivary Glands	2	-	-	-	-	-	-	2	-	5	-	-	-	-	1	2	1	1
Liver	201	2	4	6	33	59	73	24	-	310	1	2	13	39	100	103	40	12
Pancreas	52	-	-	2	9	22	16	3	-	56	-	-	2	6	16	23	7	2
Peritoneum	13	2	1	1	2	3	4	-	-	21	-	-	4	3	7	5	2	-
Abdomen	54	1	-	1	12	13	23	4	-	102	2	2	2	14	31	36	13	2
Larynx	49	-	-	4	9	15	12	8	1	34	-	-	6	5	11	9	3	-
Lung	62	2	3	7	14	25	9	2	-	51	-	4	5	2	20	15	5	-
Pleura	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	2	1	-
Heart	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Mediastinum	59	4	2	5	18	14	11	4	1	25	2	1	2	6	4	7	3	-
Thorax	4	-	-	-	-	2	2	-	-	1	-	-	-	-	-	1	-	-
Kidney	28	5	1	2	3	5	8	4	-	29	3	-	1	4	6	10	5	-
Bladder, Urethra	87	-	-	2	8	25	38	10	4	46	-	-	3	3	10	16	12	2
Testis, Penis, Scrotum	41	1	5	5	3	9	10	7	1	-	-	-	-	-	-	-	-	-
Prostate	119	-	-	-	5	33	53	24	4	-	-	-	-	-	-	-	-	-
Breast	7	-	-	1	-	5	1	-	-	552	-	6	62	139	145	117	64	19
Ovary	-	-	-	-	-	-	-	-	-	97	2	2	13	40	20	16	4	-
Uterus	-	-	-	-	-	-	-	-	-	497	-	21	73	142	133	95	30	3
Vagina, Vulva	-	-	-	-	-	-	-	-	-	36	-	1	3	4	11	9	7	1
Pelvis	13	1	1	2	2	2	4	1	-	24	1	-	1	6	10	4	2	-
Brain	2	-	1	1	-	-	-	-	-	2	-	-	-	-	1	-	1	-
Spinal Cord	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-
Eye and Orbit	6	-	-	-	-	3	2	1	-	8	2	-	-	1	1	2	2	-
Ear	5	-	-	-	1	-	3	1	-	3	-	-	-	-	-	-	3	-
Nose	5	-	-	-	-	2	2	1	-	3	-	-	-	1	1	1	-	-
Skull and Spinal Column	8	1	2	-	1	1	3	-	-	11	-	-	2	3	1	1	4	-
Spleen	2	-	-	-	-	2	-	-	-	2	-	-	-	-	1	-	1	-
Thyroid	7	-	-	-	3	3	1	-	-	21	-	-	1	2	6	9	2	1
Lymphatic Glands	60	-	1	3	11	18	15	12	-	28	-	-	3	7	6	8	3	1
Rib and Sternum	4	1	-	-	-	-	2	1	-	2	-	-	-	-	1	-	1	-
Arm and Leg	36	2	-	2	7	7	9	8	1	36	4	2	3	5	6	10	5	1
Scalp and Face	41	1	1	2	7	1	10	17	2	45	-	1	1	2	4	8	20	9
Skin	8	-	-	1	2	-	4	1	-	3	-	-	-	-	-	3	-	-
Other Locations	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	4	1	-	-	-	-	3	-	-	5	-	1	-	1	-	-	3	-
TOTAL	2983	34	58	133	462	865	996	390	45	3657	21	63	265	667	965	1039	537	100

TABLE 43.—DEATHS FROM SUICIDE IN 1926.

TABLE 43.—Deaths from

	TOTAL.		Cut ; Stab.		Drowning.		
	Males.	Fem.	Males.	Fem.	Males.	Fem.	
SCOTLAND - - - - -	285	139	48	11	39	26	(1)
COUNTIES (including Burghs).							
Aberdeen	19	11	3	1	4	-	(2)
Argyll	3	1	-	-	-	1	(3)
Ayr	10	7	1	-	2	1	(4)
Banff	5	2	-	-	2	1	(5)
Berwick	-	1	-	-	-	-	(6)
Bute	-	-	-	-	-	-	(7)
Caithness	2	-	-	-	1	-	(8)
Clackmannan	3	1	1	1	-	-	(9)
Dumbarton	7	2	-	1	2	-	(10)
Dumfries	5	3	2	1	-	1	(11)
East Lothian	3	1	-	-	2	-	(12)
Fife	12	4	5	-	1	-	(13)
Forfar	21	13	-	1	5	1	(14)
Inverness	3	1	-	-	2	1	(15)
Kincardine	2	2	-	-	1	-	(16)
Kinross	-	-	-	-	-	-	(17)
Kirkcudbright	3	1	1	-	-	-	(18)
Lanark	104	49	21	3	7	7	(19)
Midlothian	51	19	7	-	8	5	(20)
Moray	2	1	-	-	-	-	(21)
Nairn	-	-	-	-	-	-	(22)
Orkney	-	-	-	-	-	-	(23)
Peebles	-	-	-	-	-	-	(24)
Perth	3	9	2	1	-	6	(25)
Renfrew	12	2	3	-	1	1	(26)
Ross and Cromarty	-	1	-	1	-	-	(27)
Roxburgh	7	-	1	-	-	-	(28)
Selkirk	-	3	-	-	-	1	(29)
Shetland	2	-	1	-	-	-	(30)
Stirling	6	1	-	1	1	-	(31)
Sutherland	-	2	-	-	-	-	(32)
West Lothian	-	1	-	-	-	-	(33)
Wigtown	-	1	-	-	-	-	(34)
LARGER BURGHS.							
Glasgow	85	38	16	2	5	7	(35)
Edinburgh	45	16	5	-	7	4	(36)
Dundee	12	9	-	1	3	-	(37)
Aberdeen	9	4	1	-	1	-	(38)
Paisley	6	-	1	-	1	-	(39)
Greenock	4	1	2	-	-	-	(40)
Motherwell and Wishaw	1	1	-	-	-	-	(41)
Clydebank	2	1	-	-	-	-	(42)
Coatbridge	2	2	-	-	-	-	(43)
Dunfermline	3	1	1	-	1	-	(44)
Kirkcaldy	2	-	1	-	-	-	(45)
Hamilton	1	2	-	-	-	-	(46)
Kilmarnock	-	2	-	-	-	-	(47)
Ayr	4	2	-	-	1	1	(48)
Falkirk	-	1	-	-	-	1	(49)
Perth	-	4	-	-	-	4	(50)
TOTAL, Larger Burghs - - -	176	84	27	3	19	17	(51)

SUICIDE in 1926.

	Gunshot Wounds.		Hanging.		Poison.		Precipitation.		Railways.		Otherwise or Not Stated.	
	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.
(1)	16	—	35	7	132	86	7	6	8	3	—	—
(2)	1	—	1	1	8	8	—	—	2	1	—	—
(3)	1	—	—	—	2	—	—	—	—	—	—	—
(4)	—	—	2	—	5	6	—	—	—	—	—	—
(5)	—	—	2	—	1	—	—	—	—	1	—	—
(6)	—	—	—	1	—	—	—	—	—	—	—	—
(7)	—	—	—	—	—	—	—	—	—	—	—	—
(8)	1	—	—	—	—	—	—	—	—	—	—	—
(9)	—	—	—	—	2	—	—	—	—	—	—	—
(10)	—	—	1	—	3	1	1	—	—	—	—	—
(11)	1	—	1	—	—	—	—	—	1	1	—	—
(12)	—	—	—	—	1	1	—	—	—	—	—	—
(13)	—	—	1	—	5	4	—	—	—	—	—	—
(14)	—	—	1	—	15	11	—	—	—	—	—	—
(15)	—	—	1	—	—	—	—	—	—	—	—	—
(16)	1	—	—	—	—	2	—	—	—	—	—	—
(17)	—	—	—	—	—	—	—	—	—	—	—	—
(18)	—	—	2	—	—	1	—	—	—	—	—	—
(19)	5	—	11	4	54	30	3	5	3	—	—	—
(20)	2	—	6	—	26	13	1	1	1	—	—	—
(21)	—	—	1	1	1	—	—	—	—	—	—	—
(22)	—	—	—	—	—	—	—	—	—	—	—	—
(23)	—	—	—	—	—	—	—	—	—	—	—	—
(24)	—	—	—	—	—	—	—	—	—	—	—	—
(25)	—	—	—	—	1	2	—	—	—	—	—	—
(26)	—	—	2	—	5	1	1	—	—	—	—	—
(27)	—	—	—	—	—	—	—	—	—	—	—	—
(28)	1	—	2	—	3	—	—	—	—	—	—	—
(29)	—	—	—	—	—	2	—	—	—	—	—	—
(30)	1	—	—	—	—	—	—	—	—	—	—	—
(31)	2	—	1	—	—	—	1	—	1	—	—	—
(32)	—	—	—	—	—	2	—	—	—	—	—	—
(33)	—	—	—	—	—	1	—	—	—	—	—	—
(34)	—	—	—	—	—	1	—	—	—	—	—	—
(35)	5	—	8	3	47	21	3	5	1	—	—	—
(36)	2	—	4	—	25	11	1	1	1	—	—	—
(37)	—	—	1	—	8	8	—	—	—	—	—	—
(38)	—	—	—	—	7	4	—	—	—	—	—	—
(39)	—	—	1	—	3	—	—	—	—	—	—	—
(40)	—	—	—	—	1	1	1	—	—	—	—	—
(41)	—	—	1	—	—	1	—	—	—	—	—	—
(42)	—	—	—	—	1	1	1	—	—	—	—	—
(43)	—	—	—	—	2	2	—	—	—	—	—	—
(44)	—	—	—	—	1	1	—	—	—	—	—	—
(45)	—	—	—	—	1	—	—	—	—	—	—	—
(46)	—	—	—	—	1	2	—	—	—	—	—	—
(47)	—	—	—	—	—	2	—	—	—	—	—	—
(48)	—	—	1	—	2	1	—	—	—	—	—	—
(49)	—	—	—	—	—	—	—	—	—	—	—	—
(50)	—	—	—	—	—	—	—	—	—	—	—	—
(51)	7	—	16	3	99	55	6	6	2	—	—	—

TABLE 44.—Deaths from Poison in Scotland in 1926.

ACCIDENTAL POISONING.

Name of Poison.	Males.	Females.	TOTAL.	Name of Poison.	Males.	Females.	TOTAL.
Lysol, - - -	5	6	11	Brought forward, - - -	12	13	25
Carbolic Acid, - - -	2	1	3	Caustic Soda, - - -	1	-	1
Poisonous Berries, - - -	2	-	2	Formalin, - - -	1	-	1
Spirits of Salt, - - -	-	1	1	Paraffin Oil, - - -	1	-	1
Sorrel, - - -	1	-	1	Disinfectant, - - -	1	-	1
Strychnine, - - -	-	1	1	Not Stated, - - -	-	1	1
Dialacetin, - - -	-	1	1	Poisonous Vapours:—			
Methyl Salycilate, - - -	-	1	1	Coal Gas, - - -	13	8	21
Liniment, - - -	-	1	1	Carbon Monoxide, - - -	3	1	4
Acetic Acid, - - -	1	-	1	Carbonic Acid Gas, - - -	-	2	2
Paraldehyde, - - -	1	-	1	Benzol Vapour, - - -	1	-	1
Methylated Spirit, - - -	-	1	1	Chloroform, - - -	1	-	1
Carried forward, - - -	12	13	25	Total, - - -	34	25	59

SUICIDAL POISONING.

Coal Gas, - - -	90	38	128	Brought forward, - - -	127	80	207
Lysol, - - -	28	33	61	Luminal, - - -	1	-	1
Carbolic Acid, - - -	3	2	5	Ammonia, - - -	-	1	1
Phosphorus, - - -	-	3	3	Salts of Lemon, - - -	-	1	1
Bisulphide of Carbon, - - -	2	-	2	Arsenic, - - -	-	1	1
Veronal, - - -	1	-	1	Morphia, - - -	1	1	2
Corrosive Sublimate, - - -	-	2	2	Salts of Sorrel, - - -	-	1	1
Dial, - - -	-	1	1	Hydrocyanic Acid, - - -	1	-	1
Carbon Monoxide, - - -	1	-	1	Rat Paste - - -	-	1	1
Izal, - - -	-	1	1	Corrosive Acid, - - -	1	-	1
Sulphuric Acid, - - -	1	-	1	Not Named, - - -	1	-	1
Nicotine, - - -	1	-	1				
Carried forward, - - -	127	80	207	Total, - - -	132	86	218

DEATHS UNDER ANÆSTHETICS (Secondary Cause).

	Males.	Females.	TOTAL.
Chloroform, - - -	32	28	60
Chloroform and Ether, - - -	17	10	27
Ether, - - -	1	7	8
Ethyl Bromide, - - -	-	1	1
Ethyl Chloride, - - -	-	1	1
Stovaine, - - -	2	-	2
Ethyl Chloride and Ether, - - -	-	1	1
Nitrous Oxide and Oxygen, - - -	1	-	1
Nitrous Oxide, Oxygen, Ether, - - -	1	-	1
Total - - -	54	48	102

TABLE 45.—Age in Completed Months of Children aged under One Year dying from Selected Causes in Scotland in 1926.

CAUSES OF DEATH.	Total.	SEXES.		Under 1 Month.	AGE IN COMPLETED MONTHS.										
		Males.	Females.		1	2	3	4	5	6	7	8	9	10	11
Measles - - - - -	245	136	109	2	2	6	1	9	13	16	20	35	43	50	48
Whooping-cough - - -	242	120	122	15	23	21	14	14	15	24	26	23	19	21	27
Diphtheria - - - - -	48	28	20	2	2	-	2	2	-	5	-	9	6	10	10
Cerebro-spinal Meningitis - - -	37	23	14	-	-	3	5	2	4	2	8	5	-	3	5
Posterior Basal Meningitis - - -	8	6	2	-	-	1	2	-	2	-	1	-	-	2	-
Tubercular Meningitis - - - - -	104	62	42	-	2	5	8	8	14	10	14	10	16	7	10
Abdominal Tuberculosis - - - - -	26	18	18	-	-	3	3	4	5	2	3	4	4	4	4
Other Tuberculous Disease - - - -	45	22	23	-	3	3	1	1	3	2	5	6	7	7	7
Syphilis - - - - -	66	39	27	23	11	10	5	6	5	5	-	-	-	1	-
Convulsions - - - - -	376	229	147	136	24	32	32	33	24	21	22	11	18	8	15
Bronchitis - - - - -	416	248	168	68	55	45	46	34	42	31	21	21	20	12	21
Broncho-pneumonia - - - - -	1000	599	401	82	52	63	81	90	86	85	99	97	105	93	67
Pneumonia - - - - -	278	144	134	31	11	19	28	19	22	24	28	22	34	22	18
Pulmonary Congestion - - - - -	61	36	25	20	10	6	6	4	2	3	6	2	1	1	-
Diseases of Stomach - - - - -	79	41	38	12	15	14	5	6	4	4	8	3	2	1	5
Diarrhœa - - - - -	677	374	303	66	67	92	90	89	61	47	29	50	33	30	23
Congenital Malformations - - - -	429	246	183	279	45	28	23	16	16	8	5	2	3	2	2
Congenital Debility - - - - -	1344	802	542	800	154	116	121	56	34	20	11	9	11	6	6
Premature Birth - - - - -	1794	1036	758	1683	69	20	14	-	2	2	1	-	-	1	-
Other Infantile Diseases - - - - -	336	193	143	321	7	4	2	2	-	-	-	-	-	-	-
Overlaying - - - - -	52	27	25	17	18	10	3	2	-	-	1	-	-	-	1
Suffocation (otherwise) - - - - -	41	23	18	14	6	5	5	3	3	1	-	2	1	-	1
All Other Causes - - - - -	800	472	328	159	64	64	63	67	64	53	58	44	57	48	59
Total - - - - -		8,514		3730	640	570	560	467	421	365	367	356	380	329	329
Males - - - - -	-	4924	-	2176	383	321	332	282	228	204	217	203	205	190	183
Females - - - - -	-	-	3590	1554	257	249	228	185	193	161	150	153	175	139	146

TABLE 46.—Month of Registration of Children aged under One Year dying from Selected Causes in Scotland in 1926.

CAUSES OF DEATH.	Total.	MONTH OF REGISTRATION OF DEATH.											
		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Measles - - - - -	245	20	53	56	51	28	15	8	2	-	1	3	8
Whooping-cough - - - - -	242	25	21	28	42	25	16	18	20	9	5	13	20
Diphtheria - - - - -	48	3	4	8	9	4	2	3	1	3	3	5	3
Cerebro-spinal Meningitis - - - -	37	2	2	6	2	2	4	4	2	2	4	2	5
Posterior Basal Meningitis - - - -	8	1	1	1	-	1	-	1	-	-	2	1	-
Tubercular Meningitis - - - - -	104	5	13	14	14	5	9	4	7	9	6	9	9
Abdominal Tuberculosis - - - - -	26	7	4	5	3	4	4	2	2	1	1	0	3
Other Tuberculous Disease - - - - -	45	10	6	8	3	5	5	1	-	1	3	1	2
Syphilis - - - - -	66	8	6	5	8	8	4	3	7	3	7	4	3
Convulsions - - - - -	376	46	37	40	46	45	20	20	13	9	24	33	43
Bronchitis - - - - -	416	68	40	44	37	28	11	11	14	17	14	57	75
Broncho-pneumonia - - - - -	1000	94	109	124	158	66	32	25	21	35	57	124	155
Pneumonia - - - - -	278	43	26	35	36	16	14	7	9	16	12	25	39
Pulmonary Congestion - - - - -	61	6	6	5	8	3	1	2	2	2	8	8	10
Other Diseases of Stomach - - - - -	79	4	13	6	10	8	5	4	3	5	6	9	6
Diarrhœa - - - - -	677	39	45	54	41	42	51	52	86	107	75	52	33
Congenital Malformations - - - - -	429	35	34	29	39	42	48	30	30	35	38	27	42
Congenital Debility - - - - -	1344	99	106	139	120	115	99	86	102	100	122	131	125
Premature Birth - - - - -	1794	173	157	184	160	144	134	135	104	123	127	172	181
Other Infantile Diseases - - - - -	336	31	28	31	37	24	20	26	29	36	22	22	30
Overlaying - - - - -	52	10	5	3	5	5	1	4	-	1	-	8	10
Suffocation (otherwise) - - - - -	41	4	5	4	6	4	-	4	6	1	1	3	3
All Other Causes - - - - -	800	100	50	87	93	64	47	56	49	58	58	58	80
Total - - - - -	8,514	833	771	916	928	688	542	506	509	573	596	767	885

TABLE 47.—Deaths from selected causes of Children under one year of age—1926.

Note.—(1) The heading 'Other Infectious Diseases' comprises small-pox, chicken-pox, scarlet fever, and erysipelas; (2) 'Digestive Diseases' comprises diarrhoea, enteritis, and other digestive diseases; (3) 'Congenital Causes' comprises congenital malformations, premature birth, atrophy, debility, atelectasis, and marasmus.

COUNTIES (Landward).	DEATHS FROM														
	Measles.	Whooping-cough.	Diphtheria.	Tuberculous Meningitis.	Abdominal Tuberculosis.	Other Tuberculous Disease.	Other Infectious Diseases.	Meningitis (not Tuberculous).	Convulsions.	Pneumonia (all forms).	Bronchitis.	Digestive Diseases.	Congenital Causes.	Other Causes.	Total.
Aberdeen, Landward, .	2	7	..	1	1	1	(b) 2	..	17	18	9	24	83	21	186
Argyll,	2	1	1	2	..	12	1	19
Ayr, ..	8	2	1	..	1	2	(c) 4	5	4	14	9	20	116	18	204
Banff,	2	1	3	3	..	4	25	..	38
Berwick,	5	..	1	16	4	26
Bute,	1	3	..	4
Caithness,	4	2	..	4	9	3	22
Clackmannan,	1	6	1	8
Dumbarton,	4	..	1	2	1	4	7	4	5	29	7	64
Dumfries, ..	3	2	..	1	(a) 1	1	3	1	2	7	46	5	72
East Lothian,	1	..	1	3	4	2	4	17	5	37
Fife, ..	2	11	..	3	4	1	(a) 2	2	8	12	10	15	96	11	177
Forfar,	2	..	1	1	3	4	1	4	38	4	58
Inverness,	1	1	5	..	2	11	6	26
Kincardine, ..	1	8	..	2	1	1	6	1	4	11	5	40
Kinross,	1	3	..	4
Kirkcudbright, ..	1	1	1	1	1	1	..	14	3	23
Lanark, ..	11	17	3	7	5	7	(d) 6	11	36	70	36	51	288	42	590
Midlothian,	1	..	1	4	7	3	10	37	9	72
Moray,	5	..	1	1	..	1	..	3	18	7	36
Nairn,	1	1	..	3	1	6
Orkney,	1	..	1	9	2	13
Peebles,	1	1	1	1	4
Perth, ..	1	1	3	2	2	4	41	11	65
Renfrew, ..	2	2	2	7	4	5	28	6	56
Ross and Cromarty,	1	2	3	9	1	2	23	6	47
Roxburgh,	4	3	12	1	20
Selkirk,	1	2	..	3
Shetland,	2	2	7	1	12
Stirling, ..	3	4	1	..	2	2	..	2	9	20	6	12	54	12	127
Sutherland,	2	..	2	4	1	9
West Lothian, ..	3	1	3	2	2	1	4	10	6	7	50	9	98
Wigtown, ..	1	1	1	1	2	1	19	5	31
Total Landward, .	33	69	8	24	18	17	(e) 15	30	123	218	102	196	1131	208	2197

(a) Scarlet Fever.

(c) 1 Scarlet Fever; 3 Erysipelas.

(e) 6 Scarlet Fever; 9 Erysipelas.

(b) 1 Scarlet Fever; 1 Erysipelas.

(d) 1 Scarlet Fever; 5 Erysipelas.

TABLE 47—(continued).—Deaths from selected causes of Children under one year of age—1926.

BURGHs with Populations over 20,000.	DEATHS FROM														
	Measles.	Whooping-cough.	Diphtheria.	Tuberculous Meningitis.	Abdominal Tuberculosis.	Other Tuberculous Disease.	Other Infectious Diseases.	Meningitis (not Tuberculous).	Convulsions.	Pneumonia (all forms).	Bronchitis.	Digestive Diseases.	Congenital Causes.	Other Causes.	Total.
Glasgow,	126	74	21	19	6	16	(e) 13	51	100	541	118	317	927	219	2,548
Edinburgh,	12	9	5	10	1	1	(d) 2	9	22	104	46	57	279	75	632
Dundee,	1	4	4	1	1	(a) 3	2	15	57	7	39	212	36	382
Aberdeen,	7	0	3	10	2	2	..	7	21	38	19	41	143	26	328
Paisley,	15	15	..	1	(a) 2	2	4	41	6	20	104	10	220
Greenock,	5	..	2	1	2	1	..	7	7	26	13	14	85	13	176
Motherwell and Wishaw, . .	4	3	..	3	(c) 1	..	3	16	11	9	69	3	122
Clydebank,	1	..	3	1	1	4	12	..	6	32	4	64
Coatbridge,	3	(a) 1	6	3	22	4	13	49	11	112
Dunfermline,	1	1	4	9	2	1	25	6	49
Kirkcaldy,	5	1	1	4	5	5	26	..	47
Hamilton,	4	6	1	1	..	3	4	23	5	9	37	3	96
Kilmarnock,	3	2	1	3	7	..	8	19	5	48
Ayr,	2	..	1	1	3	1	7	5	5	20	4	49
Falkirk,	1	2	2	..	1	7	34	5	52
Perth,	1	2	2	5	3	2	19	2	36
Airdrie,	2	3	..	2	3	..	8	3	3	28	4	56
Rutherglen,	1	4	..	1	2	3	2	11	2	26
Dumbarton,	1	5	1	..	7	4	3	16	2	39
Stirling,	3	4	..	2	2	3	3	2	5	19	..	43
Port Glasgow,	1	2	(b) 1	2	2	5	2	8	22	2	47
Inverness,	1	1	..	2	3	2	3	2	10	9	33
Total,	190	143	37	61	14	23	(f) 23	108	204	937	262	576	2186	441	5,205
All Burghs with popula- tions of 10,000 but under 20,000,	11	13	1	10	1	4	(g) 4	16	26	62	24	37	247	39	495
All Burghs with popula- tions of 5000 but under 10,000,	2	9	2	5	2	1	..	7	3	28	8	19	149	26	261
All Burghs with popula- tions under 5000,	4	8	..	4	1	7	20	33	20	34	190	35	356
Total Burghal,	207	173	40	80	18	28	(h) 27	138	253	1060	314	666	2772	541	6,317
Total Landward,	38	69	8	24	18	17	(j) 15	30	123	218	102	196	1131	208	2,197
Scotland,	245	242	48	104	36	45	(k) 42	168	376	1278	416	862	3903	749	8,514

(a) Scarlet Fever

(c) Chicken-pox.

(e) 7 Erysipelas; 6 Scarlet Fever.

(g) 3 Erysipelas; 1 Scarlet Fever.

(j) 6 Scarlet Fever; 9 Erysipelas.

(b) Erysipelas.

(d) 1 Scarlet Fever; 1 Erysipelas.

(f) 13 Scarlet Fever; 9 Erysipelas; 1 Chicken-pox.

(h) 14 Scarlet Fever; 12 Erysipelas; 1 Chicken-pox.

(k) 20 Scarlet Fever; 21 Erysipelas; 1 Chicken-pox.

TABLE 48.—Births, Deaths under one year by age-periods, and
Death-rates per 1000 Births—1926.

COUNTIES (Landward).	Number of Births.	DEATHS—AGE											
		Under 1 Week.		1 Week and under 1 Month.		1 Month and under 3 Months.		3 Months and under 6 Months.		6 Months and under 12 Months.		Under 1 Year (Total).	
		No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Aberdeen, Landward, .	2,503	37	14.8	39	15.6	43	17.2	28	11.2	39	15.6	186	74.3
Argyll, .	582	10	17.2	3	5.2	3	5.2	3	5.2	19	32.6
Ayr, .	2,831	72	25.4	33	11.7	31	11.0	29	10.2	39	13.8	204	72.1
Banff, .	607	14	23.1	10	16.5	4	6.6	6	9.9	4	6.6	38	62.6
Berwick, .	381	12	31.5	2	5.2	3	7.9	4	10.5	5	13.1	26	68.2
Bute, .	84	2	23.8	2	23.8	4	47.6
Caithness, .	286	6	21.0	1	3.5	4	14.0	6	21.0	5	17.5	22	76.9
Clackmannan, .	208	5	24.0	3	14.4	8	38.5
Dumbarton, .	1,027	24	23.4	10	9.7	3	2.9	4	3.9	23	22.4	64	62.3
Dumfries, .	996	29	29.1	12	12.0	9	9.0	10	10.0	12	12.0	72	72.3
East Lothian, .	555	16	28.8	5	9.0	4	7.2	4	7.2	8	14.4	37	66.7
Fife, .	2,474	68	27.5	27	10.9	23	9.3	22	8.9	37	15.0	177	71.5
Forfar, .	754	22	29.2	16	21.2	6	8.0	5	6.6	9	11.9	58	76.9
Inverness, .	918	11	12.0	4	4.4	3	3.3	8	8.7	26	28.3
Kincardine, .	428	7	16.4	9	21.0	10	23.4	5	11.7	9	21.0	40	93.5
Kinross, .	80	2	25.0	1	12.5	1	12.5	4	50.0
Kirkcudbright, .	434	8	18.4	5	11.5	3	6.9	5	11.5	2	4.6	23	53.0
Lanark, .	7,515	193	25.7	93	12.4	71	9.4	95	12.6	138	18.4	590	78.5
Midlothian, .	1,037	19	18.3	15	14.5	15	14.5	14	13.5	9	8.7	72	69.4
Moray, .	459	10	21.8	5	10.9	11	24.0	5	10.9	5	10.9	36	78.4
Nairn, .	89	1	11.2	1	11.2	1	11.2	2	22.5	1	11.2	6	67.4
Orkney, .	274	7	25.5	4	14.6	2	7.3	13	47.4
Peebles, .	109	1	10.0	1	10.0	2	20.0	4	40.0
Perth, .	984	30	30.5	12	12.2	9	9.1	6	6.1	8	8.1	65	66.1
Renfrew, .	958	20	20.9	9	9.4	7	7.3	10	10.4	10	10.4	56	58.5
Ross and Cromarty, .	897	13	14.5	7	7.8	10	11.1	5	5.6	12	13.3	47	52.4
Roxburgh, .	295	9	30.5	5	16.9	3	10.2	1	3.4	2	6.8	20	67.3
Selkirk, .	68	1	14.7	1	14.7	1	14.7	3	44.1
Shetland, .	248	3	12.1	3	12.1	2	8.1	3	12.1	1	4.0	12	48.4
Stirling, .	1,822	36	19.8	18	9.9	21	11.5	22	12.1	30	16.5	127	69.7
Sutherland, .	228	2	8.8	2	8.8	4	17.5	1	4.4	9	39.5
West Lothian, .	1,207	28	23.2	25	20.7	12	9.9	11	9.1	22	18.2	98	81.2
Wigtown, .	422	8	19.0	7	16.6	9	21.3	4	9.5	3	7.1	31	73.5
Total Landward, .	31,751	726	22.9	378	11.9	328	10.3	316	10.0	449	14.1	2197	69.2

TABLE 48—(continued).—Births, Deaths under one year by age-periods, and Death-rates per 1000 Births—1926.

BURGHs with Populations over 20,000.	Number of Births.	DEATHS.										Total under 1 Year.	Death-rate per 1000 Births.
		Under 1 Week.	Death-rate per 1000 Births.	1 Week and under 1 Month.	Death-rate per 1000 Births.	1 Month and under 3 Months.	Death-rate per 1000 Births.	3 Months and under 6 Months.	Death-rate per 1000 Births.	6 Months and under 12 Months.	Death-rate per 1000 Births.		
Glasgow,	24,542	602	24.5	333	13.6	343	14.0	467	19.0	803	32.6	2,548	103.8
Edinburgh,	7,926	152	19.2	95	12.0	111	14.0	123	15.5	151	19.1	632	79.7
Dundee,	3,724	129	34.6	60	16.1	53	14.2	78	20.9	62	16.6	382	102.6
Aberdeen,	3,406	75	22.0	45	13.2	46	13.5	75	22.0	87	25.5	328	96.3
Paisley,	1,929	62	32.1	24	12.4	28	14.5	33	17.1	73	37.8	220	114.0
Greenock,	1,947	44	22.6	32	16.4	18	9.2	34	17.5	48	24.7	176	90.4
Motherwell and Wishaw, . .	1,660	43	25.9	22	13.3	13	7.8	43	7.8	31	18.7	122	73.5
Clydebank,	1,072	23	21.5	8	7.5	10	9.3	14	13.1	9	8.4	64	59.7
Coatbridge,	1,160	34	29.3	14	12.1	21	18.1	21	18.1	22	19.0	112	96.6
Dunfermline,	764	22	28.8	5	6.5	8	10.5	10	13.1	4	5.2	49	64.1
Kirkcaldy,	822	17	20.7	7	8.5	8	9.7	4	4.9	11	13.4	47	57.2
Hamilton,	1,029	28	27.2	10	9.7	11	10.7	18	17.5	29	28.2	96	93.3
Kilmarnock,	777	13	16.7	8	10.3	8	10.3	7	9.0	12	15.4	48	61.8
Ayr,	785	14	17.8	5	6.4	9	11.5	12	15.3	9	11.5	49	62.4
Falkirk,	742	20	27.0	11	14.8	7	9.4	10	13.5	4	5.4	52	70.1
Perth,	661	12	18.2	5	7.6	6	9.1	5	7.6	8	12.1	36	54.5
Airdrie,	681	21	30.8	7	10.3	7	10.3	10	14.7	11	16.2	56	82.2
Rutherglen,	458	8	17.5	2	4.4	2	4.4	5	10.9	9	19.7	26	56.8
Dumbarton,	454	8	17.6	5	11.0	7	15.4	9	19.8	10	22.0	39	85.9
Stirling,	495	15	30.3	1	2.0	5	10.1	8	16.2	14	28.3	43	86.9
Port Glasgow,	542	12	22.1	8	14.8	4	7.4	5	9.2	18	33.2	47	86.7
Inverness,	420	7	16.7	6	14.3	2	4.8	10	23.8	8	19.0	33	78.6
Total,	55,996	1361	24.3	713	12.7	727	13.0	971	17.3	1433	25.6	5,205	93.0
All Burghs with popula- tions of 10,000 but under 20,000,	5,428	152	28.0	76	14.0	65	12.0	77	14.2	125	23.0	495	91.2
All Burghs with popula- tions of 5000 but under 10,000,	3,961	85	21.5	39	9.8	36	9.1	34	8.6	67	16.9	261	65.9
All Burghs with popula- tions under 5000,	5,313	184	25.2	66	12.4	54	10.2	50	9.4	52	9.8	356	67.0
Total Burghal,	70,698	1732	24.5	894	12.6	882	12.5	1132	16.0	1677	23.7	6,317	89.4
Total Landward,	31,751	726	22.9	378	11.9	328	10.3	316	10.0	449	14.1	2,197	69.2
Scotland,	102,449	2458	24.0	1272	12.4	1210	11.8	1448	14.1	2126	20.8	8,514	83.1

TABLE 49.—Deaths (uncorrected for Transfers) from Certified and Uncertified Causes in 1926.

	TOTAL DEATHS (UNCOR- RECTED).	DEATHS FROM CERTIFIED CAUSES.	DEATHS FROM UNCERTI- FIED CAUSES.	PERCENTAGE OF UNCERTIFIED TO TOTAL DEATHS.		
				1926.	1925.	Mean of Five Years 1921-1925.
SCOTLAND,	63,780	63,362	418	0·7	0·8	0·9
NORTHERN DIVISION, . .	1,257	1,172	85	6·8	9·2	9·4
NORTH WESTERN Do. . .	2,111	1,866	245	11·6	14·0	15·5
NORTH-EASTERN Do. . .	5,816	5,805	11	0·2	0·2	0·2
EAST-MIDLAND Do. . .	9,112	9,099	13	0·1	0·1	0·2
WEST-MIDLAND Do. . .	4,485	4,454	31	0·7	0·4	0·8
SOUTH-WESTERN Do. . .	29,224	29,212	12	0·0	0·1	0·1
SOUTH-EASTERN Do. . .	9,261	9,244	17	0·2	0·1	0·2
SOUTHERN Do. . . .	2,514	2,510	4	0·2	0·1	0·1
<hr/>						
<i>Counties.</i>						
Aberdeen,	3,981	3,975	6	0·2	0·2	0·2
Argyll,	857	829	28	3·3	1·4	3·8
Ayr,	3,268	3,267	1	0·0	0·2	0·1
Banff,	701	699	2	0·3	0·3	0·2
Berwick,	302	302	—	—	—	0·0
Bute,	215	213	2	0·9	0·9	0·2
Caithness,	394	388	6	1·5	0·6	2·1
Clackmannan,	367	366	1	0·3	—	0·1
Dumbarton,	1,530	1,530	—	—	0·2	0·1
Dumfries,	1,072	1,071	1	0·1	—	0·1
East Lothian,	441	440	1	0·2	0·4	0·7
Fife,	3,045	3,040	5	0·2	0·1	0·2
Forfar,	3,963	3,962	1	0·0	0·0	0·1
Inverness,	1,208	1,099	109	9·0	9·6	11·2
Kincardine,	474	473	1	0·2	0·2	0·3
Kinross,	124	124	—	—	—	0·4
Kirkcudbright,	425	422	3	0·7	0·2	0·2
Lanark,	22,070	22,061	9	0·0	0·0	0·1
Midlothian,	7,251	7,236	15	0·2	0·2	0·2
Moray,	538	538	—	—	—	0·2
Nairn,	122	120	2	1·6	0·8	0·6
Orkney,	327	314	13	4·0	4·5	4·9
Peebles,	142	142	—	—	—	0·2
Perth,	1,613	1,607	6	0·4	0·4	0·4
Renfrew,	3,886	3,884	2	0·1	0·1	0·2
Ross and Cromarty,	908	767	136	15·1	19·7	21·1
Roxburgh,	612	612	—	—	0·2	0·1
Selkirk,	309	308	1	0·3	—	0·0
Shetland,	305	265	40	13·1	17·9	17·5
Stirling,	1,883	1,882	1	0·1	—	0·0
Sutherland,	231	205	26	11·3	17·6	16·4
West Lothian,	816	816	—	—	—	0·2
Wigtown,	405	405	—	—	—	0·2

TABLE 50.—Meteorology of Scotland for 1926; also the Number of Births, Deaths, and Marriages registered during each Month of the Year 1926.

	Jan.	Feb.	Mar.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	YEAR.
Mean Barometer (inch)	29·650	29·706	29·921	29·809	29·849	29·852	29·969	29·916	29·957	29·844	29·453	30·193	29·843
Mean of Max. Temp.	43°·7	45°·4	47°·9	53°·8	55°·4	62°·4	68°·0	66°·2	61°·5	49°·6	45°·5	44°·4	53°·7
„ „ Min. „	36°·4	37°·3	38°·2	40°·3	41°·2	48°·2	52°·8	52°·0	47°·8	37°·9	36°·4	36°·4	42°·1
Mean Temperature.	40°·0	41°·3	43°·0	47°·0	48°·3	55°·3	60°·4	59°·1	54°·6	43°·8	40°·9	40°·4	47°·8
Absolute Maximum .	58°	60°	61°	70°	73°	79°	87°	78°	81°	77°	59°	59°	87°
Absolute Minimum .	16°	8°	18°	23°	23°	32°	32°	36°	25°	13°	9°	7°	7°
Rainfall (Normal 100)	141	125	103	108	109	122	90	86	138	151	130	57	109
Births	8706	8087	9374	9215	9082	8704	8576	8321	7922	8233	8144	8085	102449
Deaths	5981	5416	6531	6892	5569	4547	4426	4234	4206	4441	5734	5803	63780
Marriages	3730	1968	2127	2773	1445	3467	3476	2274	2658	2224	2110	3001	31253
Rates per 1000 of Estimated Population													
Births	20·9	21·5	22·5	22·9	21·8	21·6	20·6	20·0	19·7	19·8	20·2	19·4	20·9
Deaths	14·4	14·4	15·7	17·1	13·4	11·3	10·6	10·2	10·5	10·7	14·2	14·0	13·0
Marriages	9·0	5·2	5·1	6·9	3·5	8·6	8·4	5·5	6·6	5·3	5·2	7·2	6·4

TABLE 51.—Deaths, Temperature, and Rainfall in the Larger Burghs of Scotland during each Week of 1926.

Week ending	Deaths (Corrected for Transfers).	Death-rate (Corrected) per 1000 of Population.	TEMPERATURE.			RAIN, in inches	No. of Week.	Week ending	Deaths (Corrected for Transfers).	Death-rate (Corrected) per 1000 of Population.	TEMPERATURE.			RAIN, in inches
			Maxi- mum.	Mini- mum.	Mean.						Maxi- mum.	Mini- mum.	Mean.	
January 9	815	17·9	53·0	31·0	41·8	0·95	27	July 10	544	11·8	74·6	48·0	58·6	0·42
16	700	15·3	55·0	26·0	39·7	0·74	28	17	525	11·4	85·5	43·0	64·8	0·00
23	717	15·7	49·0	29·0	37·7	1·90	29	24	541	11·8	77·6	41·0	60·3	2·19
30	660	14·5	51·0	33·9	42·7	1·19	30	31	478	10·4	77·0	40·0	58·7	0·19
February 6	680	14·9	49·0	26·0	40·0	1·79	31	August 7	508	11·1	78·0	43·0	60·1	0·62
13	662	14·5	48·1	20·0	35·3	0·63	32	14	461	10·0	71·0	43·0	58·8	0·45
20	690	15·1	54·0	25·0	41·7	1·34	33	21	487	10·6	74·0	43·0	59·7	1·39
27	745	16·3	57·0	38·0	47·2	1·07	34	28	515	11·2	71·5	44·0	58·0	0·20
March 6	677	14·8	55·1	29·0	43·6	1·01	35	September 4	477	10·4	75·9	37·0	57·7	0·11
13	691	15·1	60·0	30·0	46·1	0·99	36	11	493	10·7	68·0	39·0	56·7	0·90
20	752	16·5	57·0	30·0	44·0	0·07	37	18	532	11·6	79·0	41·0	56·7	0·87
27	818	17·9	47·2	31·0	39·1	0·13	38	25	551	12·0	73·0	35·0	53·0	1·28
April 3	1023	22·4	63·7	33·0	45·6	0·60	39	October 2	537	11·7	67·0	30·0	52·1	1·87
10	956	21·0	67·0	33·0	50·0	0·07	40	9	531	11·6	77·0	40·0	55·5	1·32
17	951	20·8	64·0	28·0	46·4	0·77	41	16	524	11·4	55·3	26·0	44·3	1·41
24	782	17·1	58·5	32·0	45·2	0·48	42	23	525	11·4	51·0	23·0	37·5	0·36
May 1	726	15·9	54·9	36·0	45·9	0·68	43	30	632	13·8	47·0	23·0	36·3	1·54
8	692	15·1	56·0	31·0	44·1	0·65	44	November 6	727	15·8	57·0	18·0	39·8	1·75
15	623	13·7	61·0	31·0	45·2	0·71	45	13	698	15·2	52·9	22·0	42·0	1·40
22	666	14·5	66·1	32·0	48·7	0·23	46	20	680	14·8	50·0	31·0	42·6	1·91
29	624	13·6	72·0	39·0	55·0	0·73	47	27	653	14·2	50·0	25·0	40·0	0·50
June 5	603	13·1	70·1	38·0	52·3	0·49	48	December 4	671	14·6	45·3	27·9	37·8	0·59
12	542	11·8	74·1	44·0	55·6	1·49	49	11	685	14·9	56·0	30·0	44·8	0·28
19	552	12·0	70·1	41·0	55·6	0·62	50	18	669	14·6	49·1	26·0	40·4	0·38
26	516	11·2	75·0	40·0	55·7	0·22	51	25	566	12·3	49·0	20·0	35·4	0·06
July 3	519	11·3	76·4	48·0	59·4	0·13	52	Jan. 1, 1927	744	16·2	54·0	24·0	43·8	0·15

This Table is compiled from Weekly Returns for 1926. Deaths and Death-rates have been corrected by allocation to place of usual residence.

TABLE 52.—VACCINATIONS in SCOTLAND.

Year.	Total Births Registered.	Number Surviving at Six Months.	Successfully Vaccinated.	Insusceptible of Vaccine Disease.			Died before Vaccination.	Statutory Declaration of Conscientious Objection.	Vaccination Postponed.	Removed from District before Vaccination, or otherwise unaccounted for.
				From previous Vaccination.	From Constitutional Insusceptibility.	From having had Small-pox				
NUMBERS.										
1915	114,249	104,090	61,072	384	329	0	10,159	35,231	2,317	4,757
1916	110,071	101,042	58,172	289	387	0	9,029	35,553	2,382	4,250
1917	97,480	89,632	50,030	199	444	0	7,848	32,816	2,469	3,674
1918	98,558	90,035	48,833	226	540	0	8,523	33,492	2,748	4,196
1919	106,274	98,091	56,489	379	465	0	8,183	35,583	1,706	3,469
1920	136,545	126,230	88,587	458	1,015	3	10,315	28,150	3,083	4,934
1921	123,216	113,499	70,497	393	1,276	0	9,717	34,098	3,049	4,186
1922	115,085	106,917	66,047	351	979	4	8,168	33,224	2,613	3,699
1923	111,916	104,305	64,340	319	831	0	7,611	32,451	2,615	3,749
1924	106,901	99,077	62,096	286	887	0	7,824	29,568	2,619	3,621
1925	104,165	96,721	58,694	305	800	0	7,434	31,274	2,457	3,191
RATE PER CENT. OF TOTAL BIRTHS.										
1915	100·00	—	53·45	0·34	0·29	0·00	8·89	30·84	2·03	4·16
1916	100·00	—	52·85	0·26	0·35	0·00	8·20	32·30	2·17	3·87
1917	100·00	—	51·32	0·20	0·46	0·00	8·05	33·67	2·53	3·77
1918	100·00	—	49·55	0·23	0·55	0·00	8·65	33·98	2·79	4·25
1919	100·00	—	53·15	0·36	0·44	0·00	7·70	33·48	1·61	3·26
1920	100·00	—	64·88	0·33	0·77	0·00	7·55	20·62	2·26	3·59
1921	100·00	—	57·21	0·32	1·04	0·00	7·89	27·67	2·47	3·40
1922	100·00	—	57·39	0·31	0·85	0·00	7·10	28·87	2·27	3·21
1923	100·00	—	57·49	0·28	0·74	0·00	6·80	29·00	2·34	3·35
1924	100·00	—	58·08	0·27	0·83	0·00	7·32	27·66	2·45	3·39
1925	100·00	—	56·35	0·29	0·77	0·00	7·14	30·03	2·36	3·06
RATE PER CENT. OF CHILDREN SURVIVING AT SIX MONTHS.										
1864-1873	—	100·00	96·19	0·22	0·28	0·05	—	—	0·77	2·49
1874-1883	—	100·00	96·12	0·29	0·16	0·01	—	—	1·21	2·21
1884-1893	—	100·00	91·72	0·25	0·24	0·00	—	—	2·13	2·66
1894-1903	—	100·00	93·84	0·32	0·47	0·00	—	—	2·36	3·01
1904-1913	—	100·00	76·24	0·57	0·58	0·00	—	14·88	2·69	5·04
1914-1923	—	100·00	59·94	0·33	0·67	0·00	—	32·44	2·46	4·16
1915	—	100·00	58·67	0·37	0·32	0·00	—	33·85	2·22	4·57
1916	—	100·00	57·57	0·29	0·38	0·00	—	35·19	2·36	4·21
1917	—	100·00	55·82	0·22	0·50	0·00	—	36·61	2·75	4·10
1918	—	100·00	54·24	0·25	0·60	0·00	—	37·20	3·05	4·66
1919	—	100·00	57·59	0·38	0·47	0·00	—	36·28	1·74	3·54
1920	—	100·00	70·18	0·36	0·81	0·00	—	22·30	2·44	3·91
1921	—	100·00	62·11	0·35	1·12	0·00	—	30·04	2·69	3·69
1922	—	100·00	61·77	0·33	0·92	0·00	—	31·08	2·44	3·46
1923	—	100·00	61·68	0·31	0·80	0·00	—	31·11	2·51	3·59
1924	—	100·00	62·67	0·29	0·90	0·00	—	29·84	2·64	3·66
1925	—	100·00	60·68	0·32	0·83	0·00	—	32·33	2·54	3·30

TABLE 53.—Deaths from Small-pox in Scotland, 1855-1925, with Vaccination Particulars, 1864-1925.

State of Vaccination of Children whose Births were Registered in each Year from 1864 to 1925: Percentages (excluding those who Died before Vaccination).						Deaths from Small-pox in each Year from 1855 to 1925.					Deaths from Cow-pox and Effects of Vaccination, 1883-1923.
Year.	Successfully Vaccinated.*	Vaccination Postponed.†	Insusceptible of Vaccination.	Statutory Declarations of Conscientious Objection.	Unaccounted for.	Total (including Age Not Stated).	0-4 Years.	5-24 Years.	25-64 Years.	65 Years and upwards.	
Average 1855-1863	979	690	188	102	3	
1864	95·8	0·7	0·8		2·7	1,741	983	435	313	9	
1865	96·3	0·7	0·5		2·5	383	199	107	73	4	
1866	96·5	0·6	0·3		2·6	200	128	45	27	..	
1867	96·8	0·6	0·2		2·4	100	62	25	13	..	
1868	96·5	0·9	0·3		2·3	15	12	2	1	..	
1869	96·2	0·9	0·2		2·7	64	33	16	15	..	
1870	96·6	0·8	0·2		2·4	114	46	39	29	..	
1871	96·4	0·8	0·4		2·4	1,442	307	659	462	14	
1872	96·9	0·7	0·2		2·2	2,448	552	1,005	864	26	
1873	96·4	1·0	0·2		2·4	1,126	263	486	367	9	
1874	96·2	1·1	0·2		2·5	1,246	291	551	395	8	
1875	96·4	1·1	0·2		2·3	76	17	33	23	3	
1876	96·7	0·9	0·2		2·2	39	7	13	18	1	
1877	96·7	1·1	0·2		2·0	38	4	22	12	..	
1878	96·7	1·0	0·2		2·1	4	1	2	1	..	
1879	96·6	1·1	0·2		2·1	8	1	1	6	..	
1880	96·6	1·2	0·1		2·1	10	2	6	2	..	
1881	96·3	1·4	0·1		2·2	19	2	10	6	1	
1882	96·0	1·5	0·2		2·3	3	3	..	
1883	96·0	1·6	0·2		2·2	11	..	3	6	..	
1884	95·7	1·7	0·2		2·4	14	2	6	5	1	..
1885	95·5	1·8	0·2		2·5	39	3	13	23	..	1
1886	95·2	2·0	0·2		2·6	24	4	10	9	1	3
1887	94·9	2·2	0·2		2·7	17	..	6	11	..	3
1888	95·0	2·1	0·2		2·7	3	1	1	1	..	6
1889	94·5	2·4	0·2		2·9	8	1	1	6	..	2
1890	94·6	2·5	0·2		2·7	3
1891	94·8	2·3	0·2		2·7	4
1892	94·8	2·2	0·3		2·7	11	2	2	7	..	5
1893	94·8	2·2	0·4		2·6	63	11	13	43	1	3
1894	94·9	2·3	0·4		2·4	129	19	31	75	4	1
1895	94·9	2·3	0·4		2·4	47	4	8	35	..	3
1896	94·2	2·4	0·5		2·9	2	1	..	1	..	1
1897	94·1	2·5	0·5		2·9	10	3	1	5	1	1
1898	93·4	2·7	0·5		3·4	2	..	1	1	..	3
1899	93·6	2·5	0·5		3·4	1	1	..	1
1900	94·5	2·0	0·4		3·1	53	10	7	36	..	1
1901	93·5	2·4	0·8		3·2	278	36	32	205	5	..
1902	93·9	2·4	0·4		3·3	80	11	13	53	3	..
1903	94·5	2·1	0·3		3·1	41	6	5	29	1	1
1904	93·9	2·4	0·4		3·3	185	35	18	128	4	..
1905	93·8	2·4	0·4		3·4	4	2	..	2	..	1
1906	91·9	2·6	0·5	0·2	4·8	1	1	..	1
1907	83·5	3·3	0·7	6·2	6·3	1	1	..	1
1908	76·8	3·1	0·7	13·4	6·0	6	1
1909	71·7	2·9	0·7	19·4	5·3	1	5
1910	67·6	2·7	0·6	23·8	5·3	1
1911	64·2	2·5	1·0	26·7	5·6	5	..	2	3	..	2
1912	62·1	2·6	0·4	29·6	5·3	17	1	3	12	1	..
1913	58·6	2·5	0·4	33·2	5·3
1914	56·6	2·5	0·6	34·5	5·8	1	1
1915	59·0	2·2	0·3	33·9	4·6	2	2	1
1916	57·8	2·4	0·4	35·2	4·2	1	1
1917	56·0	2·8	0·5	36·6	4·1
1918	54·5	3·0	0·6	37·2	4·7
1919	58·0	1·7	0·5	36·3	3·5
1920	70·5	2·5	0·8	22·3	3·9	152	25	35	81	11	2
1921	62·5	2·7	1·1	30·0	3·7	24	2	6	16
1922	62·1	2·4	0·9	31·1	3·5
1923	62·0	2·5	0·8	31·1	3·6	2
1924	63·0	2·6	0·9	29·8	3·7	3
1925	61·0	2·6	0·8	32·3	3·3

* Including such as were certified as Insusceptible of Vaccination "on the ground of previous successful vaccination," the children having been vaccinated by persons unauthorised to grant certificates.

† At the end of the year following that of registration of birth.

GENERAL REGISTRATION SUMMARY.

GENERAL REGISTRATION SUMMARY.

1. EVENTS REGISTERED IN 1926. 2. VACCINATIONS OF CHILDREN WHOSE BIRTHS WERE REGISTERED IN 1925.
(Figures in this Table show actual numbers as **Registered**, and are not "Corrected for Transfers.")

No.	COUNTIES AND LARGER BURGHs.	CENSUS POPULATION.		REGISTERED BIRTHS, DEATHS AND MARRIAGES, 1926.			VACCINATIONS, 1925.							Total Births for 1925.		
		1921	1911	Births.		Deaths. .	Marr- riages.	Insusceptible of Vaccine Disease.			Died before Vaccination.	Statutory Declara- tions of Conscientious Objection.	Medical Certificate of Postponement.		Unaccounted for through removal from District before Vaccin- ation, or otherwise.	
				Total.	Illeg- itimate.			On the ground of previous successful Vaccination.	On the ground of Constitu- tional Insusceptibility.	In respect of the children having already had Smallpox.						
	SCOTLAND . . .	4,882,497	4,760,904	102,445	7039	63,780	31,253	58,694	305	800	...	7434	31,274	2457	3191	104,155
	COUNTIES.															
1	Shetland . . .	25,520	27,911	320	23	305	117	27	11	240	1	17	296
2	Orkney . . .	24,111	25,897	356	20	327	128	144	...	1	...	15	190	13	1	364
3	Caithness . . .	28,285	32,010	510	58	394	128	229	30	223	14	27	523
4	Sutherland . . .	17,802	20,179	226	19	231	50	139	...	1	...	12	73	1	23	249
5	Ross and Cromarty . . .	70,818	77,364	1,028	50	903	266	535	1	4	...	57	317	46	140	1,100
6	Inverness . . .	82,455	87,272	1,374	110	1,208	432	659	3	2	...	72	347	47	203	1,333
7	Nairn . . .	8,790	9,319	171	23	122	48	144	1	12	13	1	1	172
8	Moray . . .	41,558	43,427	854	115	538	241	606	...	2	...	55	100	26	59	848
9	Banff . . .	57,298	61,402	1,301	150	701	273	602	1	7	...	78	513	22	34	1,257
10	Aberdeen . . .	301,016	312,177	6,500	739	3,981	2,104	4,928	53	21	...	497	771	134	108	6,512
11	Kincardine . . .	41,779	41,008	826	76	474	187	565	5	7	...	64	91	18	32	782
12	Forfar . . .	271,052	281,417	5,462	424	3,963	1,826	2,018	2	27	...	410	2743	50	169	5,419
13	Perth . . .	125,503	124,342	1,932	163	1,613	692	1,390	2	25	...	113	268	24	47	1,869
14	Fife . . .	292,925	267,733	5,948	309	3,045	1,617	2,542	10	41	...	352	2731	146	94	5,916
15	Kinross . . .	7,963	7,527	126	6	124	24	84	...	3	...	9	34	3	5	138
16	Clackmannan . . .	32,542	31,121	637	27	367	165	311	2	5	...	38	229	12	8	605

17	Stirling	161,719	160,991	3,573	161	1,883	998	1,697	36	37	...	218	1448	51	90	3,577
18	Dumbarton	150,570	135,957	2,982	108	1,530	708	1,178	8	26	...	199	1446	72	117	3,046
19	Argyll	76,862	70,902	908	84	857	253	651	3	9	...	47	167	33	52	962
20	Bute	33,711	18,186	234	17	215	74	157	...	4	...	15	25	13	7	221
21	Renfrew	286,693	268,052	6,343	279	3,886	1,585	3,117	31	40	...	505	2650	166	90	6,599
22	Ayr	299,273	268,337	5,921	374	3,268	1,614	3,120	14	32	...	431	2031	169	149	5,946
23	Lanark	1,551,944	1,497,408	37,523	2336	22,070	11,340	22,516	113	354	...	3104	10,582	938	1280	38,887
24	West Lothian	83,962	80,161	1,884	69	816	433	1,019	2	10	...	106	794	41	72	2,044
25	Midlothian	506,377	507,666	10,001	779	7,251	4,253	6,676	14	106	...	643	2103	287	211	10,040
26	East Lothian	47,487	43,254	919	54	441	203	547	...	4	...	57	219	31	13	871
27	Berwick	28,246	29,643	452	30	302	154	368	...	1	...	19	61	11	8	468
28	Peebles	15,332	15,258	214	10	142	90	164	...	1	...	9	27	6	7	214
29	Selkirk	22,607	24,601	326	19	309	128	178	23	123	14	1	339
30	Roxburgh	44,989	47,192	643	49	612	237	487	...	6	...	34	144	16	6	693
31	Dumfries	75,370	72,825	1,657	185	1,072	513	980	4	13	...	106	415	15	50	1,583
32	Kirkcudbright	37,155	38,367	702	86	425	239	420	...	3	...	39	104	11	19	672
33	Wigtown	30,783	31,998	592	87	405	133	496	...	8	...	54	52	25	51	610
LARGER BURGHs.																
	Glasgow	1,051,518	1,024,386	25,036	1718	16,428	8,659	16,276	60	288	...	2168	5679	458	903	25,832
	Edinburgh	420,264	424,046	8,308	718	6,348	3,823	5,638	13	98	...	534	1584	227	156	8,250
	Dundee	168,315	176,351	3,822	294	2,638	1,317	978	2	15	...	306	2270	22	157	3,750
	Aberdeen	158,963	163,891	3,557	309	2,220	1,403	2,771	50	12	...	324	262	67	49	3,535
	Paisley	84,837	84,455	1,961	85	1,281	535	890	5	9	...	179	768	83	30	1,964
	Greenock	81,123	75,140	1,943	110	1,162	441	711	4	4	...	145	1093	10	18	1,985
	Motherwell and Wishaw	68,869	65,933	1,632	66	686	332	876	1	10	...	122	543	120	29	1,701
	Clydebank	46,601	37,642	1,018	26	337	232	385	...	12	...	67	513	7	73	1,057
	Coatbridge	43,919	43,293	996	41	554	253	574	12	6	...	95	335	22	30	1,074
	Dunfermline	39,899	29,213	821	45	475	253	365	4	5	...	52	311	23	13	773
	Kirkcaldy	39,591	39,601	828	42	476	273	336	...	3	...	66	386	38	6	835
	Hamilton	39,504	38,747	1,035	46	441	196	392	1	3	...	59	606	10	11	1,082
	Kilmarnock	35,911	34,877	795	47	521	252	324	4	3	...	58	377	25	7	798
	Ayr	35,763	32,986	869	51	554	279	597	6	8	...	53	109	20	23	816
	Falkirk	33,308	33,574	717	20	465	241	232	...	1	...	46	465	11	10	765
	Perth	33,208	35,854	669	43	574	285	359	...	8	...	49	134	12	12	574
TOTAL (Larger Burghs)																
		2,381,593	2,339,989	54,007	3661	35,160	18,774	31,704	162	485	...	4323	15,435	1155	1527	54,791

CAUSES OF DEATH IN SCOTLAND IN 1926—BOTH SEXES.

		All Ages.	Age												
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over	
All Causes - - - - -		63780	514	4228	1143	818	2681	3005	3739	5901	8942	12,099	9646	3064	
I. EPIDEMIC AND ENDEMIC DISEASES.															
1 (a) Enteric Fever - - -		39	-	1	1	1	10	8	6	7	4	-	1	-	
(b) Paratyphoid Fever - - -		11	-	-	1	-	5	2	-	3	-	-	-	-	
2 Typhus Fever - - - - -		3	-	-	-	-	1	-	-	2	-	-	-	-	
5 Malaria - - - - -		4	-	-	-	-	-	1	2	-	1	-	-	-	
6 (a) Smallpox { Vaccinated - - -		-	-	-	-	-	-	-	-	-	-	-	-	-	
(b) Do. { Unvaccinated - - -		-	-	-	-	-	-	-	-	-	-	-	-	-	
(c) Do. { Vaccination - - -		-	-	-	-	-	-	-	-	-	-	-	-	-	
(c) Do. { Doubtful - - -		-	-	-	-	-	-	-	-	-	-	-	-	-	
7 Measles - - - - -		928	245	633	32	7	1	3	3	2	2	-	-	-	
8 Scarlet Fever - - - - -		343	20	177	86	21	19	9	9	2	-	-	-	-	
9 Whooping-cough - - - - -		506	242	250	11	2	-	-	-	-	-	-	1	-	
10 Diphtheria - - - - -		490	48	274	134	15	10	4	-	3	1	1	-	-	
11 Influenza—															
(a) Sole Cause - - - - -		319	22	10	6	-	9	4	17	18	40	70	78	45	
(b) with Phthisis - - - - -		16	-	-	1	-	2	2	4	3	3	1	-	-	
(c) with Bronchitis - - - - -		185	13	9	1	-	-	3	10	20	25	57	33	14	
(d) with Pneumonia - - - - -		582	23	29	5	7	42	33	94	83	100	92	68	6	
(e) with other Respiratory Disease		66	1	1	-	1	1	3	6	10	10	17	12	4	
(f) with Diseases and Accidents of Pregnancy and Parturition		10	-	-	-	-	2	6	1	1	-	-	-	-	
(g) with other Cause - - - - -		243	17	10	6	4	12	14	16	26	52	56	26	4	
16 Dysentery - - - - -		14	3	-	-	-	1	1	1	1	1	4	2	-	
21 Erysipelas - - - - -		145	21	5	1	2	5	4	9	20	32	29	14	3	
22 Infantile Paralysis - - - - -		22	2	9	1	2	3	3	-	1	1	-	-	-	
23 Encephalitis Lethargica - - -		169	5	11	3	7	25	18	23	36	25	14	2	-	
24 (a) Cerebro-spinal Meningitis -		108	37	37	11	5	10	-	1	4	3	-	-	-	
(b) Posterior Basal Meningitis -		12	8	4	-	-	-	-	-	-	-	-	-	-	
25 Oth. Epid. and End. Dis. (3, 4, 12, 13, 14, 15, 17, 18, 19, 20)		17	4	8	1	-	2	-	2	-	-	-	-	-	
Other Infectious Diseases.															
26 Glanders - - - - -		-	-	-	-	-	-	-	-	-	-	-	-	-	
27 Anthrax - - - - -		2	-	-	-	-	-	-	-	1	1	-	-	-	
28 Rabies - - - - -		1	1	-	-	-	-	-	-	-	-	-	-	-	
29 Tetanus - - - - -		19	5	1	2	1	1	3	-	2	4	-	-	-	
30 Mycoses - - - - -		4	-	-	-	-	1	1	-	-	2	-	-	-	
31 (a) Laryngeal Tuberculosis - - -		14	-	-	-	-	-	2	4	1	4	2	1	-	
(b) Pulmonary Tuberculosis - - -		3370	15	57	35	110	830	823	580	487	302	117	14	-	
32 Tuberculous Meningitis - - -		496	104	239	59	39	32	11	3	7	1	1	-	-	
33 Tuberculosis of Intestines and Peritoneum		367	36	112	44	29	52	25	34	20	8	6	1	-	
34 Tuberculosis of Spine - - -		89	1	5	6	4	19	19	15	7	7	5	1	-	
35 Tuberculosis of Joints - - -		35	-	1	1	1	10	4	5	4	4	5	-	-	
36 Tuberculosis of other Organs—															
(a) Skin - - - - -		13	-	-	-	-	1	1	2	2	4	1	2	-	
(b) Bones (except Spine) - - -		24	2	4	-	1	1	1	4	2	3	4	2	-	
(c) Lymphatic System (Abdom. Glands excepted)		16	3	3	1	2	2	1	1	-	-	2	1	-	
(d) Genito-urinary System - - -		46	1	-	-	1	17	11	6	4	3	3	-	-	
(e) Others - - - - -		4	-	-	-	-	-	1	-	-	-	2	1	-	
37 Disseminated Tuberculosis—															
(a) Acute - - - - -		106	9	29	9	11	25	13	2	7	1	-	-	-	
(b) Chronic - - - - -		281	14	57	26	28	55	34	22	22	17	6	-	-	
38 Syphilis - - - - -		147	66	6	1	-	5	7	12	23	22	3	1	1	
40 Other Venereal Disease (39) - -		3	2	-	-	-	-	-	-	1	-	-	-	-	
41 (a) Vaccinia - - - - -		-	-	-	-	-	-	-	-	-	-	-	-	-	
(b) Pyæmia, Septicæmia (not Puer- peral)		116	16	9	4	4	10	9	10	12	24	11	4	3	
42 Other Infectious Diseases - - -		-	-	-	-	-	-	-	-	-	-	-	-	-	

			All Ages.	Age												
				-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over	
II. GENERAL DISEASES NOT INCLUDED ABOVE.																
43	Cancer, Buccal Cavity	- -	343	-	-	-	1	-	3	9	51	97	125	49	8	
44	Do. Stomach and Liver	-	2335	1	2	-	-	5	28	104	377	694	770	310	44	
45	Do. Peritoneum, Intestine, Rectum	-	1443	-	2	-	-	7	31	62	188	379	484	254	36	
46	Do. Female Genital Organs	-	630	-	-	-	-	2	24	89	186	164	120	41	4	
47	Do. Breast	- -	559	-	-	-	-	-	6	63	139	150	118	64	19	
48	Do. Skin	- -	129	-	1	-	-	-	5	8	14	13	32	43	12	
49	Do. other Organs	- -	1201	2	8	1	7	15	24	63	174	333	386	166	22	
50	Tumours, non - Malignant (not Cerebral, Uterine, or Ovarian)	-	57	2	2	-	-	2	2	7	7	10	15	8	2	
51	Rheumatic Fever	- -	219	1	5	21	39	57	21	25	22	14	10	4	-	
52	(a) Chronic Rheumatism	- -	41	-	-	-	-	-	-	-	2	4	16	14	5	
	(b) Osteo-arthritis	- -	103	-	-	-	-	2	1	7	16	22	30	20	5	
	(c) Gout	- -	1	-	-	-	-	-	-	-	-	-	-	1	-	
53	Scorbutus	- -	4	-	1	-	-	-	1	1	-	-	-	-	-	
56	Rickets	- -	23	10	12	1	-	-	-	-	-	-	-	1	-	
57	Diabetes	- -	518	1	1	1	6	24	30	32	61	142	159	58	3	
58	(a) Pernicious Anæmia	- -	512	-	1	1	1	10	25	46	90	168	137	31	2	
	(b) Other Anæmia, Chlorosis	- -	62	4	3	2	2	7	4	6	7	9	8	9	1	
69	(a) Purpura	- -	34	7	6	1	1	1	1	1	3	2	6	5	-	
	(b) Hæmophilia	- -	8	2	1	-	-	4	1	-	-	-	-	-	-	
	(c) Other General Diseases (54, 55)	- -	17	2	1	3	2	-	-	2	-	1	5	1	-	
Diseases of Ductless Glands.																
59	Diseases of Pituitary Gland	-	9	-	-	-	1	2	1	2	2	1	-	-	-	
60	(a) Exophthalmic Goitre	- -	86	-	-	-	-	11	17	21	21	13	3	-	-	
	(b) Other Diseases of Thyroid and Parathyroid (61)	- -	46	2	2	2	-	1	4	3	4	11	11	6	-	
62	Diseases of Thymus	- -	1	1	-	-	-	-	-	-	-	-	-	-	-	
63	Diseases of Suprarenal Capsules, Addison's Disease	-	23	-	-	-	-	-	2	3	11	1	1	4	1	
64	Diseases of Spleen	- -	6	-	1	-	-	-	-	-	3	2	-	-	-	
65	(a) Leuchæmia	- -	74	1	5	6	4	7	9	6	13	14	8	1	-	
	(b) Hodgkin's Dis., Lymphadenoma	- -	58	-	2	5	3	4	4	9	12	8	10	1	-	
Chronic Poisonings.																
66	(a) Delirium Tremens	- -	3	-	-	-	-	-	-	1	2	-	-	-	-	
	(b) Acute Alcoholism	- -	15	-	-	-	-	-	-	5	4	-	-	-	-	
	(c) Other Alcoholism	- -	34	-	-	-	-	-	1	6	15	9	3	-	-	
67	Chronic Inorganic Poisoning—	-														
	(a) Lead	- -	-	-	-	-	-	-	-	-	-	-	-	-	-	
	(b) Other Occupational	- -	-	-	-	-	-	-	-	-	-	-	-	-	-	
	(c) Other	- -	-	-	-	-	-	-	-	-	-	-	-	-	-	
68	Chronic Organic Poisoning	- -	1	-	-	-	-	-	-	-	1	-	-	-	-	
II. DISEASES OF THE NERVOUS SYSTEM.																
70	(a) Cerebral Abscess	- -	23	1	1	-	5	10	2	1	2	-	1	-	-	
	(b) Encephalitis (other than Encephalitis Lethargica)	- -	61	4	9	5	2	6	2	7	9	8	4	4	1	
71	Meningitis (other than Tuberculous or Cerebro-spinal)	-	460	168	139	35	17	41	8	16	22	7	6	1	-	
72	Locomotor Ataxy	- -	72	-	-	-	-	-	1	6	23	28	12	1	1	
73	Other Diseases of Spinal Cord	- -	153	1	1	-	4	10	6	16	31	37	32	14	1	
74	(a) Cerebral Hæmorrhage	- -	4027	1	1	-	1	11	20	71	317	845	1440	1083	237	
	(b) Apoplexy	- -	564	1	1	-	-	1	5	5	46	102	187	162	54	
	(c) Cerebral Embolism and Thrombosis	- -	686	2	2	1	1	5	3	10	48	92	226	231	65	
75	(a) Hemiplegia	- -	629	-	-	1	1	2	3	8	30	129	257	168	30	
	(b) Paralysis, other or unspecified	- -	92	2	-	2	2	1	1	5	11	15	26	22	5	
76	General Paralysis of Insane	-	170	-	-	-	1	4	12	48	60	32	12	1	-	
77	Other Insanity	- -	111	-	-	-	-	1	-	22	21	34	21	10	2	
78	Epilepsy	- -	198	7	6	8	5	32	36	27	32	22	17	5	-	
79	Eclampsia (not Puerperal). (Age 5 and over)	-	9	-	-	2	1	-	1	1	1	2	1	-	-	
80	Infantile Convulsions. (Age under 5)	-	436	376	60	-	-	-	-	-	-	-	-	-	-	

		All Ages.	Age												85 and over
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-		
III. DISEASES OF THE NERVOUS SYSTEM—continued.															
81	Chorea	14	1	-	3	3	3	-	1	2	-	-	1	-	
82	Neuritis	27	-	-	-	-	-	2	2	5	2	12	2	2	
84	(a) Cerebral Tumour	168	-	4	2	4	16	22	34	34	38	13	1	-	
	(b) Other Diseases of Nervous System (83)	349	5	5	1	2	3	13	25	36	64	100	78	17	
85	Diseases of Eye	7	-	-	-	-	1	-	-	1	1	2	2	-	
86	(a) Mastoid Disease	59	17	8	4	7	9	1	7	3	2	-	1	-	
	(b) Diseases of Ear	125	23	11	10	14	15	24	6	9	9	3	1	-	
IV. DISEASES OF THE CIRCULATORY SYSTEM.															
87	Pericarditis	36	1	1	4	4	4	2	3	3	7	3	3	1	
88	(a) Acute Endocarditis	166	-	4	7	14	37	28	30	22	11	6	7	-	
	(b) Acute Myocarditis	72	-	4	-	-	4	8	11	10	12	16	6	1	
89	Angina Pectoris	457	-	-	-	-	-	3	21	54	123	173	72	11	
90	(a) Valvular Disease of Heart	3008	6	2	24	29	90	141	193	395	607	859	551	111	
	(b) Fatty Degeneration of Heart	278	-	-	-	-	2	5	13	37	82	90	47	2	
	(c) Other Disease of Heart	3393	7	3	3	11	15	59	75	240	584	1141	1002	253	
91	(a) Aneurysm	133	-	-	-	-	-	1	12	43	47	22	7	1	
	(b) Arterio-sclerosis	697	-	-	-	-	-	-	-	12	75	195	323	92	
	(c) Other Diseases of Arteries	14	-	-	-	-	-	-	3	1	2	6	1	1	
92	Embolism, Thrombosis (not Cerebral)	132	1	-	-	3	3	6	13	22	20	36	18	10	
93	Diseases of Veins	26	2	-	-	-	-	1	4	4	1	11	3	-	
94	(a) Status Lymphaticus	10	6	3	-	-	1	-	-	-	-	-	-	-	
	(b) Other Dis. of Lymph. System (not Leuchæmia or Hodgkin's Disease)	12	3	3	-	-	-	-	-	1	1	3	1	-	
95	Hæmorrhage (cause unspecified)	5	-	-	-	-	1	-	-	-	2	1	1	-	
96	Other Diseases of Circulatory System	3	-	-	-	-	-	1	1	1	-	-	-	-	
V. DISEASES OF THE RESPIRATORY SYSTEM.															
97	Diseases of Nose	15	3	-	1	1	1	-	2	4	2	1	-	-	
98	(a) Laryngismus Stridulus	14	7	4	2	1	-	-	-	-	-	-	-	-	
	(b) Laryngitis	38	13	13	2	-	-	-	2	3	2	1	2	-	
	(c) Croup (not Diphtheritic)	-	-	-	-	-	-	-	-	-	-	-	-	-	
	(d) Other Diseases of Larynx	2	1	-	1	-	-	-	-	-	-	-	-	-	
99	Bronchitis	3586	416	119	10	2	30	34	93	215	559	1002	849	257	
100	Broncho-pneumonia	2618	1000	793	52	17	22	56	66	88	147	191	144	42	
101	Pneumonia	2644	278	257	65	50	145	182	269	318	334	399	278	69	
102	Pleurisy	246	4	22	4	3	8	19	17	33	46	48	37	5	
103	Congestion of Lung	359	61	18	4	-	10	4	8	14	23	66	110	41	
104	Gangrene of Lung	5	-	1	-	-	2	1	-	-	-	-	1	-	
105	Asthma	89	2	-	-	2	3	3	11	17	19	20	11	1	
106	Emphysema	21	-	-	-	-	-	1	1	5	5	5	4	-	
107	(a) Interstitial Pneumonia	49	-	-	-	-	-	5	3	13	16	9	3	-	
	(b) Diseases of Mediastinum	3	-	1	-	-	-	-	1	1	-	-	-	-	
	(c) Other Diseases of Respiratory System	17	2	-	-	-	2	1	2	5	2	-	3	-	
VI. DISEASES OF THE DIGESTIVE SYSTEM.															
108	Diseases of Buccal Cavity	35	5	5	2	1	1	7	4	2	4	2	2	-	
109	Diseases of Tonsils and Pharynx	69	9	19	13	5	4	3	5	4	3	3	1	-	
110	Diseases of Œsophagus	5	-	-	-	-	-	1	1	1	-	2	-	-	
111	(a) Ulcer of Stomach	402	1	1	-	3	16	23	69	90	100	56	37	6	
	(b) Ulcer of Duodenum	197	2	-	-	1	12	20	30	47	45	32	5	3	
112	Other Diseases of Stomach	299	76	20	3	3	5	5	14	23	46	55	42	7	

		All Ages.	Age												
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over	
VI. DISEASES OF THE DIGESTIVE SYSTEM—continued.															
113	Diarrhœa and Enteritis (under 2 years)	798	677	121	-	-	-	-	-	-	-	-	-	-	
114	(a) Diarrhœa and Enteritis (over 2 years)	272	-	56	26	2	6	9	20	20	24	44	46	19	
	(b) Ulcer of Intestine (not Duodenal)	23	-	-	-	2	1	2	5	3	6	3	1	-	
116	Ankylostomiasis, Intestinal Parasites (115)	2	-	-	1	-	-	-	-	-	-	-	1	-	
117	Appendicitis - - - -	483	1	28	68	51	98	61	37	60	40	31	7	1	
118	(a) Hernia - - - -	222	23	11	3	-	5	5	11	22	42	62	34	4	
	(b) Intestinal Obstruction - -	308	51	18	8	5	14	11	34	27	30	53	43	14	
119	Other Diseases of Intestines -	79	4	2	1	2	1	7	6	11	13	17	11	4	
120	Acute Yellow Atrophy of Liver -	18	-	-	2	-	4	3	3	4	1	1	-	-	
121	Hydatids of Liver - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
122	Cirrhosis of Liver - - - -	177	-	-	-	1	2	3	14	37	57	46	14	3	
123	Gallstones - - - -	166	-	-	-	-	2	3	12	32	45	50	18	4	
124	Other Diseases of Liver - -	215	4	8	-	1	3	9	17	30	55	52	32	4	
125	Diseases of Pancreas - - -	47	-	-	-	-	-	7	9	5	13	9	3	1	
126	Peritonitis (nature unspecified) -	93	9	7	12	4	11	9	10	10	11	7	2	1	
127	Other Diseases of Digestive System	1	-	-	-	-	-	-	1	-	-	-	-	-	
VII. DISEASES OF THE GENITO-URINARY SYSTEM.															
128	Acute Nephritis - - - -	252	15	26	17	13	30	19	23	36	41	21	11	-	
129	Chronic Nephritis, Bright's Disease	1582	1	2	4	6	50	79	117	281	427	429	167	19	
131	Other Diseases of Kidney (130) -	135	26	7	1	1	5	8	12	20	20	23	12	-	
132	Urinary Calculus - - - -	34	1	-	-	-	-	4	1	8	12	5	3	-	
133	Diseases of Bladder - - - -	185	1	1	-	-	2	6	5	8	22	48	73	19	
134	Diseases of Urethra - - - -	33	2	1	-	-	-	-	3	8	9	8	1	1	
135	Diseases of Prostate - - - -	341	-	-	-	-	-	-	1	4	38	142	126	30	
136	Other Diseases of Male Reproductive Organs	14	3	1	-	-	-	-	-	2	1	3	2	2	
137	Cysts, and Other Tumours of Ovary (non-Malignant)	36	-	-	-	-	1	2	7	2	9	8	7	-	
138	Salpingitis, Pelvic Abscess - -	46	-	-	1	-	7	13	17	6	-	2	-	-	
139	Uterine Tumour (non-Malignant)	50	1	-	-	-	-	4	15	18	5	4	2	1	
140	Uterine Hæmorrhage (non-puerperal)	4	-	-	-	-	-	1	2	-	1	-	-	-	
141	(a) Metritis - - - -	10	-	-	-	-	-	1	4	2	2	1	-	-	
	(b) Other Diseases of Female Reproductive Organs	24	-	-	-	-	-	6	6	6	4	2	-	-	
142	Non-puerperal Diseases of Breast	-	-	-	-	-	-	-	-	-	-	-	-	-	
VIII. DISEASES OF PREGNANCY AND PARTURITION.															
143	(a) Abortion, Miscarriage - -	43	-	-	-	-	9	21	13	-	-	-	-	-	
	(b) Uncontrollable Vomiting - -	38	-	-	-	-	8	23	7	-	-	-	-	-	
	(c) Ectopic Gestation - - - -	7	-	-	-	-	-	6	1	-	-	-	-	-	
	(d) Other Diseases and Accidents of Pregnancy	19	-	-	-	-	3	14	2	-	-	-	-	-	
144	Puerperal Hæmorrhage - - -	86	-	-	-	-	7	41	37	1	-	-	-	-	
145	Other Accidents of Parturition -	66	-	-	-	-	11	32	23	-	-	-	-	-	
146	Puerperal Sepsis - - - -	173	-	-	-	-	52	79	42	-	-	-	-	-	
147	Phlegmasia Alba Dolens, Embolism	49	-	-	-	-	6	28	14	1	-	-	-	-	
148	Albuminuria of Pregnancy, Eclampsia	119	-	-	-	-	31	45	42	1	-	-	-	-	
149	Other Diseases of Puerperium -	52	-	-	-	-	7	28	17	-	-	-	-	-	
150	Puerperal Diseases of Breast -	4	-	-	-	-	-	1	3	-	-	-	-	-	
IX. DISEASES OF SKIN AND CONNECTIVE TISSUE.															
151	(a) Senile Gangrene - - - -	281	-	-	-	-	-	-	-	1	16	95	127	42	
	(b) Noma, Cancrum Oris - - - -	6	-	4	-	-	-	-	-	-	1	-	1	-	
	(c) Other Gangrene - - - -	11	-	-	-	-	-	2	2	1	4	1	1	-	
152	Carbuncle, Boil - - - -	39	3	2	-	-	2	1	2	10	9	5	5	-	
153	Phlegmon, Abscess - - - -	133	29	8	3	3	8	10	10	13	21	17	15	1	
154	Other Diseases of Skin - - -	67	11	1	-	-	1	-	1	3	14	18	17	1	

		All Ages.	Age.											
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over
X. DISEASES OF ORGANS OF LOCOMOTION.														
155 Dis. of Bones (Mastoid excluded)	81	6	9	18	11	7	2	6	9	4	5	4	-	
156 Diseases of Joints - - -	12	1	2	-	-	1	1	1	-	-	3	2	1	
158 Other Diseases of Organs of Locomotion (157)	11	-	-	-	-	-	1	2	3	2	-	2	1	
XI. MALFORMATIONS.														
159 Malformations—														
(a) Hydrocephalus - - -	55	42	9	2	2	-	-	-	-	-	-	-	-	
(b) Congenital Heart - - -	159	141	5	7	2	3	1	-	-	-	-	-	-	
(c) Other Malformations - -	263	246	10	1	3	3	-	-	-	-	-	-	-	
XII. DISEASES OF EARLY INFANCY.														
160 Congenital Debility, Icterus, Sclerema, Marasmus	1344	1344	-	-	-	-	-	-	-	-	-	-	-	
161 (a) Premature Birth - - -	1794	1794	-	-	-	-	-	-	-	-	-	-	-	
(b) Injury at Birth - - -	132	132	-	-	-	-	-	-	-	-	-	-	-	
162 Other Diseases peculiar to Early Infancy (163)	204	204	-	-	-	-	-	-	-	-	-	-	-	
XIII. OLD AGE.														
164 Senility, Senile Dementia - -	3521	-	-	-	-	-	-	-	-	12	539	1764	1206	
XIV. VIOLENT CAUSES.														
174 Suicide (165-173) - - -	424	-	-	-	1	27	59	93	99	87	48	9	1	
175 Poisoning by Food - - -	4	-	-	-	-	1	-	2	-	-	1	-	-	
177 Other Acute Accidental Poisonings	30	-	9	1	2	1	2	2	6	1	4	2	-	
179 Burns and Scalds (178) - -	262	19	131	17	6	12	8	5	7	12	22	20	3	
180 (a) Overlaying - - -	52	52	-	-	-	-	-	-	-	-	-	-	-	
(b) Asphyxia, Suffocation (otherwise)	64	41	1	1	3	3	-	1	3	6	3	1	1	
181 Exposure to Poisonous Vapours -	29	-	-	-	3	7	4	3	2	3	6	1	-	
182 Accidental Drowning - - -	325	1	27	12	19	60	33	36	62	49	19	7	-	
183 Accidents with Fire Arms - -	25	-	1	-	1	5	5	6	3	3	1	-	-	
185 Accidental Falls - - -	197	1	6	11	8	9	13	19	29	31	34	29	7	
186 Accidents in—(a) Coal Mines -	71	-	-	-	1	20	16	16	12	5	1	-	-	
(b) Other Mines - - -	4	-	-	-	-	-	-	1	2	1	-	-	-	
(c) Quarries - - -	6	-	-	-	-	1	2	2	-	1	-	-	-	
187 Accidents with Machinery - -	16	-	-	-	1	1	2	2	3	5	2	-	-	
188 Accidents with—														
(a) Horsed Vehicles - - -	11	-	3	2	-	-	-	1	2	1	1	1	-	
(b) Railways - - -	61	-	2	1	4	7	9	10	5	13	8	2	-	
(c) Tramways - - -	10	-	1	-	-	-	1	2	2	2	-	2	-	
(d) Motor Vehicles - - -	416	1	39	68	36	63	54	39	38	29	36	13	-	
(e) Aircraft - - -	2	-	-	-	-	2	-	-	-	-	-	-	-	
(f) Other Vehicles - - -	17	-	1	2	-	7	-	-	2	2	1	2	-	
(g) Other Crushing Accidents -	32	2	5	4	1	7	3	4	3	3	-	-	-	
190 War Casualties (191) - - -	15	-	-	-	-	-	4	8	2	1	-	-	-	
192 Starvation - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
195 Weather Agencies (193, 194) -	21	-	-	1	1	2	4	2	3	2	5	1	-	
196 Electricity (Lightning excepted) -	3	-	-	1	-	1	-	-	-	1	-	-	-	
200 Homicide (197-199) - - -	17	7	3	1	1	3	1	-	1	-	-	-	-	
202 Other Violence—Form specified (176, 184, 189, 201)	447	2	19	25	16	41	31	36	47	37	49	89	55	
203 Violence of Unspecified Nature -	96	2	7	8	6	17	11	8	3	18	7	7	2	
XV. ILL-DEFINED CAUSES.														
204 Sudden Death (not otherwise defined) - - -	17	1	-	-	1	-	1	2	2	3	3	3	1	
205 (a) Heart Failure - - -	587	17	1	1	2	3	10	22	70	142	180	120	19	
(b) Syncope - - -	260	14	2	4	1	3	8	13	31	67	68	40	9	
(c) Other Ill-defined Causes - -	55	-	32	-	1	-	1	2	3	9	4	1	2	
(d) Natural Causes - - -	162	31	10	4	2	3	3	5	8	26	42	22	6	
(e) Cause not specified - - -	42	14	1	-	-	2	1	-	4	4	5	5	6	

	All Ages.	Age																					
		-1	1-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95-	100 and over
		4924	2289	593	436	609	685	686	674	843	972	1385	1749	2111	2704	2916	3269	2522	1600	835	187	30	2
All Causes	32021																						
I. EPIDEMIC AND ENDEMIC DISEASES.																							
1 (a) Enteric Fever	20	-	-	-	-	3	2	1	4	3	-	1	3	1	1	-	-	1	-	-	-	-	-
(b) Paratyphoid Fever	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2 Typhus Fever	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5 Malaria	4	-	-	-	-	-	-	1	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-
6 (a) Smallpox { Vaccinated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) Do. { Unvaccinated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(c) Do. { Vaccination Doubtful	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7 Measles	488	136	329	18	3	-	-	1	1	2	2	-	-	-	-	-	-	-	-	-	-	-	-
8 Scarlet Fever	168	10	95	33	9	7	6	2	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-
9 Whooping-cough	239	120	113	5	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
10 Diphtheria	249	28	141	68	7	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
11 Influenza—																							
(a) Sole Cause	140	13	4	4	-	3	1	2	-	5	3	3	7	5	10	14	17	14	16	14	3	2	-
(b) with Phthisis	10	-	1	1	-	1	-	-	-	2	2	2	-	-	3	-	1	-	-	-	-	-	-
(c) with Bronchitis	79	8	6	1	-	-	-	-	1	-	8	6	7	7	5	13	13	6	2	3	-	-	-
(d) with Pneumonia	317	16	16	5	7	12	15	7	9	23	27	20	26	22	31	23	26	16	13	3	-	-	-
(e) with other Respiratory Disease	37	1	1	-	1	-	1	3	1	1	1	1	6	5	2	2	5	2	4	-	1	-	-
(f) with Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(g) with other Cause	130	9	5	3	2	2	3	7	3	4	6	9	6	10	18	14	13	12	4	-	-	-	-
16 Dysentery	8	2	-	-	-	1	-	-	1	1	1	1	6	9	-	8	1	1	1	-	-	-	-
21 Erysipelas	73	8	2	1	1	1	3	1	1	6	1	4	6	-	9	-	6	1	4	1	-	-	-
22 Infantile Paralysis	13	-	4	1	2	2	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
23 Encephalitis Lethargica	89	3	5	1	4	10	3	4	2	9	5	12	4	6	12	6	3	-	-	-	-	-	-
24 (a) Cerebro-spinal Meningitis	59	23	17	5	4	2	3	-	-	-	-	2	1	1	1	-	-	-	-	-	-	-	-
(b) Posterior Basal Meningitis	9	6	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25 Oth. Epid. and End. Dis. (3, 4, 12, 13, 14, 15, 17, 18, 19, 20)	11	4	4	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-

CAUSES OF DEATH IN SCOTLAND IN 1926—MALES—continued.

	All Ages.	Age													100 and over								
		-1	1-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-		60-	65-	70-	75-	80-	85-	90-	95-
I. EPIDEMIC AND ENDEMIC DISEASES—continued.																							
Other Infectious Diseases.																							
26 Glanders - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27 Anthrax - - - - -	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
28 Rabies - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
29 Tetanus - - - - -	15	3	1	2	1	1	2	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-
30 Mycoses - - - - -	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
31 (a) Laryngeal Tuberculosis - - -	8	-	-	-	-	-	-	1	-	2	1	-	-	2	1	-	1	-	-	-	-	-	-
(b) Pulmonary Tuberculosis - - -	1729	26	37	20	128	193	221	183	164	145	174	137	121	89	49	25	7	2	-	-	-	-	-
32 Tuberculous Meningitis - - -	271	62	124	35	21	16	2	2	1	2	2	2	6	1	1	-	1	-	-	-	-	-	-
33 Tuberculosis of Intestines and Peritoneum	183	18	70	22	13	15	6	5	4	8	9	4	1	-	-	-	1	-	-	-	-	-	-
34 Tuberculosis of Spine - - -	38	1	4	3	2	4	4	6	2	5	4	1	1	-	-	-	-	-	-	-	-	-	-
35 Tuberculosis of Joints - - -	17	-	1	1	7	-	-	-	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-
36 Tuberculosis of other Organs—																							
(a) Skin - - - - -	5	-	-	-	-	1	-	-	-	-	-	-	-	3	-	-	-	1	-	-	-	-	-
(b) Bones (except Spine) - - -	13	2	3	-	1	-	1	-	1	-	-	-	-	1	2	1	1	-	-	-	-	-	-
(c) Lymphatic System (Abdom. Glands excepted)	8	2	2	-	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
(d) Genito-urinary System - - -	24	-	-	-	1	2	6	3	1	1	3	1	1	1	2	-	-	-	-	-	-	-	-
(e) Others - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
37 Disseminated Tuberculosis—																							
(a) Acute - - - - -	54	3	17	6	4	8	5	2	3	1	-	2	1	-	-	-	-	-	-	-	-	-	-
(b) Chronic - - - - -	139	6	30	11	15	15	12	6	10	9	7	5	5	4	2	-	-	-	-	-	-	-	-
38 Syphilis - - - - -	89	39	3	1	-	2	1	2	2	2	1	7	10	7	2	-	1	-	-	-	-	-	-
40 Other Venereal Disease (39) - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
41 (a) Vaccinia - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) Pyæmia, Septicæmia (not Puerperal)	72	7	4	4	2	5	5	2	2	6	1	5	3	7	10	3	4	1	1	-	-	-	-
42 Other Infectious Diseases - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
II. GENERAL DISEASES NOT INCLUDED ABOVE.																							
43 Cancer, Buccal Cavity - - -	299	-	-	-	1	-	-	-	1	-	6	11	32	38	50	63	50	30	10	6	1	-	-
44 Do. Stomach and Liver - - -	1187	1	1	-	-	1	2	4	13	25	39	80	128	166	195	218	185	86	33	10	-	-	-
45 Do. Peritoneum, Intestine, Rectum (a)	716	-	2	-	-	2	3	7	15	8	15	34	59	72	131	116	119	90	30	11	2	-	(w)
	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)

CAUSES OF DEATH IN SCOTLAND IN 1926—MALES—continued.

	All Ages.	Age														100 and over							
		-1	1-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-		65-	70-	75-	80-	85-	90-	95-
III. DISEASES OF THE NERVOUS SYSTEM.																							
70 (a) Cerebral Abscess - - -	18	1	1	-	3	2	6	1	1	1	-	1	3	1	-	3	-	2	1	-	-	-	
(b) Encephalitis (other than Encephalitis Lethargica)	24	1	1	2	1	1	-	1	-	-	-	3	3	2	3	1	-	-	1	-	-	-	
71 Meningitis (other than Tuberculous or Cerebro-spinal)	259	93	81	17	8	10	11	3	1	6	4	9	6	4	1	4	-	1	-	-	-	-	
72 Locomotor Ataxy - - -	65	-	-	-	-	-	-	-	3	3	2	9	12	11	15	10	1	1	3	-	-	-	
73 Other Diseases of Spinal Cord - - -	81	-	-	-	-	2	3	-	-	6	2	6	5	14	14	9	7	4	-	-	-	-	
74 (a) Cerebral Hæmorrhage - - -	1868	1	1	-	1	3	4	3	3	8	24	48	92	159	249	331	398	302	167	60	9	3	
(b) Apoplexy - - -	258	-	-	-	-	3	-	-	-	1	1	7	16	23	32	36	49	46	27	16	-	-	
(c) Cerebral Embolism and Thrombosis - - -	288	1	1	1	-	2	-	-	1	-	2	6	7	25	28	33	59	59	34	15	7	1	
75 (a) Hemiplegia - - -	302	-	-	-	-	1	1	-	2	1	2	2	3	3	5	7	8	7	1	-	-	-	
(b) Paralysis, other or unspecified - - -	50	-	-	2	1	-	2	-	-	1	2	2	20	14	12	6	2	1	-	-	-	-	
76 General Paralysis of Insane - - -	133	-	-	-	-	1	2	1	9	15	21	29	6	5	7	3	7	1	-	-	-	-	
77 Other Insanity - - -	36	-	-	-	-	-	-	-	-	1	6	13	-	6	10	6	6	2	-	-	-	-	
78 Epilepsy - - -	109	5	3	5	4	9	5	11	5	7	5	-	-	-	-	-	-	-	-	-	-	-	
79 Eclampsia (not Puerperal). (Age 5 and over)	6	-	-	2	1	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	
80 Infantile Convulsions. (Age under 5) - - -	258	229	29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
81 Chorea - - -	5	-	-	1	-	1	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	
82 Neuritis - - -	9	-	-	-	-	-	-	-	-	1	-	1	2	1	1	2	1	1	-	-	-	-	
84 (a) Cerebral Tumour - - -	96	-	2	-	2	3	7	7	10	11	9	11	9	9	10	1	4	1	-	-	-	-	
(b) Other Diseases of Nervous System (83)	168	4	2	-	1	1	1	3	2	4	4	4	14	12	23	34	25	19	12	3	-	-	
85 Diseases of Eye - - -	4	-	-	-	-	-	1	1	-	-	-	-	1	-	-	1	1	-	-	-	-	-	
86 (a) Mastoid Disease - - -	35	11	4	2	2	5	2	1	-	4	1	1	1	-	-	-	-	-	-	-	-	-	
(b) Diseases of Ear - - -	71	16	3	5	4	8	3	10	5	4	2	3	-	2	3	-	-	-	-	-	-	-	
IV. DISEASES OF THE CIRCULATORY SYSTEM.																							
87 Pericarditis - - -	18	-	1	1	2	1	1	1	-	1	2	-	1	1	4	-	1	1	-	-	-	-	
88 (a) Acute Endocarditis - - -	80	-	2	1	9	4	6	3	10	7	13	7	4	2	6	3	-	3	-	-	-	-	
(b) Acute Myocarditis (a)	39	-	3	-	-	1	-	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	

[illegible]

V. DISEASES OF THE RESPIRATORY SYSTEM.

[illegible]

VI. DISEASES OF THE DIGESTIVE SYSTEM.

[illegible]

CAUSES OF DEATH IN SCOTLAND IN 1926—MALES—continued.

	All Ages.	Age														100 and over							
		-1	1-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-		65-	70-	75-	80-	85-	90-	95-
VI. DISEASES OF THE DIGESTIVE SYSTEM—continued.																							
111 (a) Ulcer of Stomach - - -	239	-	1	-	2	1	8	3	9	18	27	27	29	35	26	17	15	13	6	2	-	-	-
112 (b) Ulcer of Duodenum - - -	163	2	-	-	1	5	7	9	9	9	15	23	17	21	15	17	7	5	-	1	-	-	-
113 Other Diseases of Stomach - -	142	39	10	1	2	1	2	2	-	2	3	7	8	9	14	12	14	5	8	3	-	-	-
114 Diarrhoea and Enteritis (under 2 years)	447	374	73	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
114 (a) Do. do. (over 2 years) -	121	27	14	1	2	-	-	1	1	6	9	3	6	3	9	10	8	8	7	3	-	-	-
115 (b) Ulcer of Intestine (not Duodenal)	11	-	-	-	-	-	-	1	-	2	1	1	-	2	2	1	-	1	-	-	-	-	-
116 Ankylostomiasis, Intestinal Parasites (115)	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117 Appendicitis - - -	259	1	12	34	26	29	26	26	10	9	10	12	19	12	11	10	7	4	-	1	-	-	-
118 (a) Hernia - - -	113	18	10	2	-	1	2	2	1	2	2	-	5	4	6	13	22	14	7	1	-	-	-
118 (b) Intestinal Obstruction - -	176	35	13	6	2	3	6	2	6	9	9	6	10	10	7	10	22	9	4	7	1	-	-
119 Other Diseases of Intestines -	48	2	2	1	2	2	1	1	2	3	3	2	3	10	1	6	4	2	3	1	-	-	-
120 Acute Yellow Atrophy of Liver -	7	-	-	-	-	2	1	1	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-
121 Hydatids of Liver - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122 Cirrhosis of Liver - - -	123	-	-	-	1	-	1	1	1	6	3	8	16	28	17	20	15	4	2	-	-	-	-
123 Gallstones - - -	30	-	-	-	-	-	1	-	2	-	2	1	3	2	2	8	8	-	1	-	-	-	-
124 Other Diseases of Liver - -	60	-	3	-	-	1	-	1	3	3	1	2	5	8	9	8	6	6	1	1	-	-	-
125 Diseases of Pancreas - - -	23	-	-	-	-	-	-	-	2	3	2	3	-	4	3	3	1	2	1	-	-	-	-
126 Peritonitis, nature unspecified -	32	4	2	4	-	2	1	1	1	3	1	1	2	2	3	1	3	-	1	-	-	-	-
127 Other Diseases of Digestive System -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VII. DISEASES OF THE GENITO-URINARY SYSTEM.																							
128 Acute Nephritis - - -	128	10	11	9	6	8	10	9	3	4	5	7	12	12	7	5	7	3	-	-	-	-	-
129 Chronic Nephritis, Bright's Disease -	796	1	-	2	3	6	15	17	18	19	31	51	84	99	125	120	109	58	26	11	-	-	-
131 Other Diseases of Kidney (130) -	61	12	3	-	-	2	1	-	1	2	4	5	6	6	2	5	7	2	3	-	-	-	-
132 Urinary Calculus - - -	22	1	-	-	-	-	-	1	-	-	1	1	3	3	4	2	1	1	-	-	-	-	-
133 Diseases of Bladder - - -	116	-	-	-	-	-	1	-	1	2	1	1	4	5	10	14	26	21	22	6	3	-	-
134 Diseases of Urethra - - -	30	2	1	-	-	-	-	-	-	2	1	4	3	4	5	5	1	-	1	1	-	-	-
135 Diseases of Prostate (a) -	341	-	-	-	-	-	-	-	-	-	1	1	3	9	29	57	85	72	54	25	4	1	-
	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)

	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)
136 Other Diseases of Male Reproductive Organs	14	3	1	-	-	-	-	-	-	-	-	-	2	-	1	2	1	1	1	2	-	-	-
137 Cysts, and Other Tumours of Ovary (non-Malignant)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
138 Salpingitis, Pelvic Abscess - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
139 Uterine Tumour (non-Malignant)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140 Uterine Hæmorrhage (non-puerperal)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141 (a) Metritis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) Other Diseases of Female Reproductive Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
142 Non-puerperal Diseases of Breast	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIII. DISEASES OF PREGNANCY AND PARTURITION.																							
143 (a) Abortion, Miscarriage - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) Uncontrollable Vomiting - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(c) Ectopic Gestation - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(d) Other Diseases and Accidents of Pregnancy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
144 Puerperal Hæmorrhage - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
145 Other Accidents of Parturition - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
146 Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
147 Phlegmasia Alba Dolens, Embolism -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
148 Albuminuria of Pregnancy, Eclampsia -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
149 Other Diseases of Puerperium - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150 Puerperal Diseases of Breast - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IX. DISEASES OF SKIN AND CONNECTIVE TISSUE.																							
151 (a) Senile Gangrene - - - -	155	-	1	-	-	-	-	-	-	-	-	-	1	2	10	21	35	35	33	16	1	1	-
(b) Noma, Cancrum Oris - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
(c) Other Gangrene - - - -	9	-	-	-	-	-	-	1	1	-	1	-	1	1	2	-	3	3	-	-	-	-	-
152 Carbuncle, Boil - - - -	28	1	2	-	-	1	-	1	-	1	-	3	6	2	6	1	3	8	1	-	-	-	-
153 Phlegmon, Abscess - - - -	80	17	3	1	1	2	3	2	4	2	2	11	1	1	4	4	3	3	1	1	-	-	-
154 Other Diseases of Skin - - -	28	6	1	-	-	-	-	-	-	-	1	3	1	3	3	4	4	3	1	1	-	-	-

CAUSES OF DEATH IN SCOTLAND IN 1926—MALES—continued.

	All Ages.	Age															100 and over						
		Age																					
		-1	1-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-		70-	75-	80-	85-	90-	95-
X. DISEASES OF ORGANS OF LOCOMOTION.																							
155 Dis. of Bones (Mastoid excluded) -	49	4	7	8	11	4	1	-	1	4	2	1	1	1	1	1	1	1	1	-	-	-	
156 Diseases of Joints -	8	-	2	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	2	-	-	-	
158 Other Diseases of Organs of Locomotion (157)	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	
XI. MALFORMATIONS.																							
159 Malformations—	31	23	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(a) Hydrocephalus -	-	90	3	4	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(b) Congenital Heart -	-	146	8	1	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(c) Other Malformations -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
XII. DISEASES OF EARLY INFANCY.																							
160 Congenital Debility, Icterus, Sclerema, Marasmus	802	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
161 (a) Premature Birth -	1036	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(b) Injury at Birth -	76	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
162 Other Diseases peculiar to Early Infancy (163)	117	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
XIII. OLD AGE.																							
164 Senility, Senile Dementia -	1331	-	-	-	-	-	-	-	-	-	-	-	1	3	30	200	322	367	303	87	17	1	
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)

XIV. VIOLENT CAUSES.

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)
174 Suicide (165-173) -	285	-	-	-	-	3	11	15	25	28	31	38	32	29	31	21	13	5	2	1	-	-	-
175 Poisoning by Food -	2	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
177 Other Acute Accidental Poisonings -	16	-	5	1	1	-	1	-	1	1	-	2	2	2	1	2	6	1	1	1	-	-	-
179 Burns and Scalds (178) -	120	11	72	10	2	1	-	2	2	1	2	1	1	2	-	2	-	2	1	-	-	-	-
180 (a) Overlaying -	27	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) Asphyxia, Suffocation (otherwise)	37	23	1	1	2	2	1	1	-	-	-	2	-	1	2	-	2	-	-	-	-	-	-
181 Exposure to Poisonous Vapours -	18	-	-	-	-	-	3	12	6	10	2	27	27	14	20	9	8	6	1	-	-	-	-
182 Accidental Drowning -	253	1	21	8	15	17	34	3	2	3	3	3	3	2	1	1	1	1	1	-	-	-	-
183 Accidents with Fire Arms -	24	1	1	1	1	4	1	3	8	7	8	13	14	15	7	1	11	8	4	3	-	-	-
185 Accidental Falls -	135	1	5	8	7	3	11	9	7	7	9	4	8	3	2	1	-	-	-	-	-	-	-
186 Accidents in—(a) Coal Mines	71	-	-	-	1	9	-	-	-	-	1	1	1	-	1	-	-	-	-	-	-	-	-
(b) Other Mines	4	-	-	-	-	-	1	1	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-
(c) Quarries -	6	-	-	-	-	-	-	1	1	1	1	-	-	1	1	-	-	-	-	-	-	-	-
187 Accidents with Machinery -	16	-	-	-	1	1	-	-	2	-	2	1	2	2	3	1	1	-	-	-	-	-	-
188 Accidents with—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(a) Horse-drawn Vehicles	10	-	2	2	-	-	-	-	-	1	-	-	2	-	1	-	1	1	-	-	-	-	-
(b) Railways -	53	-	2	1	1	1	5	4	4	1	8	4	1	2	11	6	1	1	-	-	-	-	-
(c) Tramways -	6	-	1	-	-	-	-	-	-	1	-	1	1	1	-	-	1	1	1	-	-	-	-
(d) Motor Vehicles -	286	-	22	36	28	24	25	25	17	18	14	12	13	10	7	15	10	9	1	-	-	-	-
(e) Aircraft -	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(f) Other Vehicles -	14	-	1	1	-	3	4	-	-	-	-	-	2	-	2	-	-	1	-	-	-	-	-
(g) Other Crushing Accidents	27	2	2	3	1	2	5	2	1	2	1	2	1	-	3	-	-	-	-	-	-	-	-
190 War Casualties (191) -	15	-	-	-	-	-	-	1	3	4	4	2	-	1	-	-	-	-	-	-	-	-	-
192 Starvation -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
195 Weather Agencies (193, 194) -	17	-	-	1	1	1	-	3	-	1	1	-	2	1	-	-	3	1	-	-	-	-	-
196 Electricity (Lightning excepted) -	2	-	-	1	-	-	-	-	-	-	1	-	-	1	-	2	-	-	-	-	-	-	-
200 Homicide (197, 199) -	7	4	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
202 Other Violence—Form specified (176, 184, 189, 201)	268	2	10	19	12	21	15	16	14	16	19	15	20	10	16	9	14	15	12	7	5	1	-
203 Violence of Unspecified Nature -	70	2	3	5	4	9	7	3	7	2	3	2	1	7	9	3	1	1	1	-	-	-	-

XV. ILL-DEFINED CAUSES.

204 Sudden Death (not otherwise defined)	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(a) Heart Failure -	354	12	1	1	2	1	1	1	5	6	7	26	26	42	51	46	56	37	27	1	1	-	-
(b) Syncope -	154	8	-	2	-	1	1	1	3	1	6	9	11	19	24	16	22	21	7	4	1	-	-
(c) Other Ill-defined Causes -	31	-	20	-	-	-	-	-	1	1	1	-	2	2	2	7	15	7	5	2	-	-	-
(d) Natural Causes -	87	17	5	1	1	-	3	1	1	-	3	1	4	5	9	1	1	7	1	2	-	-	-
(e) Cause not specified	22	10	1	-	-	-	2	-	-	-	-	-	1	2	-	1	1	2	1	1	-	-	-

CAUSES OF DEATH IN SCOTLAND IN 1926—FEMALES.

	All Ages.	Age														100 and over							
		-1	1-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-		65-	70-	75-	80-	85-	90-	95-
		3590	1939	550	382	605	782	815	830	899	1025	1271	1496	1875	2252		2681	3233	3148	2376	1467	443	86
All Causes	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
I. EPIDEMIC AND ENDEMIC DISEASES.																							
1 (a) Enteric Fever	19	-	1	1	2	3	2	1	1	2	1	2	1	1	-	-	-	-	-	-	-	-	
(b) Paratyphoid Fever	10	-	-	3	1	2	2	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	
2 Typhus Fever	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
5 Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
6 (a) Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Do. { Vaccinated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(b) Do. { Unvaccinated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(c) Do. { Vaccination Doubtful	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7 Measles	440	109	304	14	4	-	1	1	2	2	1	2	1	1	-	-	-	-	-	-	-	-	
8 Scarlet Fever	175	10	82	12	3	3	3	3	3	2	1	-	-	-	-	-	-	-	-	-	-	-	
9 Whooping-cough	267	122	137	6	1	-	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
10 Diphtheria	241	20	133	66	8	6	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
11 Influenza—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(a) Sole Cause	179	9	6	2	-	2	3	1	1	3	6	6	2	16	9	15	24	27	21	16	9	1	
(b) with Phthisis	6	-	-	-	-	-	1	1	1	-	2	-	1	-	-	-	-	-	-	-	-	-	
(c) with Bronchitis	106	5	3	-	-	-	1	2	4	-	5	4	2	5	8	16	15	16	9	8	3	-	
(d) with Pneumonia	265	7	13	-	-	3	12	6	11	20	24	20	17	27	20	23	20	27	12	3	-	-	
(e) with other Respiratory Disease	29	-	-	-	-	-	-	-	-	2	2	1	2	1	2	5	5	5	1	3	-	-	
(f) with Diseases and Accidents of Pregnancy and Parturition	10	-	-	-	-	1	1	4	2	1	-	1	-	-	-	-	-	-	-	-	-	-	
(g) with other Cause	113	8	5	3	2	3	4	2	2	3	3	4	7	7	17	17	12	6	4	3	1	-	
16 Dysentery	6	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	1	-	-	-	
21 Erysipelas	72	13	3	-	1	1	-	-	2	1	1	5	5	9	5	6	9	5	4	1	1	-	
22 Infantile Paralysis	9	2	5	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
23 Encephalitis Lethargica	80	2	6	2	3	8	4	4	8	5	4	12	8	5	2	3	2	1	1	-	-	-	
24 (a) Cerebro-spinal Meningitis	49	14	20	6	1	4	1	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	
(b) Posterior Basal Meningitis	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
25 Oth. Epid. and End. Dis. (3, 4, 12, 13, 14, 15, 17, 18, 19, 20)	6	-	4	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)

	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)
Other Infectious Diseases.																							
26	Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Anthrax	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Rabies	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
29	Tetanus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Mycoses	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
31	(a) La yngeal Tuberculosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(b) Pulmonary Tuberculosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
32	Tuberculous Meningitis	1641	7	31	15	73	217	292	239	180	154	103	73	61	31	20	23	5	-	-	-	-	-
33	Tuberculosis of Intestines and Peritoneum	225	42	115	24	18	6	8	7	1	-	10	3	1	4	4	1	-	-	-	-	-	-
34	Tuberculosis of Spine	184	18	42	22	16	16	15	9	7	10	3	2	3	1	1	4	1	-	-	-	-	-
35	Tuberculosis of Joints	51	-	1	3	2	6	5	2	9	3	3	1	5	2	3	1	-	-	-	-	-	-
36	Tuberculosis of Other Organs—	18	-	-	-	1	1	2	1	-	1	2	1	1	2	3	1	-	-	-	-	-	-
	(a) Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(b) Bones (except Spine)	8	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	1	-	-	-	-	-
	(c) Lymphatic System (Abdom. Glands excepted)	11	-	1	-	-	1	-	-	2	1	2	-	-	2	-	1	1	-	-	-	-	-
	(d) Genito-urinary System	8	1	1	1	1	1	1	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	(e) Others	22	1	-	-	-	4	5	3	4	2	-	-	1	-	-	1	-	-	-	-	-	-
37	Disseminated Tuberculosis—	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	(a) Acute	52	6	12	3	7	6	6	5	3	1	3	-	-	3	-	-	-	-	-	-	-	-
	(b) Chronic	142	8	27	15	13	15	13	9	9	4	10	5	5	3	4	-	-	-	-	-	-	-
38	Syphilis	58	27	3	-	-	1	1	2	1	1	8	4	3	2	1	-	-	-	1	-	-	-
40	Other Venereal Disease (39)	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
41	(a) Vaccinia	44	9	5	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(b) Pyæmia, Septicæmia (not Puerperal)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
42	Other Infectious Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
II. GENERAL DISEASES NOT INCLUDED ABOVE.																							
43	Cancer, Buccal Cavity	44	-	-	-	-	-	-	2	6	13	3	5	6	3	6	6	5	4	1	-	-	-
44	Do. Stomach and Liver	1148	-	-	-	-	-	-	5	6	14	27	103	152	181	171	196	132	59	28	6	-	-
45	Do. Peritoneum, Intestine, Rectum	727	-	-	-	-	1	1	3	6	23	35	60	77	99	115	134	90	44	18	3	2	-
46	Do. Female Genital Organs	630	-	-	-	-	1	1	7	17	36	80	106	80	84	57	63	33	8	4	-	-	-
47	Do. Breast	552	-	-	-	-	-	-	1	5	17	45	58	69	76	56	61	50	14	13	6	-	-
48	Do. Skin	47	-	-	-	-	-	-	1	1	1	1	2	4	76	6	5	10	9	6	2	1	-
49	Do. other Organs	509	-	-	-	-	-	-	3	7	11	35	2	65	69	87	76	59	20	6	3	1	-
50	Tumours, non-malignant (not Cerebral, Uterine, or Ovarian)	25	-	-	-	-	2	3	1	2	2	3	1	1	5	-	3	1	3	-	-	-	-
51	Rheumatic Fever	125	-	-	-	-	24	14	5	12	8	5	7	6	3	1	3	1	1	-	-	-	-
52	(a) Chronic Rheumatism	33	-	-	-	-	-	-	-	-	-	-	-	-	4	11	5	4	5	4	-	-	-
	(b) Osteo-arthritis	77	-	-	-	-	1	-	-	-	3	5	6	8	9	9	11	13	4	4	1	-	-
	(c) Gout	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-

II. GENERAL DISEASES NOT INCLUDED ABOVE

[illegible]

CAUSES OF DEATH IN SCOTLAND IN 1926—FEMALES—continued.

	All Ages.	Age														100 and over							
		-1	1-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-		65-	70-	75-	80-	85-	90-	95-
		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)		(q)	(r)	(s)	(t)	(u)	(v)	(w)
II. GENERAL DISEASES NOT INCLUDED ABOVE—continued.																							
53	Scorbutus	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-	
56	Rickets	-	6	5	1	1	4	2	7	8	7	12	9	14	46	54	40	29	13	1	-	-	
57	Diabetes	-	-	1	1	1	4	4	7	11	12	12	18	26	47	59	43	14	5	1	-	-	
58	(a) Pernicious Anæmia	-	-	1	1	3	1	1	2	-	3	1	1	3	3	3	3	3	4	1	-	-	
	(b) Other Anæmia, Chlorosis	-	3	3	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	-	-		
69	(a) Purpura	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	(b) Hæmophilia	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	(c) Other General Diseases (54, 55)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	1	-	-	-		
Diseases of Ductless Glands.																							
59	Diseases of Pituitary Gland	-	-	-	1	4	6	1	1	9	12	9	2	1	5	2	-	-	-	-	-	-	
60	(a) Exophthalmic Goitre	-	-	-	-	75	-	-	7	8	2	2	-	2	6	4	7	4	2	-	-		
	(b) Other Diseases of Thyroid and Parathyroid (61)	1	1	2	-	38	-	1	2	2	-	-	-	-	-	1	-	-	-	-	-		
62	Diseases of Thymus	-	-	-	-	1	-	-	1	-	2	5	2	1	-	-	-	2	1	-	-		
63	Diseases of Suprarenal Capsules, Addison's Disease	-	-	-	-	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
64	Diseases of Spleen	-	4	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	-	-	-		
65	(a) Leuchæmia	-	1	1	1	32	-	2	2	2	2	4	1	2	5	2	1	1	-	-	-		
	(b) Hodgkin's Disease, Lymphadenoma	-	-	2	1	21	-	1	-	-	3	2	2	1	2	2	3	1	-	-	-		
Chronic Poisonings.																							
66	(a) Delirium Tremens	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	(b) Acute Alcoholism	-	-	-	-	6	-	-	-	-	1	2	3	-	1	2	-	-	-	-	-		
	(c) Other Alcoholism	-	-	-	-	11	-	-	-	1	1	3	-	-	1	1	1	-	-	-	-		
67	Chronic Inorganic Poisoning—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	(a) Lead	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	(b) Other Occupational	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	(c) Other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
68	Chronic Organic Poisoning	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	

III. DISEASES OF THE NERVOUS SYSTEM.

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)
70 (a) Cerebral Abscess - - -	5	-	8	3	2	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
(b) Encephalitis (other than Encephalitis lethargica)	37	-	-	-	1	3	2	-	1	2	4	2	1	2	1	1	2	1	-	-	-	-	-
71 Meningitis (other than Tuberculous or Cerebro-spinal)	201	75	58	18	9	11	9	2	2	2	4	3	4	2	-	1	1	-	-	-	-	-	-
72 Locomotor Ataxy - - -	7	-	-	-	-	-	-	-	-	-	1	-	2	1	1	1	-	-	-	1	-	-	-
73 Other Diseases of Spinal Cord - - -	72	1	1	-	1	3	2	2	1	4	4	12	8	5	4	9	7	5	2	1	-	-	-
74 (a) Cerebral Hæmorrhage - - -	2159	-	-	-	-	2	2	6	7	9	30	61	116	184	253	315	396	368	246	136	26	2	-
(b) Apoplexy - - -	306	1	1	-	-	-	1	-	1	-	3	8	15	18	29	36	66	52	37	34	4	-	-
(c) Cerebral Embolism and Thrombosis - - -	398	1	1	-	1	2	1	1	1	4	4	10	19	14	25	53	81	84	54	29	10	3	-
75 (a) Hemiplegia - - -	327	-	-	-	1	1	1	-	1	1	4	1	16	21	38	53	80	55	38	13	4	1	-
(b) Paralysis, other or unspecified - - -	42	1	-	-	1	1	-	1	-	1	1	3	3	1	6	7	4	5	3	3	1	-	-
76 General Paralysis of Insane - - -	37	-	-	-	1	1	1	1	1	6	6	5	6	5	1	3	1	4	5	2	-	-	-
77 Other Insanity - - -	75	-	-	-	1	1	1	1	-	4	11	8	7	13	9	3	8	4	5	2	-	-	-
78 Epilepsy - - -	89	2	3	3	1	7	11	15	5	3	12	10	4	2	4	4	1	1	1	1	-	-	-
79 Eclampsia (not Puerperal). (Age 5 and over)	3	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-
80 Infantile Convulsions. (Age under 5) -	178	147	31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 Chorea - - -	9	1	-	-	3	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
82 Neuritis - - -	18	-	-	-	-	-	-	2	-	-	1	-	2	-	-	4	5	1	1	2	-	-	-
84 (a) Cerebral Tumour - - -	72	-	2	2	2	4	2	2	3	2	12	8	6	10	9	6	2	-	-	-	-	-	-
(b) Other Diseases of Nervous System (83)	181	1	3	1	1	1	-	5	3	2	15	7	11	11	18	19	22	29	18	10	3	1	-
85 Diseases of Eye - - -	3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-
86 (a) Mastoid Disease - - -	24	6	4	2	5	1	1	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-
(b) Diseases of Ear - - -	54	7	8	5	10	3	1	6	3	-	-	3	3	1	3	-	-	-	-	-	-	-	-

IV. DISEASES OF THE CIRCULATORY SYSTEM.

87 Pericarditis - - -	18	1	-	3	2	2	-	-	1	-	-	2	-	2	-	-	1	2	-	1	-	-	-
88 (a) Acute Endocarditis - - -	86	-	2	6	5	16	11	7	8	2	8	2	3	1	2	1	2	3	1	-	-	-	-
(b) Acute Myocarditis - - -	33	-	1	-	-	2	-	1	3	3	3	1	3	2	2	2	5	3	1	-	-	-	-
89 Angina Pectoris - - -	175	2	1	17	14	23	-	-	1	1	5	2	12	14	27	34	35	23	14	6	1	-	-
90 (a) Valvular Disease of Heart - - -	16.5	-	-	-	-	-	29	33	54	49	63	97	110	107	179	221	209	199	124	64	8	-	-
(b) Fatty Degeneration of Heart - - -	181	-	1	-	8	6	2	-	4	2	5	9	13	25	24	35	26	18	16	1	1	2	-
(c) Other Disease of Heart - - -	1763	3	1	2	8	-	4	23	18	16	31	53	69	107	147	235	313	322	247	122	31	5	-
91 (a) Aneurysm - - -	33	-	-	-	-	-	-	-	1	2	-	6	4	6	5	3	3	1	1	1	-	-	-
(b) Arterio-sclerosis - - -	319	-	-	-	-	-	-	-	-	-	-	1	1	9	15	25	50	93	69	34	19	4	-
(c) Other Diseases of Arteries - - -	4	-	-	-	-	-	-	-	-	1	-	-	-	-	6	1	1	-	3	-	1	-	-
92 Embolism, Thrombosis (not Cerebral) - - -	75	-	-	-	2	1	1	1	2	4	5	-	7	6	-	13	7	7	3	3	2	-	-
93 Diseases of Veins - - -	12	1	-	-	-	-	-	-	-	1	1	-	1	-	-	5	2	-	1	-	-	-	-

CAUSES OF DEATH IN SCOTLAND IN 1926—FEMALES—continued.

	All Ages.	Age																	100 and over				
		-1	1-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-		80-	85-	90-	95-
IV. DISEASES OF THE CIRCULATORY SYSTEM—continued.																							
94 (a) Status Lymphaticus	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) Other Dis. of Lymph. System (not Leuchæmia or Hodgkin's Disease)	6	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	
95 Hæmorrhage (cause unspecified)	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
96 Other Diseases of Circulatory System	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
V. DISEASES OF THE RESPIRATORY SYSTEM.																							
97 Diseases of Nose	8	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(a) Laryngismus Stridulus	6	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(b) Laryngitis	22	8	7	1	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-	
(c) Croup (not Diphtheritic)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(d) Other Diseases of Larynx	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
99 Bronchitis	1804	168	54	6	2	6	4	14	9	25	34	52	87	153	197	284	289	228	142	30	12	-	
100 Broncho-pneumonia	1169	401	344	20	7	2	13	16	15	16	22	18	36	30	44	52	50	48	20	6	-	-	
101 Pneumonia	1103	134	111	30	17	20	31	34	57	41	45	55	59	56	91	91	91	68	36	6	1	-	
102 Pleurisy	119	3	9	2	2	1	4	8	3	6	6	8	9	12	12	8	14	7	4	-	-	-	
103 Congestion of Lung	199	25	8	3	3	2	1	2	2	2	5	4	5	5	16	22	41	27	21	5	-	-	
104 Gangrene of Lung	-	-	-	-	-	1	1	1	5	3	4	2	8	4	6	7	5	2	1	-	-	-	
105 Asthma	53	1	-	-	1	2	-	1	-	1	1	1	2	1	1	1	1	1	-	-	-	-	
106 Emphysema	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
107 (a) Interstitial Pneumonia	13	-	-	-	-	-	-	-	-	1	2	-	2	3	1	1	1	1	-	-	-	-	
(b) Diseases of Mediastinum	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(c) Other Diseases of Respiratory System	5	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	2	1	-	-	-	-	
VI. DISEASES OF THE DIGESTIVE SYSTEM.																							
108 Diseases of Buccal Cavity	19	-	3	2	-	-	2	3	1	1	1	-	2	1	1	-	1	1	-	-	-	-	
109 Diseases of Tonsils and Pharynx	34	3	7	9	3	1	2	-	1	1	-	1	-	2	3	1	-	-	-	-	-	-	
110 Diseases of Oesophagus	3	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)
111 (a) Ulcer of Stomach - - -	163	1	-	-	1	3	4	7	4	9	15	14	20	21	18	17	7	9	9	4	-	-	
112 (b) Ulcer of Duodenum - - -	34	37	10	2	1	-	2	1	2	4	2	2	5	4	5	3	5	-	13	2	-	-	
113 Diarrhoea and Enteritis (under 2 years) -	351	303	48	-	-	-	-	-	-	4	5	3	5	10	13	11	18	16	13	4	-	-	
114 (a) Do. do. (over 2 years) -	151	-	29	12	1	1	3	4	3	1	4	2	9	4	8	12	14	21	10	11	2	-	
115 (b) Ulcer of Intestine (not Duodenal) -	12	-	-	1	2	-	1	1	-	1	1	2	-	1	1	1	1	-	-	-	-	-	
116 Ankylostomiasis, Intestinal Parasites (115) -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
117 Appendicitis - - -	224	-	16	34	25	24	19	11	14	6	12	17	12	12	5	10	4	1	2	-	-	-	
118 (a) Hernia - - -	109	5	1	1	-	1	1	1	1	2	5	5	12	12	20	12	15	10	3	2	-	-	
119 (b) Intestinal Obstruction - - -	132	16	5	2	3	4	1	3	-	7	9	6	5	5	8	7	14	18	12	5	1	1	
120 Other Diseases of Intestines - - -	31	2	-	-	-	-	1	2	3	2	1	5	1	1	2	2	5	1	5	-	-	-	
121 Acute Yellow Atrophy of Liver - - -	11	-	-	2	-	-	-	-	2	2	1	-	1	-	-	-	1	-	-	-	-	-	
122 Hydatids of Liver - - -	1	-	-	-	-	-	-	-	-	5	-	7	6	5	-	-	2	-	-	-	-	-	
123 Cirrhosis of Liver - - -	54	-	-	-	-	1	-	-	1	3	-	15	13	24	17	23	11	5	3	1	2	-	
124 Gallstones - - -	136	-	-	-	-	-	1	-	1	7	7	10	13	18	20	21	17	19	6	3	1	-	
125 Other Diseases of Liver - - -	155	-	5	-	1	1	1	-	2	7	6	10	13	18	20	21	17	19	6	1	2	-	
126 Diseases of Pancreas - - -	24	2	-	-	1	1	1	3	2	7	2	1	1	4	2	4	1	1	1	1	-	-	
127 Peritonitis (nature unspecified) - - -	61	5	5	8	4	1	7	2	5	4	2	4	3	2	4	3	-	-	-	-	-	-	
128 Other Diseases of Digestive System - -	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
VII. DISEASES OF THE GENITO-URINARY SYSTEM.																							
128 Acute Nephritis - - -	124	5	15	8	7	4	8	5	2	6	8	8	9	7	15	7	2	7	1	-	-	-	
129 Chronic Nephritis, Bright's Disease -	786	-	2	2	3	11	18	20	24	25	42	65	81	102	101	107	93	52	31	6	-	-	
130 Other Diseases of Kidney (130) - - -	74	14	4	1	1	2	-	4	3	3	3	4	5	7	5	7	4	5	2	-	-	-	
131 Urinary Calculus - - -	12	-	-	-	-	-	-	2	1	1	2	2	2	1	1	2	2	2	2	-	-	-	
132 Diseases of Bladder - - -	69	1	1	-	-	-	1	3	2	1	2	2	1	3	4	5	3	17	13	7	-	1	
133 Diseases of Urethra - - -	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	
134 Diseases of Prostate - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
135 Other Diseases of Male Reproductive Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
136 Cysts, and other Tumours of Ovary (non-Malignant) -	36	-	-	-	-	1	-	1	1	2	5	-	2	3	6	2	6	6	1	-	-	-	
137 Salpingitis, Pelvic Abscess - - -	46	-	-	1	-	1	6	7	6	9	8	2	4	-	-	1	1	-	-	-	-	-	
138 Uterine Tumour (non-Malignant) - - -	50	1	-	-	-	-	-	2	2	2	13	13	5	3	2	2	2	2	-	1	-	-	
139 Uterine Haemorrhage (non-puerperal) -	4	-	-	-	-	-	-	1	-	-	2	1	1	1	2	1	-	-	-	-	-	-	
140 (a) Metritis - - -	10	-	-	-	-	-	-	1	-	2	2	1	1	1	2	-	-	-	-	-	-	-	
141 (b) Other Diseases of Female Reproductive Organs -	24	-	-	-	-	-	-	2	4	4	2	3	3	1	3	-	2	-	-	-	-	-	
142 Non-puerperal Diseases of Breast - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

VII. DISEASES OF THE GENITO-URINARY SYSTEM.

[illegible]

CAUSES OF DEATH IN SCOTLAND IN 1926—FEMALES—continued.

	All Ages.	Age														100 and over								
		Age																						
		-1	1-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-		65-	70-	75-	80-	85-	90-	95-	
VIII. DISEASES OF PREGNANCY AND PARTURITION.																								
143 (a) Abortion, Miscarriage -	43	-	-	-	-	4	5	7	14	11	2	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) Uncontrollable Vomiting -	38	-	-	-	-	2	6	10	13	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-
(c) Ectopic Gestation -	7	-	-	-	-	-	-	2	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
(d) Other Diseases and Accidents of Pregnancy -	19	-	-	-	-	2	1	6	8	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
144 Puerperal Hæmorrhage -	86	-	-	-	-	2	5	20	21	24	13	1	-	-	-	-	-	-	-	-	-	-	-	-
145 Other Accidents of Parturition -	66	-	-	-	-	3	8	15	17	12	11	-	-	-	-	-	-	-	-	-	-	-	-	-
146 Puerperal Sepsis -	173	-	-	-	-	4	48	42	37	31	11	-	-	-	-	-	-	-	-	-	-	-	-	-
147 Phlegmasia Alba Dolens, Embolism -	49	-	-	-	-	1	5	9	19	13	1	1	-	-	-	-	-	-	-	-	-	-	-	-
148 Albuminuria of Pregnancy, Eclampsia -	119	-	-	-	-	5	26	27	18	30	12	1	-	-	-	-	-	-	-	-	-	-	-	-
149 Other Diseases of Puerperium -	52	-	-	-	-	2	5	17	11	13	4	-	-	-	-	-	-	-	-	-	-	-	-	-
150 Puerperal Diseases of Breast -	4	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IX. DISEASES OF SKIN AND CONNECTIVE TISSUE.																								
151 (a) Senile Gangrene -	126	-	3	-	-	-	-	-	-	-	-	-	-	-	1	3	14	25	31	28	19	4	1	-
(b) Noma, Cancrum Oris -	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
(c) Other Gangrene -	2	-	-	-	-	-	-	-	-	-	1	1	1	3	1	-	-	1	-	-	-	-	-	-
152 Carbuncle, Boil -	11	2	-	-	-	-	1	-	-	-	1	1	1	3	1	-	-	1	1	-	-	-	-	-
153 Phlegmon, Abscess -	58	12	5	2	2	-	3	3	1	3	3	1	1	1	5	4	6	7	3	3	-	-	-	-
154 Other Diseases of Skin -	39	5	-	-	-	1	-	-	-	-	-	1	1	1	4	3	7	7	6	-	-	-	-	-
X. DISEASES OF ORGANS OF LOCOMOTION.																								
155 Diseases of Bones (Mastoid excluded) -	32	2	2	10	-	2	-	-	1	2	-	2	4	1	1	3	-	-	1	1	-	-	-	-
156 Diseases of Joints -	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
158 Other Diseases of Organs of Locomotion (157)	9	-	-	-	-	-	-	-	1	1	1	1	-	1	1	-	-	-	1	1	1	-	-	-
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(x)

	(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)
XI. MALFORMATIONS.																								
159 Malformations—																								
(a) Hydrocephalus -		24	19	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) Congenital Heart -		57	51	2	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(c) Other Malformations -		117	113	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XII. DISEASES OF EARLY INFANCY.																								
160 Congenital Debility, Icterus, Sclerema, Marasmus		542	542	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
161 (a) Premature Birth -		758	758	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) Injury at Birth -		56	56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
162 Other Diseases peculiar to Early Infancy (163)		87	87	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XIII. OLD AGE.																								
164 Senility, Senile Dementia -		2190	-	-	-	-	-	-	-	-	-	-	-	-	2	6	51	258	470	605	520	220	44	14
XIV. VIOLENT CAUSES.																								
174 Suicide (165-173)		139	-	-	-	1	5	8	6	13	17	17	17	12	16	11	9	5	2	-	-	-	-	-
175 Poisoning by Food -		2	-	-	-	-	-	-	-	1	1	1	1	-	-	-	1	-	-	-	-	-	-	-
177 Other Acute Accidental Poisonings		14	-	4	-	1	-	-	1	-	1	1	2	-	1	-	1	1	1	-	-	-	-	-
179 Burns and Scalds (178) -		142	8	59	7	4	8	3	2	2	-	2	4	1	4	5	9	5	13	4	2	-	-	-
180 (a) Overlying -		25	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) Asphyxia, Suffocation (otherwise)		27	18	-	-	1	-	-	-	1	-	-	1	-	2	1	1	-	1	-	1	-	-	-
181 Exposure to Poisonous Vapours -		11	-	-	-	-	1	1	2	-	-	-	1	1	1	1	1	1	-	-	-	-	-	-
182 Accidental Drowning -		72	-	6	4	4	6	3	9	6	5	4	5	3	1	7	1	1	-	1	-	-	-	-
183 Accidents with Fire Arms -		1	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
185 Accidental Falls -		62	-	1	3	1	1	2	-	2	1	3	1	1	3	6	5	11	6	11	3	1	-	-

CAUSES OF DEATH IN SCOTLAND IN 1926—FEMALES—continued.

	All Ages.	Age														100 and over							
		-1	1-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-		65-	70-	75-	80-	85-	90-	95-
XIV. VIOLENT CAUSES—continued.																							
186 Accidents in—(a) Coal Mines	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) Other Mines	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(c) Quarries	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
187 Accidents with Machinery	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
188 Accidents with—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(a) Horsed Vehicles	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) Railways	8	-	-	3	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
(c) Tramways	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(d) Motor Vehicles	130	1	17	32	8	4	10	8	4	3	4	6	7	4	8	7	4	3	1	-	-	-	-
(e) Aircraft	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(f) Other Vehicles	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(g) Other Crushing Accidents	5	-	3	1	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-
190 War Casualties (191)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
192 Starvation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
195 Weather Agencies (193, 194)	4	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
196 Electricity (Lightning excepted)	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200 Homicide (197, 199)	10	3	2	1	1	3	2	1	-	-	-	6	6	3	8	10	16	24	38	33	8	1	-
202 Other Violence—Form specified (176, 184, 189, 201)	179	-	9	6	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
203 Violence of Unspecified Nature	26	-	4	3	2	1	-	-	1	2	1	-	-	-	2	3	-	4	1	1	1	-	-
XV. ILL-DEFINED CAUSES.																							
204 Sudden Death (not otherwise defined)	6	1	-	-	-	-	-	-	-	-	1	8	10	28	-	1	1	-	1	-	-	-	-
(a) Heart Failure	233	5	-	-	-	-	1	2	1	4	5	-	-	-	21	31	47	35	21	12	2	-	-
(b) Syncope	106	6	2	2	1	-	1	2	2	4	2	5	6	9	15	14	16	7	5	6	1	-	-
(c) Other Ill-defined Causes	24	-	12	-	1	-	-	-	-	-	-	1	-	3	2	2	2	-	1	-	-	-	-
(d) Natural Causes	75	14	5	3	1	-	-	1	-	2	-	1	2	6	6	6	14	5	5	3	1	-	-
(e) Cause not specified	20	4	-	-	-	-	-	-	-	-	-	3	-	1	1	2	1	2	-	4	1	-	-

CAUSES OF DEATH IN THE COUNTIES OF SCOTLAND, 1926

CAUSES OF DEATH IN THE COUNTIES OF SCOTLAND (BOTH SEXES)—1926.

All Causes.	63,780	3866	885	3347	731	346	211	407	416	1699	1000	496	3264	3841	1176	546	101
I. EPIDEMIC AND ENDEMIC DISEASES.																	
1 (a) Enteric Fever	39	1	-	2	-	-	-	1	-	-	-	-	-	1	1	-	-
2 (b) Paratyphoid Fever	11	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-
3 Typhus Fever	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
5 Malaria	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6 (a) Small-pox { Vaccinated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) Do. { Unvaccinated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(c) Do. { Vaccination Doubtful	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7 Measles	928	23	9	44	2	-	-	-	-	17	19	4	11	1	2	5	1
8 Scarlet Fever	343	16	2	23	1	-	-	-	6	6	3	3	18	46	-	2	1
9 Whooping-Cough	506	26	7	3	3	2	-	-	4	23	3	-	55	10	1	14	2
10 Diphtheria	490	26	8	21	1	1	-	2	5	10	2	2	22	77	6	5	-
11 Influenza—																	
(a) Sole Cause	319	14	9	13	2	-	1	3	3	11	1	2	15	14	31	3	-
(b) with Phthisis	16	3	1	3	-	-	-	-	-	-	-	-	1	-	-	-	-
(c) with Bronchitis	185	6	5	7	1	1	1	1	1	9	1	-	7	8	5	-	-
(d) with Pneumonia	582	26	4	22	4	2	2	2	2	15	2	1	11	20	8	4	-
(e) with other Respiratory Disease	66	5	1	2	-	-	-	1	-	-	-	-	3	3	3	-	-
(f) with Diseases and Accidents of Pregnancy and Parturition	10	1	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-
(g) with other Cause	243	8	6	9	-	1	1	-	3	7	4	2	19	8	9	3	2
16 Dysentery	14	1	-	-	1	-	-	-	-	-	-	-	2	-	-	-	-
21 Erysipelas	145	11	-	6	-	2	1	-	1	3	3	1	2	9	-	-	-
22 Infantile Paralysis	22	-	1	-	-	-	-	-	-	1	1	-	9	1	1	-	-
23 Encephalitis Lethargica	169	2	4	-	-	4	-	-	-	1	1	2	1	4	3	-	-
24 (a) Cerebro-spinal Meningitis	108	4	1	11	-	-	-	1	-	4	1	-	11	7	2	-	-
(b) Posterior Basal Meningitis	12	-	-	6	-	-	-	-	-	4	-	-	2	-	1	-	-
25 Oth. Epid. and End. Dis. (3, 4, 12, 13, 14, 15, 17, 18, 19, 20)	17	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-

	Kirkcudbright.	Lanark.	Midlothian.	Moray.	Nairn.	Orkney.	Peebles.	Perth.	Renfrew.	Ross and Cromarty.	Roxburgh.	Selkirk.	Shetland.	Stirling.	Sutherland.	West Lothian.	Wigtown.
All Causes	495	21858	6773	544	126	343	154	1623	3865	952	632	316	317	1884	240	904	422
I. EPIDEMIC AND ENDEMIC DISEASES.																	
1 (a) Enteric Fever	1	19	7	-	-	-	-	-	2	1	-	-	-	3	-	-	-
(b) Paratyphoid Fever	-	4	1	-	-	-	-	-	-	-	-	-	-	-	-	3	-
2 Typhus Fever	-	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
5 Malaria	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6 (a) Small-pox { Vaccinated.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) Do. { Unvaccinated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(c) Do. { Vaccination Doubtful.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7 Measles	4	591	47	-	-	-	-	4	104	3	2	-	2	23	-	10	1
8 Scarlet Fever	1	122	44	4	-	2	1	7	19	-	2	4	1	7	-	3	-
9 Whooping Cough	-	237	19	8	-	-	1	4	44	3	-	-	1	27	-	8	-
10 Diphtheria	-	179	51	1	-	-	1	7	21	2	-	-	-	22	1	17	-
11 Influenza—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(a) Sole Cause	3	102	37	4	-	3	1	6	19	8	2	1	2	9	-	-	-
(b) with Phthisis	-	4	3	-	-	-	-	-	1	-	-	-	5	-	-	-	-
(c) with Bronchitis	1	78	15	1	-	1	-	7	13	-	-	-	1	6	-	4	1
(d) with Pneumonia	3	292	53	2	-	-	-	16	43	5	5	1	1	20	7	8	1
(e) with other Respiratory Disease	-	22	5	-	-	-	-	4	5	1	-	-	-	3	1	1	1
(f) with Diseases and Accidents of Pregnancy and Parturition	-	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(g) with other Cause	-	73	30	3	-	4	-	11	16	3	-	1	1	4	2	9	4
16 Dysentery	-	5	4	-	-	-	-	-	1	-	-	-	-	-	-	-	-
21 Erysipelas	-	69	12	1	-	-	-	6	3	1	-	1	-	3	-	1	2
22 Infantile Paralysis	-	9	2	-	-	-	-	2	1	-	1	1	-	-	-	5	-
23 Encephalitis Lethargica	-	69	27	-	1	1	-	5	7	1	1	2	-	4	1	-	-
24 (a) Cerebro-spinal Meningitis	-	46	20	-	-	2	-	1	3	1	-	1	-	4	-	-	-
(b) Posterior Basal Meningitis	1	4	4	-	-	1	-	-	1	-	-	-	-	-	-	-	-
25 Oth. Epid. and End. Dis. (3, 4, 12, 13, 14, 15, 17, 18, 19, 20)	-	8	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-

CAUSES OF DEATH IN THE COUNTIES OF SCOTLAND (BOTH SEXES)—1926—continued.

[illegible]

CAUSES OF DEATH IN THE COUNTIES OF SCOTLAND (BOTH SEXES)—1926—continued.

	Kirkcudbright.	Lanark.	Midlothian.	Moray.	Nairn.	Orkney.	Peebles.	Perth.	Renfrew.	Ross and Cromarty.	Roxburgh.	Selkirk.	Shetland.	Stirling.	Sutherland.	West Lothian.	Wigtown.
I. EPIDEMIC AND ENDEMIC DISEASES—continued.																	
Other Infectious Diseases.																	
26 Glanders																	
27 Anthrax		1															
28 Rabies		2															
29 Tetanus		1															
30 Mycoses		2															
31 (a) Laryngeal Tuberculosis		1228	396	29	7	17	8	59	227	75	31	12	21	95	11	42	13
(b) Pulmonary Tuberculosis	16	194	61	2		1		2	35	4	1		2	10		15	3
32 Tuberculous Meningitis	5	127	38	1			1	3	25	2	4	1	1	17		5	
33 Tuberculosis of Intestines and Peritoneum																	
34 Tuberculosis of Spine	2	33	5			1		1	7	3	2		2	7		1	
35 Tuberculosis of Joints	2	18	1														
36 Tuberculosis of Other Organs—																	
(a) Skin		5	3					1									
(b) Bones (except Spine)		7							3								
(c) Lymphatic System (Abdom. Glands excepted)		4	3					1		1							
(d) Genito-urinary System		17	5			1		3	1	2	1			2		2	
(e) Others		2	2														
37 Disseminated Tuberculosis—																	
(a) Acute		41	16	1	1			6	3	1	2	2	3	4	1	2	1
(b) Chronic	2	87	26	1		1	1	3	22	2	6	1	1	14	3	11	4
38 Syphilis		64	11	3			1		4			1		5		4	
40 Other Venereal Disease (39)		1															
41 (a) Vaccinia																	
(b) Pyæmia, Septicæmia (not Puerperal)	1	37	12	2	1	1		3	3	5	2			1		3	1
42 Other Infectious Diseases																	

CAUSES OF DEATH IN THE COUNTIES OF SCOTLAND (BOTH SEXES)—1926—continued.

	SCOTLAND.	Aberdeen.	Argyll.	Ayr.	Banff.	Berwick.	Bute.	Caithness.	Clack- mannan.	Dumbarton.	Dumfries.	East Lothian	Fife.	Forfar.	Inverness.	Kincardine.	Kinross.
II. GENERAL DISEASES NOT INCLUDEDLED ABOVE.																	
43 Cancer, Buccal Cavity . . .	343	28	11	16	4	—	2	3	5	8	6	4	18	25	10	3	—
44 Do. Stomach and Liver . . .	2335	137	43	111	37	14	7	18	17	69	45	10	136	138	45	20	3
45 Do. Peritoneum, Intestine, Rectum	1443	92	22	81	25	9	3	8	16	44	14	17	79	99	16	8	1
46 Do. Female Genital Organs . .	630	43	7	41	7	3	3	4	2	14	11	10	29	44	10	7	—
47 Do. Breast . . .	559	34	6	39	5	7	2	3	4	21	11	4	34	32	14	5	1
48 Do. Skin . . .	129	8	3	7	3	1	—	1	2	2	3	3	5	5	7	1	—
49 Do. Other Organs . . .	1201	69	20	71	13	8	2	5	8	33	19	9	51	78	30	8	6
50 Tumours, non-malignant (not Cere- bral, Uterine, or Ovarian)	57	6	2	5	1	—	2	—	—	1	2	1	4	1	1	1	—
51 Rheumatic Fever . . .	219	13	1	20	2	1	—	3	3	7	—	3	11	8	7	1	1
52 (a) Chronic Rheumatism . . .	41	2	1	2	1	—	—	1	—	2	1	—	2	1	4	1	—
(b) Osteo-arthritis . . .	103	10	3	3	3	4	1	—	4	3	1	—	5	6	4	2	—
(c) Gout . . .	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
53 Scorbutus . . .	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
56 Rickets . . .	23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
57 Diabetes . . .	518	26	5	39	2	—	2	—	1	17	11	—	40	20	8	2	—
58 (a) Pernicious Anæmia . . .	512	24	5	29	2	11	4	4	6	14	14	6	26	27	5	6	1
(b) Other Anæmia, Chlorosis . .	62	2	—	4	1	5	—	—	—	3	3	1	2	1	2	1	—
69 (a) Purpura . . .	34	4	—	1	—	—	—	—	1	1	—	—	3	2	1	—	—
(b) Hæmophilia . . .	8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
(c) Other General Diseases (54, 55) .	17	1	1	—	—	—	—	—	—	1	—	—	2	1	1	—	—

CAUSES OF DEATH IN THE COUNTIES OF SCOTLAND (BOTH SEXES)—1926—continued.

	Kirkcudbright.	Lanark.	Midlothian.	Moray.	Nairn.	Orkney.	Peebles.	Perth.	Renfrew.	Ross and Cromarty.	Roxburgh.	Selkirk.	Shetland.	Stirling.	Sutherland.	West Lothian.	Wigtown.
II. GENERAL DISEASES NOT INCLUDED ABOVE.																	
43 Cancer, Buccal Cavity . . .	2	95	47	2	3	1	1	12	15	8	1	1	2	6	1	1	2
44 Do. Stomach and Liver . . .	17	727	256	27	4	8	7	75	149	45	28	19	5	65	10	31	12
45 Do. Peritoneum, Intestine, Rectum . . .	12	434	146	18	3	5	5	59	82	30	18	14	6	43	9	14	11
46 Do. Female Genital Organs . . .	7	196	90	4	3	1	1	19	20	10	5	2	5	23	4	4	1
47 Do. Breast . . .	8	155	64	2	1	2	1	25	38	7	10	2	2	14	2	2	2
48 Do. Skin . . .	3	36	5	1	1	1	-	9	5	2	1	1	-	5	2	4	2
49 Do. Other Organs . . .	7	386	146	8	2	13	3	26	82	25	13	8	5	26	3	12	6
50 Tumours, non-malignant (not Cerebral, Uterine, or Ovarian)	-	11	7	1	-	1	-	1	3	-	-	1	-	1	-	3	1
51 Rheumatic Fever . . .	2	66	27	1	-	1	2	4	15	2	2	1	-	6	1	7	1
52 (a) Chronic Rheumatism . . .	1	6	3	-	-	-	-	1	4	4	1	-	-	2	1	-	-
(b) Osteo-arthritis . . .	-	29	10	3	-	1	-	1	2	3	1	-	1	2	1	-	-
(c) Gout . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
53 Scorbutus . . .	-	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-
56 Rickets . . .	-	11	3	-	-	-	-	-	4	1	-	-	-	-	-	-	-
57 Diabetes . . .	5	172	51	1	-	1	3	13	31	5	8	4	2	13	2	6	2
58 (a) Pernicious Anæmia . . .	7	150	56	3	1	3	1	22	29	9	9	6	-	22	1	12	3
(b) Other Anæmia, Chlorosis . . .	-	18	6	-	-	1	1	4	5	1	1	-	-	2	-	1	1
69 (a) Purpura . . .	-	6	8	1	-	1	-	2	3	-	-	-	-	2	-	-	-
(b) Hæmophilia . . .	-	4	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
(c) Other General Diseases (54, 55)	-	2	5	-	-	-	-	1	1	-	-	-	-	-	-	-	-

CAUSES OF DEATH IN THE COUNTIES OF SCOTLAND (BOTH SEXES)—1926—continued.

[illegible]

CAUSES OF DEATH IN THE COUNTIES OF SCOTLAND (BOTH SEXES)—1926—continued.

	SCOTLAND.	Aberdeen.	Argyll.	Ayr.	Banff.	Berwick.	Bute.	Caithness.	Clack- mannan.	Dumbarton.	Dumfries.	East Lothian.	Fife.	Forfar.	Inverness.	Kincardine.	Kinross.
III. DISEASES OF THE NERVOUS SYSTEM.																	
70 (a) Cerebral Abscess . . .	23	2	2	2	—	—	—	—	—	—	—	—	1	—	—	—	—
(b) Encephalitis (other than Enceph- alitis Lethargica)	61	2	2	6	—	—	—	—	—	—	—	—	2	6	1	—	—
71 Meningitis (other than Tuberculous or Cerebro-spinal)	460	16	1	30	5	—	—	1	3	20	4	3	24	17	7	5	—
72 Locomotor Ataxy . . .	72	3	—	5	—	—	1	1	—	—	2	—	4	10	4	1	—
73 Other Diseases of Spinal Cord . .	153	12	2	14	—	—	—	1	—	3	—	2	9	11	4	—	—
74 (a) Cerebral Hæmorrhage . . .	4027	283	60	228	52	20	22	26	58	118	79	36	229	278	51	27	12
(b) Apoplexy . . .	564	53	7	38	10	3	—	7	1	17	13	5	36	35	22	1	—
(c) Cerebral Embolism and Throm- bosis	686	28	15	55	11	4	1	8	5	7	6	8	69	45	15	5	—
75 (a) Hemiplegia . . .	629	33	15	38	7	3	5	10	1	8	6	6	25	26	22	2	—
(b) Paralysis, other or unspecified .	92	2	3	1	1	—	—	1	—	2	—	—	4	3	3	1	—
76 General Paralysis of Insane . . .	170	8	—	23	1	1	1	1	—	2	—	1	6	11	2	—	—
77 Other Insanity . . .	111	4	—	10	5	1	—	—	—	4	6	—	4	3	9	—	—
78 Epilepsy . . .	198	16	2	10	4	4	—	—	1	4	2	3	5	13	3	1	—
79 Eclampsia (not Puerperal). (Age 5 and over)	9	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—
80 Infantile Convulsions. (Age under 5)	436	45	3	15	5	—	1	5	4	13	12	6	23	19	7	2	—
81 Chorea . . .	14	—	—	2	—	—	—	1	—	1	—	—	—	—	—	—	—
82 Neuritis . . .	27	1	—	1	—	—	1	—	—	—	—	—	1	—	1	—	—
84 (a) Cerebral Tumour . . .	168	16	3	4	3	—	1	—	—	4	3	—	9	11	4	1	—
(b) Other Diseases of Nervous System (83)	349	23	3	18	4	—	—	5	2	10	3	3	22	22	8	5	—
85 Diseases of Eye . . .	7	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
86 (a) Mastoid Disease . . .	59	—	1	4	—	—	—	—	—	3	—	—	—	—	—	—	—
(b) Diseases of Ear . . .	125	7	1	2	2	1	—	1	—	7	1	1	7	7	2	—	—

CAUSES OF DEATH IN THE COUNTIES OF SCOTLAND (BOTH SEXES)—1926—continued.

	Kirkcudbright.	Lanark.	Midlothian.	Moray.	Nairn.	Orkney.	Peebles	Perth.	Renfrew.	Ross and Cromarty.	Roxburgh.	Selkirk.	Shetland.	Stirling.	Sutherland.	West Lothian.	Wigtown.
III. DISEASES OF THE NERVOUS SYSTEM.																	
70 (a) Cerebral Abscess	2	11	3	1	—	—	—	1	4	—	—	1	—	1	—	—	—
(b) Encephalitis (other than Encephalitis Lethargica)	—	19	12	—	—	—	—	—	—	—	—	—	—	—	—	2	—
71 Meningitis (other than Tuberculous or Cerebro-spinal)	7	179	40	6	1	4	—	8	46	7	1	2	—	17	—	4	2
72 Locomotor Ataxy	—	18	10	1	—	—	—	7	1	—	1	—	1	1	—	1	—
73 Other Diseases of Spinal Cord	1	39	13	4	1	—	2	4	10	1	3	3	2	4	2	2	2
74 (a) Cerebral Hemorrhage	35	1195	460	37	8	16	13	117	215	42	56	18	18	116	15	56	31
(b) Apoplexy	9	151	39	6	—	1	1	32	32	15	—	1	7	11	1	1	8
(c) Cerebral Embolism and Thrombosis	9	124	125	22	1	8	4	22	22	8	7	10	3	24	2	6	7
75 (a) Hemiplegia	1	229	99	—	1	2	—	14	26	15	14	5	1	3	1	5	4
(b) Paralysis, other or unspecified	1	36	19	—	—	—	—	1	3	4	—	1	—	3	1	1	1
76 General Paralysis of Insane	1	68	26	1	—	—	—	3	8	—	2	—	—	1	—	2	1
77 Other Insanity	—	21	5	1	1	1	—	2	10	11	2	—	—	3	5	3	—
78 Epilepsy	3	61	21	1	—	3	1	8	10	3	—	1	—	7	—	7	3
79 Eclampsia (not Puerperal). (Age 5 and over)	—	5	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
80 Infantile Convulsions. (Age under 5)	4	166	33	2	1	—	2	7	24	4	5	1	2	16	—	8	1
81 Chorea	—	5	1	1	—	—	—	—	—	1	—	1	—	1	—	—	—
82 Neuritis	—	8	1	1	—	1	1	2	2	—	—	—	1	—	—	—	—
84 (a) Cerebral Tumour	2	44	27	—	—	—	—	5	15	1	—	—	1	3	1	6	1
(b) Other Diseases of Nervous System (83)	2	101	39	3	1	6	4	13	16	4	2	3	2	12	2	6	2
85 Diseases of Eye	—	1	2	—	—	—	—	—	—	—	—	—	—	—	1	—	—
86 (a) Mastoid Disease	—	27	7	—	—	—	—	2	4	—	—	—	—	—	—	—	—
(b) Diseases of Ear	1	47	11	4	—	—	1	—	13	1	—	—	—	2	2	2	1

	SCOTLAND.	Aberdeen.	Argyll.	Ayr.	Banff.	Berwick.	Bute.	Caithness.	Clack- mannan.	Dumbarton.	Dumfries.	East Lothian.	Fife.	Forfar.	Inverness.	Kincardine.	Kinross.
IV. DISEASES OF THE CIRCULATORY SYSTEM.																	
87 Pericarditis	36	2	-	2	-	-	-	-	-	1	-	-	3	2	-	-	-
88 (a) Acute Endocarditis	166	11	2	11	4	-	3	1	1	3	-	1	6	11	4	1	-
88 (b) Acute Myocarditis	72	2	2	2	-	1	-	-	-	2	2	2	-	5	1	-	-
89 Angina Pectoris	457	32	9	22	2	2	1	6	-	2	3	4	32	23	4	8	-
90 (a) Valvular Disease of Heart	3008	177	49	179	26	16	11	29	38	60	55	17	125	217	83	17	6
90 (b) Fatty Degeneration of Heart	278	21	6	17	4	2	-	1	1	3	13	3	20	20	6	1	-
90 (c) Other Disease of Heart	3393	256	45	159	70	27	18	36	14	94	52	37	196	175	53	57	7
91 (a) Aneurysm	133	4	2	6	2	2	1	2	2	2	2	1	1	8	-	1	-
91 (b) Arterio-sclerosis	697	95	13	22	8	3	3	2	8	11	12	7	57	53	16	12	1
91 (c) Other Diseases of Arteries	14	-	-	2	-	-	-	1	-	2	-	-	1	1	-	-	-
92 Embolism, Thrombosis (not Cerebral)	132	7	1	4	2	1	1	1	-	2	2	1	10	9	4	1	-
93 Diseases of Veins	26	1	2	3	1	-	-	-	-	3	-	-	1	1	-	-	-
94 (a) Status Lymphaticus	10	1	-	1	-	-	-	-	-	-	1	-	-	1	-	-	-
94 (b) Other Dis. of Lymph. System (not Leuchæmia or Hodgkin's Disease)	12	1	-	2	-	-	-	-	-	-	-	-	-	2	-	-	-
95 Hæmorrhage (cause unspecified)	5	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
96 Other Diseases of Circulatory System	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
V. DISEASES OF THE RESPIRATORY SYSTEM.																	
97 Diseases of Nose	15	1	-	3	-	-	-	-	-	-	1	-	-	-	-	-	-
98 (a) Laryngismus Stridulus	14	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
98 (b) Laryngitis	38	4	2	-	-	-	-	-	-	2	-	-	5	2	1	-	-
98 (c) Croup (not Diphtheritic)	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
98 (d) Other Diseases of Larynx	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
99 Bronchitis	3586	176	31	196	33	12	10	19	12	100	35	19	166	211	55	15	5
100 Broncho-pneumonia	2618	100	13	104	26	8	5	5	13	61	13	10	83	160	29	16	3
101 Pneumonia	2644	124	19	125	20	19	10	6	7	66	37	18	85	140	33	15	-
102 Pleurisy	246	13	2	20	1	1	2	1	1	5	5	-	19	19	2	3	-
103 Congestion of Lung	359	28	2	23	2	1	4	3	-	7	4	4	26	16	6	6	2
104 Gangrene of Lung	5	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-
105 Asthma	89	6	1	4	2	-	-	1	-	3	1	-	-	-	-	1	-
106 Emphysema	21	1	1	3	-	-	-	-	-	-	1	-	2	8	3	1	-
107 (a) Interstitial Pneumonia	49	2	2	5	1	-	-	1	-	2	-	-	1	-	-	-	-
107 (b) Diseases of Mediastinum	3	-	-	1	-	-	-	-	-	-	-	-	2	3	-	-	-

	Wigtown.	West Lothian.	Sutherland.	Stirling.	Shetland.	Selkirk.	Roxburgh.	Ross and Cromarty.	Renfrew.	Perth.	Peebles.	Orkney.	Nairn.	Moray.	Midlothian.	Lanark.	Kirkcudbright.	
IV. DISEASES OF THE CIRCULATORY SYSTEM.																		
87 Pericarditis	1	-	-	-	-	1	1	-	2	-	-	-	-	-	5	16	-	87 Pericarditis
88 (a) Acute Endocarditis	-	6	-	1	-	1	1	-	11	6	1	-	-	1	16	57	1	88 (a) Acute Endocarditis
88 (b) Acute Myocarditis	-	-	-	1	-	-	-	-	10	2	-	-	-	-	11	29	-	88 (b) Acute Myocarditis
89 Angina Pectoris	-	-	-	10	-	-	7	-	38	13	3	3	1	1	60	129	9	89 Angina Pectoris
90 (a) Valvular Disease of Heart	38	35	14	91	26	31	59	44	157	90	8	49	8	25	334	853	41	90 (a) Valvular Disease of Heart
90 (b) Fatty Degeneration of Heart	2	3	-	12	3	2	2	6	6	6	1	3	-	2	50	56	6	90 (b) Fatty Degeneration of Heart
90 (c) Other Disease of Heart	22	35	12	94	18	26	56	46	207	95	10	15	8	40	428	961	24	90 (c) Other Disease of Heart
91 (a) Aneurysm	1	3	-	3	-	-	1	-	9	2	1	-	-	1	21	56	1	91 (a) Aneurysm
91 (b) Arterio-sclerosis	4	3	1	20	3	4	11	4	30	37	2	3	5	11	101	131	5	91 (b) Arterio-sclerosis
91 (c) Other Diseases of Arteries	-	3	-	-	-	-	-	-	-	1	-	-	-	-	2	4	-	91 (c) Other Diseases of Arteries
92 Embolism, Thrombosis (not Cerebral)	1	-	1	4	-	-	1	2	8	6	-	-	2	-	12	43	-	92 Embolism, Thrombosis (not Cerebral)
93 Diseases of Veins	-	-	-	-	-	-	-	1	3	1	-	-	-	1	-	10	-	93 Diseases of Veins
94 (a) Status Lymphaticus	-	-	-	2	-	-	-	-	1	-	-	-	-	-	3	1	-	94 (a) Status Lymphaticus
94 (b) Other Dis. of Lymph. System (not Leuchæmia or Hodgkin's Disease)	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	5	-	94 (b) Other Dis. of Lymph. System (not Leuchæmia or Hodgkin's Disease)
95 Hæmorrhage (cause unspecified)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	95 Hæmorrhage (cause unspecified)
96 Other Diseases of Circulatory System	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	96 Other Diseases of Circulatory System
V. DISEASES OF THE RESPIRATORY SYSTEM.																		
97 Diseases of Nose	-	-	-	-	-	-	-	-	2	-	-	-	-	-	2	7	-	97 Diseases of Nose
98 (a) Laryngismus Stridulus	-	-	-	-	-	-	-	-	1	1	-	-	-	-	5	10	-	98 (a) Laryngismus Stridulus
98 (b) Laryngitis	-	1	-	2	-	-	2	-	1	-	-	-	-	-	-	-	-	98 (b) Laryngitis
98 (c) Croup (not Diphtheritic)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	98 (c) Croup (not Diphtheritic)
98 (d) Other Diseases of Larynx	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	98 (d) Other Diseases of Larynx
99 Bronchitis	-	-	-	1	-	-	-	-	211	93	-	-	-	-	348	1448	30	99 Bronchitis
100 Broncho-pneumonia	30	60	7	105	15	11	38	48	181	26	8	17	10	12	240	1356	8	100 Broncho-pneumonia
101 Pneumonia	5	29	8	47	5	8	13	26	192	35	2	1	3	11	237	1240	4	101 Pneumonia
102 Pleurisy	11	21	6	92	6	5	10	34	13	3	6	2	1	17	24	79	6	102 Pleurisy
103 Congestion of Lung	1	9	1	6	-	4	3	1	17	18	-	2	5	12	49	90	1	103 Congestion of Lung
104 Gangrene of Lung	2	6	-	6	1	2	7	5	-	2	-	-	-	-	1	1	-	104 Gangrene of Lung
105 Asthma	-	-	-	-	-	-	-	-	5	-	-	1	-	-	13	26	-	105 Asthma
106 Emphysema	-	-	-	-	-	-	-	-	2	1	-	-	-	-	3	4	1	106 Emphysema
107 (a) Interstitial Pneumonia	-	2	-	2	-	-	-	1	2	1	-	-	-	-	5	16	1	107 (a) Interstitial Pneumonia
107 (b) Diseases of Mediastinum	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	107 (b) Diseases of Mediastinum
107 (c) Other Dis. of Respiratory System	-	1	-	-	-	-	-	-	1	1	-	-	-	-	1	3	-	107 (c) Other Dis. of Respiratory System

CAUSES OF DEATH IN THE COUNTIES OF SCOTLAND (BOTH SEXES)—1926—continued.

	SCOTLAND.	Aberdeen.	Argyll.	Ayr.	Banff.	Berwick.	Bute.	Caithness.	Clack- mannan.	Dumbarton.	Dumfries.	East Lothian.	Fife.	Forfar.	Inverness.	Kincardine.	Kinross.
VI.—DISEASES OF THE DIGESTIVE SYSTEM.																	
108 Diseases of Buccal Cavity . . .	35	-	1	4	-	-	-	-	-	2	1	-	1	1	1	-	-
109 Diseases of Tonsils and Pharynx . .	69	4	1	5	1	1	-	1	-	1	-	1	5	2	6	1	-
110 Diseases of Oesophagus . . .	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
111 (a) Ulcer of Stomach . . .	402	27	6	23	3	4	1	4	4	10	7	4	23	20	10	6	-
111 (b) Ulcer of Duodenum . . .	197	17	3	8	3	2	2	2	3	9	2	2	18	9	4	2	-
112 Other Diseases of Stomach . . .	299	28	3	21	3	1	3	4	1	8	5	2	13	12	8	3	-
113 Diarrhoea and Enteritis (under 2 years)	798	61	2	43	6	-	-	5	1	17	13	5	23	44	3	4	-
114 (a) Diarrhoea and Enteritis (over 2 years)	272	9	2	19	2	3	-	2	1	10	6	3	17	9	3	2	-
114 (b) Ulcer of Intestine (not Duo- denal)	23	3	1	3	1	-	-	-	-	1	1	-	1	2	-	-	-
116 Ankylostomiasis, Intestinal Para- sites (115)	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117 Appendicitis . . .	483	30	4	37	7	1	3	4	1	12	7	4	28	21	10	1	-
118 (a) Hernia . . .	222	12	2	8	1	2	-	3	2	5	4	1	12	12	4	2	-
118 (b) Intestinal Obstruction . . .	308	33	7	23	7	2	1	2	-	6	3	1	13	20	7	3	-
119 Other Diseases of Intestines . . .	79	3	1	5	-	1	1	2	-	-	2	-	4	3	1	-	-
120 Acute Yellow Atrophy of Liver . .	18	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
121 Hydatids of Liver . . .	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122 Cirrhosis of Liver . . .	177	6	4	11	2	-	-	1	-	7	-	-	9	8	4	2	-
123 Gallstones . . .	166	10	-	15	1	-	-	-	-	4	1	3	15	13	-	1	-
124 Other Diseases of Liver . . .	215	14	4	15	1	3	2	2	1	2	4	1	19	18	2	3	-
125 Diseases of Pancreas . . .	47	3	-	4	2	1	-	-	-	-	-	-	3	4	2	-	-
126 Peritonitis (nature unspecified) . .	93	9	-	5	2	1	-	-	1	-	1	1	3	6	3	-	-
127 Other Diseases of Digestive System	1	-	-	-	-	-	-	-	-	5	-	-	4	-	-	-	-

CAUSES OF DEATH IN THE COUNTIES OF SCOTLAND (BOTH SEXES)—1926—continued.

[illegible]

[illegible]

	SCOTLAND.	Aberdeen.	Argyll.	Ayr.	Banff.	Berwick.	Bute.	Caithness.	Clack- mannan.	Dumbarton.	Dumfries.	East Lothian.	Fife.	Forfar.	Inverness.	Kincardine.	Kiaross.
IX. DISEASES OF SKIN AND CONNECTIVE TISSUE.																	
151 (a) Senile Gangrene	281	21	13	15	-	3	-	1	1	3	3	1	22	13	6	3	1
(b) Noma, Cancrum Oris	6	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
(c) Other Gangrene	11	1	-	1	1	-	-	-	1	-	1	-	1	-	-	-	-
152 Carbuncle, Boil	39	5	-	2	1	-	-	-	-	-	-	-	1	1	-	-	-
153 Phlegmon, Abscess	138	8	1	9	1	-	-	3	-	3	1	-	10	8	1	1	-
154 Other Diseases of Skin	67	5	1	4	-	2	-	-	-	3	1	-	3	3	1	1	-
X. DISEASES OF ORGANS OF LOCOMOTION.																	
155 Dis. of Bones (Mastoid excluded) .	81	6	-	6	-	-	-	1	-	2	2	3	4	-	2	1	-
156 Diseases of Joints	12	1	-	1	-	-	-	-	-	-	1	-	1	2	1	-	-
158 Other Diseases of Organs of Loco- motion (157)	11	-	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-
XI. MALFORMATIONS.																	
159 Malformations—																	
(a) Hydrocephalus	55	4	-	1	-	-	-	-	-	-	1	1	7	4	-	-	-
(b) Congenital Heart	159	7	-	12	2	-	1	-	-	5	5	1	7	15	-	1	-
(c) Other Malformations	263	17	2	17	1	-	1	-	-	9	5	1	17	19	1	2	-
XII. DISEASES OF EARLY INFANCY.																	
160 Congenital Debility, Icterus, Scler- ema, Marasmus	1344	78	5	90	14	6	1	9	16	34	22	8	55	116	9	10	1
161 (a) Premature Birth	1794	126	10	84	33	16	4	4	9	43	37	19	114	115	13	8	2
(b) Injury at Birth	132	7	-	9	-	-	-	-	-	3	1	-	7	18	-	3	-
162 Other Diseases peculiar to Early Infancy (163)	204	16	4	10	4	2	-	-	3	6	2	-	12	14	1	3	-
XIII. OLD AGE.																	
164 Senility, Senile Dementia	3521	264	95	169	43	24	14	34	27	75	71	26	224	272	121	43	6

Wigtown.	1	-	-	1	1	1	-	-	-	1	1	3	15	8	-	1	41
West Lothian.	7	-	-	-	3	1	5	1	-	-	2	9	20	32	3	6	51
Sutherland.	1	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	51
Stirling.	12	1	1	-	2	2	3	-	1	2	10	15	46	52	4	7	126
Shetland.	5	-	-	-	-	-	1	1	-	-	-	1	2	3	-	1	53
Selkirk.	-	-	-	-	1	-	-	-	-	-	-	-	6	5	1	-	21
Roxburgh.	3	-	-	-	4	-	1	-	2	1	-	1	13	11	-	1	15
Ross and Cromarty.	4	-	-	-	2	1	2	-	-	-	3	2	10	11	2	1	125
Renfrew.	16	1	1	3	5	-	4	-	-	3	10	26	115	110	2	12	209
Perth.	8	-	-	2	3	6	1	-	-	3	2	2	28	32	6	3	111
Peebles.	1	-	-	1	2	-	-	-	-	-	-	-	2	1	-	-	7
Orkney.	2	-	-	-	-	1	1	-	-	-	-	-	3	5	3	-	40
Nairn.	2	-	-	-	1	-	1	-	-	-	-	-	2	3	-	-	6
Moray.	5	-	-	-	1	1	1	-	-	2	2	2	6	22	-	1	41
Midlothian.	29	-	1	4	20	10	11	1	1	6	15	28	110	149	20	20	320
Lanark.	78	3	1	18	46	19	23	2	4	19	56	80	480	695	41	74	766
Kirkeudbright.	1	-	1	-	1	1	-	-	-	-	2	1	10	17	2	-	30
<p>IX. DISEASES OF SKIN AND CONNECTIVE TISSUE.</p> <p>151 (a) Senile Gangrene</p> <p> (b) Noma, Cancrum Oris</p> <p> (c) Other Gangrene</p> <p>152 Carbuncle, Boil</p> <p>153 Phlegmon, Abscess</p> <p>154 Other Diseases of Skin</p>																	
<p>X. DISEASES OF ORGANS OF LOCOMOTION.</p> <p>155 Diseases of Bones (Mastoid excluded)</p> <p>156 Diseases of Joints</p> <p>158 Other Diseases of Organs of Locomotion (157)</p>																	
<p>XI. MALFORMATIONS.</p> <p>159 Malformations—</p> <p> (a) Hydrocephalus</p> <p> (b) Congenital Heart</p> <p> (c) Other Malformations</p>																	
<p>XII. DISEASES OF EARLY INFANCY.</p> <p>160 Congenital Debility, Icterus, Sclerema, Marasmus</p> <p>161 (a) Premature Birth</p> <p> (b) Injury at Birth</p> <p>162 Other Diseases peculiar to Early Infancy (163)</p>																	
<p>XIII. OLD AGE.</p> <p>164 Senility, Senile Dementia</p>																	

CAUSES OF DEATH IN THE COUNTIES OF SCOTLAND (BOTH SEXES)—1926—continued

	Scotland.	Aberdeen.	Argyll.	Ayr.	Banff.	Berwick.	Bute.	Caithness.	Clackmannan.	Dumbarton.	Dumfries.	East Lothian.	Fife.	Forfar.	Inverness.	Kincardine.	Kinross.
XIV. VIOLENT CAUSES.																	
174 Suicide (165-173)	424	30	4	17	7	1	-	2	4	9	8	4	16	34	4	4	-
175 Poisoning by Food	4	-	-	3	-	-	-	1	-	1	-	-	-	-	-	-	-
177 Other Acute Accidental Poisonings	30	1	2	11	5	1	-	1	2	1	2	3	10	3	2	2	2
179 Burns and Scalds (178)	262	15	-	-	3	-	-	1	-	12	6	2	1	6	1	1	1
180 (a) Overlaying	52	3	1	2	-	1	-	1	-	3	-	2	1	9	-	-	-
180 (b) Asphyxia, Suffocation (otherwise)	64	8	-	-	-	-	-	-	-	-	-	2	3	13	-	-	-
181 Exposure to Poisonous Vapours . .	29	1	-	3	-	-	-	-	-	-	-	2	-	4	-	-	-
182 Accidental Drowning	325	23	12	21	4	2	4	5	3	21	4	2	18	17	9	5	-
183 Accidents with Fire Arms	25	2	1	-	-	1	1	-	1	4	1	1	2	1	1	1	-
185 Accidental Falls	197	6	2	8	-	1	-	-	-	2	2	2	4	9	1	2	-
186 Accidents in—(a) Coal Mines . . .	71	-	2	3	-	-	-	-	-	2	-	-	10	-	-	-	-
186 Accidents in—(b) Other Mines . .	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
186 Accidents in—(c) Quarries	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
187 Accidents with Machinery	16	1	-	1	-	-	-	-	-	1	-	-	-	3	-	-	-
188 Accidents with—																	
(a) Horsed Vehicles	11	-	2	-	-	-	-	-	-	-	1	1	-	1	2	-	-
(b) Railways	61	2	2	3	-	1	-	-	1	-	1	3	4	3	-	-	-
(c) Tramways	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(d) Motor Vehicles	416	8	-	17	3	4	1	1	1	18	2	6	14	14	3	4	3
(e) Aircraft	2	-	-	-	-	-	-	-	-	1	-	-	2	1	-	1	-
(f) Other Vehicles	17	2	-	2	-	-	-	-	-	-	-	-	3	-	-	-	-
(g) Other Crushing Accidents . . .	32	3	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-
190 War Casualties (191)	15	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
192 Starvation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
195 Weather Agencies (193, 194) . . .	21	1	-	-	-	1	-	-	-	1	1	-	1	1	2	1	-
196 Electricity (Lightning excepted) . .	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200 Homicide (197-199)	17	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-
202 Other Violence—Form specified	447	43	5	18	7	2	2	-	4	14	8	1	2	22	16	8	1
(176, 184, 189, 201)																	
203 Violence of Unspecified Nature . .	96	12	1	3	3	-	-	-	1	3	2	-	11	2	3	2	-
XV. ILL-DEFINED CAUSES.																	
204 Sudden Death (not otherwise defined)	17	-	-	1	-	-	-	1	-	2	1	-	1	-	2	-	-
205 (a) Heart Failure	587	28	16	31	10	7	4	6	3	20	13	4	16	37	21	5	1
(b) Syncope	260	9	3	9	1	1	1	-	2	5	6	-	9	26	4	3	1
(c) Other Ill-defined Causes	55	4	-	4	-	-	-	-	1	-	-	1	1	3	3	-	-
(d) Natural Causes	162	15	2	6	-	-	2	-	-	-	-	-	10	3	2	-	-
(e) Cause not Specified	42	4	1	4	-	-	-	-	-	-	-	-	-	3	8	-	-

Wigtown.	1	-	2	1	2	1	-	-	-	-	-	1	1	-	-	-	-	1	1	2	1	3	1	1	-	1																								
West Lothian.	2	-	1	2	-	1	1	8	1	3	4	3	-	-	-	9	-	-	1	1	-	8	2	1	3	-	1																							
Sutherland.	2	-	2	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-																								
Stirling.	7	-	4	-	3	1	16	2	5	-	-	-	2	13	-	-	-	2	-	-	23	3	-	9	8	1	6	1																						
Shetland.	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	1	-	-	5	1	-	6	3	-	-	2																							
Selkirk.	3	-	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	1	-	5	-	1	-	-																							
Roxburgh.	7	-	3	-	-	2	-	-	-	1	-	-	-	2	1	-	-	1	1	-	3	2	1	6	2	-	1	1																						
Ross and Cromarty.	1	-	1	1	-	5	2	-	-	-	-	-	-	1	-	-	-	1	-	5	1	-	15	7	2	10	4																							
Renfrew.	14	-	17	2	1	14	1	14	-	-	1	1	2	24	3	-	-	-	2	2	26	6	-	33	17	3	12	3																						
Perth.	12	-	6	-	-	12	2	1	-	2	-	-	-	8	1	1	-	2	2	14	2	2	20	9	3	4	-																							
Peebles.	-	-	2	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	3	-	-	2	-	-	-	-																							
Orkney.	-	-	-	-	-	7	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	3	2	-	1	2																							
Nairn.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	2	-	-																							
Moray.	3	-	4	-	-	6	4	1	-	-	-	-	3	1	-	-	1	-	-	-	2	-	4	2	2	2	1																							
Hidlothian.	70	-	5	28	5	4	9	19	1	31	6	-	-	2	8	1	50	1	1	2	-	9	1	18	9	5	2	-																						
Lanark.	153	1	9	103	23	18	9	79	3	99	35	1	1	8	4	23	9	205	3	18	8	20	2	232	106	18	80	4																						
Kirkcudbright.	4	-	-	1	1	2	-	2	1	1	-	-	-	2	-	-	-	-	-	1	-	1	6	2	2	-	2																							
	XIV. VIOLENT CAUSES. 174 Suicide (165-173) 175 Poisoning by Food 177 Other Acute Accidental Poisonings 179 Burns and Scalds (178) 180 (a) Overlaying (b) Asphyxia, Suffocation (otherwise) 181 Exposure to Poisonous Vapours 182 Accidental Drowning 183 Accidents with Fire Arms 185 Accidental Falls 186 Accidents in—(a) Coal Mines (b) Other Mines (c) Quarries 187 Accidents with Machinery 188 Accidents with— (a) Horsed Vehicles (b) Railways (c) Tramways (d) Motor Vehicles (e) Aircraft (f) Other Vehicles (g) Other Crushing Accidents 190 War Casualties (191) 192 Starvation 195 Weather Agencies (193, 194) 196 Electricity (Lightning excepted) 200 Homicide (197, 199) 202 Other Violence—Form specified (176, 184, 189, 201) 203 Violence of Unspecified Nature																									XV. ILL-DEFINED CAUSES 204 Sudden Death (not otherwise defined) 205 (a) Heart Failure (b) Syncope (c) Other Ill-defined Causes (d) Natural Causes (e) Cause not Specified																								

	Total.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
II. GENERAL DISEASES NOT INCLUDED ABOVE.													
13 Cancer, Buccal Cavity - -	343	33	23	32	30	28	28	33	29	30	28	27	22
14 Do. Stomach and Liver - -	2335	221	178	208	178	192	194	210	194	190	177	177	216
15 Do. Peritoneum, Intestine, Rectum	1443	112	98	134	121	116	114	138	122	123	107	135	123
16 Do. Female Genital Organs -	630	54	43	51	46	64	57	54	56	51	49	57	48
17 Do. Breast - - - -	559	43	35	46	50	43	50	39	47	53	48	58	47
18 Do. Skin - - - -	129	14	8	15	9	5	7	12	7	16	12	14	10
19 Do. Other Organs - - -	1201	91	96	97	111	93	119	108	89	98	97	102	100
20 Tumours, non-malignant (not Cerebral, Uterine, or Ovarian)	57	5	7	4	5	3	7	-	3	4	5	9	5
21 Rheumatic Fever - - -	219	18	13	26	16	18	13	16	19	18	15	18	29
22 (a) Chronic Rheumatism - -	41	5	3	4	5	5	2	4	5	1	3	1	3
(b) Osteo-arthritis - - -	103	12	8	13	5	11	7	14	8	7	1	5	12
(c) Gout - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-
23 Scorbutus - - - -	4	-	-	-	-	-	-	-	-	1	-	-	-
26 Rickets - - - -	23	2	2	2	6	3	1	1	1	3	2	-	1
27 Diabetes - - - -	518	42	42	54	52	28	30	40	41	43	43	60	43
28 (a) Pernicious Anæmia - -	512	48	32	56	45	43	53	35	38	33	45	44	40
(b) Other Anæmia, Chlorosis	62	5	3	6	2	8	5	3	4	6	7	5	8
29 (a) Purpura - - - -	34	3	2	2	5	6	1	2	3	3	5	2	-
(b) Hæmophilia - - - -	8	1	-	-	-	1	2	1	-	-	1	2	-
(c) Other General Diseases (54, 55)	17	1	2	2	1	1	-	2	4	-	-	3	1
Diseases of Ductless Glands.													
29 Diseases of Pituitary Gland -	9	-	-	2	1	-	1	1	2	-	-	-	2
30 (a) Exophthalmic Goitre - -	86	5	10	7	8	9	7	6	5	6	3	13	7
(b) Other Diseases of Thyroid and Parathyroid (61)	46	5	3	2	8	4	2	-	4	5	2	7	4
32 Diseases of Thymus - - -	1	-	-	-	-	-	-	-	-	-	1	-	-
33 Diseases of Suprarenal Capsules, Addison's Disease	23	2	1	3	3	2	2	2	1	-	3	2	2
34 Diseases of Spleen - - -	6	-	1	1	-	-	-	-	1	-	2	1	-
35 (a) Leuchæmia - - - -	74	5	7	14	4	6	3	8	1	3	2	1	-
(b) Hodgkin's Dis., Lymphadenoma	58	5	7	8	1	4	3	7	2	5	4	7	5
Chronic Poisonings.													
36 (a) Delirium Tremens - - -	3	1	-	-	1	-	-	-	-	-	-	-	1
(b) Acute Alcoholism - - -	15	5	1	1	-	-	1	1	1	2	1	1	1
(c) Other Alcoholism - - -	34	5	3	1	2	3	6	-	-	5	2	5	2
Chronic Inorganic Poisoning—													
(a) Lead - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) Other Occupational - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
(c) Other - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
38 Chronic Organic Poisoning - -	1	-	-	-	-	-	-	1	-	-	-	-	-
III. DISEASES OF THE NERVOUS SYSTEM.													
(a) Cerebral Abscess - - -	23	6	1	1	3	1	1	1	2	2	2	2	1
(b) Encephalitis (other than Encephalitis Lethargica)	61	8	4	6	7	6	3	8	3	3	2	7	4
39 Meningitis (other than Tuberculous or Cerebro-spinal)	460	51	29	39	42	59	23	35	44	25	38	33	42
40 Locomotor Ataxy - - -	72	5	7	5	4	7	6	6	8	9	1	7	7
Other Diseases of Spinal Cord -	153	17	10	18	12	12	7	11	15	11	15	11	14
(a) Cerebral Hæmorrhage - -	4027	386	316	377	370	330	326	321	287	267	291	361	395
(b) Apoplexy - - - -	564	54	45	50	57	60	35	41	54	30	37	57	44
(c) Cerebral Embolism and Thrombosis	686	61	58	71	51	66	53	59	49	49	33	67	69
(a) Hemiplegia - - - -	629	55	51	45	75	19	49	50	46	42	52	62	53
(b) Paralysis, other or unspecified	92	9	11	5	7	6	7	7	13	3	10	10	4
General Paralysis of Insane -	170	14	12	19	11	13	20	10	15	16	15	18	7
Other Insanity - - - -	111	10	9	5	7	8	5	5	8	13	13	15	13
Epilepsy - - - -	198	12	25	24	21	14	12	15	6	11	12	18	25
Eclampsia (not Puerperal). (Age 5 and over)	9	1	-	-	-	-	-	1	-	-	-	4	3
Infantile Convulsions. (Age under 5)	436	55	43	47	53	48	24	23	17	13	26	39	48

	Total.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
III. DISEASES OF THE NERVOUS SYSTEM—continued.													
81 Chorea - - - - -	14	1	6	1	1	2	-	1	1	-	1	-	-
82 Neuritis - - - - -	27	1	5	2	-	5	-	2	2	1	-	5	4
84 (a) Cerebral Tumour - - -	168	11	13	14	15	22	13	8	12	13	12	18	17
(b) Other Diseases of Nervous System (83)	349	42	39	33	25	30	16	24	15	25	32	41	27
85 Diseases of Eye - - - -	7	1	1	-	3	-	1	-	-	-	1	-	-
86 (a) Mastoid Disease - - -	59	11	3	3	8	4	4	5	5	2	3	4	7
(b) Diseases of Ear - - - -	125	13	11	15	8	7	14	9	7	8	8	8	17
IV. DISEASES OF THE CIRCULATORY SYSTEM.													
87 Pericarditis - - - - -	36	3	2	2	3	6	5	1	6	3	-	2	3
88 (a) Acute Endocarditis - -	166	16	9	15	15	12	14	17	15	8	6	15	24
(b) Acute Myocarditis - - -	72	6	7	7	7	5	2	2	5	6	5	12	8
89 Angina Pectoris - - - -	457	38	45	41	32	46	33	28	28	35	44	40	47
90 (a) Valvular Disease of Heart -	3008	302	243	303	277	265	209	233	209	203	208	297	259
(b) Fatty Degeneration of Heart -	278	22	13	25	30	27	12	26	18	20	24	29	32
(c) Other Disease of Heart - -	3393	307	293	321	281	300	259	224	256	240	257	337	318
91 (a) Aneurysm - - - - -	133	15	18	13	12	9	14	6	10	6	10	12	8
(b) Arterio-sclerosis - - - -	697	73	74	62	62	48	39	59	44	53	45	70	63
(c) Other Diseases of Arteries -	14	2	-	3	2	-	1	1	1	1	1	1	1
92 Embolism, Thrombosis (not Cerebral)	132	17	14	11	8	12	9	7	5	14	8	15	12
93 Diseases of Veins - - - -	26	6	2	4	-	-	2	1	-	4	2	3	2
94 (a) Status Lymphaticus - - -	10	1	1	-	2	1	-	1	2	-	-	2	-
(b) Other Dis. of Lymph. System (not Leuchæmia or Hodgkin's Disease)	12	2	1	-	-	3	1	2	-	-	1	2	-
95 Hæmorrhage (cause unspecified) -	5	-	1	1	-	-	1	-	-	-	1	-	1
96 Other Diseases of Circulatory System	3	-	1	-	1	-	-	1	-	-	-	-	-
V. DISEASES OF THE RESPIRATORY SYSTEM.													
97 Diseases of Nose - - - -	15	2	1	1	1	-	2	-	1	-	2	1	4
98 (a) Laryngismus Stridulus - -	14	1	5	2	-	2	1	-	1	1	1	-	-
(b) Laryngitis - - - - -	38	10	4	5	3	3	1	1	1	3	1	2	4
(c) Croup (not Diphtheritic) - -	-	-	-	-	-	-	-	-	-	-	-	-	-
(d) Other Diseases of Larynx - -	2	1	-	1	-	-	-	-	-	-	-	-	-
99 Bronchitis - - - - -	3586	445	363	450	507	304	138	125	127	139	177	394	417
100 Broncho-pneumonia - - - -	2618	264	253	371	470	220	102	87	64	87	129	246	325
101 Pneumonia - - - - -	2644	285	230	283	352	234	158	128	132	136	137	306	263
102 Pleurisy - - - - -	246	28	23	22	30	18	18	18	14	18	22	24	11
103 Congestion of Lung - - - -	359	33	26	30	43	31	31	28	16	17	26	34	44
104 Gangrene of Lung - - - -	5	1	-	-	-	-	1	-	-	1	1	-	1
105 Asthma - - - - -	89	6	7	7	10	8	2	6	4	4	9	15	11
106 Emphysema - - - - -	21	3	2	2	1	5	2	-	2	-	-	1	3
107 (a) Interstitial Pneumonia - -	49	5	4	6	3	1	6	1	1	4	9	7	2
(b) Diseases of Mediastinum - -	3	-	-	1	-	-	2	-	-	-	-	-	-
(c) Other Diseases of Respiratory System	17	3	2	1	1	2	-	2	1	2	1	2	-
VI. DISEASES OF THE DIGESTIVE SYSTEM.													
108 Diseases of Buccal Cavity - -	35	6	5	1	4	4	3	4	6	-	1	-	1
109 Diseases of Tonsils and Pharynx -	69	11	6	4	7	3	5	3	5	5	6	11	3
110 Diseases of Oesophagus - - -	5	-	1	1	-	1	-	-	1	1	-	-	-
111 (a) Ulcer of Stomach - - - -	402	35	34	39	38	32	31	32	32	26	32	35	36
(b) Ulcer of Duodenum - - - -	197	16	16	11	18	14	18	20	13	16	15	17	23
112 Other Diseases of Stomach - -	299	27	24	20	28	28	23	25	21	23	30	28	22

	Total.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
I. DISEASES OF THE DIGESTIVE SYSTEM—continued.													
Diarrhoea and Enteritis (under 2 years)	798	44	55	59	48	49	54	65	110	132	86	61	35
(a) Diarrhoea and Enteritis (over 2 years)	272	16	20	25	20	25	26	28	33	23	22	11	23
(b) Ulcer of Intestine (not Duodenal)	23	2	4	3	1	—	1	—	—	1	4	3	4
Ankylostomiasis, Intestinal Parasites (115)	2	—	—	—	1	—	—	1	—	—	—	—	—
Appendicitis — — —	483	40	43	45	38	34	40	45	40	43	43	42	30
(a) Hernia — — —	222	29	19	30	16	20	16	11	15	19	16	13	18
(b) Intestinal Obstruction — —	308	24	21	22	28	32	22	21	23	34	24	24	33
Other Diseases of Intestine — —	79	7	11	14	4	2	5	6	4	8	7	5	6
Acute Yellow Atrophy of Liver —	18	3	—	1	2	—	2	—	2	4	1	2	1
Hydatids of Liver — — —	1	—	—	—	—	—	—	—	—	1	—	—	—
Cirrhosis of Liver — — —	177	11	15	19	16	13	12	14	20	14	14	18	11
Gallstones — — — —	166	17	10	14	17	16	15	16	11	12	11	11	16
Other Diseases of Liver — —	215	17	13	19	17	18	18	18	15	17	26	23	14
Diseases of Pancreas — — —	47	4	5	2	4	2	3	8	4	4	4	5	2
Peritonitis (nature unspecified) —	93	10	8	11	4	8	12	4	8	6	2	8	12
Other Diseases of Digestive System	1	—	—	—	—	—	—	—	—	—	1	—	—
II. DISEASES OF THE GENITO-URINARY SYSTEM.													
Acute Nephritis — — —	252	23	15	28	23	20	30	18	18	19	10	23	25
Chronic Nephritis, Bright's Disease	1582	165	117	155	150	133	124	129	121	92	130	122	144
Other Diseases of Kidney (130) —	135	11	9	7	8	17	8	13	11	17	17	11	6
Urinary Calculus — — —	34	4	3	3	2	4	2	2	3	6	2	3	—
Diseases of Bladder — — —	185	18	13	16	10	18	9	8	19	26	13	18	17
Diseases of Urethra — — —	33	2	4	5	3	1	2	5	5	2	2	—	2
Diseases of Prostate — — —	341	27	26	27	34	33	32	21	18	37	32	28	26
Other Diseases of Male Reproductive Organs	14	1	—	1	1	1	2	3	—	2	1	1	1
Cysts, and other Tumours of Ovary (non-Malignant)	36	—	2	2	8	1	3	2	3	4	5	5	1
Salpingitis, Pelvic Abscess — —	46	4	2	1	7	6	3	2	3	5	4	2	7
Uterine Tumour (non-Malignant)	50	4	4	3	3	2	5	7	6	5	4	5	2
Uterine Hæmorrhage (non-puerperal)	4	—	—	—	1	—	—	—	—	—	1	1	1
(a) Metritis — — — —	10	—	3	1	—	—	2	—	—	2	1	—	1
(b) Other Diseases of Female Reproductive Organs	24	3	4	1	2	3	—	1	—	1	2	4	3
Non-puerperal Diseases of Breast	—	—	—	—	—	—	—	—	—	—	—	—	—
III. DISEASES OF PREGNANCY AND PARTURITION.													
(a) Abortion, Miscarriage — —	43	4	2	9	5	3	3	4	5	4	1	3	—
(b) Uncontrollable Vomiting —	38	4	3	4	1	2	5	2	3	6	3	1	4
(c) Ectopic Gestation — — —	7	—	—	1	1	—	—	2	—	1	—	1	1
(d) Other Diseases and Accidents of Pregnancy	19	2	2	2	1	2	1	—	3	1	1	2	2
Puerperal Hæmorrhage — —	86	8	9	4	8	7	10	10	6	11	4	6	3
Other Accidents of Parturition	66	8	5	4	6	—	7	5	4	4	9	6	8
Puerperal Sepsis — — —	173	20	17	10	13	16	14	8	14	10	7	27	17
Phlegmasia Alba Dolens, Embolism	49	4	4	6	6	3	2	1	5	6	4	6	2
Albuminuria of Pregnancy, Eclampsia	119	8	13	12	13	10	7	6	11	17	8	10	4
Other Diseases of Puerperium —	52	4	8	8	6	4	1	2	2	1	4	8	4
Puerperal Diseases of Breast —	4	—	—	1	—	2	—	—	1	—	—	—	—
X. DISEASES OF SKIN AND CONNECTIVE TISSUE.													
(a) Senile Gangrene — — —	281	19	40	27	20	30	23	13	14	19	23	28	25
(b) Noma, Cancrum Oris — —	6	—	—	—	2	1	1	—	—	1	—	—	1
(c) Other Gangrene — — —	11	2	—	2	1	—	2	—	2	1	1	—	—
Carbuncle, Boil — — —	39	2	3	2	3	5	3	2	5	5	2	1	6
Phlegmon, Abscess — — —	138	17	9	9	14	12	10	11	17	9	8	12	10
Other Diseases of Skin — —	67	5	2	5	5	7	2	5	6	4	9	9	8

	Total.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
X. DISEASES OF ORGANS OF LOCOMOTION.													
155 Dis. of Bones (Mastoid excluded)	81	10	3	10	3	15	7	6	6	2	5	6	8
156 Diseases of Joints - - -	12	-	-	3	1	-	-	-	1	1	1	3	2
158 Other Diseases of Organs of Locomotion (157)	11	1	1	1	1	3	-	-	-	1	-	1	2
XI. MALFORMATIONS.													
159 Malformations—													
(a) Hydrocephalus - - -	55	5	3	1	2	8	6	8	5	4	2	3	8
(b) Congenital Heart - - -	159	14	15	13	6	20	19	9	12	6	18	12	15
(c) Other Malformations - -	263	20	18	22	35	20	27	17	18	30	21	12	23
XII. DISEASES OF EARLY INFANCY.													
160 Congenital Debility, Icterus, Sclerema, Marasmus	1344	99	106	139	120	115	99	86	102	100	122	131	125
161 (a) Premature Birth - - -	1794	173	157	184	160	144	134	135	104	123	127	172	181
(b) Injury at Birth - - -	132	8	16	10	13	14	6	8	12	18	10	9	8
162 Other Diseases peculiar to Early Infancy (163)	204	23	12	21	24	10	14	18	17	18	12	13	22
XIII. OLD AGE.													
164 Senility, Senile Dementia - -	3521	343	313	363	353	293	273	210	224	196	246	352	355
XIV. VIOLENT CAUSES.													
174 Suicide (165-173) - - -	424	31	40	36	40	47	34	45	29	29	25	34	34
175 Poisoning by Food - - -	4	-	-	1	1	-	1	-	-	1	-	-	-
177 Other Acute Accidental Poisonings	30	2	5	-	8	2	5	2	2	2	1	-	1
179 Burns and Scalds (178) - -	262	27	30	40	21	23	9	14	20	13	17	24	24
180 (a) Overlaying - - -	52	10	5	3	5	5	1	4	-	1	-	8	10
(b) Asphyxia, Suffocation (otherwise)	64	8	6	10	7	6	1	6	7	2	3	3	5
181 Exposure to Poisonous Vapours -	29	3	5	2	3	4	1	2	1	3	1	2	2
182 Accidental Drowning - - -	325	33	17	19	24	27	36	46	45	23	13	19	23
183 Accidents with Fire Arms - -	25	3	1	-	1	3	3	4	2	1	3	2	2
185 Accidental Falls - - -	197	15	15	14	19	9	21	19	13	25	17	11	19
186 Accidents in—(a) Coal Mines -	71	5	10	11	7	5	-	1	3	2	3	10	14
(b) Other Mines - - -	4	-	2	-	-	1	-	-	-	-	-	1	-
(c) Quarries - - -	6	1	-	-	-	1	-	1	2	1	-	-	-
187 Accidents with Machinery - -	16	3	4	-	1	1	-	2	-	-	2	3	-
188 Accidents with—													
(a) Horsed Vehicles - - -	11	-	1	2	-	-	2	-	-	1	1	1	3
(b) Railways - - -	61	4	8	7	3	6	1	4	4	6	4	9	5
(c) Tramways - - -	10	2	4	-	2	-	-	-	1	-	1	-	-
(d) Motor Vehicles - - -	416	27	24	32	20	40	36	48	42	30	39	31	47
(e) Aircraft - - -	2	-	-	-	-	2	-	-	-	-	-	-	-
(f) Other Vehicles - - -	17	2	1	1	2	2	-	1	3	2	3	-	-
(g) Other Crushing Accidents -	32	2	1	4	1	6	5	4	5	1	1	1	1
190 War Casualties (191) - - -	15	2	-	-	1	1	2	3	2	-	2	2	-
192 Starvation - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
195 Weather Agencies (193, 194)	21	1	1	3	2	-	1	3	1	-	4	2	3
196 Electricity (Lightning excepted) -	3	-	-	1	-	-	1	-	-	1	-	-	-
200 Homicide (197, 199) - - -	17	2	3	2	3	3	-	1	1	1	-	-	1
202 Other Violence—Form specified (176, 184, 189, 201)	447	31	40	31	43	37	23	46	33	35	35	44	49
203 Violence of Unspecified Nature -	96	5	10	4	9	9	10	7	9	9	14	6	4
XV. ILL-DEFINED CAUSES.													
204 Sudden Death (not otherwise defined)	17	2	-	3	2	1	1	1	1	2	-	1	3
205 (a) Heart Failure - - -	587	65	37	66	48	44	32	55	37	47	49	52	55
(b) Syncope - - -	260	24	26	16	14	26	18	13	16	19	32	28	28
(c) Other Ill-defined Causes - -	55	1	3	6	7	5	4	3	4	5	4	5	8
(d) Natural Causes - - -	162	15	13	17	11	15	6	10	11	14	14	17	19
(e) Cause not Specified - - -	42	4	2	4	1	1	6	4	3	6	3	2	6

CAUSES OF DEATH IN GLASGOW IN 1926.

				All Ages.			Age												
				Both Sexes.	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over	
All Causes—Both Sexes				15731	-	-	2548	1485	294	202	692	791	1124	1678	2360	2582	1632	343	
Males				-	8158	-	1485	796	146	105	323	377	572	947	1308	1316	672	111	
Females				-	-	7573	1063	689	148	97	369	414	552	731	1052	1266	960	232	
I. EPIDEMIC AND ENDEMIC DISEASES.																			
1 (a) Enteric Fever				14	10	4	-	-	-	1	3	4	1	3	2	-	-	-	
(b) Paratyphoid Fever				3	-	3	-	-	-	-	2	-	-	1	-	-	-	-	
2 Typhus Fever				1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	
5 Malaria				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
6 (a) Smallpox				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(b) Do.				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(c) Do.				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Vaccination Doubtful				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7 Measles				435	228	207	126	299	8	1	-	-	-	-	1	-	-	-	
8 Scarlet Fever				90	34	56	6	47	20	4	3	7	3	-	-	-	-	-	
9 Whooping-cough				182	86	96	74	100	7	1	-	-	-	-	-	-	-	-	
10 Diphtheria				134	70	64	21	87	21	2	1	1	-	-	1	-	-	-	
11 Influenza—																			
(a) Sole Cause				73	30	43	8	4	2	-	2	1	5	7	11	17	11	5	
(b) with Phthisis				2	1	1	-	-	-	-	-	-	2	-	-	-	-	-	
(c) with Bronchitis				51	21	30	4	2	1	-	-	-	4	7	11	13	9	-	
(d) with Pneumonia				199	103	96	8	16	2	2	12	12	32	31	33	28	23	-	
(e) with other Respiratory Disease				10	5	5	-	-	-	-	1	-	-	1	3	1	3	1	
(f) with Diseases and Accidents of Pregnancy and Parturition				1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	
(g) with other Cause				48	28	20	5	-	-	-	2	3	5	6	14	12	1	-	
16 Dysentery				5	2	3	1	-	-	-	-	-	-	1	1	1	1	-	
21 Erysipelas				52	30	22	7	2	-	1	1	1	4	9	14	11	2	-	
22 Infantile Paralysis				4	3	1	-	2	-	2	-	-	-	-	-	-	-	-	
23 Encephalitis Lethargica				43	23	20	-	4	1	2	5	3	7	11	5	5	-	-	
24 (a) Cerebro-spinal Meningitis				41	23	18	14	17	1	1	5	-	1	2	-	-	-	-	
(b) Posterior Basal Meningitis				3	2	1	2	1	-	-	-	-	-	-	-	-	-	-	
25 Oth. Epid. and End. Dis. (3, 4, 12, 13, 14, 15, 17, 18, 19, 20)				6	5	1	1	3	-	-	1	-	1	-	-	-	-	-	
Other Infectious Diseases.																			
26 Glanders				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
27 Anthrax				1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	
28 Rabies				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
29 Tetanus				1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	
30 Mycoses				1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	
31 (a) Laryngeal Tuberculosis				2	1	1	-	-	-	-	-	1	-	-	-	1	-	-	
(b) Pulmonary Tuberculosis				941	519	422	6	14	11	33	247	226	148	151	82	20	3	-	
32 Tuberculous Meningitis				136	72	64	19	71	17	9	10	5	1	3	-	1	-	-	
33 Tuberculosis of Intestines and Peritoneum				71	38	33	6	17	13	9	5	3	8	8	1	1	-	-	
34 Tuberculosis of Spine				21	10	11	-	1	2	2	6	4	-	3	3	-	-	-	
35 Tuberculosis of Joints				13	8	5	-	1	1	-	6	-	2	1	2	-	-	-	
36 Tuberculosis of other Organs—																			
(a) Skin				4	2	2	-	-	-	-	-	-	1	-	3	-	-	-	
(b) Bones (except Spine)				6	4	2	-	2	-	-	-	-	2	1	-	1	-	-	
(c) Lymphatic System (Abdom. Glands excepted)				4	2	2	1	-	-	1	1	1	-	-	-	-	-	-	
(d) Genito-urinary System				12	7	5	-	-	-	-	6	4	1	-	1	-	-	-	
(e) Others				1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	
37 Disseminated Tuberculosis—																			
(a) Acute				32	11	21	6	9	4	3	6	4	-	-	-	-	-	-	
(b) Chronic				57	29	28	3	11	6	8	15	3	4	2	3	2	-	-	
38 Syphilis				51	33	18	20	1	-	-	3	1	8	8	9	1	-	-	
40 Other Venereal Diseases (39)				1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	
41 (a) Vaccinia				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(b) Pyæmia, Septicæmia (not Puerperal)				24	13	11	6	3	1	1	-	1	4	2	3	2	-	1	
42 Other Infectious Diseases				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

				All Ages.			Age.												
				Both Sexes.	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over	
I. DISEASES OF THE NERVOUS SYSTEM—continued.																			
01	Chorea	-	-	4	2	2	-	-	2	-	2	-	-	-	-	-	-	-	
02	Neuritis	-	-	5	2	3	-	-	-	-	-	-	2	1	-	2	-	-	
04	(a) Cerebral Tumour	-	-	32	16	16	-	1	-	2	4	6	4	5	5	4	1	-	
	(b) Other Diseases of Nervous System (83)			82	51	31	1	2	-	-	1	4	4	15	16	21	17	1	
05	Diseases of Eye	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
06	(a) Mastoid Disease	-	-	18	9	9	4	2	2	3	3	-	2	2	-	-	-	-	
	(b) Diseases of Ear	-	-	33	20	13	4	6	2	6	2	7	2	2	1	1	-	-	
V. DISEASES OF THE CIRCULATORY SYSTEM.																			
07	Pericarditis	-	-	12	6	6	-	1	1	2	1	-	-	1	4	2	-	-	
08	(a) Acute Endocarditis	-	-	49	25	24	-	1	2	3	15	9	8	7	3	1	-	-	
	(b) Acute Myocarditis	-	-	23	13	10	1	-	-	-	2	1	7	3	5	2	2	-	
09	Angina Pectoris	-	-	91	61	30	-	-	-	-	1	6	9	27	34	13	1	-	
10	(a) Valvular Disease of Heart	-	-	597	268	329	3	-	7	9	22	43	63	101	136	147	56	10	
	(b) Fatty Degeneration of Heart	-	-	44	19	25	-	-	-	-	4	2	10	12	10	6	-	-	
	(c) Other Diseases of Heart	-	-	706	356	350	3	1	2	5	3	13	25	71	146	220	180	37	
11	(a) Aneurysm	-	-	51	40	11	-	-	-	-	1	5	19	19	7	-	-	-	
	(b) Arterio-sclerosis	-	-	94	52	42	-	-	-	-	-	-	5	16	27	39	7	-	
	(c) Other Diseases of Arteries	-	-	2	2	-	-	-	-	-	-	-	1	-	1	-	-	-	
12	Embolism, Thrombosis (not Cerebral)			30	10	20	-	-	-	-	3	4	6	5	8	4	-	-	
13	Diseases of Veins	-	-	7	4	3	-	-	-	-	-	3	1	-	2	1	-	-	
14	(a) Status Lymphaticus	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	
	(b) Other Dis. of Lymphatic System (not Leuchæmia or Hodgkin's Disease)			3	3	-	1	1	-	-	-	-	-	-	1	-	-	-	
15	Hæmorrhage (cause unspecified)	-	-	2	1	1	-	-	-	-	-	-	-	-	1	1	-	-	
16	Other Diseases of Circulatory System			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
V. DISEASES OF THE RESPIRATORY SYSTEM.																			
17	Diseases of Nose	-	-	2	1	1	1	-	-	-	1	-	-	-	-	-	-	-	
18	(a) Laryngismus Stridulus	-	-	2	1	1	2	-	-	-	-	-	-	-	-	-	-	-	
	(b) Laryngitis	-	-	5	3	2	-	3	-	-	-	-	-	1	-	-	1	-	
	(c) Croup (not Diphtheritic)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	(d) Other Diseases of Larynx	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
19	Bronchitis	-	-	1044	519	525	118	30	2	1	9	14	39	85	199	302	213	32	
20	Broncho-pneumonia	-	-	1073	624	449	419	360	14	4	8	17	35	33	60	71	44	8	
21	Pneumonia	-	-	967	558	409	122	97	18	13	57	65	122	127	136	120	69	21	
22	Pleurisy	-	-	55	16	39	1	5	1	2	-	5	3	10	10	8	8	2	
23	Congestion of Lung	-	-	73	27	46	17	5	-	-	1	-	1	6	6	13	20	4	
24	Gangrene of Lung	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	
25	Asthma	-	-	21	8	13	-	-	-	-	1	1	2	4	3	6	3	1	
26	Emphysema	-	-	4	3	1	-	-	-	-	-	1	-	1	1	-	1	-	
27	(a) Interstitial Pneumonia	-	-	11	9	2	-	-	-	-	-	1	1	6	3	-	-	-	
	(b) Diseases of Mediastinum	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	(c) Other Diseases of Respiratory System			2	2	-	-	-	-	-	-	-	2	-	-	-	-	-	
I. DISEASES OF THE DIGESTIVE SYSTEM.																			
28	Diseases of Buccal Cavity	-	-	10	6	4	2	2	1	-	1	1	2	-	-	1	-	-	
29	Diseases of Tonsils and Pharynx	-	-	18	7	11	3	7	3	1	1	1	2	-	-	-	-	-	
30	Diseases of Oesophagus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
31	(a) Ulcer of Stomach	-	-	93	59	34	1	-	-	-	3	5	18	23	25	11	7	-	
	(b) Ulcer of Duodenum	-	-	32	26	6	1	-	-	-	1	3	7	10	5	5	-	-	
32	Other Diseases of Stomach	-	-	78	37	41	22	4	2	1	1	2	5	4	18	10	8	1	

	All Ages.			Age.												
	Both Sexes.	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over	
VI. DISEASES OF THE DIGESTIVE SYSTEM—continued.																
113 Diarrhœa and Enteritis (under 2 years)	309	172	137	264	45	-	-	-	-	-	-	-	-	-	-	-
114 (a) Diarrhœa and Enteritis (over 2 years)	53	22	31	-	15	4	-	2	2	7	2	8	6	5	2	
(b) Ulcer of Intestine (not Duodenal)	3	1	2	-	-	-	-	-	1	1	-	1	-	-	-	
116 Ankylostomiasis, Intestinal Parasites (115)	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	
117 Appendicitis - - - -	95	48	47	-	5	20	9	19	8	8	14	8	4	-	-	
118 (a) Hernia - - - -	51	26	25	8	2	-	-	1	1	4	4	11	14	6	-	
(b) Intestinal Obstruction - -	60	36	24	13	5	3	1	1	3	8	8	8	4	5	1	
119 Other Diseases of Intestine - -	12	10	2	1	1	-	-	-	-	3	-	4	3	-	-	
120 Acute Yellow Atrophy of Liver -	3	-	3	-	-	-	-	-	-	1	-	1	1	-	-	
121 Hydatids of Liver - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
122 Cirrhosis of Liver - - - -	40	28	12	-	-	-	-	1	-	7	9	11	8	4	-	
123 Gallstones - - - -	31	9	22	-	-	-	-	-	1	3	3	10	12	2	-	
124 Other Diseases of Liver - -	44	10	34	-	1	-	-	-	2	7	3	15	8	7	1	
125 Diseases of Pancreas - - -	11	3	8	-	-	-	-	-	3	3	1	2	1	1	-	
126 Peritonitis (nature unspecified) -	13	3	10	2	2	1	-	2	2	3	-	-	1	-	-	
127 Other Diseases of Digestive System	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	
VII. DISEASES OF THE GENITO-URINARY SYSTEM.																
128 Acute Nephritis - - - -	68	31	37	3	6	5	3	8	4	10	10	9	6	4	-	
129 Chronic Nephritis, Bright's Disease	384	171	213	-	1	2	2	9	29	37	80	102	93	28	1	
131 Other Diseases of Kidney (130)	38	19	19	17	2	-	-	1	1	4	2	5	6	-	-	
132 Urinary Calculus - - - -	7	4	3	-	-	-	-	-	1	-	2	2	1	1	-	
133 Diseases of Bladder - - - -	32	19	13	1	-	-	-	1	2	2	3	7	9	7	-	
134 Diseases of Urethra - - - -	12	12	-	2	-	-	-	-	-	1	1	6	2	-	-	
135 Diseases of Prostate - - - -	48	48	-	-	-	-	-	-	-	-	1	9	27	10	1	
136 Other Diseases of Male Reproductive Organs	3	3	-	1	-	-	-	-	-	-	-	-	2	-	-	
137 Cysts, and other Tumours of Ovary (non-Malignant)	5	-	5	-	-	-	-	-	-	3	-	1	-	1	-	
138 Salpingitis, Pelvic Abscess - -	13	-	13	-	-	-	-	1	3	6	3	-	-	-	-	
139 Uterine Tumour (non-Malignant)	11	-	11	1	-	-	-	-	1	4	3	1	-	1	-	
140 Uterine Hæmorrhage (non-puerperal)	1	-	1	-	-	-	-	-	-	-	-	1	-	-	-	
141 (a) Metritis - - - -	3	-	3	-	-	-	-	-	-	2	-	1	-	-	-	
(b) Other Diseases of Female Reproductive Organs	2	-	2	-	-	-	-	-	-	1	1	-	-	-	-	
142 Non-puerperal Diseases of Breast	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
VIII. DISEASES OF PREGNANCY AND PARTURITION.																
143 (a) Abortion, Miscarriage - -	16	-	16	-	-	-	-	4	11	1	-	-	-	-	-	
(b) Uncontrollable Vomiting - -	10	-	10	-	-	-	-	3	6	1	-	-	-	-	-	
(c) Ectopic Gestation - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(d) Other Diseases and Accidents of Pregnancy	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	
144 Puerperal Hæmorrhage - - -	15	-	15	-	-	-	-	2	9	3	1	-	-	-	-	
145 Other Accidents of Parturition -	24	-	24	-	-	-	-	5	11	8	-	-	-	-	-	
146 Puerperal Sepsis - - - -	52	-	52	-	-	-	-	16	19	17	-	-	-	-	-	
147 Phlegmasia Alba Dolens, Embolism	9	-	9	-	-	-	-	3	3	2	1	-	-	-	-	
148 Albuminuria of Pregnancy, Eclampsia	26	-	26	-	-	-	-	5	9	12	-	-	-	-	-	
149 Other Diseases of Puerperium -	10	-	10	-	-	-	-	1	5	4	-	-	-	-	-	
150 Puerperal Diseases of Breast -	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	
IX. DISEASES OF SKIN AND CONNECTIVE TISSUE.																
151 (a) Senile Gangrene - - - -	57	30	27	-	-	-	-	-	-	-	-	5	24	24	4	
(b) Noma, Cancrum Oris - - -	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	
(c) Other Gangrene - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
152 Carbuncle, Boil - - - -	14	9	5	-	2	-	-	1	-	-	5	5	1	-	-	
153 Phlegmon, Abscess - - - -	38	25	13	7	4	-	1	-	3	3	4	5	7	4	-	
154 Other Diseases of Skin - - -	15	7	8	-	-	-	-	1	-	1	1	4	6	2	-	

				All Ages.			Age.											
				Both Sexes.	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over
X. DISEASES OF ORGANS OF LOCOMOTION.																		
155	Dis. of Bones (Mastoid excluded)	15	8	7	-	1	3	-	3	2	2	1	1	2	-	-	-	
156	Diseases of Joints - - -	2	2	-	-	1	-	-	-	1	-	-	-	-	-	-	-	
158	Other Diseases of Organs of Locomotion (157)	4	1	3	-	-	-	-	-	1	-	1	1	-	-	1	-	
XI. MALFORMATIONS.																		
159	Malformations—																	
	(a) Hydrocephalus - - -	11	3	8	6	2	2	1	-	-	-	-	-	-	-	-	-	
	(b) Congenital Heart - - -	38	24	14	32	1	4	1	-	-	-	-	-	-	-	-	-	
	(c) Other Malformations - -	47	28	19	41	3	1	1	1	-	-	-	-	-	-	-	-	
XII. DISEASES OF EARLY INFANCY.																		
160	Congenital Debility, Icterus, Sclerema, Marasmus	316	187	129	316	-	-	-	-	-	-	-	-	-	-	-	-	
161	(a) Premature Birth - - -	453	285	168	453	-	-	-	-	-	-	-	-	-	-	-	-	
	(b) Injury at Birth - - -	27	18	9	27	-	-	-	-	-	-	-	-	-	-	-	-	
162	Other Diseases peculiar to Early Infancy (163)	52	25	27	52	-	-	-	-	-	-	-	-	-	-	-	-	
XIII. OLD AGE.																		
164	(a) Senility, Senile Dementia -	499	180	319	-	-	-	-	-	-	-	-	-	-	112	262	125	
XIV. VIOLENT CAUSES.																		
174	Suicide (165-173) - - -	123	85	38	-	-	-	-	10	17	30	25	25	14	1	1	-	
175	Poisoning by Food - - -	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	
177	Other Acute Accidental Poisonings	6	3	3	-	-	-	-	-	-	-	4	1	1	-	-	-	
179	Burns and Scalds (178) - - -	76	40	36	5	49	8	-	1	2	-	1	3	2	4	1	-	
180	(a) Overlaying - - -	19	8	11	19	-	-	-	-	-	-	-	-	-	-	-	-	
	(b) Asphyxia, Suffocation (otherwise)	12	6	6	10	-	-	-	-	-	-	-	1	-	-	1	-	
181	Exposure to Poisonous Vapours -	4	2	2	-	-	-	-	1	1	-	1	1	-	-	-	-	
182	Accidental Drowning - - -	53	46	7	-	4	3	2	6	6	10	13	6	2	1	-	-	
183	Accidents with Fire Arms - - -	2	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	
185	Accidental Falls - - -	85	58	27	1	4	5	2	3	4	8	17	15	10	14	2	-	
186	Accidents in—(a) Coal Mines - -	7	7	-	-	-	-	-	-	4	2	-	1	-	-	-	-	
	(b) Other Mines - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	(c) Quarries - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
187	Accidents with Machinery - - -	7	7	-	-	-	-	1	1	-	1	1	2	1	-	-	-	
188	Accidents with—																	
	(a) Horsed Vehicles - - -	4	4	-	-	1	2	-	-	-	-	-	-	1	-	-	-	
	(b) Railways - - -	9	8	1	-	-	1	1	1	-	2	2	2	-	-	-	-	
	(c) Tramways - - -	8	5	3	-	-	-	-	-	-	2	2	2	-	2	-	-	
	(d) Motor Vehicles - - -	142	96	46	-	12	20	14	19	16	19	16	9	15	2	-	-	
	(e) Aircraft - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	(f) Other Vehicles - - -	2	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	
	(g) Other Crushing Accidents -	14	12	2	2	2	2	-	3	2	2	-	1	-	-	-	-	
190	War Casualties (191) - - -	4	4	-	-	-	-	-	-	-	3	-	1	-	-	-	-	
192	Starvation - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
195	Weather Agencies (193, 194) -	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
196	Electricity (Lightning excepted) -	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
200	Homicide (197, 199) - - -	3	2	1	-	-	-	-	2	-	-	1	-	-	-	-	-	
202	Other Violence—Form specified (176, 184, 189, 201)	52	34	18	2	2	5	2	4	4	5	6	5	7	8	2	-	
203	Violence of Unspecified Nature -	11	7	4	1	-	-	-	1	3	3	-	1	1	1	-	-	
XV. ILL-DEFINED CAUSES.																		
204	Sudden Death (not otherwise defined)	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
205	(a) Heart Failure - - -	179	108	71	7	-	1	-	2	4	11	31	45	53	22	3	-	
	(b) Syncope - - -	79	44	35	9	-	1	1	-	3	4	10	19	19	8	5	-	
	(c) Other Ill-defined Causes - -	10	6	4	-	6	-	-	-	-	1	1	1	1	-	-	-	
	(d) Natural Causes - - -	54	26	28	13	3	4	1	2	1	2	4	6	12	6	-	-	
	(e) Cause not specified - - -	2	-	2	-	-	-	-	-	-	-	-	1	-	-	1	-	

CAUSES OF DEATH IN EDINBURGH IN 1926.

				All Ages.			Age													
				Both Sexes.	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over		
All Causes—Both Sexes				5710	-	-	632	271	80	61	222	296	365	555	831	1211	914	272		
Males				-	2770	-	347	150	40	26	104	128	181	287	456	620	355	76		
Females				-	-	2940	285	121	40	35	118	168	184	268	375	591	559	196		
I. EPIDEMIC AND ENDEMIC DISEASES.																				
1 (a) Enteric Fever				5	2	3	-	-	-	-	2	1	1	1	-	-	-	-		
(b) Paratyphoid Fever				1	-	1	-	-	-	-	-	1	-	-	-	-	-	-		
2 Typhus Fever				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
5 Malaria				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
6 (a) Smallpox				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
(b) Do.				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
(c) Do.				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Vaccinated				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Unvaccinated				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Vaccination Doubtful				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
7 Measles				42	21	21	12	29	-	-	-	-	-	-	1	-	-	-		
8 Scarlet Fever				36	19	17	1	26	7	-	1	1	-	-	-	-	-	-		
9 Whooping-cough				17	6	11	9	7	1	-	-	-	-	-	-	-	-	-		
10 Diphtheria				43	21	22	5	23	11	1	1	-	-	1	-	1	-	-		
11 Influenza—																				
(a) Sole Cause				26	12	14	1	-	-	-	2	-	3	-	2	7	5	6		
(b) with Phthisis				3	1	2	-	-	-	-	-	1	-	1	1	-	-	-		
(c) with Bronchitis				15	6	9	2	-	-	-	-	1	-	-	1	7	3	1		
(d) with Pneumonia				39	26	13	1	-	-	-	3	5	9	1	7	7	5	1		
(e) with other Respiratory Disease				3	2	1	-	-	-	-	-	-	-	-	-	3	-	-		
(f) with Diseases and Accidents of Pregnancy and Parturition				1	-	1	-	-	-	-	-	1	-	-	-	-	-	-		
(g) with other Cause				29	13	16	1	-	2	-	-	1	3	6	4	7	4	1		
16 Dysentery				4	1	3	2	-	-	-	-	-	-	-	-	2	-	-		
21 Erysipelas				12	5	7	1	-	-	-	1	-	1	1	1	6	-	1		
22 Infantile Paralysis				2	1	1	-	-	-	-	1	1	-	-	-	-	-	-		
23 Encephalitis Lethargica				23	13	10	2	-	-	2	1	1	5	3	4	5	-	-		
24 (a) Cerebro-spinal Meningitis				18	10	8	10	1	4	2	1	-	-	-	-	-	-	-		
(b) Posterior Basal Meningitis				4	2	2	4	-	-	-	-	-	-	-	-	-	-	-		
25 Oth. Epid. and End. Dis. (3, 4, 12, 13, 14, 15, 17, 18, 19, 20)				1	-	1	-	-	-	-	1	-	-	-	-	-	-	-		
Other Infectious Diseases.																				
26 Glanders				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
27 Anthrax				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
28 Rabies				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
29 Tetanus				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
30 Mycoses				1	1	-	-	-	-	-	-	1	-	-	-	-	-	-		
31 (a) Laryngeal Tuberculosis				3	2	1	-	-	-	-	-	-	-	-	-	2	-	1		
(b) Pulmonary Tuberculosis				353	199	154	1	5	2	10	66	84	59	56	40	28	2	-		
32 Tuberculous Meningitis				49	28	21	10	20	5	4	7	1	-	2	-	-	-	-		
33 Tuberculosis of Intestines and Peritoneum				32	14	18	1	10	1	1	7	3	4	2	2	1	-	-		
34 Tuberculosis of Spine				5	1	4	-	1	-	-	1	-	-	2	-	1	-	-		
35 Tuberculosis of Joints				1	1	-	-	-	-	-	-	1	-	-	-	-	-	-		
36 Tuberculosis of other Organs—																				
(a) Skin				1	1	-	-	-	-	-	-	-	-	-	1	-	-	-		
(b) Bones (except Spine)				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
(c) Lymphatic System (Abdom. Glands excepted)				2	-	2	-	1	1	-	-	-	-	-	-	-	-	-		
(d) Genito-urinary System				5	2	3	-	-	-	-	2	-	-	1	1	1	-	-		
(e) Others				2	-	2	-	-	-	-	-	-	-	-	-	1	1	-		
37 Disseminated Tuberculosis—																				
(a) Acute				11	9	2	-	4	1	-	3	1	-	2	-	-	-	-		
(b) Chronic				18	4	14	-	4	3	3	-	3	1	3	1	-	-	-		
38 Syphilis				11	3	8	5	-	-	-	-	-	1	2	2	-	-	1		
40 Other Venereal Diseases (39)				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
41 (a) Vaccinia				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
(b) Pyæmia, Septicæmia (not Puerperal)				9	7	2	1	1	-	-	1	1	1	2	1	-	1	-		
42 Other Infectious Diseases				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		

				All Ages.			Age											
				Both Sexes.	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	75 and over
II. GENERAL DISEASES NOT INCLUDED ABOVE.																		
43	Cancer,	Buccal Cavity	-	40	33	7	-	-	-	-	-	-	1	7	11	16	3	2
44	Do.	Stomach and Liver	-	221	124	97	1	-	-	-	1	3	12	37	61	73	29	4
45	Do.	Peritoneum, Intestine, Rectum	-	125	52	73	-	-	-	-	-	2	9	11	35	47	16	-
46	Do.	Female Genital Organs	-	82	-	82	-	-	-	-	-	6	14	26	16	14	6	-
47	Do.	Breast	-	56	1	55	-	-	-	-	-	-	10	12	13	12	5	4
48	Do.	Skin	-	3	1	2	-	-	-	-	-	-	-	-	1	1	1	-
49	Do.	other Organs	-	126	65	61	-	1	-	-	3	2	2	16	32	45	20	5
50	Tumours, non-malignant (not Cerebral, Uterine, or Ovarian)		-	7	3	4	-	-	-	-	2	-	2	1	-	1	1	-
51	Rheumatic Fever		-	19	3	16	-	-	1	1	10	3	3	-	1	-	-	-
52	(a) Chronic Rheumatism		-	2	-	2	-	-	-	-	-	-	-	-	-	1	1	-
	(b) Osteo-arthritis		-	7	1	6	-	-	-	-	-	-	1	1	1	1	2	1
	(c) Gout		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
53	Scorbutus		-	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-
56	Rickets		-	2	-	2	2	-	-	-	-	-	-	-	-	-	-	-
57	Diabetes		-	45	15	30	-	1	-	-	3	1	3	6	10	17	4	-
58	(a) Pernicious Anæmia		-	45	17	28	-	-	-	-	-	2	3	8	12	14	6	-
	(b) Other Anæmia, Chlorosis		-	4	2	2	-	1	-	-	-	1	-	-	-	-	2	-
69	(a) Purpura		-	7	6	1	-	2	-	1	-	-	-	-	-	2	2	-
	(b) Hæmophilia		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(c) Other General Diseases (54, 55)		-	5	3	2	1	1	-	-	-	-	-	-	1	2	-	-
Diseases of Ductless Glands.																		
59	Diseases of Pituitary Gland		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60	(a) Exophthalmic Goitre		-	10	3	7	-	-	-	-	1	3	-	2	3	1	-	-
	(b) Other Diseases of Thyroid and Parathyroid (61)		-	8	1	7	1	-	-	-	-	1	-	-	1	3	2	-
62	Diseases of Thymus		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	Diseases of Suprarenal Capsules, Addison's Disease		-	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-
64	Diseases of Spleen		-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-
65	(a) Leuchæmia		-	5	2	3	-	-	-	-	-	-	1	1	1	2	-	-
	(b) Hodgkin's Dis., Lymphadenoma		-	4	2	2	-	-	1	-	-	1	-	1	-	1	-	-
Chronic Poison																		

	All Ages.			Age											
	Both Sexes.	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over
III. DISEASES OF THE NERVOUS SYSTEM—continued.															
81 Chorea - - - - -	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-
82 Neuritis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-
84 (a) Cerebral Tumour - - -	23	14	9	-	1	-	-	4	3	5	6	3	1	-	-
(b) Other Diseases of Nervous System (83)	36	17	19	1	-	-	-	-	1	3	4	3	11	13	-
85 Diseases of Eye - - - - -	2	1	1	-	-	-	-	1	-	-	1	-	-	-	-
86 (a) Mastoid Disease - - -	6	4	2	4	-	-	-	1	-	1	-	-	-	-	-
(b) Diseases of Ear - - - -	9	3	6	1	1	1	-	1	3	-	-	2	-	-	-
IV. DISEASES OF THE CIRCULATORY SYSTEM.															
87 Pericarditis - - - - -	4	1	3	-	-	1	1	-	-	1	-	-	-	1	-
88 (a) Acute Endocarditis - - -	15	8	7	-	-	1	1	3	3	2	1	1	2	1	-
(b) Acute Myocarditis - - -	10	7	3	-	-	-	-	-	-	-	2	1	4	2	1
89 Angina Pectoris - - - - -	47	24	23	-	-	-	-	-	1	4	7	9	17	9	-
90 (a) Valvular Disease of Heart -	279	128	151	-	-	2	4	12	19	16	42	51	70	52	11
(b) Fatty Degeneration of Heart	43	8	35	-	-	-	-	1	-	2	6	16	14	4	-
(c) Other Disease of Heart - -	396	195	201	-	1	-	-	-	8	9	34	73	125	121	25
91 (a) Aneurysm - - - - -	19	14	5	-	-	-	-	-	-	2	8	5	1	2	1
(b) Arterio-sclerosis - - - -	92	46	46	-	-	-	-	-	-	-	1	9	28	36	18
(c) Other Diseases of Arteries -	2	2	-	-	-	-	-	-	-	1	-	-	1	-	-
92 Embolism, Thrombosis (not Cerebral)	7	4	3	1	-	-	-	-	-	-	-	-	1	2	3
93 Diseases of Veins - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
94 (a) Status Lymphaticus - - -	3	3	-	2	1	-	-	-	-	-	-	-	-	-	-
(b) Other Dis. of Lymph. System (not Leuchæmia or Hodgkin's Disease)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
95 Hæmorrhage (cause unspecified) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
96 Other Diseases of Circulatory System	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-
V. DISEASES OF THE RESPIRATORY SYSTEM.															
97 Diseases of Nose - - - - -	2	1	1	-	-	-	-	-	-	1	1	-	-	-	-
98 (a) Laryngismus Stridulus - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) Laryngitis - - - - -	4	1	3	2	1	-	-	-	-	1	-	-	-	-	-
(c) Croup (not Diphtheritic) - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(d) Other Diseases of Larynx - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
99 Bronchitis - - - - -	300	135	165	46	6	-	-	3	4	2	18	35	84	75	27
100 Broncho-pneumonia - - - -	203	98	105	87	49	3	3	-	7	8	11	7	14	12	2
101 Pneumonia - - - - -	195	102	93	17	16	5	5	7	10	21	20	26	29	32	7
102 Pleurisy - - - - -	22	14	8	-	1	-	-	-	3	1	3	5	3	4	2
103 Congestion of Lung - - - -	39	22	17	7	3	-	-	1	1	1	-	2	8	14	2
104 Gangrene of Lung - - - - -	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-
105 Asthma - - - - -	8	2	6	-	-	-	1	-	-	3	-	-	-	-	-
106 Emphysema - - - - -	3	2	1	-	-	-	-	-	-	-	2	-	2	1	-
107 (a) Interstitial Pneumonia - -	3	3	-	-	-	-	-	-	-	-	1	1	1	-	-
(b) Diseases of Mediastinum - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(c) Other Diseases of Respiratory System	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-
VI. DISEASES OF THE DIGESTIVE SYSTEM.															
108 Diseases of Buccal Cavity - -	4	1	3	1	-	-	-	-	2	-	-	-	-	1	-
109 Diseases of Tonsils and Pharynx	6	1	5	-	-	3	-	1	-	-	1	1	-	-	-
110 Diseases of Oesophagus - - -	2	1	1	-	-	-	-	-	1	-	-	-	1	-	-
111 (a) Ulcer of Stomach - - - -	35	12	23	-	-	-	-	2	1	7	8	8	5	4	-
(b) Ulcer of Duodenum - - - -	27	25	2	-	-	-	-	1	4	7	3	6	5	1	-
112 Other Diseases of Stomach - -	16	8	8	4	1	-	-	-	-	-	-	6	3	1	1

	All Ages.			Age												
	Both Sexes.	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over	
VI. DISEASES OF THE DIGESTIVE SYSTEM—continued.																
13 Diarrhœa and Enteritis (under 2 years)	50	21	29	44	6	-	-	-	-	-	-	-	-	-	-	-
14 (a) Diarrhœa and Enteritis (over 2 years)	18	8	10	-	1	-	-	-	2	1	1	-	5	6	2	-
(b) Ulcer of Intestine (not Duodenal)	2	1	1	-	-	-	-	-	-	-	1	1	-	-	-	-
16 Ankylostomiasis, Intestinal Parasites (115)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
17 Appendicitis - - - -	36	19	17	-	1	3	2	12	7	2	3	3	2	1	-	-
18 (a) Hernia - - - -	26	5	21	2	-	1	-	1	-	2	5	6	4	3	2	-
(b) Intestinal Obstruction - -	30	17	13	4	3	2	-	2	1	6	1	-	6	3	2	-
19 Other Diseases of Intestines -	15	8	7	1	-	-	-	-	1	2	3	1	4	3	-	-
20 Acute Yellow Atrophy of Liver -	4	2	2	-	-	-	-	1	2	1	-	-	-	-	-	-
21 Hydatids of Liver - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
22 Cirrhosis of Liver - - - -	22	14	8	-	-	-	-	-	2	1	3	7	8	1	-	-
23 Gallstones - - - -	22	4	18	-	-	-	-	-	-	3	5	5	6	2	1	-
24 Other Diseases of Liver - -	17	5	12	-	1	-	-	1	-	1	5	4	5	-	-	-
25 Diseases of Pancreas - - -	4	2	2	-	-	-	-	-	-	-	1	1	1	-	1	-
26 Peritonitis (nature unspecified) -	7	2	5	1	-	1	2	2	-	-	-	1	-	-	-	-
27 Other Diseases of Digestive System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VII. DISEASES OF THE GENITO-URINARY SYSTEM.																
28 Acute Nephritis - - - -	13	6	7	-	1	-	1	2	5	2	-	2	-	-	-	-
29 Chronic Nephritis, Bright's Disease	162	92	70	-	-	-	2	2	7	14	21	49	49	17	1	-
31 Other Diseases of Kidney (130) -	15	9	6	4	1	-	-	1	1	2	2	1	2	1	-	-
32 Urinary Calculus - - - -	3	2	1	-	-	-	-	-	-	-	1	1	-	1	-	-
33 Diseases of Bladder - - - -	17	12	5	-	-	-	-	-	-	1	-	-	8	7	1	-
34 Diseases of Urethra - - - -	6	5	1	-	-	-	-	-	-	1	3	1	1	-	-	-
35 Diseases of Prostate - - - -	37	37	-	-	-	-	-	-	-	-	1	4	18	11	3	-
36 Other Diseases of Male Reproductive Organs	2	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-
37 Cysts, and other Tumours of Ovary (non-Malignant)	8	-	8	-	-	-	-	-	1	2	-	1	1	3	-	-
38 Salpingitis, Pelvic Abscess - -	6	-	6	-	-	-	-	-	1	3	1	-	1	-	-	-
39 Uterine Tumour (non-Malignant)	2	-	2	-	-	-	-	-	-	1	1	-	-	-	-	-
40 Uterine Hæmorrhage (non-puerperal)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
41 (a) Metritis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) Other Diseases of Female Reproductive Organs	3	-	3	-	-	-	-	-	1	2	-	-	-	-	-	-
42 Non-puerperal Diseases of Breast	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIII. DISEASES OF PREGNANCY AND PARTURITION.																
43 (a) Abortion, Miscarriage - -	3	-	3	-	-	-	-	-	-	3	-	-	-	-	-	-
(b) Uncontrollable Vomiting - -	3	-	3	-	-	-	-	1	1	1	-	-	-	-	-	-
(c) Ectopic Gestation - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(d) Other Diseases and Accidents of Pregnancy	4	-	4	-	-	-	-	1	3	-	-	-	-	-	-	-
44 Puerperal Hæmorrhage - - -	4	-	4	-	-	-	-	1	2	1	-	-	-	-	-	-
45 Other Accidents of Parturition -	5	-	5	-	-	-	-	-	4	1	-	-	-	-	-	-
46 Puerperal Sepsis - - - -	8	-	8	-	-	-	-	3	4	1	-	-	-	-	-	-
47 Phlegmasia Alba Dolens, Embolism	4	-	4	-	-	-	-	-	2	2	-	-	-	-	-	-
48 Albuminuria of Pregnancy, Eclampsia	6	-	6	-	-	-	-	1	4	1	-	-	-	-	-	-
49 Other Diseases of Puerperium -	2	-	2	-	-	-	-	-	2	-	-	-	-	-	-	-
50 Puerperal Diseases of Breast -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IX. DISEASES OF SKIN AND CONNECTIVE TISSUE.																
51 (a) Senile Gangrene - - - -	23	11	12	-	-	-	-	-	-	-	-	-	9	12	2	-
(b) Noma, Cancrum Oris - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(c) Other Gangrene - - - -	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
52 Carbuncle, Boil - - - -	2	2	-	-	-	-	-	-	-	1	-	-	-	1	-	-
53 Phlegmon, Abscess - - - -	15	6	9	5	-	-	2	1	2	1	3	1	-	-	-	-
54 Other Diseases of Skin - - -	7	3	4	1	-	-	-	-	-	-	1	2	1	2	-	-

CAUSES OF DEATH IN DUNDEE IN 1926.

				All Ages.			Age											
				Both Sexes.	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over
All Causes—Both Sexes				2514	-	-	382	157	47	27	89	99	152	224	364	517	357	99
Males				-	1159	-	215	78	17	15	40	44	65	114	189	225	126	31
Females				-	-	1355	167	79	30	12	49	55	87	110	175	292	231	68
I. EPIDEMIC AND ENDEMIC DISEASES.																		
1 (a) Enteric Fever				1	-	1	-	1	-	-	-	-	-	-	-	-	-	-
(b) Paratyphoid Fever				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2 Typhus Fever				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5 Malaria				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6 (a) Smallpox				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) Do.				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(c) Do.				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Vaccinated				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Unvaccinated				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Vaccination				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Doubtful				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7 Measles				1	1	-	-	1	-	-	-	-	-	-	-	-	-	-
8 Scarlet Fever				28	16	12	3	13	6	2	1	-	3	-	-	-	-	-
9 Whooping-cough				4	1	3	1	3	-	-	-	-	-	-	-	-	-	-
10 Diphtheria				66	30	36	4	47	12	2	1	-	-	-	-	-	-	-
11 Influenza—																		
(a) Sole Cause				6	2	4	-	-	-	-	-	-	-	-	1	2	3	-
(b) with Phthisis				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(c) with Bronchitis				7	1	6	-	1	-	-	-	1	-	-	-	3	2	-
(d) with Pneumonia				17	9	8	1	1	-	-	3	-	2	3	3	3	-	1
(e) with other Respiratory Disease				3	1	2	-	-	-	-	-	1	1	-	1	-	-	-
(f) with Diseases and Accidents of Pregnancy and Parturition				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(g) with other Cause				3	2	1	-	-	1	-	-	-	-	-	-	2	-	-
12 Dysentery				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 Erysipelas				4	1	3	-	-	-	-	1	-	-	1	1	1	-	-
14 Infantile Paralysis				1	-	1	-	1	-	-	-	-	-	-	-	-	-	-
15 Encephalitis Lethargica				3	1	2	-	-	-	-	1	-	-	2	-	-	-	-
(a) Cerebro-spinal Meningitis				5	-	5	1	3	1	-	-	-	-	-	-	-	-	-
(b) Posterior Basal Meningitis				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
16 Oth. Epid. and End. Dis. (3, 4, 12, 13, 14, 15, 17, 18, 19, 20)				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Infectious Diseases.																		
Glanders				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anthrax				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rabies				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Mycoses				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(a) Laryngeal Tuberculosis				1	1	-	-	-	-	-	1	-	-	-	-	-	-	-
(b) Pulmonary Tuberculosis				137	66	71	-	-	-	4	34	29	30	20	15	5	-	-
Tuberculous Meningitis				19	9	10	4	9	3	2	1	-	-	-	-	-	-	-
Tuberculosis of Intestines and Peritoneum				14	10	4	1	2	4	1	2	2	1	1	-	-	-	-
Tuberculosis of Spine				2	1	1	-	-	-	-	1	-	1	-	-	-	-	-
Tuberculosis of Joints				2	1	1	-	-	-	-	1	-	-	-	-	1	-	-
Tuberculosis of other Organs—																		
(a) Skin				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) Bones (except Spine)				1	-	1	-	-	-	-	-	-	-	1	-	-	-	-
(c) Lymphatic System (Abdom. Glands excepted)				1	1	-	-	1	-	-	-	-	-	-	-	-	-	-
(d) Genito-urinary System				2	2	-	-	-	-	-	1	-	-	-	-	1	-	-
(e) Others				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Disseminated Tuberculosis—																		
(a) Acute				3	3	-	-	1	-	1	-	-	-	1	-	-	-	-
(b) Chronic				8	3	5	1	1	1	-	3	1	1	-	-	-	-	-
Syphilis				13	7	6	2	-	-	-	-	1	2	2	6	-	-	-
Other Venereal Diseases (39)				1	-	1	1	-	-	-	-	-	-	-	-	-	-	-
(a) Vaccinia				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) Pyæmia, Septicæmia (not Puerperal)				1	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Other Infectious Diseases				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

	All Ages.			Age											
	Both Sexes.	Males.	Females.	-1	1	5	10	15	25	35	45	55	65	75	85 and over
III. DISEASES OF THE NERVOUS SYSTEM—continued.															
1 Chorea - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2 Neuritis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
4 (a) Cerebral Tumour - - -	4	2	2	-	-	-	-	1	1	1	1	-	1	-	-
(b) Other Diseases of Nervous System (83)	15	7	8	1	1	-	-	-	-	2	1	1	6	3	-
5 Diseases of Eye - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6 (a) Mastoid Disease - - - -	2	1	1	-	-	-	-	1	-	-	-	-	-	-	-
(b) Diseases of Ear - - - - -	7	4	3	2	-	1	-	-	1	-	1	1	1	-	-
IV. DISEASES OF THE CIRCULATORY SYSTEM.															
7 Pericarditis - - - - -	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-
8 (a) Acute Endocarditis - - -	8	4	4	-	-	2	1	-	2	2	1	-	-	-	-
(b) Acute Myocarditis - - - -	2	1	1	-	-	-	-	-	-	1	1	-	-	-	-
9 Angina Pectoris - - - - -	12	7	5	-	-	-	-	-	-	1	1	-	-	-	-
(a) Valvular Disease of Heart -	161	72	89	-	-	1	-	5	5	10	20	32	59	25	1
(b) Fatty Degeneration of Heart	8	2	6	-	-	-	-	-	-	1	-	1	4	2	4
(c) Other Disease of Heart - -	106	42	64	-	-	-	-	-	1	-	11	15	39	35	5
(a) Aneurysm - - - - -	7	3	4	-	-	-	-	-	-	-	2	4	1	-	-
(b) Arterio-sclerosis - - - - -	39	20	19	-	-	-	-	-	-	-	2	5	11	15	6
(c) Other Diseases of Arteries -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Embolism, Thrombosis (not Cerebral)	5	2	3	-	-	-	1	-	-	1	-	2	-	1	-
Diseases of Veins - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(a) Status Lymphaticus - - - -	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
(b) Other Dis. of Lymph. System (not Leuchæmia or Hodgkin's Disease)	2	-	2	-	1	-	-	-	-	-	-	-	-	1	-
Hæmorrhage (cause unspecified) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Circulatory System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
V. DISEASES OF THE RESPIRATORY SYSTEM.															
Diseases of Nose - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(a) Laryngismus Stridulus - -	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-
(b) Laryngitis - - - - -	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-
(c) Croup (not Diphtheritic) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(d) Other Diseases of Larynx -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis - - - - -	146	60	86	7	1	-	1	-	-	6	8	26	54	31	12
Broncho-pneumonia - - - - -	124	59	65	51	28	1	-	1	2	3	4	7	12	12	3
Pneumonia - - - - -	95	45	50	6	7	4	1	6	5	5	12	7	22	19	1
Pleurisy - - - - -	13	9	4	-	3	-	-	-	1	1	2	2	1	3	-
Congestion of Lung - - - - -	8	3	5	2	-	-	-	-	-	-	-	1	2	2	1
Gangrene of Lung - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Asthma - - - - -	8	3	5	-	-	-	-	-	-	1	1	5	1	-	-
Emphysema - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(a) Interstitial Pneumonia - -	2	1	1	-	-	-	-	-	-	-	-	1	-	1	-
(b) Diseases of Mediastinum - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(c) Other Diseases of Respiratory System	3	3	-	-	-	-	-	-	-	-	2	1	-	-	-
DISEASES OF THE DIGESTIVE SYSTEM.															
Diseases of Buccal Cavity - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Tonsils and Pharynx -	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Diseases of Oesophagus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(a) Ulcer of Stomach - - - -	12	8	4	-	-	-	-	-	-	2	2	4	3	1	-
(b) Ulcer of Duodenum - - - -	5	4	1	-	-	-	-	1	1	1	1	1	1	-	-
Other Diseases of Stomach - - -	8	2	6	1	1	-	-	-	1	-	-	-	3	1	1

				All Ages.			Age												
				Both Sexes.	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over	
X. DISEASES OF ORGANS OF LOCOMOTION.																			
55	Dis. of Bones (Mastoid excluded)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
56	Diseases of Joints - - -	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
58	Other Diseases of Organs of Locomotion (157)	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
XI. MALFORMATIONS.																			
59	Malformations—																		
	(a) Hydrocephalus - - -	4	3	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-	
	(b) Congenital Heart - - -	10	3	7	9	1	-	-	-	-	-	-	-	-	-	-	-	-	
	(c) Other Malformations - -	12	5	7	12	-	-	-	-	-	-	-	-	-	-	-	-	-	
XII. DISEASES OF EARLY INFANCY.																			
60	Congenital Debility, Icterus, Sclerema, Marasmus	85	47	38	85	-	-	-	-	-	-	-	-	-	-	-	-	-	
61	(a) Premature Birth - - -	77	48	29	77	-	-	-	-	-	-	-	-	-	-	-	-	-	
	(b) Injury at Birth - - -	15	9	6	15	-	-	-	-	-	-	-	-	-	-	-	-	-	
62	Other Diseases peculiar to Early Infancy (163)	10	5	5	10	-	-	-	-	-	-	-	-	-	-	-	-	-	
XIII. OLD AGE.																			
64	Senility, Senile Dementia - -	120	44	76	-	-	-	-	-	-	-	-	-	-	-	16	70	34	
XIV. VIOLENT CAUSES.																			
64	Suicide (165-173) - - -	21	12	9	-	-	-	-	-	-	-	7	3	7	3	1	-	-	
65	Poisoning by Food - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
67	Other Acute Accidental Poisonings	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
69	Burns and Scalds (178) - - -	2	1	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-	
70	(a) Overlaying - - -	8	5	3	8	-	-	-	-	-	-	-	-	-	-	-	-	-	
	(b) Asphyxia, Suffocation (otherwise)	12	6	6	6	-	-	1	-	-	1	1	1	2	-	-	-	-	
71	Exposure to Poisonous Vapours -	3	2	1	-	-	-	1	1	-	-	-	-	1	-	-	-	-	
72	Accidental Drowning - - -	14	9	5	1	1	-	2	1	1	3	3	1	1	-	-	-	-	
73	Accidents with Fire Arms - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
75	Accidental Falls - - -	9	7	2	-	-	-	1	-	-	1	-	3	4	-	-	-	-	
76	Accidents in—(a) Coal Mines - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	(b) Other Mines - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	(c) Quarries - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
77	Accidents with Machinery - - -	2	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	
78	Accidents with—																		
	(a) Horsed Vehicles - - -	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
	(b) Railways - - -	2	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	
	(c) Tramways - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	(d) Motor Vehicles - - -	8	3	5	-	1	1	-	1	2	-	-	2	-	-	1	-	-	
	(e) Aircraft - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	(f) Other Vehicles - - -	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
	(g) Other Crushing Accidents - -	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
79	War Casualties (191) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
82	Starvation - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
85	Weather Agencies (193, 194) - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
86	Electricity (Lightning excepted)—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
89	Homicide (197-199) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
92	Other Violence—Form specified (176, 184, 189, 201)	12	5	7	-	1	-	-	-	-	1	2	1	2	2	2	3	-	
93	Violence of Unspecified Nature -	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
XV. ILL-DEFINED CAUSES.																			
94	Sudden Death (not otherwise defined)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
96	(a) Heart Failure - - -	26	14	12	2	-	-	1	-	1	1	4	5	5	7	-	-	-	
	(b) Syncope - - -	19	8	11	1	1	1	-	-	-	3	3	4	4	2	-	-	-	
	(c) Other Ill-defined Causes - -	2	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	
	(d) Natural Causes - - -	2	-	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	
	(e) Cause not specified - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

				All Ages.			Age													85 and over
				Both Sexes.	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-			
III. DISEASES OF THE NERVOUS SYSTEM—continued.																				
81	Chorea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
82	Neuritis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
84	(a) Cerebral Tumour	-	-	-	4	3	1	-	-	1	-	-	1	1	1	-	-	-		
	(b) Other Diseases of Nervous System (83)	-	-	-	19	10	9	2	-	-	2	-	2	3	4	2	3	-		
85	Diseases of Eye	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
86	(a) Mastoid Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	(b) Diseases of Ear	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
IV. DISEASES OF THE CIRCULATORY SYSTEM.																				
87	Pericarditis	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-	-		
88	(a) Acute Endocarditis	-	-	-	6	1	5	-	-	-	2	-	1	1	-	1	1	-		
	(b) Acute Myocarditis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
89	Angina Pectoris	-	-	-	18	10	8	-	-	-	-	-	-	1	8	7	2	-		
90	(a) Valvular Disease	-	-	-	90	51	39	-	-	-	1	4	6	3	14	17	28	15		
	(b) Fatty Degeneration of Heart	-	-	-	13	3	10	-	-	-	-	-	-	2	2	1	4	4		
	(c) Other Disease of Heart	-	-	-	127	50	77	-	-	-	1	1	3	-	11	20	48	33		
91	(a) Aneurysm	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	(b) Arterio-sclerosis	-	-	-	61	32	29	-	-	-	-	-	-	1	5	14	31	-		
	(c) Other Diseases of Arteries	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
92	Embolism, Thrombosis (not Cerebral)	-	-	-	4	2	2	-	-	-	1	-	-	-	-	2	1	-		
93	Diseases of Veins	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1		
94	(a) Status Lymphaticus	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-		
	(b) Other Dis. of Lymph. System (not Leuchæmia or Hodgkin's Disease)	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-		
95	Hæmorrhage (cause unspecified)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
96	Other Diseases of Circulatory System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
V. DISEASES OF THE RESPIRATORY SYSTEM.																				
97	Diseases of Nose	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
98	(a) Laryngismus Stridulus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	(b) Laryngitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	(c) Croup (not Diphtheritic)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	(d) Other Diseases of Larynx	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
99	Bronchitis	-	-	-	88	40	48	19	7	2	-	-	4	2	11	12	21	-		
100	Broncho-pneumonia	-	-	-	63	33	30	29	15	-	-	2	2	-	3	5	6	-		
101	Pneumonia	-	-	-	63	35	28	9	5	-	2	6	5	6	4	9	13	3		
102	Pleurisy	-	-	-	6	4	2	-	-	-	-	-	-	1	1	2	-	-		
103	Congestion of Lung	-	-	-	14	7	7	4	1	-	-	-	-	-	1	-	7	1		
104	Gangrene of Lung	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
105	Asthma	-	-	-	4	1	3	-	-	-	-	-	-	1	-	2	1	-		
106	Emphysema	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1	-		
107	(a) Interstitial Pneumonia	-	-	-	2	-	2	-	-	-	-	-	-	-	-	1	-	1		
	(b) Diseases of Mediastinum	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	(c) Other Diseases of Respiratory System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
V. DISEASES OF THE DIGESTIVE SYSTEM.																				
108	Diseases of Buccal Cavity	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
109	Diseases of Tonsils and Pharynx	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
110	Diseases of Œsophagus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
111	(a) Ulcer of Stomach	-	-	-	15	9	6	-	-	-	-	-	2	3	3	2	5	-		
	(b) Ulcer of Duodenum	-	-	-	3	3	-	-	-	-	1	-	-	2	-	-	-	-		
112	Other Diseases of Stomach	-	-	-	13	8	5	8	-	-	-	-	1	1	3	-	-	-		

	All Ages.			Age												
	both Sexes.	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over	
VI. DISEASES OF THE DIGESTIVE SYSTEM—continued.																
13 Diarrhœa and Enteritis (under 2 years)	33	19	14	29	4	-	-	-	-	-	-	-	-	-	-	-
14 (a) Diarrhœa and Enteritis (over 2 years)	7	3	4	-	1	1	-	-	-	-	-	1	2	2	-	-
(b) Ulcer of Intestine (not Duodenal)	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
16 Ankylostomiasis, Intestinal Parasites (115)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
17 Appendicitis - - - -	17	10	7	-	2	1	1	1	4	2	3	1	2	-	-	-
18 (a) Hernia - - - -	6	2	4	-	1	-	-	-	1	-	1	1	1	1	1	-
(b) Intestinal Obstruction - -	14	6	8	4	-	-	-	-	-	-	-	3	3	4	-	-
19 Other Diseases of Intestine -	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
20 Acute Yellow Atrophy of Liver -	2	1	1	-	-	-	-	-	-	-	2	-	-	-	-	-
21 Hydatids of Liver - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
22 Cirrhosis of Liver - - - -	7	5	2	-	-	-	-	-	-	1	1	4	1	2	1	-
23 Gallstones - - - -	4	-	4	-	-	-	-	-	-	-	-	1	2	1	-	-
24 Other Diseases of Liver - -	11	4	7	-	-	-	-	-	-	-	1	3	5	2	-	-
25 Diseases of Pancreas - - - -	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
26 Peritonitis (nature unspecified) -	4	3	1	-	-	1	1	-	-	-	-	2	-	-	-	-
27 Other Diseases of Digestive System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VII. DISEASES OF THE GENITO-URINARY SYSTEM.																
28 Acute Nephritis - - - -	3	1	2	-	-	-	-	-	-	1	1	1	-	-	-	-
29 Chronic Nephritis, Bright's Disease	54	28	26	-	1	-	-	1	-	3	8	15	18	5	3	-
31 Other Diseases of Kidney (130) -	7	4	3	1	-	-	-	-	-	-	2	2	-	2	-	-
32 Urinary Calculus - - - -	3	2	1	1	-	-	-	-	1	-	1	-	-	-	-	-
33 Diseases of Bladder - - - -	6	4	2	-	-	-	-	-	-	-	1	2	1	1	1	-
34 Diseases of Urethra - - - -	2	2	-	-	1	-	-	-	-	-	-	-	1	-	-	-
35 Diseases of Prostate - - - -	13	13	-	-	-	-	-	-	-	-	-	2	6	5	-	-
36 Other Diseases of Male Reproductive Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
37 Cysts, and other Tumours of Ovary (non-Malignant)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38 Salpingitis, Pelvic Abscess - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
39 Uterine Tumour (non-Malignant)	4	-	4	-	-	-	-	-	-	1	2	1	-	-	-	-
40 Uterine Hæmorrhage (non-puerperal)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
41 (a) Metritis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) Other Diseases of Female Reproductive Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
42 Non-puerperal Diseases of Breast	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIII. DISEASES OF PREGNANCY AND PARTURITION.																
43 (a) Abortion, Miscarriage - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) Uncontrollable Vomiting - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(c) Ectopic Gestation - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(d) Other Diseases and Accidents of Pregnancy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
44 Puerperal Hæmorrhage - - -	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
45 Other Accidents of Parturition -	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
46 Puerperal Sepsis - - - -	8	-	8	-	-	-	-	2	5	1	-	-	-	-	-	-
47 Phlegmasia Alba Dolens, Embolism	3	-	3	-	-	-	-	-	2	1	-	-	-	-	-	-
48 Albuminuria of Pregnancy, Eclampsia	7	-	7	-	-	-	-	4	2	1	-	-	-	-	-	-
49 Other Diseases of Puerperium -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50 Puerperal Diseases of Breast -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IX. DISEASES OF SKIN AND CONNECTIVE TISSUE.																
51 (a) Senile Gangrene - - - -	8	5	3	-	-	-	-	-	-	-	-	-	1	6	1	-
(b) Noma, Cancrum Oris - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(c) Other Gangrene - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
52 Carbuncle, Boil - - - -	3	2	1	2	-	-	-	-	-	-	-	-	1	-	-	-
53 Phlegmon, Abscess - - - -	4	2	2	1	-	-	-	1	-	1	1	-	-	-	-	-
54 Other Diseases of Skin - - -	2	-	2	1	-	-	-	-	-	-	-	-	1	-	-	-

CAUSES OF DEATH IN PAISLEY IN 1926.

				All Ages.			Age												
				Both Sexes.	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over	
All Causes—Both Sexes				1224	-	-	220	112	16	8	47	56	68	126	189	209	138	35	
Males				-	646	-	139	67	9	3	15	25	41	75	98	107	52	15	
Females				-	-	578	81	45	7	5	32	31	27	51	91	102	86	20	
I. EPIDEMIC AND ENDEMIC DISEASES.																			
1 (a) Enteric Fever				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(b) Paratyphoid Fever				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2 Typhus Fever				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
5 Malaria				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
6 (a) Smallpox				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(b) Do.				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(c) Do.				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Vaccinated				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Unvaccinated				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Vaccination				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Doubtful				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7 Measles				37	22	15	15	21	1	-	-	-	-	-	-	-	-	-	
8 Scarlet Fever				13	9	4	2	7	4	-	-	-	-	-	-	-	-	-	
9 Whooping-cough				34	22	12	15	19	-	-	-	-	-	-	-	-	-	-	
10 Diphtheria				5	3	2	-	5	-	-	-	-	-	-	-	-	-	-	
1 Influenza—																			
(a) Sole Cause				4	3	1	-	-	-	-	-	-	-	-	-	-	4	-	
(b) with Phthisis				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(c) with Bronchitis				3	2	1	-	-	-	-	-	-	-	1	1	1	-	-	
(d) with Pneumonia				10	9	1	1	-	1	-	-	1	2	1	1	1	2	-	
(e) with other Respiratory Disease				1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	
(f) with Diseases and Accidents of Pregnancy and Parturition				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(g) with other Cause				5	2	3	1	-	-	-	-	-	-	1	3	-	-	-	
6 Dysentery				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
21 Erysipelas				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2 Infantile Paralysis				1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	
23 Encephalitis Lethargica				2	-	2	-	-	-	-	1	-	-	1	-	-	-	-	
24 (a) Cerebro-spinal Meningitis				2	1	1	1	1	-	-	-	-	-	-	-	-	-	-	
(b) Posterior Basal Meningitis				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
25 Oth. Epid. and End. Dis. (3, 4, 12, 13, 14, 15, 17, 18, 19, 20)				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Infectious Diseases.																			
26 Glanders				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
27 Anthrax				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
28 Rabies				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
29 Tetanus				1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	
30 Mycoses				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
31 (a) Laryngeal Tuberculosis				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(b) Pulmonary Tuberculosis				64	29	35	-	1	1	3	14	14	14	12	3	2	-	-	
32 Tuberculous Meningitis				7	4	3	1	4	-	-	1	1	-	-	-	-	-	-	
3 Tuberculosis of Intestines and Peritoneum				9	4	5	-	2	3	-	2	2	-	-	-	-	-	-	
34 Tuberculosis of Spine				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
35 Tuberculosis of Joints				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
36 Tuberculosis of other Organs—																			
(a) Skin				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(b) Bones (except Spine)				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(c) Lymphatic System (Abdom. Glands excepted)				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(d) Genito-urinary System				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(e) Others				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
37 Disseminated Tuberculosis—																			
(a) Acute				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(b) Chronic				9	4	5	-	4	-	-	1	3	-	-	-	1	-	-	
38 Syphilis				1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	
39 Other Venereal Disease (39)				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
41 (a) Vaccinia				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(b) Pyæmia, Septicæmia (not Puerperal)				2	1	1	-	-	-	-	1	-	-	1	-	-	-	-	
42 Other Infectious Diseases				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

	All Ages.			Age												
	Both Sexes.	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over	
III. DISEASES OF THE NERVOUS SYSTEM—continued.																
81 Chorea - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
82 Neuritis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
84 (a) Cerebral Tumour - - - - -	6	5	1	-	-	-	-	-	3	1	2	-	-	-	-	
(b) Other Diseases of Nervous System (83)	2	1	1	-	-	-	-	-	-	-	-	2	-	-	-	
85 Diseases of Eye - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
86 (a) Mastoid Disease - - - - -	2	-	2	1	-	-	1	-	-	-	-	-	-	-	-	
(b) Diseases of Ear - - - - -	3	2	1	-	1	-	-	1	-	1	-	-	-	-	-	
IV. DISEASES OF THE CIRCUL- ATORY SYSTEM.																
87 Pericarditis - - - - -	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	
88 (a) Acute Endocarditis - - - - -	3	1	2	-	-	-	-	2	-	1	-	-	-	-	-	
(b) Acute Myocarditis - - - - -	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
89 Angina Pectoris - - - - -	10	7	3	-	-	-	-	-	-	-	3	3	4	-	-	
90 (a) Valvular Disease of Heart - - - - -	44	18	26	-	-	1	1	2	4	4	8	10	8	6	-	
(b) Fatty Degeneration of Heart - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(c) Other Disease of Heart - - - - -	73	33	40	-	-	-	-	-	1	2	3	16	30	16	5	
91 (a) Aneurysm - - - - -	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	
(b) Arterio-sclerosis - - - - -	11	7	4	-	-	-	-	-	-	-	-	3	2	5	1	
(c) Other Diseases of Arteries - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
92 Embolism, Thrombosis (not Cerebral)	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	
93 Diseases of Veins - - - - -	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	
94 (a) Status Lymphaticus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(b) Other Dis. of Lymph. System (not Leuchæmia or Hodgkin's Disease)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
95 Hæmorrhage (cause unspecified)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
96 Other Diseases of Circulatory System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
V. DISEASES OF THE RESPIR- ATORY SYSTEM.																
97 Diseases of Nose - - - - -	2	2	-	-	-	-	-	-	-	-	1	1	-	-	-	
98 (a) Laryngismus Stridulus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(b) Laryngitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(c) Croup (not Diphtheritic) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(d) Other Diseases of Larynx - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
99 Bronchitis - - - - -	64	30	34	6	1	-	-	-	1	3	2	13	19	17	2	
00 Broncho-pneumonia - - - - -	74	47	27	30	25	-	-	1	-	-	3	5	7	2	1	
01 Pneumonia - - - - -	61	41	20	11	7	-	2	2	4	6	9	8	4	6	2	
02 Pleurisy - - - - -	2	2	-	-	-	-	-	1	-	1	-	-	-	-	-	
03 Congestion of Lung - - - - -	2	1	1	-	-	-	-	-	-	-	-	-	-	2	-	
04 Gangrene of Lung - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
05 Asthma - - - - -	1	-	1	-	-	-	-	-	-	-	-	1	-	-	-	
06 Emphysema - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
07 (a) Interstitial Pneumonia - - - - -	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	
(b) Diseases of Mediastinum - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(c) Other Diseases of Respiratory System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
VI. DISEASES OF THE DIGESTIVE SYSTEM.																
08 Diseases of Buccal Cavity - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
09 Diseases of Tonsils and Pharynx - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
10 Diseases of Œsophagus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
11 (a) Ulcer of Stomach - - - - -	11	8	3	-	-	-	-	1	1	2	2	5	-	-	-	
(b) Ulcer of Duodenum - - - - -	4	3	1	1	-	-	-	-	-	1	-	1	1	-	-	
12 Other Diseases of Stomach - - - - -	3	-	3	-	-	-	-	-	-	-	-	2	1	-	-	

	All Ages.			Age												
	Both Sexes.	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over	
VI. DISEASES OF THE DIGESTIVE SYSTEM—continued.																
113 Diarrhoea and Enteritis (under 2 years)	19	10	9	17	2	-	-	-	-	-	-	-	-	-	-	
114 (a) Diarrhoea and Enteritis (over 2 years)	5	2	3	-	2	-	-	-	-	-	2	-	1	-	-	
(b) Ulcer of Intestine(not Duodenal)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
116 Ankylostomiasis, Intestinal Parasites (115)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
117 Appendicitis - - -	13	9	4	-	-	1	-	4	2	-	4	-	2	-	-	
118 (a) Hernia - - -	5	2	3	1	-	-	-	-	-	-	-	2	1	1	-	
(b) Intestinal Obstruction -	6	4	2	1	1	-	-	-	-	2	1	-	-	1	-	
119 Other Diseases of Intestines	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
120 Acute Yellow Atrophy of Liver	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
121 Hydatids of Liver - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
122 Cirrhosis of Liver - - -	3	1	2	-	-	-	-	-	-	-	1	2	-	-	-	
123 Gallstones - - -	5	1	4	-	-	-	-	-	-	1	2	1	1	-	-	
124 Other Diseases of Liver -	4	1	3	-	-	-	-	-	-	-	2	-	2	-	-	
125 Diseases of Pancreas - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
126 Peritonitis (nature unspecified) -	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	
127 Other Diseases of Digestive System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
VII. DISEASES OF THE GENITO-URINARY SYSTEM.																
128 Acute Nephritis - - -	3	1	2	-	-	-	-	-	1	-	-	1	1	-	-	
129 Chronic Nephritis, Bright's Disease	26	13	13	-	-	-	-	1	-	3	6	9	6	1	-	
131 Other Diseases of Kidney (130) -	3	1	2	-	-	1	-	-	1	-	1	-	-	-	-	
132 Urinary Calculus - - -	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	
133 Diseases of Bladder - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
134 Diseases of Urethra - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
135 Diseases of Prostate - - -	7	7	-	-	-	-	-	-	-	-	1	2	4	-	-	
136 Other Diseases of Male Reproductive Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
137 Cysts, and other Tumours of Ovary (non-Malignant)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
138 Salpingitis, Pelvic Abscess -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
139 Uterine Tumour (non-Malignant)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
140 Uterine Hæmorrhage (non-puerperal)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
141 (a) Metritis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(b) Other Diseases of Female Reproductive Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
142 Non-puerperal Diseases of Breast	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
VIII. DISEASES OF PREGNANCY AND PARTURITION.																
143 (a) Abortion, Miscarriage - -	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	
(b) Uncontrollable Vomiting -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(c) Ectopic Gestation - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(d) Other Diseases and Accidents of Pregnancy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
144 Puerperal Hæmorrhage - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
145 Other Accidents of Parturition -	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	
146 Puerperal Sepsis - - -	2	-	2	-	-	-	-	-	2	-	-	-	-	-	-	
147 Phlegmasia Alba Dolens, Embolism	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	
148 Albuminuria of Pregnancy, Eclampsia	2	-	2	-	-	-	1	-	1	-	-	-	-	-	-	
149 Other Diseases of Puerperium -	2	-	2	-	-	-	-	-	2	-	-	-	-	-	-	
150 Puerperal Diseases of Breast -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
IX. DISEASES OF SKIN AND CONNECTIVE TISSUE.																
151 (a) Senile Gangrene - - -	4	2	2	-	-	-	-	-	-	-	-	-	2	2	-	
(b) Noma, Cancrum Oris - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(c) Other Gangrene - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
152 Carbuncle, Boil - - -	3	3	-	-	-	-	-	-	1	-	-	-	1	1	-	
153 Phlegmon, Abscess - - -	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	
154 Other Diseases of Skin - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

	All Ages.			Age											
	Both Sexes.	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over
II. GENERAL DISEASES NOT INCLUDED ABOVE.															
Cancer, Buccal Cavity - -	8	8	-	-	-	-	-	-	-	-	1	4	1	1	1
Do. Stomach and Liver - -	34	19	15	-	-	-	-	-	1	2	8	11	8	3	1
Do. Peritoneum, Intestine, Rectum - - - -	23	12	11	-	-	-	-	-	1	1	4	7	5	5	-
Do. Female Genital Organs -	3	-	3	-	-	-	-	-	-	-	1	-	2	-	-
Do. Breast - - - -	7	-	7	-	-	-	-	-	-	1	1	2	2	1	-
Do. Skin - - - -	3	3	-	-	-	-	-	-	-	1	-	-	1	1	-
Do. Other Organs - - -	17	7	10	-	1	-	-	1	1	-	6	3	3	2	-
Tumours, non - malignant (not Cerebral, Uterine, or Ovarian)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic Fever - - -	6	2	4	-	-	1	2	2	-	-	-	1	-	-	-
(a) Chronic Rheumatism - -	2	1	1	-	-	-	-	-	-	-	-	-	1	1	-
(b) Osteo-arthritis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(c) Gout - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scorbutus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rickets - - - - -	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Diabetes - - - - -	2	-	2	-	-	-	-	-	-	-	-	-	1	1	-
(a) Pernicious Anæmia - -	9	5	4	-	-	-	-	1	-	-	4	3	-	1	-
(b) Other Anæmia, Chlorosis -	2	1	1	-	-	-	-	1	-	-	-	1	-	-	-
(a) Purpura - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) Hæmophilia - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(c) Other General Diseases (54, 55)	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-
Diseases of Ductless Glands.															
Diseases of Pituitary Gland -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(a) Exophthalmic Goitre - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) Other Diseases of Thyroid and Parathyroid (61)	2	-	2	-	-	-	-	-	-	-	1	1	-	-	-
Diseases of Thymus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Suprarenal Capsules, Addison's Disease - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Spleen - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(a) Leuchæmia - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) Hodgkin's Dis., Lymphadenoma	3	3	-	-	-	1	-	-	-	-	1	-	1	-	-
Chronic Poisonings.															
(a) Delirium Tremens - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) Acute Alcoholism - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(c) Other Alcoholism - - -	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Chronic Inorganic Poisoning—															
(a) Lead - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) Other Occupational - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(c) Other - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic Organic Poisoning -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
I. DISEASES OF THE NERVOUS SYSTEM.															
(a) Cerebral Abscess - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) Encephalitis (other than En- cephalitis Lethargica) -	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-
Meningitis (other than Tuberculous or Cerebro-spinal) - - -	26	14	12	7	11	4	3	-	-	-	1	-	-	-	-
Locomotor Ataxy - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Spinal Cord -	4	2	2	-	-	-	-	1	-	1	1	1	-	-	-
(a) Cerebral Hæmorrhage - -	70	35	35	-	-	-	-	-	-	3	6	18	24	18	1
(b) Apoplexy - - - - -	3	1	2	-	-	-	-	-	-	-	-	2	1	-	-
(c) Cerebral Embolism and Throm- bosis - - - - -	8	3	5	-	-	-	-	1	-	-	1	-	2	4	-
(a) Hemiplegia - - - - -	7	5	2	-	-	-	-	-	1	-	1	2	2	1	-
(b) Paralysis, other or unspecified	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-
General Paralysis of Insane -	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Other Insanity - - - - -	5	2	3	-	-	-	-	-	-	-	1	4	-	-	-
Epilepsy - - - - -	2	2	-	-	-	-	-	-	-	-	1	-	1	-	-
Eclampsia (not Puerperal). (Age 5 and over) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Infantile Convulsions. (Age under 5)	11	3	8	7	4	-	-	-	-	-	-	-	-	-	-

	All Ages.			Age												
	Both Sexes.	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over	
III. DISEASES OF THE NERVOUS SYSTEM—continued.																
81 Chorea - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
82 Neuritis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-
84 (a) Cerebral Tumour - - -	2	1	1	-	-	-	-	-	-	-	1	1	-	-	-	-
(b) Other Diseases of Nervous System (83)	6	2	4	-	-	-	-	-	-	-	-	3	3	-	-	-
85 Diseases of Eye - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
86 (a) Mastoid Disease - - -	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
(b) Diseases of Ear - - - -	5	2	3	1	-	-	-	-	3	-	1	-	-	-	-	-
IV. DISEASES OF THE CIRCUL- ATORY SYSTEM.																
87 Pericarditis - - - - -	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
88 (a) Acute Endocarditis - - -	5	3	2	-	-	-	1	1	1	2	-	-	-	-	-	-
(b) Acute Myocarditis - - -	3	-	3	-	-	-	-	-	-	3	-	-	-	-	-	-
89 Angina Pectoris - - - - -	9	6	3	-	-	-	-	-	-	1	3	2	1	1	1	1
90 (a) Valvular Disease of Heart -	32	11	21	-	-	2	-	-	2	1	9	6	9	3	-	-
(b) Fatty Degeneration of Heart -	5	4	1	-	-	-	-	-	-	1	-	1	3	-	-	-
(c) Other Disease of Heart - -	50	29	21	-	-	-	-	1	1	1	3	8	21	14	1	-
91 (a) Aneurysm - - - - -	5	5	-	-	-	-	-	-	-	-	1	3	-	1	-	-
(b) Arterio-sclerosis - - - -	10	9	1	-	-	-	-	-	-	-	-	1	5	2	2	-
(c) Other Diseases of Arteries -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
92 Embolism, Thrombosis (not Cerebral)	3	1	2	-	-	-	-	-	-	-	1	-	1	1	-	-
93 Diseases of Veins - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
94 (a) Status Lymphaticus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) Other Dis. of Lymph. System (not Leuchæmia or Hodgkin's Disease)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
95 Hæmorrhage (cause unspecified) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
96 Other Diseases of Circulatory System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
V. DISEASES OF THE RESPIR- ATORY SYSTEM.																
97 Diseases of Nose - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
98 (a) Laryngismus Stridulus - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) Laryngitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(c) Croup (not Diphtheritic)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(d) Other Diseases of Larynx - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
99 Bronchitis - - - - -	65	29	36	13	2	-	-	-	1	2	4	15	11	16	1	-
100 Broncho-pneumonia - - - -	53	30	23	21	23	3	-	-	-	-	2	2	1	1	-	-
101 Pneumonia - - - - -	69	48	21	5	15	2	2	6	7	8	9	6	6	2	1	-
102 Pleurisy - - - - -	5	2	3	-	2	-	1	-	-	-	-	1	1	-	-	-
103 Congestion of Lung - - - -	8	4	4	2	-	-	-	-	-	2	-	2	-	1	1	-
104 Gangrene of Lung - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
105 Asthma - - - - -	2	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-
106 Emphysema - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
107 (a) Interstitial Pneumonia - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) Diseases of Mediastinum - -	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
(c) Other Diseases of Respiratory System	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-
VI. DISEASES OF THE DIGESTIVE SYSTEM.																
108 Diseases of Buccal Cavity - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
109 Diseases of Tonsils and Pharynx -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110 Diseases of Œsophagus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
111 (a) Ulcer of Stomach - - - -	8	5	3	-	-	-	1	-	2	2	3	-	-	-	-	-
(b) Ulcer of Duodenum - - - -	3	2	1	-	-	-	-	-	-	-	2	1	-	-	-	-
112 Other Diseases of Stomach - -	5	3	2	1	-	-	-	-	-	1	-	-	3	-	-	-

	All Ages.			Age												
	Both Sexes.	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over	
I. DISEASES OF THE DIGESTIVE SYSTEM—continued.																
3 Diarrhœa and Enteritis (under 2 years)	14	10	4	11	3	-	-	-	-	-	-	-	-	-	-	-
4 (a) Diarrhœa and Enteritis (over 2 years)	5	-	5	-	-	1	-	1	1	-	-	-	2	-	-	-
(b) Ulcer of Intestine (not Duodenal)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6 Ankylostomiasis, Intestinal Parasites (115)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7 Appendicitis - - - -	8	4	4	-	1	1	1	2	2	-	-	1	-	-	-	-
8 (a) Hernia - - - -	5	4	1	-	1	-	-	-	-	1	1	-	2	-	-	-
(b) Intestinal Obstruction - -	3	-	3	1	-	-	-	-	-	1	-	-	-	1	-	-
9 Other Diseases of Intestines -	2	1	1	-	-	-	-	-	1	-	-	1	-	-	-	-
10 Acute Yellow Atrophy of Liver -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
11 Hydatids of Liver - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 Cirrhosis of Liver - - - -	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
13 Gallstones - - - -	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
14 Other Diseases of Liver - -	3	1	2	1	-	-	-	-	-	-	-	1	1	-	-	-
15 Diseases of Pancreas - - -	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
16 Peritonitis (nature unspecified) -	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-
17 Other Diseases of Digestive System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
II. DISEASES OF THE GENITO-URINARY SYSTEM.																
1 Acute Nephritis - - - -	2	1	1	-	-	-	1	-	-	-	1	-	-	-	-	-
2 Chronic Nephritis, Bright's Disease	19	9	10	-	-	1	-	2	-	1	5	3	6	1	-	-
3 Other Diseases of Kidney (130) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4 Urinary Calculus - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5 Diseases of Bladder - - - -	2	1	1	-	-	-	-	-	-	-	1	-	-	1	-	-
6 Diseases of Urethra - - - -	2	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-
7 Diseases of Prostate - - - -	7	7	-	-	-	-	-	-	-	-	-	1	1	4	2	-
8 Other Diseases of Male Reproductive Organs	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-
9 Cysts, and Other Tumours of Ovary (non-Malignant)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10 Salpingitis, Pelvic Abscess - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
11 Uterine Tumour (non-Malignant)	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-
12 Uterine Hæmorrhage (non-puerperal)	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
(a) Metritis - - - -	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
(b) Other Diseases of Female Reproductive Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 Non-puerperal Diseases of Breast	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
III. DISEASES OF PREGNANCY AND PARTURITION.																
(a) Abortion, Miscarriage - -	2	-	2	-	-	-	-	-	1	1	-	-	-	-	-	-
(b) Uncontrollable Vomiting - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(c) Ectopic Gestation - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(d) Other Diseases and Accidents of Pregnancy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1 Puerperal Hæmorrhage - - -	3	-	3	-	-	-	-	-	1	2	-	-	-	-	-	-
2 Other Accidents of Parturition -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3 Puerperal Sepsis - - - -	6	-	6	-	-	-	-	2	3	1	-	-	-	-	-	-
4 Phlegmasia Alba Dolens, Embolism	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5 Albuminuria of Pregnancy, Eclampsia	2	-	2	-	-	-	-	1	1	-	-	-	-	-	-	-
6 Other Diseases of Puerperium -	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
7 Puerperal Diseases of Breast -	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
IX. DISEASES OF SKIN AND CONNECTIVE TISSUE.																
(a) Senile Gangrene - - - -	6	3	3	-	-	-	-	-	-	-	-	1	2	3	-	-
(b) Noma, Cancrum Oris - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(c) Other Gangrene - - - -	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
1 Carbuncle, Boil - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2 Phlegmon, Abscess - - - -	3	2	1	1	-	-	-	1	-	-	-	1	-	-	-	-
3 Other Diseases of Skin - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

CAUSES OF DEATH IN MOTHERWELL AND WISHAW IN 1926.

				All Ages.			Age												
				Both Sexes.	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over	
All Causes—Both Sexes - - -				778	-	-	122	79	13	13	30	39	46	78	125	144	76	13	
Males - - -					409	-	63	39	5	7	13	13	19	46	83	83	34	4	
Females - - -						369	59	40	8	6	17	26	27	32	42	61	42	9	
I. EPIDEMIC AND ENDEMIC DISEASES.																			
(a) Enteric Fever - - -				2	-	2	-	-	-	-	-	-	-	2	-	-	-	-	
(b) Paratyphoid Fever - - -				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - -				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Malaria - - -				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(a) Smallpox { Vaccinated - - -				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(b) Do. { Unvaccinated - - -				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(c) Do. { Vaccination Doubtful - - -				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - -				15	6	9	4	11	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - -				3	2	1	-	2	1	-	-	-	-	-	-	-	-	-	
Whooping-cough - - -				9	5	4	3	6	-	-	-	-	-	-	-	-	-	-	
Diphtheria - - -				5	2	3	-	3	2	-	-	-	-	-	-	-	-	-	
Influenza—																			
(a) Sole Cause - - -				2	-	2	-	-	-	-	-	-	-	-	-	1	1	-	
(b) with Phthisis - - -				1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	
(c) with Bronchitis - - -				5	2	3	-	1	-	-	-	-	1	-	1	1	1	-	
(d) with Pneumonia - - -				2	-	2	-	-	-	-	-	-	1	-	-	-	-	-	
(e) with other Respiratory Disease - - -				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(f) with Diseases and Accidents of Pregnancy and Parturition - - -				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(g) with other Cause - - -				2	1	1	-	-	-	-	-	-	-	-	1	1	-	-	
Dysentery - - -				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - -				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Infantile Paralysis - - -				2	2	-	-	1	-	-	1	-	-	-	-	-	-	-	
Encephalitis Lethargica - - -				2	2	-	-	1	-	-	1	-	-	-	-	-	-	-	
(a) Cerebro-spinal Meningitis - - -				1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	
(b) Posterior Basal Meningitis - - -				1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
Oth. Epid. and End. Dis. (3, 4, 12, 13, 14, 15, 17, 18, 19, 20)				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Infectious Diseases.																			
Glanders - - -				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Anthrax - - -				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Rabies - - -				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tetanus - - -				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Mycoses - - -				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(a) Laryngeal Tuberculosis - - -				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(b) Pulmonary Tuberculosis - - -				37	15	22	-	1	1	2	9	12	8	2	1	1	-	-	
Tuberculous Meningitis - - -				7	3	4	3	3	-	1	-	-	-	-	-	-	-	-	
Tuberculosis of Intestines and Peritoneum - - -				4	4	-	-	2	1	-	-	-	1	-	-	-	-	-	
Tuberculosis of Spine - - -				1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	
Tuberculosis of Joints - - -				1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	
Tuberculosis of other Organs—																			
(a) Skin - - -				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(b) Bones (except Spine) - - -				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(c) Lymphatic System (Abdom. Glands excepted) - - -				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(d) Genito-urinary System - - -				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(e) Others - - -				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Disseminated Tuberculosis —																			
(a) Acute - - -				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(b) Chronic - - -				4	-	4	-	2	1	1	-	-	-	-	-	-	-	-	
Syphilis - - -				2	2	-	1	-	-	-	-	-	-	-	1	-	-	-	
Other Venereal Diseases (39)				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(a) Vaccinia - - -				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(b) Pyæmia, Septicæmia (not Puerperal) - - -				3	3	-	-	-	1	-	-	-	-	1	1	-	-	-	
Other Infectious Diseases - - -				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

	All Ages.			Age											
	Both Sexes.	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over
III. DISEASES OF THE NERVOUS SYSTEM—continued.															
81 Chorea - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
82 Neuritis - - - -	2	2	-	-	-	-	-	-	-	-	1	1	-	-	-
84 (a) Cerebral Tumour - - -	4	2	2	-	-	-	-	-	-	4	-	-	-	-	-
(b) Other Diseases of Nervous System (83)	2	1	1	-	-	-	-	-	-	-	1	-	1	-	-
85 Diseases of Eye - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
86 (a) Mastoid Disease - - -	2	1	1	-	1	-	-	1	-	-	-	-	-	-	-
(b) Diseases of Ear - - -	2	-	2	1	-	-	-	1	-	-	-	-	-	-	-
IV. DISEASES OF THE CIRCULATORY SYSTEM.															
87 Pericarditis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
88 (a) Acute Endocarditis - -	2	1	1	-	-	-	-	-	1	1	-	-	-	-	-
(b) Acute Myocarditis - - -	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-
89 Angina Pectoris - - - -	5	3	2	-	-	-	-	-	-	-	-	3	1	1	-
90 (a) Valvular Disease of Heart -	38	20	18	-	-	-	-	1	1	2	5	10	15	3	1
(b) Fatty Degeneration of Heart -	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-
(c) Other Disease of Heart - -	28	15	13	-	-	-	1	-	-	2	1	7	13	3	1
91 (a) Aneurysm - - - -	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-
(b) Arterio-sclerosis - - -	6	5	1	-	-	-	-	-	-	-	-	1	3	2	-
(c) Other Diseases of Arteries -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
92 Embolism, Thrombosis (not Cerebral)	2	1	1	-	-	-	-	-	-	1	1	-	-	-	-
93 Diseases of Veins - - - -	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-
94 (a) Status Lymphaticus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) Other Dis. of Lymph. System (not Leuchæmia or Hodgkin's Disease)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
95 Hæmorrhage (cause unspecified) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
96 Other Diseases of Circulatory System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
V. DISEASES OF THE RESPIRATORY SYSTEM.															
97 Diseases of Nose - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
98 (a) Laryngismus Stridulus - -	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-
(b) Laryngitis - - - -	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-
(c) Croup (not Diphtheritic) - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(d) Other Diseases of Larynx - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
99 Bronchitis - - - -	77	50	27	11	3	-	-	1	-	1	7	11	33	6	4
00 Broncho-pneumonia - - -	32	21	11	11	13	-	-	-	-	1	1	5	1	-	-
01 Pneumonia - - - -	42	26	16	5	11	1	1	1	-	2	6	7	5	2	1
02 Pleurisy - - - -	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-
03 Congestion of Lung - - -	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-
04 Gangrene of Lung - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
05 Asthma - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
06 Emphysema - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
07 (a) Interstitial Pneumonia - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) Diseases of Mediastinum - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(c) Other Diseases of Respiratory System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VI. DISEASES OF THE DIGESTIVE SYSTEM.															
08 Diseases of Buccal Cavity - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
09 Diseases of Tonsils and Pharynx	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10 Diseases of Oesophagus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
11 (a) Ulcer of Stomach - - -	6	3	3	-	-	-	-	-	1	-	1	1	2	1	-
(b) Ulcer of Duodenum - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 Other Diseases of Stomach - -	4	1	3	-	-	-	-	-	-	1	-	1	1	1	-

				All Ages.			Age											
				Both Sexes.	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over
VI. DISEASES OF THE DIGESTIVE SYSTEM—continued.																		
113	Diarrhoea and Enteritis (under 2 years)	13	9	4	9	4	-	-	-	-	-	-	-	-	-	-	-	-
114	(a) Diarrhoea and Enteritis (over 2 years)	4	3	1	-	2	1	-	-	-	-	-	-	-	1	-	-	-
	(b) Ulcer of Intestine(not Duodenal)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
116	Ankylostomiasis, Intestinal Parasites (115)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117	Appendicitis - - - -	7	5	2	-	-	-	1	2	1	-	1	2	-	-	-	-	-
118	(a) Hernia - - - -	3	-	3	-	-	-	-	-	-	-	1	2	-	-	-	-	-
	(b) Intestinal Obstruction - -	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
119	Other Diseases of Intestines - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
120	Acute Yellow Atrophy of Liver -	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
121	Hydatids of Liver - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Cirrhosis of Liver - - - -	2	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
123	Gallstones - - - -	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
124	Other Diseases of Liver - -	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
125	Diseases of Pancreas - - - -	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
126	Peritonitis (nature unspecified) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
127	Other Diseases of Digestive System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VII. DISEASES OF THE GENITO-URINARY SYSTEM.																		
128	Acute Nephritis - - - -	9	4	5	-	-	1	-	-	1	-	1	4	-	2	-	-	-
129	Chronic Nephritis, Bright's Disease	17	10	7	-	-	-	1	-	-	-	5	5	3	3	-	-	-
131	Other Diseases of Kidney (130) -	2	-	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-
132	Urinary Calculus - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
133	Diseases of Bladder - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
134	Diseases of Urethra - - - -	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
135	Diseases of Prostate - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
136	Other Diseases of Male Reproductive Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137	Cysts, and other Tumours of Ovary (non-Malignant)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
138	Salpingitis, Pelvic Abscess - -	2	-	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-
139	Uterine Tumour (non-Malignant)	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
140	Uterine Hæmorrhage (non-puerperal)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141	(a) Metritis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(b) Other Diseases of Female Reproductive Organs	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
142	Non-puerperal Diseases of Breast	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIII. DISEASES OF PREGNANCY AND PARTURITION.																		
143	(a) Abortion, Miscarriage - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(b) Uncontrollable Vomiting - -	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	(c) Ectopic Gestation - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(d) Other Diseases and Accidents of Pregnancy	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
144	Puerperal Hæmorrhage - - - -	2	-	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-
145	Other Accidents of Parturition -	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
146	Puerperal Sepsis - - - -	6	-	6	-	-	-	2	4	-	-	-	-	-	-	-	-	-
147	Phlegmasia Alba Dolens, Embolism	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
148	Albuminuria of Pregnancy, Eclampsia	2	-	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-
149	Other Diseases of Puerperium -	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
150	Puerperal Diseases of Breast -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IX. DISEASES OF SKIN AND CONNECTIVE TISSUE.																		
151	(a) Senile Gangrene - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
	(b) Noma, Cancrum Oris - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(c) Other Gangrene - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
152	Carbuncle, Boil - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
153	Phlegmon, Abscess - - - -	2	1	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-
154	Other Diseases of Skin - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

				All Ages.			Age												
				Both Sexes.	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over	
X. DISEASES OF ORGANS OF LOCOMOTION.																			
155	Dis. of Bones (Mastoid excluded)	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
156	Diseases of Joints	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
158	Other Diseases of Organs of Locomotion (157)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
XI. MALFORMATIONS.																			
159	Malformations—																		
	(a) Hydrocephalus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	(b) Congenital Heart	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
	(c) Other Malformations	3	2	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	
XII. DISEASES OF EARLY INFANCY.																			
160	Congenital Debility, Icterus, Sclerema, Marasmus	20	16	4	20	-	-	-	-	-	-	-	-	-	-	-	-	-	
161	(a) Premature Birth	41	14	27	41	-	-	-	-	-	-	-	-	-	-	-	-	-	
	(b) Injury at Birth	3	1	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	
162	Other Diseases peculiar to Early Infancy (163)	2	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
XIII. OLD AGE.																			
164	Senility, Senile Dementia	30	16	14	-	-	-	-	-	-	-	-	-	-	1	7	19	3	
XIV. VIOLENT CAUSES.																			
174	Suicide (165-173)	2	1	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	
175	Poisoning by Food	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
177	Other Acute Accidental Poisonings	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
179	Burns and Scalds (178)	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
180	(a) Overlaying	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	(b) Asphyxia, Suffocation (otherwise)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
181	Exposure to Poisonous Vapours	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
182	Accidental Drowning	2	2	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	
183	Accidents with Fire Arms	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
185	Accidental Falls	2	2	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	
186	Accidents in—(a) Coal Mines	2	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	
	(b) Other Mines	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	(c) Quarries	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
187	Accidents with Machinery	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	
188	Accidents with—																		
	(a) Horsed Vehicles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	(b) Railways	2	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	
	(c) Tramways	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	(d) Motor Vehicles	4	3	1	-	1	-	-	1	1	-	1	-	-	-	-	-	-	
	(e) Aircraft	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	(f) Other Vehicles	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
	(g) Other Crushing Accidents	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
190	War Casualties (191)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
192	Starvation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
195	Weather Agencies (193, 194)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
196	Electricity (Lightning excepted)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
200	Homicide (197-199)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
202	Other Violence—Form specified (176, 184, 189, 201)	11	5	6	-	1	-	2	2	-	-	-	2	1	2	-	1	-	
203	Violence of Unspecified Nature	2	1	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	
XV. ILL-DEFINED CAUSES.																			
204	Sudden Death (not otherwise defined)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
205	(a) Heart Failure	3	3	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	
	(b) Syncope	4	1	3	-	1	-	-	-	-	-	-	-	-	1	1	1	-	
	(c) Other Ill-defined Causes	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
	(d) Natural Causes	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	
	(e) Cause not specified	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

CAUSES OF DEATH IN LANARK—MIDDLE WARD, IN 1926.

				All Ages.			Age											
				Both Sexes.	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over
All Causes—Both Sexes				2626	-	-	498	287	69	50	140	136	150	226	318	447	246	59
Males				-	1397	-	280	152	44	26	73	64	63	124	181	247	121	17
Females				-	-	1229	218	135	25	24	67	72	82	102	137	200	125	42
I. EPIDEMIC AND ENDEMIC DISEASES.																		
1	(a)	Enteric Fever	-	2	1	1	-	-	-	-	2	-	-	-	-	-	-	-
	(b)	Paratyphoid Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2		Typhus Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5		Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	(a)	Smallpox	Vaccinated Unvaccinated Vaccination Doubtful	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(b)	Do.		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(c)	Do.		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7		Measles	-	70	40	30	9	56	5	-	-	-	-	-	-	-	-	-
8		Scarlet Fever	-	11	6	5	1	7	2	-	-	-	-	1	-	-	-	-
9		Whooping-cough	-	25	12	13	17	8	-	-	-	-	-	-	-	-	-	-
10		Diphtheria	-	16	9	7	3	9	4	-	-	-	-	-	-	-	-	-
11		Influenza—																
	(a)	Sole Cause	-	14	4	10	2	2	-	-	-	2	1	4	1	1	1	1
	(b)	with Phthisis	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	(c)	with Bronchitis	-	16	10	6	1	2	-	-	-	1	4	2	3	2	1	1
	(d)	with Pneumonia	-	41	22	19	3	4	-	-	-	2	5	7	4	13	3	-
	(e)	with other Respiratory Disease	-	5	1	4	-	-	-	-	-	1	-	2	2	-	-	-
	(f)	with Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(g)	with other Cause	-	9	6	3	2	2	-	1	-	-	-	-	-	3	1	-
16		Dysentery	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
21		Erysipelas	-	5	2	3	3	-	-	-	-	-	-	-	2	-	-	-
22		Infantile Paralysis	-	2	2	-	-	1	1	-	-	-	-	-	-	-	-	-
23		Encephalitis Lethargica	-	15	5	10	1	1	-	2	2	3	2	4	-	-	-	-
24	(a)	Cerebro-spinal Meningitis	-	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-
	(b)	Posterior Basal Meningitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25		Oth. Epid. and End. Dis. (3, 4, 12, 13, 14, 15, 17, 18, 19, 20)	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-
Other Infectious Diseases.																		
26		Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27		Anthrax	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28		Rabies	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
29		Tetanus	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-
30		Mycoses	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
31	(a)	Laryngeal Tuberculosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(b)	Pulmonary Tuberculosis,	-	124	64	60	3	4	5	6	30	31	19	17	5	4	-	-
32		Tuberculous Meningitis	-	32	18	14	7	17	2	1	5	-	-	-	-	-	-	-
33		Tuberculosis of Intestines and Peritoneum	-	27	16	11	4	13	3	-	4	-	2	-	-	1	-	-
34		Tuberculosis of Spine—	-	8	4	4	-	2	2	1	-	1	1	-	1	-	-	-
35		Tuberculosis of Joints	-	3	2	1	-	-	-	1	-	-	1	1	-	-	-	-
36		Tuberculosis of Other Organs—																
	(a)	Skin—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(b)	Bones (except Spine)	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	(c)	Lymphatic System (Abdom. Glands excepted)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(d)	Genito-urinary System	-	3	1	2	1	-	-	-	-	1	1	-	-	-	-	-
	(e)	Others	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-
37		Disseminated Tuberculosis—																
	(a)	Acute	-	4	1	3	-	1	-	1	2	-	-	-	-	-	-	-
	(b)	Chronic	-	14	8	6	2	4	1	-	4	-	2	-	1	-	-	-
38		Syphilis	-	8	5	3	3	2	-	-	1	-	-	2	-	-	-	-
40		Other Venereal Disease (39)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
41	(a)	Vaccinia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(b)	Pyæmia, Septicæmia (not Puer- peral)	-	5	2	3	-	1	-	1	1	-	-	-	2	-	-	-
42		Other Infectious Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

				All Ages.			Age												
				Both Sexes.	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over	
II. GENERAL DISEASES NOT INCLUDED ABOVE.																			
43	Cancer,	Buccal Cavity	-	12	11	1	-	-	-	-	-	-	-	-	5	7	-	-	
44	Do.	Stomach and Liver	-	86	40	46	-	1	-	-	1	-	5	12	24	36	7	-	
45	Do.	Peritoneum, Intestine, Rectum	-	35	24	11	-	-	-	-	-	-	3	4	9	15	3	1	
46	Do.	Female Genital Organs	-	24	-	24	-	-	-	-	-	1	2	11	4	4	2	-	
47	Do.	Breast	-	17	-	17	-	-	-	-	-	-	3	4	5	2	2	1	
48	Do.	Skin	-	3	3	-	-	-	-	-	-	-	-	1	-	-	2	-	
49	Do.	other Organs	-	36	27	9	1	1	-	1	-	-	2	3	10	15	3	-	
50	Tumours, non-malignant (not Cerebral, Uterine, or Ovarian)	-	-	2	2	-	-	-	-	-	-	-	-	-	-	1	1	-	
51	Rheumatic Fever	-	-	14	10	4	-	1	2	3	1	1	3	1	1	1	-	-	
52	(a) Chronic Rheumatism	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	
	(b) Osteo-arthritis	-	-	3	-	3	-	-	-	-	-	-	-	1	-	1	1	-	
	(c) Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
53	Scorbutus	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	
56	Rickets	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	
57	Diabetes	-	-	26	7	19	-	-	-	-	4	1	-	4	11	4	2	-	
58	(a) Pernicious Anæmia	-	-	25	8	17	-	-	-	-	1	-	2	3	12	6	1	-	
	(b) Other Anæmia, Chlorosis	-	-	2	1	1	-	-	-	-	-	-	-	1	-	-	1	-	
69	(a) Purpura	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	
	(b) Hæmophilia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	(c) Other General Diseases (54, 55)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diseases of Ductless Glands.																			
59	Diseases of Pituitary Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
60	(a) Exophthalmic Goitre	-	-	6	1	5	-	-	-	-	1	2	1	1	1	-	-	-	
	(b) Other Diseases of Thyroid and Parathyroid (61)	-	-	4	1	3	-	1	-	-	-	1	1	-	1	-	-	-	
62	Diseases of Thymus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
63	Diseases of Suprarenal Capsules, Addison's Disease	-	-	2	1	1	-	-	-	-	-	-	-	2	-	-	-	-	
64	Diseases of Spleen	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
65	(a) Leuchæmia	-	-	8	6	2	-	-	1	2	2	-	-	1	1	-	1	-	
	(b) Hodgkin's Dis., Lymphadenoma	-	-	2	1	1	-	-	-	-	-	-	1	-	-	1	-	-	
Chronic Poisonings.																			
66	(a) Delirium Tremens	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	(b) Acute Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	(c) Other Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
67	Chronic Inorganic Poisoning—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	(a) Lead	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	(b) Other Occupational	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	(c) Other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
68	Chronic Organic Poisoning	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
III. DISEASES OF THE NERVOUS SYSTEM.																			
70	(a) Cerebral Abscess	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	
	(b) Encephalitis (other than Enceph- alitis Lethargica)	-	-	6	3	3	-	-	2	-	1	-	-	2	-	1	-	-	
71	Meningitis (other than Tuberculous or Cerebro-spinal)	-	-	33	13	20	8	17	4	1	3	-	-	-	-	-	-	-	
72	Locomotor Ataxy	-	-	2	2	-	-	-	-	-	-	-	-	1	1	-	-	-	
73	Other Diseases of Spinal Cord	-	-	5	2	3	-	-	-	-	1	-	-	3	-	1	-	-	
74	(a) Cerebral Hæmorrhage	-	-	160	76	84	-	-	-	-	-	5	5	9	39	61	36	5	
	(b) Apoplexy	-	-	20	8	12	-	-	-	-	-	1	-	1	6	10	2	-	
	(c) Cerebral Embolism and Throm- bosis	-	-	11	7	4	-	-	-	-	-	-	-	2	3	2	4	-	
75	(a) Hemiplegia	-	-	11	9	2	-	-	-	-	-	-	-	1	2	5	3	-	
	(b) Paralysis, other or unspecified	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
76	General Paralysis of Insane	-	-	6	2	4	-	-	-	1	-	-	2	2	-	1	-	-	
77	Other Insanity	-	-	2	-	2	-	-	-	-	-	-	1	1	-	-	-	-	
78	Epilepsy	-	-	6	3	3	1	-	-	-	2	1	-	2	-	-	-	-	
79	Eclampsia (not Puerperal). (Age 5 and over)	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	
80	Infantile Convulsions. (Age under 5)	-	-	42	25	17	35	7	-	-	-	-	-	-	-	-	-	-	

	All Ages.			Age												
	Both Sexes.	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over	
III. DISEASES OF THE NERVOUS SYSTEM—continued.																
81 Chorea - - - - -	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
82 Neuritis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
84 (a) Cerebral Tumour - - - - -	4	2	2	-	-	-	-	1	-	1	-	-	-	-	-	-
(b) Other Diseases of Nervous System (83)	7	2	5	-	1	-	-	-	1	1	1	-	2	-	-	1
85 Diseases of Eye - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
86 (a) Mastoid Disease - - - - -	5	3	2	3	1	-	-	-	-	1	-	-	-	-	-	-
(b) Diseases of Ear - - - - -	10	5	5	3	-	1	2	1	3	-	-	-	-	-	-	-
IV. DISEASES OF THE CIRCUL- ATORY SYSTEM.																
87 Pericarditis - - - - -	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
88 (a) Acute Endocarditis - - - - -	2	1	1	-	-	-	-	1	-	1	-	-	-	-	-	-
(b) Acute Myocarditis - - - - -	3	3	-	-	-	-	-	-	-	-	-	2	1	-	-	-
89 Angina Pectoris - - - - -	15	12	3	-	-	-	-	-	-	2	3	7	2	1	-	-
90 (a) Valvular Disease of Heart - - - - -	101	45	56	1	-	2	2	6	5	7	7	21	36	12	2	-
(b) Fatty Degeneration of Heart - - - - -	5	2	3	-	-	-	-	-	-	-	1	2	1	1	-	-
(c) Other Disease of Heart - - - - -	98	47	51	-	-	-	-	1	2	2	9	24	29	30	1	-
91 (a) Aneurysm - - - - -	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
(b) Arterio-sclerosis - - - - -	12	11	1	-	-	-	-	-	-	-	-	2	3	6	1	-
(c) Other Diseases of Arteries - - - - -	2	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-
92 Embolism, Thrombosis (not Cerebral)	7	3	4	-	-	-	-	-	1	1	2	-	3	-	-	-
93 Diseases of Veins - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-
94 (a) Status Lymphaticus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) Other Dis. of Lymph. System (not Leuchæmia or Hodgkin's Disease)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
95 Hæmorrhage (cause unspecified) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
96 Other Diseases of Circulatory System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
V. DISEASES OF THE RESPIR- ATORY SYSTEM.																
97 Diseases of Nose - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
98 (a) Laryngismus Stridulus - - - - -	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
(b) Laryngitis - - - - -	2	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-
(c) Croup (not Diphtheritic) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(d) Other Diseases of Larynx - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
99 Bronchitis - - - - -	174	107	67	30	12	1	-	2	4	3	11	30	45	34	2	-
100 Broncho-pneumonia - - - - -	108	57	51	43	44	2	2	-	2	1	1	5	5	2	1	-
101 Pneumonia - - - - -	111	67	44	14	17	2	5	11	8	7	13	9	18	5	2	-
102 Pleurisy - - - - -	11	7	4	-	2	-	-	1	-	1	2	1	2	2	-	-
103 Congestion of Lung - - - - -	8	5	3	2	1	-	-	-	-	-	1	-	-	2	2	-
104 Gangrene of Lung - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
105 Asthma - - - - -	5	4	1	-	-	-	1	-	1	-	2	-	-	1	-	-
106 Emphysema - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
107 (a) Interstitial Pneumonia - - - - -	4	3	1	-	-	-	-	-	-	-	2	1	1	-	-	-
(b) Diseases of Mediastinum - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(c) Other Diseases of Respiratory System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VI. DISEASES OF THE DIGESTIVE SYSTEM.																
108 Diseases of Buccal Cavity - - - - -	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
109 Diseases of Tonsils and Pharynx - - - - -	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
110 Diseases of (Esophagus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
111 (a) Ulcer of Stomach - - - - -	14	9	5	-	-	-	-	1	4	-	1	4	2	2	-	-
(b) Ulcer of Duodenum - - - - -	7	6	1	-	-	-	-	-	1	-	2	1	3	-	-	-
112 Other Diseases of Stomach - - - - -	8	4	4	4	-	-	-	-	-	-	1	-	2	1	-	-

				All Ages.			Age											
				Both Sexes.	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over
VI. DISEASES OF THE DIGESTIVE SYSTEM—continued.																		
113	Diarrhoea and Enteritis (under 2 years)	39	17	22	34	5	-	-	-	-	-	-	-	-	-	-	-	-
114	(a) Diarrhoea and Enteritis (over 2 years)	13	7	6	-	5	4	-	-	-	-	-	2	1	1	-	-	-
	(b) Ulcer of Intestine (not Duodenal)	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
116	Ankylostomiasis, Intestinal Parasites (115)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117	Appendicitis - - - -	33	21	12	-	3	3	5	9	6	4	1	1	1	1	-	-	-
118	(a) Hernia - - - -	7	5	2	-	1	-	-	-	-	1	2	1	1	1	1	-	-
	(b) Intestinal Obstruction -	12	7	5	2	1	-	-	2	2	1	2	2	2	1	2	1	-
119	Other Diseases of Intestines -	4	4	-	-	-	-	-	-	-	-	2	2	1	-	-	1	-
120	Acute Yellow Atrophy of Liver	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Hydatids of Liver - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Cirrhosis of Liver - - - -	3	2	1	-	-	-	-	-	-	1	-	-	2	-	-	-	-
123	Gallstones - - - -	5	2	3	-	-	-	-	-	-	-	2	-	-	-	2	-	1
124	Other Diseases of Liver - -	9	4	5	-	1	-	1	-	-	1	2	3	1	1	-	-	-
125	Diseases of Pancreas - - -	4	1	3	-	-	-	-	-	-	2	1	1	-	-	-	-	-
126	Peritonitis (nature unspecified) -	4	2	2	-	-	1	-	1	-	-	1	-	1	1	-	-	-
127	Other Diseases of Digestive System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VII. DISEASES OF THE GENITO-URINARY SYSTEM.																		
128	Acute Nephritis - - - -	12	8	4	2	1	-	-	4	1	-	-	-	3	1	-	-	-
129	Chronic Nephritis, Bright's Disease	47	24	23	-	-	1	2	3	5	10	6	14	6	-	-	-	-
131	Other Diseases of Kidney (130) -	5	-	5	-	1	-	-	1	1	1	-	-	-	-	-	-	-
132	Urinary Calculus - - - -	2	1	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-
133	Diseases of Bladder - - - -	4	2	2	-	-	-	-	-	-	-	-	-	2	2	-	-	-
134	Diseases of Urethra - - - -	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
135	Diseases of Prostate - - - -	6	6	-	-	-	-	-	-	-	-	1	4	1	-	-	-	-
136	Other Diseases of Male Reproductive Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137	Cysts, and Other Tumours of Ovary (non-Malignant)	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
138	Salpingitis, Pelvic Abscess -	4	-	4	-	-	-	1	1	1	1	-	-	-	-	-	-	-
139	Uterine Tumour (non-Malignant)	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
140	Uterine Hæmorrhage (non-puerperal)	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
141	(a) Metritis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(b) Other Diseases of Female Reproductive Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
142	Non-puerperal Diseases of Breast	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIII. DISEASES OF PREGNANCY AND PARTURITION.																		
143	(a) Abortion, Miscarriage - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(b) Uncontrollable Vomiting -	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	(c) Ectopic Gestation - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(d) Other Diseases and Accidents of Pregnancy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
144	Puerperal Hæmorrhage - - -	7	-	7	-	-	-	1	2	4	-	-	-	-	-	-	-	-
145	Other Accidents of Parturition -	2	-	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-
146	Puerperal Sepsis - - - -	16	-	16	-	-	-	5	8	3	-	-	-	-	-	-	-	-
147	Phlegmasia Alba Dolens, Embolism	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
148	Albuminuria of Pregnancy, Eclampsia	9	-	9	-	-	-	2	3	4	-	-	-	-	-	-	-	-
149	Other Diseases of Puerperium -	8	-	8	-	-	-	1	1	6	-	-	-	-	-	-	-	-
150	Puerperal Diseases of Breast -	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
IX. DISEASES OF SKIN AND CONNECTIVE TISSUE.																		
151	(a) Senile Gangrene - - -	11	7	4	-	-	-	-	-	-	-	1	4	4	2	-	-	-
	(b) Noma, Cancrum Oris - -	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	(c) Other Gangrene - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
152	Carbuncle, Boil - - - -	2	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
153	Phlegmon, Abscess - - - -	3	1	2	1	-	-	-	1	-	-	1	-	-	-	-	-	-
154	Other Diseases of Skin - - -	2	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-

PUBLIC HEALTH DISTRICTS, 1926.

				ABERDEEN COUNTY.					Marginal Index Numbers.		
				Aberdeen County.	Aberdeen B.*	Ballater B.	Ellon B.	Fraserburgh B.		Huntly B.	Inverurie B.
Population, (Estimated) - - -				292,912	157,771	1,655	1,213	10,307	3,445	4,327	1
Total Births	Registered (including Illegitimate)			6,500	3,557	17	23	241	75	87	2
"	"	Corrected for Transfers		6,457	3,406	16	24	243	73	93	3
"	"	"	Male - -	3,267	1,711	5	14	126	32	44	4
"	"	"	Female - -	3,190	1,695	11	10	117	41	49	5
"	"	"	Illegitimate	737	240	1	5	19	10	9	6
"	Marriages Registered	- - -		2,104	1,403	6	38	49	39	41	7
"	Deaths Registered	- - -		3,981	2,220	14	15	117	37	51	8
"	"	Corrected for Transfers		3,866	2,114	17	15	125	43	52	9
"	"	"	Male - -	1,899	1,029	8	7	56	19	26	10
"	"	"	Female - -	1,967	1,085	9	8	69	24	26	11
CAUSES OF DEATH.											
Enteric Fever	- - - - -			1	-	-	-	-	-	-	12
Typhus Fever	- - - - -			-	-	-	-	-	-	-	13
Small-pox	- - - - -			-	-	-	-	-	-	-	14
Measles	- - - - -			23	20	-	-	-	-	-	15
Scarlet Fever	- - - - -			16	7	-	-	-	1	-	16
Whooping-cough	- - - - -			26	15	-	-	3	-	-	17
Diphtheria	- - - - -			26	20	-	-	-	-	2	18
Influenza	- - - - -			63	32	-	1	-	-	1	19
Encephalitis Lethargica	- - - - -			2	1	-	-	-	-	-	20
Cerebro-spinal Meningitis	- - - - -			4	2	-	-	1	-	-	21
Other Epidemic Diseases	- - - - -			12	5	-	-	-	-	-	22
Tuberculosis of Respiratory System	- - - - -			178	116	-	1	8	-	1	23
Tuberculous Meningitis	- - - - -			35	32	-	-	-	-	2	24
Tuberculosis of Intestines and Peritoneum	- - - - -			17	16	-	-	1	-	1	25
Other Tuberculous Disease	- - - - -			29	16	-	-	1	1	-	26
Malignant Tumours	- - - - -			411	217	1	-	15	6	6	27
Rheumatic Fever	- - - - -			13	10	-	-	-	-	-	28
Meningitis (not Cer. Spin. or Tuberc.)	- - - - -			16	11	-	-	-	-	-	29
Apoplexy	- - - - -			397	214	3	4	15	1	7	30
Heart Disease	- - - - -			501	255	3	1	11	7	5	31
Diseases of Arteries	- - - - -			99	61	-	-	3	-	1	32
Bronchitis	- - - - -			176	88	-	2	8	3	3	33
Pneumonia (all forms)	- - - - -			224	126	2	-	10	3	1	34
Other Diseases of Respiratory System	- - - - -			58	27	1	-	1	2	2	35
Diarrhoea and Enteritis (under 2 years)	- - - - -			61	33	-	-	5	2	1	36
Appendicitis	- - - - -			30	17	-	-	2	-	-	37
All Diseases of Liver (not Malignant)	- - - - -			32	24	-	-	-	1	-	38
Nephritis, Acute and Chronic	- - - - -			113	57	-	-	-	2	2	39
Puerperal Sepsis	- - - - -			12	8	-	-	-	-	-	40
Other Diseases and Accidents of Pregnancy and Parturition	- - - - -			24	12	1	-	1	1	-	41
Dis. of Early Infancy, and Malformations	- - - - -			255	144	1	2	10	1	5	42
Suicide	- - - - -			30	13	-	-	-	-	-	43
Other Violent Deaths	- - - - -			134	70	2	1	10	1	-	44
Other Defined Diseases	- - - - -			788	424	-	3	19	8	11	45
Causes Ill-defined or Unknown	- - - - -			60	21	3	-	1	3	1	46
ALL CAUSES - - -				3,866	2,114	17	15	125	43	52	47
AGES AT DEATH.											
Under 1	- - - - -			573	328	2	2	24	8	7	48
1-4	- - - - -			153	105	-	-	5	-	5	49
5-9	- - - - -			59	38	-	-	2	1	1	50
10-14	- - - - -			44	27	-	-	1	-	-	51
15-24	- - - - -			129	75	1	1	6	-	1	52
25-34	- - - - -			150	84	2	1	5	1	2	53
35-44	- - - - -			192	114	-	1	8	4	-	54
45-54	- - - - -			273	173	2	-	10	1	1	55
55-64	- - - - -			488	292	2	-	12	5	9	56
65-74	- - - - -			738	383	1	3	22	9	10	57
75-84	- - - - -			780	387	5	4	22	9	14	58
85 and over	- - - - -			287	108	2	3	8	5	2	59
Not stated	- - - - -			-	-	-	-	-	-	-	60
ALL AGES - - -				3,866	2,114	17	15	125	43	52	61

* Including the portion within the County of Kincardine.

B.=Burgh. C.D.=County District.

Marginal Index Numbers.	ABERDEEN COUNTY.												
	Kintore B.	Old Meldrum B.	Peterhead B.	Rosehearty B.	Turriff B.	Aberdeen C.D.	Alford C.D.	Deer C.D.	Deeside C.D.	Ellon C.D.	Garioch C.D.	Huntly C.D.	Turriff C.D.
1	689	949	12,621	1,221	2,014	22,258	8,092	25,969	11,701	12,744	11,788	6,036	10,152
2	18	14	284	21	44	418	162	600	199	317	262	162	272
3	17	17	297	21	43	455	175	612	210	332	270	168	281
4	12	10	140	10	25	241	94	312	112	162	144	87	142
5	5	7	157	11	18	214	81	300	98	170	126	81	139
6	2	4	23	2	8	55	27	97	37	56	49	40	61
7	7	7	79	3	20	88	38	110	64	33	50	20	49
8	12	17	142	18	31	464	97	317	123	121	124	65	98
9	21	21	152	21	38	299	108	349	149	160	141	69	116
10	8	3	74	9	19	153	52	179	76	84	78	38	59
11	13	18	78	12	19	146	56	170	73	76	63	31	57
12	-	-	1	-	-	-	-	-	-	-	-	-	-
13	-	-	-	-	-	-	-	-	-	-	-	-	-
14	-	-	-	-	-	-	-	-	-	-	-	-	-
15	-	-	-	-	-	2	-	1	1	1	-	1	-
16	-	-	1	-	-	2	1	2	1	-	1	1	-
17	-	1	1	-	-	1	-	5	-	1	1	-	1
18	1	-	-	-	-	3	2	-	1	-	-	-	1
19	-	4	3	1	1	3	2	7	1	5	1	1	1
20	-	-	-	-	-	-	-	1	-	-	-	-	-
21	-	-	-	-	-	-	-	1	-	-	-	-	-
22	-	-	-	-	-	1	2	1	1	1	-	-	1
23	-	-	6	-	1	18	4	19	7	3	4	4	4
24	-	-	1	-	-	2	-	1	1	1	2	-	-
25	-	-	-	-	-	-	-	-	-	-	1	-	-
26	1	-	-	1	-	2	-	4	2	1	-	-	1
27	5	4	15	2	2	41	4	38	17	17	13	4	11
28	-	-	-	-	-	-	-	2	1	-	-	-	-
29	-	-	1	-	1	-	-	1	1	-	-	-	1
30	-	1	13	2	4	32	12	34	15	9	16	13	13
31	-	1	23	4	3	51	18	34	20	33	25	10	16
32	-	-	3	-	1	12	1	7	8	1	2	1	2
33	1	-	12	-	2	12	10	14	4	8	6	-	7
34	1	-	12	-	3	15	1	29	8	11	6	1	3
35	-	1	2	-	3	5	2	5	-	5	2	2	2
36	-	-	3	-	-	7	-	4	-	4	1	-	1
37	-	-	3	-	-	1	-	-	2	-	3	1	1
38	-	-	1	-	-	1	-	3	1	2	2	-	-
39	2	1	4	2	1	8	10	7	5	1	6	2	3
40	-	-	-	-	-	3	1	-	1	-	-	-	-
41	-	-	-	-	-	4	1	2	2	1	-	-	1
42	2	-	12	-	4	12	7	27	5	15	8	5	6
43	-	-	1	-	-	2	3	3	4	1	1	1	1
44	1	2	5	-	2	11	4	9	6	5	5	-	5
45	6	6	27	8	8	48	16	83	29	33	33	20	30
46	1	-	2	1	2	-	7	5	5	1	2	2	4
47	21	21	152	21	38	299	108	349	149	160	141	69	116
48	2	-	33	-	5	29	12	54	11	32	19	10	19
49	1	2	9	-	1	11	1	10	5	6	3	1	5
50	1	-	3	-	2	4	3	6	-	2	-	-	1
51	-	-	1	-	-	2	-	4	2	1	2	2	5
52	-	-	3	-	1	13	4	13	4	6	2	3	5
53	-	-	3	1	-	17	4	13	11	3	5	2	5
54	-	-	9	3	2	18	1	15	9	7	6	1	1
55	2	2	12	1	-	25	4	22	12	9	6	1	4
56	6	3	14	2	4	30	20	38	19	20	18	5	8
57	5	6	27	3	10	57	21	69	36	26	27	16	22
58	4	5	28	8	12	67	23	74	23	34	37	16	25
59	-	3	10	3	1	26	15	31	17	14	16	12	16
60	-	-	-	-	-	-	-	-	-	-	-	-	-
61	21	21	152	21	38	299	108	349	149	160	141	69	116

				ARGYLL COUNTY.							Marginal Index Numbers.	
				Argyll County.	Campbeltown B.	Dunoon B.	Inveraray B.	Lochgilphead B.	Oban B.	Tobermory B.		Ardnamur- chan C.D.
Population (Estimated) - - -				79,001	6,201	*6,939	459	928	6,589	761	2,290	1
Total Births	Registered	(including Illegitimate)		908	153	110	7	7	93	12	16	2
"	"	Corrected for Transfers		950	147	104	6	9	90	12	19	3
"	"	Male -		465	77	51	2	7	38	6	7	4
"	"	Female -		485	70	53	4	2	52	6	12	5
"	"	Illegitimate		95	20	7	-	1	6	-	1	6
"	Marriages Registered	-		253	46	33	1	7	66	1	1	7
"	Deaths Registered	-		857	102	113	7	15	103	14	28	8
"	"	Corrected for Transfers		885	109	111	8	16	78	15	34	9
"	"	Male -		434	52	47	3	9	33	6	15	10
"	"	Female -		451	57	64	5	7	45	9	19	11
CAUSES OF DEATH.												
Enteric Fever - - - - -				-	-	-	-	-	-	-	-	12
Typhus Fever - - - - -				-	-	-	-	-	-	-	-	13
Small-pox - - - - -				-	-	-	-	-	-	-	-	14
Measles - - - - -				9	8	-	-	1	-	-	-	15
Scarlet Fever - - - - -				2	1	-	-	-	-	-	-	16
Whooping-Cough - - - - -				7	4	-	-	-	1	-	-	17
Diphtheria - - - - -				8	3	1	-	-	-	-	-	18
Influenza - - - - -				26	1	3	-	-	5	2	-	19
Encephalitis Lethargica - - - - -				4	1	1	-	-	-	-	-	20
Cerebro-spinal Meningitis - - - - -				1	-	-	-	-	-	-	-	21
Other Epidemic Diseases - - - - -				1	-	1	-	-	-	-	-	22
Tuberculosis of Respiratory System - - - - -				61	10	2	-	2	7	1	3	23
Tuberculous Meningitis - - - - -				6	1	1	-	-	1	-	-	24
Tuberculosis of Intestines and Peritoneum - - - - -				3	1	-	-	-	-	-	1	25
Other Tuberculous Disease - - - - -				12	4	2	-	1	1	-	-	26
Malignant Tumours - - - - -				112	10	20	1	1	7	1	4	27
Rheumatic Fever - - - - -				1	-	-	-	-	-	-	-	28
Meningitis (not Cer. Spin. or Tuberc.) - - - - -				1	-	-	1	-	-	-	-	29
Apoplexy - - - - -				97	5	18	1	-	10	2	3	30
Heart Disease - - - - -				113	16	11	2	3	13	1	4	31
Diseases of Arteries - - - - -				15	-	-	-	-	2	1	-	32
Bronchitis - - - - -				31	4	4	-	1	2	1	1	33
Pneumonia (all forms) - - - - -				32	7	6	-	2	1	-	-	34
Other Diseases of Respiratory System - - - - -				10	-	-	-	1	1	-	1	35
Diarrhoea and Enteritis (under 2 years) - - - - -				2	1	-	-	-	1	-	-	36
Appendicitis - - - - -				4	1	-	-	-	-	-	-	37
All Diseases of Liver (not Malignant) - - - - -				9	-	2	-	-	-	1	-	38
Nephritis, Acute and Chronic - - - - -				35	6	3	2	1	5	1	-	39
Puerperal Sepsis - - - - -				1	-	-	-	-	-	-	-	40
Other Diseases and Accidents of Pregnancy and Parturition - - - - -				6	2	1	-	-	1	-	-	41
Dis. of Early Infancy, and Malformations - - - - -				21	3	1	-	-	5	-	1	42
Suicide - - - - -				4	1	-	1	-	-	-	-	43
Other Violent Deaths - - - - -				30	2	3	-	-	2	-	-	44
Other Defined Diseases - - - - -				199	16	28	-	2	13	4	16	45
Causes Ill-defined or Unknown - - - - -				22	1	3	-	1	-	-	-	46
ALL CAUSES - - -				885	109	111	8	16	78	15	34	47
AGES AT DEATH.												
Under 1	-	-	-	37	9	1	-	1	7	-	1	48
1-4	-	-	-	35	11	2	-	2	3	-	-	49
5-9	-	-	-	9	5	1	-	-	-	-	-	50
10-14	-	-	-	4	-	-	-	-	1	-	-	51
15-24	-	-	-	36	10	4	-	-	1	-	2	52
25-34	-	-	-	47	5	5	-	1	7	2	2	53
35-44	-	-	-	46	5	4	1	1	6	-	4	54
45-54	-	-	-	81	8	18	2	1	6	-	2	55
55-64	-	-	-	122	8	18	1	3	10	2	4	56
65-74	-	-	-	198	15	24	2	4	25	4	6	57
75-84	-	-	-	196	23	25	2	1	9	4	5	58
85 and over	-	-	-	74	10	9	-	2	3	3	8	59
Not stated	-	-	-	-	-	-	-	-	-	-	-	60
ALL AGES - - -				885	109	111	8	16	78	15	34	61

* See footnote, Table 5.

Marginal Index Numbers.	ARGYLL COUNTY.						AYR COUNTY.							
	Cowal C.D.	Islay C.D.	Kintyre C.D.	Lorn C.D.	Mid-Argyll C.D.	Mull C.D.	Ayr County.	Ardrossan B.	Ayr B.	Cumnock and Holmhead B.	Darvel B.	Galston B.	Girvan B.	Irvine B.
1	10,516	6,069	6,544	9,282	6,454	4,709	309,866	7,762	37,367	3,527	3,150	4,722	*5,868	12,370
2	66	94	107	117	70	56	5,921	135	869	73	43	104	100	290
3	75	101	115	132	75	65	5,953	139	785	76	42	103	100	296
4	40	48	58	65	38	28	3,028	61	391	40	20	55	52	161
5	35	53	57	67	37	37	2,925	78	394	36	22	48	48	135
6	5	21	15	8	5	6	414	7	48	7	2	1	6	16
7	19	16	25	22	11	5	1,614	30	279	29	25	39	21	74
8	68	95	62	98	87	65	3,268	61	554	34	29	55	65	116
9	78	106	68	117	71	74	3,347	78	452	43	34	67	70	144
10	37	59	35	60	35	43	1,667	38	234	22	20	30	39	78
11	41	47	33	57	36	31	1,680	40	218	21	14	37	31	66
12	-	-	-	-	-	-	2	-	-	1	-	-	-	-
13	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	-	-	-	-	-	-	44	-	7	-	-	1	1	2
16	1	-	-	-	-	-	23	-	-	-	-	-	-	3
17	-	-	1	1	-	-	3	-	1	-	-	-	-	-
18	-	1	-	1	2	-	21	3	2	-	-	2	-	1
19	2	2	1	4	3	3	56	-	4	-	2	2	1	4
20	-	-	1	-	-	1	11	-	-	-	-	-	-	-
21	-	-	-	-	1	-	6	-	1	-	-	-	1	-
22	-	-	-	-	-	-	7	-	1	-	-	-	-	1
23	3	4	6	14	3	6	150	4	25	1	1	3	2	2
24	1	-	1	-	1	-	22	1	2	-	-	-	-	-
25	-	-	-	1	-	-	29	-	2	-	-	-	-	-
26	2	-	-	2	-	-	31	-	3	-	1	-	1	2
27	10	15	10	12	11	10	366	6	50	4	3	8	6	14
28	-	1	-	-	-	-	20	-	2	-	-	1	-	1
29	-	-	-	-	-	-	30	2	5	-	-	-	-	-
30	9	13	7	9	14	6	359	7	48	4	5	7	8	9
31	13	15	4	14	8	9	392	4	63	6	4	6	9	17
32	2	2	5	1	1	1	30	2	3	1	-	2	-	2
33	1	5	4	4	-	4	196	-	26	3	2	7	9	5
34	1	6	2	3	4	-	229	6	26	5	-	4	3	18
35	2	1	1	2	-	1	62	1	8	2	2	2	-	1
36	-	-	-	-	-	-	43	2	8	-	-	1	-	1
37	-	1	2	-	-	-	37	2	4	1	1	1	-	4
38	1	1	1	-	3	-	41	2	6	1	2	2	1	2
39	5	1	2	4	1	4	89	1	10	1	1	1	3	-
40	-	-	-	-	1	-	9	-	1	-	-	-	-	-
41	-	-	2	-	-	-	38	-	2	-	-	-	-	3
42	1	3	2	4	-	1	223	8	22	7	-	7	7	8
43	-	1	-	-	1	-	17	1	6	-	-	-	1	-
44	1	5	4	5	1	7	99	3	15	-	-	-	2	5
45	19	26	11	34	12	18	607	20	85	6	10	9	14	37
46	4	3	1	2	4	3	55	3	14	-	-	-	1	2
47	78	106	68	117	71	74	3,347	78	452	43	34	67	70	144
48	1	3	5	5	2	2	415	10	49	10	2	10	11	20
49	2	4	2	5	3	1	203	5	22	1	-	4	5	14
50	-	-	1	1	1	-	70	2	7	1	-	3	-	6
51	1	1	1	-	-	-	45	1	7	-	-	-	1	2
52	4	1	5	7	1	1	152	5	20	-	-	-	4	3
53	5	5	5	7	2	1	176	3	30	1	1	4	3	10
54	3	4	2	6	4	6	179	6	27	3	2	8	1	3
55	3	5	7	11	7	11	288	7	40	-	2	7	5	13
56	11	17	9	19	10	10	453	9	69	7	7	11	7	15
57	19	27	11	24	17	20	688	10	99	10	9	13	14	28
58	21	31	17	23	18	17	528	13	64	7	9	5	16	25
59	8	8	3	9	6	5	150	7	18	3	2	2	3	5
60	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	78	106	68	117	71	74	3,347	78	452	43	34	67	70	144

* See footnote, Table 5.

Marginal Index Numbers.	AYR COUNTY.					BANFF COUNTY.								
	Troon B.	Ayr C.D.	Carrick C.D.	Kilmarnock C.D.	Northern C.D.	Banff County.	Aberchirder B.	Banff B.	Buckie B.	Charlestown of Aberlour B.	Cullen B.	Dufftown B.	Findochty B.	Keith B.
1	*8,492	41,807	14,269	24,575	50,682	54,144	888	3,300	8,411	1,221	1,942	1,342	1,545	4,074
2	93	1,055	233	485	960	1,301	18	85	237	10	43	32	49	77
3	100	1,092	242	522	975	1,309	18	81	239	11	44	31	49	74
4	50	553	124	271	485	678	8	49	111	5	29	17	33	40
5	50	539	118	251	490	631	10	32	128	6	15	14	16	34
6	8	110	24	38	57	169	3	9	31	4	6	6	3	12
7	36	219	67	114	235	273	8	35	42	3	7	21	3	37
8	51	454	140	238	528	701	16	90	92	6	24	17	21	61
9	63	444	164	277	569	731	18	61	99	8	25	17	22	68
10	32	217	90	152	287	382	11	31	54	2	17	10	12	38
11	31	227	74	125	282	349	7	30	45	6	8	7	10	30
12	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	-	3	2	4	12	2	-	1	-	-	-	-	-	-
16	1	-	2	2	8	1	-	-	-	-	-	-	-	-
17	-	1	-	-	1	3	-	-	-	-	-	-	-	1
18	-	3	2	2	5	1	-	-	-	-	-	-	-	1
19	1	6	4	7	13	7	-	-	1	-	3	-	-	2
20	-	4	1	1	3	-	-	-	-	-	-	-	-	-
21	-	-	-	-	1	-	-	-	-	-	-	-	-	-
22	-	1	1	1	2	2	-	-	-	-	-	-	-	-
23	6	12	12	16	26	35	3	1	1	1	2	1	2	-
24	-	3	3	3	2	3	-	-	1	-	-	-	-	-
25	-	7	3	3	4	6	-	-	1	-	1	-	-	-
26	-	4	4	1	5	7	-	-	1	-	-	1	-	1
27	9	46	21	26	59	94	1	5	11	-	6	2	6	14
28	-	2	2	2	4	2	-	-	-	-	-	-	-	-
29	-	3	1	7	4	5	-	-	1	-	-	-	-	-
30	5	35	10	33	74	80	3	6	5	2	4	2	1	7
31	7	55	29	31	61	106	3	12	18	2	2	4	2	9
32	-	1	1	3	3	10	-	2	2	-	-	-	-	1
33	1	34	6	19	40	33	-	2	7	-	-	1	1	1
34	4	29	7	24	28	46	-	6	9	-	-	1	1	4
35	2	4	1	4	11	7	-	1	-	1	1	-	-	-
36	1	9	-	5	8	6	-	-	1	-	1	-	-	-
37	3	6	1	4	4	7	-	1	1	-	-	-	1	2
38	4	6	-	3	5	4	1	-	1	-	-	-	-	-
39	4	13	3	5	16	23	2	2	8	-	-	-	1	3
40	-	3	-	1	2	1	-	1	-	-	-	-	-	-
41	-	6	1	1	5	2	-	-	-	-	-	-	-	-
42	3	51	4	16	46	54	-	4	7	-	1	-	3	6
43	1	2	-	2	-	7	-	-	-	-	1	-	-	1
44	2	14	9	8	16	27	3	3	2	-	-	1	-	3
45	7	75	30	39	93	134	2	12	20	2	2	4	4	11
46	2	6	4	4	8	11	-	2	1	-	1	-	-	1
47	63	444	164	277	569	731	18	61	99	8	25	17	22	68
48	5	75	13	34	82	88	2	6	12	-	4	1	4	10
49	4	34	11	18	28	22	1	3	6	-	-	1	-	1
50	1	5	5	10	16	11	-	2	1	-	-	-	1	1
51	2	7	3	6	6	12	-	-	-	-	-	-	1	1
52	2	24	11	13	27	39	-	3	5	1	-	-	-	4
53	4	24	6	15	22	35	-	1	5	1	2	-	-	3
54	2	23	6	16	34	42	2	4	3	2	1	2	2	2
55	5	39	14	23	43	58	1	4	9	-	3	2	1	9
56	11	42	26	38	85	72	3	5	13	-	3	3	3	7
57	17	78	27	52	125	141	2	13	17	-	9	7	5	11
58	9	72	31	41	78	142	5	10	24	3	3	1	3	13
59	1	21	11	11	23	69	2	10	4	1	-	-	2	6
60	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	63	444	164	277	569	731	18	61	99	8	25	17	22	68

* See footnote, Table 5.

				BANFF COUNTY—(continued).					BERWICK COUNTY.				Marginal Index Numbers.
				Macduff B.	Portknockie B.	Portsoy B.	Banff C.D.	Keith C.D.	Berwick County.	Coldstream B.	Duns B.	Eyemouth B.	
Population (Estimated) - - -				3,242	1,590	1,579	14,772	10,238	26,992	1,230	1,733	2,437	1
Total	Births	Registered	(including Illegitimate)	80	42	33	359	236	452	19	24	43	2
"	"	Corrected for Transfers		79	45	31	362	245	472	20	23	41	3
"	"	"	Male - -	30	22	19	189	126	260	8	12	20	4
"	"	"	Female - -	49	23	12	173	119	212	12	11	21	5
"	"	"	Illegitimate	9	-	3	39	44	35	3	-	2	6
"	Marriages	Registered	- - -	3	2	18	63	31	154	12	22	20	7
"	Deaths	Registered	- - -	43	22	17	172	120	302	15	18	43	8
"	"	Corrected for Transfers		54	23	23	182	131	346	17	20	47	9
"	"	"	Male - -	26	12	12	90	67	175	6	10	23	10
"	"	"	Female - -	28	11	11	92	64	171	11	10	24	11
CAUSES OF DEATH.													
Enteric Fever - - - - -				-	-	-	-	-	-	-	-	-	12
Typhus Fever - - - - -				-	-	-	-	-	-	-	-	-	13
Small-pox - - - - -				-	-	-	-	-	-	-	-	-	14
Measles - - - - -				-	-	-	-	1	-	-	-	-	15
Scarlet Fever - - - - -				-	-	-	-	-	-	-	-	-	16
Whooping-cough - - - - -				-	-	-	1	1	2	-	-	-	17
Diphtheria - - - - -				-	-	-	-	1	1	-	-	1	18
Influenza - - - - -				-	-	-	1	-	4	-	-	1	19
Encephalitis Lethargica - - - - -				-	-	-	-	-	4	-	-	3	20
Cerebro-spinal Meningitis - - - - -				-	-	-	-	-	-	-	-	-	21
Other Epidemic Diseases - - - - -				-	-	-	1	1	2	-	-	1	22
Tuberculosis of Respiratory System - -				3	2	1	9	9	18	-	1	2	23
Tuberculous Meningitis - - - - -				-	-	-	1	1	-	-	-	-	24
Tuberculosis of Intestines and Peritoneum -				-	2	-	1	1	-	-	-	-	25
Other Tuberculous Disease - - - - -				2	-	-	1	1	5	1	-	-	26
Malignant Tumours - - - - -				6	4	4	20	15	42	3	2	2	27
Rheumatic Fever - - - - -				1	-	-	1	-	1	-	-	1	28
Meningitis (not Cer. Spin. or Tuberc.) -				-	1	-	2	1	-	-	-	-	29
Apoplexy - - - - -				10	3	3	20	14	30	5	4	3	30
Heart Disease - - - - -				5	1	4	20	24	48	-	2	4	31
Diseases of Arteries - - - - -				-	-	1	4	-	5	-	-	-	32
Bronchitis - - - - -				1	2	1	10	7	12	-	-	4	33
Pneumonia (all forms) - - - - -				2	-	1	18	4	27	2	-	1	34
Other Diseases of Respiratory System - -				-	-	-	4	-	2	-	-	1	35
Diarrhoea and Enteritis (under 2 years) -				-	-	1	1	2	-	-	-	-	36
Appendicitis - - - - -				-	-	-	2	-	1	-	-	-	37
All Diseases of Liver (not Malignant) - -				-	-	-	1	1	3	-	1	-	38
Nephritis, Acute and Chronic - - - - -				3	1	1	4	3	10	1	-	3	39
Puerperal Sepsis - - - - -				-	-	-	-	-	-	-	-	-	40
Other Diseases and Accidents of Pregnancy and Parturition				1	-	-	-	1	1	-	-	-	41
Dis. of Early Infancy, and Malformations -				5	1	1	14	12	24	1	-	7	42
Suicide - - - - -				1	-	-	3	1	1	-	-	-	43
Other Violent Deaths - - - - -				5	1	-	8	1	13	2	1	-	44
Other Defined Diseases - - - - -				8	5	4	32	28	82	2	8	12	45
Causes Ill-defined or Unknown - - - - -				1	-	1	3	1	8	-	1	1	46
ALL CAUSES - - - - -				54	23	23	182	131	346	17	20	47	47
AGES AT DEATH.													
Under 1	-	-	- - -	8	1	2	21	17	35	1	-	8	48
1-4	-	-	- - -	3	2	1	4	-	6	-	-	1	49
5-9	-	-	- - -	1	1	-	2	2	3	-	-	-	50
10-14	-	-	- - -	1	-	-	6	3	2	-	-	-	51
15-24	-	-	- - -	5	1	-	11	9	8	-	-	4	52
25-34	-	-	- - -	2	3	3	10	5	19	1	1	1	53
35-44	-	-	- - -	3	-	1	11	9	11	1	-	2	54
45-54	-	-	- - -	2	2	2	15	8	27	1	-	2	55
55-64	-	-	- - -	4	3	4	11	13	52	-	4	8	56
65-74	-	-	- - -	13	4	6	31	23	85	4	9	8	57
75-84	-	-	- - -	8	3	4	40	25	77	7	3	12	58
85 and over	-	-	- - -	4	3	-	20	17	21	2	3	1	59
Not stated	-	-	- - -	-	-	-	-	-	-	-	-	-	60
ALL AGES - - - - -				54	23	23	182	131	346	17	20	47	61

Marginal Index Numbers.	BERWICK COUNTY.				BUTE COUNTY.						CAITHNESS COUNTY.			
	Lander B.	Eastern C.D.	Middle C.D.	Western C.D.	Bute County.	Millport B.	Rothesay B.	Arran C.D.	Bute C.D.	Cumbræ C.D.	Caithness County.	Thurso B.	Wick B.	Caithness C.D.
1	791	8,430	7,255	5,116	†18,100	*1,500	*9,299	*4,628	*2,552	†118	25,914	2,834	7,482	15,598
2	7	154	112	93	234	15	142	48	29	-	510	62	165	283
3	7	155	122	104	244	15	145	53	31	-	511	60	165	286
4	4	89	69	58	120	5	65	32	18	-	276	29	90	157
5	3	66	53	46	124	10	80	21	13	-	235	31	75	129
6	-	9	17	4	22	-	19	2	1	-	66	4	16	46
7	1	36	30	33	74	4	47	16	7	-	128	27	59	42
8	8	97	76	45	215	23	103	60	29	-	394	50	110	234
9	10	108	91	53	211	15	100	68	28	-	407	57	106	244
10	5	52	50	29	105	7	53	30	15	-	185	23	46	116
11	5	56	41	24	106	8	47	38	13	-	222	34	60	128
12	-	-	-	-	-	-	-	-	-	-	1	-	-	1
13	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	-	-	-	-	-	-	-	-	-	-	-	-	-	-
16	-	-	-	-	-	-	-	-	-	-	-	-	-	-
17	-	-	2	-	-	-	-	-	-	-	-	-	-	-
18	-	-	-	-	-	-	-	-	-	-	2	-	1	1
19	-	-	1	2	5	-	2	2	1	-	7	1	2	4
20	-	-	1	-	-	-	-	-	-	-	-	-	-	-
21	-	-	-	-	-	-	-	-	-	-	1	-	-	1
22	-	-	1	-	1	-	-	1	-	-	2	-	-	2
23	-	10	4	1	5	-	3	2	-	-	17	4	6	7
24	-	-	-	-	1	-	1	-	-	-	1	-	-	1
25	-	-	-	-	-	-	-	-	-	-	3	1	-	2
26	-	4	-	-	1	-	-	1	-	-	4	2	-	2
27	-	20	8	7	19	1	9	6	3	-	42	5	12	25
28	-	-	-	-	-	-	-	-	-	-	3	1	-	2
29	-	-	-	-	-	-	-	-	-	-	1	-	-	1
30	-	5	9	4	28	3	15	4	6	-	51	9	13	29
31	2	14	17	9	33	3	14	11	5	-	73	10	22	41
32	2	1	-	2	4	-	4	-	-	-	3	-	3	-
33	1	2	4	1	10	2	7	-	1	-	19	5	4	10
34	-	7	12	5	15	1	7	4	3	-	11	1	4	6
35	-	-	-	1	6	-	3	1	2	-	7	-	1	6
36	-	-	-	-	-	-	-	-	-	-	5	1	1	3
37	-	-	1	-	3	-	2	1	-	-	4	-	2	2
38	-	1	-	1	2	-	1	1	-	-	3	-	2	1
39	-	2	-	4	8	1	2	5	-	-	11	1	3	7
40	-	-	-	-	-	-	-	-	-	-	1	-	-	1
41	-	-	1	-	-	-	-	-	-	-	3	-	1	2
42	-	7	5	4	7	1	3	3	-	-	13	2	2	9
43	-	1	-	-	-	-	-	-	-	-	2	-	1	1
44	-	7	1	2	8	1	5	2	-	-	11	3	2	6
45	5	25	22	8	47	2	18	21	6	-	92	9	23	60
46	-	2	2	2	8	-	4	3	1	-	14	2	1	11
47	10	108	91	53	211	15	100	68	28	-	407	57	106	244
48	-	10	11	5	13	1	8	3	1	-	36	5	9	22
49	-	1	3	1	2	-	2	-	-	-	12	1	5	6
50	-	2	1	-	1	-	1	-	-	-	3	-	-	3
51	-	1	-	1	-	-	-	-	-	-	3	-	-	3
52	-	3	1	-	5	-	1	4	-	-	23	4	4	15
53	-	7	6	3	4	-	3	1	-	-	13	3	5	5
54	-	3	3	2	6	-	3	3	-	-	16	2	7	7
55	2	11	6	5	17	1	6	7	3	-	25	4	6	15
56	2	19	12	7	23	3	8	11	1	-	54	9	16	29
57	2	25	20	17	59	5	28	16	10	-	82	13	21	48
58	4	20	22	9	55	2	32	13	8	-	96	13	26	57
59	-	6	6	3	26	3	8	10	5	-	44	3	7	34
60	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	10	108	91	53	211	15	100	68	28	-	407	57	106	244

* See footnote, Table 5.

† See footnote, Table 7.

‡ See footnote, Table 6.

	CLACKMANNAN COUNTY.						DUMBARTON COUNTY.			Marginal Index Numbers.
	Clackmannan County.	Alloa B.	Alva B.	Dollar B.	Tillicoultry B.	Clackmannan C.D.	Dumbarton County.	Clydebank B.	Cove and Kilcreggan B.	
Population (Estimated) - - -	32,548	13,308	3,914	1,592	3,034	10,700	151,084	46,561	*861	1
Total Births Registered (including Illegitimate)	637	265	88	20	52	212	2,982	1,018	15	2
" " Corrected for Transfers	639	268	89	19	55	208	3,100	1,072	16	3
" " " Male - - -	329	141	49	10	28	101	1,548	535	9	4
" " " Female - -	310	127	40	9	27	107	1,552	537	7	5
" " " Illegitimate	33	11	7	3	2	10	138	40	-	6
" Marriages Registered - -	165	82	8	3	18	54	708	232	4	7
" Deaths Registered - - -	367	170	53	21	24	99	1,530	337	7	8
" " Corrected for Transfers	416	190	57	25	35	109	1,699	495	10	9
" " " Male - - -	201	103	22	13	16	47	846	258	5	10
" " " Female - -	215	87	35	12	19	62	853	237	5	11
CAUSES OF DEATH.										
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	12
Typhus Fever - - - - -	-	-	-	-	-	-	2	-	-	13
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	14
Measles - - - - -	-	-	-	-	-	-	17	1	-	15
Scarlet Fever - - - - -	6	3	-	1	-	2	6	3	1	16
Whooping-cough - - - -	4	4	-	-	-	-	23	3	-	17
Diphtheria - - - - -	5	5	-	-	-	-	10	-	-	18
Influenza - - - - -	9	4	-	1	3	1	44	7	-	19
Encephalitis Lethargica - -	-	-	-	-	-	-	4	-	-	20
Cerebro-spinal Meningitis -	-	-	-	-	-	-	4	1	-	21
Other Epidemic Diseases - -	1	1	-	-	-	-	4	1	-	22
Tuberculosis of Respiratory System	21	7	4	-	3	7	106	37	-	23
Tuberculous Meningitis - -	2	2	-	-	-	-	12	6	-	24
Tuberculosis of Intestines and Peritoneum	2	-	-	-	-	2	18	3	-	25
Other Tuberculous Disease - -	2	1	-	-	-	1	8	4	-	26
Malignant Tumours - - - -	54	25	9	5	4	11	191	54	1	27
Rheumatic Fever - - - - -	3	2	1	-	-	-	7	3	-	28
Meningitis (not Cer. Spin. or Tuberc.)	3	3	-	-	-	-	20	9	-	29
Apoplexy - - - - -	65	34	6	2	4	19	150	46	-	30
Heart Disease - - - - -	54	25	6	3	4	16	183	51	1	31
Diseases of Arteries - - - -	10	5	1	2	-	2	15	4	-	32
Bronchitis - - - - -	12	6	-	1	2	3	100	8	1	33
Pneumonia (all forms) - - -	20	9	1	5	2	3	127	47	1	34
Other Diseases of Respiratory System	1	-	-	-	-	1	20	3	-	35
Diarrhoea and Enteritis (under 2 years)	1	1	-	-	-	-	17	6	-	36
Appendicitis - - - - -	1	1	-	-	-	-	12	4	-	37
All Diseases of Liver (not Malignant)	3	1	-	-	1	1	14	8	-	38
Nephritis, Acute and Chronic -	7	2	1	-	-	4	53	12	2	39
Puerperal Sepis - - - - -	-	-	-	-	-	-	4	2	-	40
Other Diseases and Accidents of Pregnancy and Parturition	3	-	2	-	-	1	18	8	-	41
Dis. of Early Infancy, and Malformations	28	15	4	1	2	6	100	32	1	42
Suicide - - - - -	4	2	1	-	1	-	9	3	-	43
Other Violent Deaths - - - -	13	5	2	-	1	5	82	33	-	44
Other Defined Diseases - - - -	76	24	19	4	8	21	292	87	2	45
Causes Ill-defined or Unknown -	6	3	-	-	-	3	27	9	-	46
ALL CAUSES - - - - -	416	190	57	25	35	109	1,699	495	10	47
AGES AT DEATH.										
Under 1 - - - - -	48	28	6	1	5	8	217	64	2	48
1-4 - - - - -	18	12	-	-	-	6	108	27	-	49
5-9 - - - - -	8	5	1	-	1	1	44	18	-	50
10-14 - - - - -	4	3	1	-	-	-	28	11	1	51
15-24 - - - - -	11	3	3	1	-	4	76	26	-	52
25-34 - - - - -	21	7	4	1	2	7	104	36	-	53
35-44 - - - - -	28	14	3	2	1	8	114	51	-	54
45-54 - - - - -	40	20	4	1	1	14	174	62	1	55
55-64 - - - - -	71	35	8	3	10	15	257	68	5	56
65-74 - - - - -	93	38	19	7	8	21	292	75	-	57
75-84 - - - - -	66	24	6	8	6	22	228	47	1	58
85 and over - - - - -	8	1	2	1	1	3	57	10	-	59
Not stated - - - - -	-	-	-	-	-	-	-	-	-	60
ALL AGES - - - - -	416	190	57	25	35	109	1,699	495	10	61

* See footnote, Table 5.

	DUMBARTON COUNTY.						DUMFRIES COUNTY.								
	Dumbarton B.	Helensburgh B.	Kirkintilloch B.	Milngavie B.	Eastern C.D.	Western C.D.	Dumfries County.	Annan B.	Dumfries B.	Langholm B.	Lochmaben B.	Lockerbie B.	Moffat B.	Sanquhar B.	Annan C.D.
1	22,910	10,064	11,330	4,294	23,438	30,789	75,029	3,707	15,267	2,469	936	2,243	2,542	1,757	13,267
2	449	129	298	83	491	499	1,657	87	413	46	22	41	27	34	277
3	454	136	307	88	519	508	1,618	87	357	46	23	41	33	35	275
4	236	67	154	42	244	261	839	49	182	24	14	18	16	17	145
5	218	69	153	46	275	247	779	38	175	24	9	23	17	18	130
6	20	7	19	2	25	25	176	10	27	7	3	4	4	2	30
7	81	34	68	15	115	159	513	27	161	19	8	14	15	15	82
8	281	101	156	35	300	313	1,072	47	331	30	14	32	23	13	146
9	290	102	154	48	239	361	1,000	53	246	31	14	34	24	14	155
10	142	32	75	27	126	181	477	25	114	14	4	17	12	10	73
11	148	70	79	21	113	180	523	28	132	17	10	17	12	4	82
12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	10	2	-	-	3	1	19	-	8	-	-	-	-	-	3
16	1	-	-	-	1	-	3	-	-	-	-	-	-	-	2
17	9	-	6	-	4	1	3	-	-	-	-	-	-	-	3
18	3	-	3	-	1	3	2	-	1	-	-	-	-	-	-
19	15	1	6	-	7	8	9	1	2	-	-	-	1	-	2
20	2	1	-	-	-	1	1	-	-	1	-	-	-	-	-
21	-	1	-	-	1	1	1	-	1	-	-	-	-	-	-
22	-	1	-	-	1	1	4	-	2	-	-	-	-	-	1
23	22	7	5	1	16	18	61	1	19	1	1	2	1	-	6
24	1	-	1	-	-	4	5	-	1	-	-	-	-	-	2
25	4	-	1	-	7	3	3	-	1	-	-	-	-	-	-
26	1	-	-	-	1	2	14	1	5	-	-	1	-	-	-
27	23	12	8	5	25	63	109	6	24	5	1	10	1	3	20
28	-	-	2	-	1	1	-	-	-	-	-	-	-	-	-
29	3	2	3	-	-	3	4	-	2	-	-	-	-	-	-
30	19	15	10	5	22	33	104	9	22	8	3	4	5	3	16
31	28	14	9	6	30	44	125	7	18	7	1	1	3	2	23
32	1	2	-	1	2	5	14	3	2	1	2	-	-	-	3
33	30	2	14	3	19	23	35	5	10	-	1	-	-	-	4
34	17	6	21	4	13	18	50	1	12	2	1	2	2	-	6
35	5	2	3	-	1	6	13	-	4	-	-	-	-	-	2
36	1	-	3	-	2	5	13	1	4	-	-	-	-	-	1
37	1	1	4	-	1	1	7	-	4	-	1	-	-	-	-
38	3	-	-	-	2	1	9	1	3	-	-	-	1	-	-
39	8	2	4	2	6	17	27	3	6	-	-	2	-	1	6
40	-	-	-	2	-	-	1	-	1	-	-	-	-	-	-
41	3	1	2	-	2	2	10	1	2	-	-	1	-	-	1
42	16	2	16	4	15	14	73	2	21	1	-	2	-	-	15
43	1	1	-	1	1	2	8	-	5	-	-	-	-	-	1
44	9	5	2	2	16	15	30	3	5	1	-	1	-	-	3
45	48	21	28	12	37	57	222	7	57	3	3	7	9	5	29
46	4	1	3	-	2	8	21	1	4	1	-	1	1	-	3
47	290	102	154	48	239	361	1,000	53	246	31	14	34	24	14	155
48	39	10	34	4	30	34	127	4	45	2	-	2	2	-	28
49	29	3	16	1	14	18	39	2	12	-	-	-	1	1	6
50	10	-	2	-	5	9	10	-	5	-	-	1	-	-	1
51	3	-	5	-	4	4	9	-	3	-	-	1	-	-	2
52	15	6	5	1	14	9	38	1	11	-	1	2	-	-	3
53	18	4	8	4	14	20	46	3	14	-	-	-	-	-	8
54	22	6	7	3	11	14	51	-	14	-	-	2	1	1	4
55	25	7	5	6	25	43	83	2	28	4	1	2	-	1	11
56	38	13	19	10	44	60	138	9	27	5	1	5	3	3	25
57	50	22	24	8	41	72	209	15	43	11	4	7	7	6	25
58	31	19	24	10	30	66	193	11	34	7	7	10	7	2	32
59	10	12	5	1	7	12	57	6	10	2	-	2	3	-	10
60	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	290	102	154	48	239	361	1,000	53	246	31	14	34	24	14	155

	DUMFRIES COUNTY— (continued).				EAST LOTHIAN COUNTY.				Marginal Index Numbers.
	Dumfries C.D.	Langholm C.D.	Lockerbie C.D.	Thornhill C.D.	East Lothian County.	Cockenzie and Port Seton B.	Dunbar B.	East Linton B.	
Population (Estimated) - - -	8,838	2,924	8,169	12,910	48,531	2,989	3,996	689	1
Total Births Registered (including Illegitimate)	165	51	182	312	919	43	54	9	2
„ „ Corrected for Transfers	166	49	184	322	960	49	57	9	3
„ „ „ Male - -	80	25	111	160	526	21	32	6	4
„ „ „ Female - -	86	24	73	162	434	28	25	3	5
„ „ „ Illegitimate	25	11	23	30	65	3	1	-	6
„ Marriages Registered - -	40	14	44	74	203	15	13	1	7
„ Deaths Registered - -	144	33	103	156	441	21	36	8	8
„ „ Corrected for Transfers	98	37	106	188	496	25	41	5	9
„ „ „ Male - -	43	17	50	98	247	9	21	4	10
„ „ „ Female - -	55	20	56	90	249	16	20	1	11
CAUSES OF DEATH.									
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	12
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	13
Small-pox - - - - -	-	-	-	-	-	-	-	-	14
Measles - - - - -	2	-	-	6	4	-	-	-	15
Scarlet Fever - - - - -	-	-	-	1	3	-	-	-	16
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	17
Diphtheria - - - - -	-	-	1	-	2	-	-	-	18
Influenza - - - - -	1	-	2	-	5	-	-	-	19
Eucephalitis Lethargica - - - - -	-	-	-	-	2	-	1	-	20
Cerebro-spinal Meningitis - - - - -	-	-	-	-	-	-	-	-	21
Other Epidemic Diseases - - - - -	-	-	-	1	1	-	-	-	22
Tuberculosis of Respiratory System - - - - -	9	3	4	14	24	1	1	1	23
Tuberculous Meningitis - - - - -	-	1	-	1	4	-	-	-	24
Tuberculosis of Intestines and Peritoneum - - - - -	-	-	-	2	5	-	-	-	25
Other Tuberculous Disease - - - - -	2	-	1	4	4	-	-	-	26
Malignant Tumours - - - - -	9	2	8	20	57	8	7	1	27
Rheumatic Fever - - - - -	-	-	-	-	3	-	-	-	28
Meningitis (not Cer. Spin. or Tuberc.) - - - - -	-	1	1	-	3	-	2	-	29
Apoplexy - - - - -	4	1	9	20	55	2	6	-	30
Heart Disease - - - - -	14	5	15	26	64	3	6	-	31
Diseases of Arteries - - - - -	2	-	-	1	8	-	-	-	32
Bronchitis - - - - -	2	1	7	5	19	-	2	-	33
Pneumonia (all forms) - - - - -	9	1	7	7	28	1	1	-	34
Other Diseases of Respiratory System - - - - -	2	1	3	1	5	-	-	-	35
Diarrhoea and Enteritis (under 2 years) - - - - -	3	-	1	3	5	-	1	-	36
Appendicitis - - - - -	1	-	-	1	4	-	1	-	37
All Diseases of Liver (not Malignant) - - - - -	1	-	1	2	5	-	-	-	38
Nephritis, Acute and Chronic - - - - -	1	1	4	3	16	-	1	1	39
Puerperal Sepsis - - - - -	-	-	-	-	1	-	-	-	40
Other Diseases and Accidents of Pregnancy and Parturition	2	-	2	1	4	1	-	-	41
Dis. of Early Infancy, and Malformations - - - - -	4	4	7	17	30	3	2	-	42
Suicide - - - - -	-	-	1	1	4	-	1	-	43
Other Violent Deaths - - - - -	4	-	4	9	29	1	-	-	44
Other Defined Diseases - - - - -	22	15	26	39	97	5	9	2	45
Causes Ill-defined or Unknown - - - - -	4	1	2	3	5	-	-	-	46
ALL CAUSES - - - - -	98	37	106	188	496	25	41	5	47
AGES AT DEATH.									
Under 1 - - - - -	7	4	9	24	58	4	4	-	48
1-4 - - - - -	2	1	2	12	27	-	2	-	49
5-9 - - - - -	1	-	1	1	15	1	1	-	50
10-14 - - - - -	1	-	-	2	12	-	-	-	51
15-24 - - - - -	3	3	6	8	21	-	1	1	52
25-34 - - - - -	11	1	2	7	27	2	1	-	53
35-44 - - - - -	7	2	8	12	17	2	2	-	54
45-54 - - - - -	6	1	7	20	46	3	7	-	55
55-64 - - - - -	18	5	16	21	55	2	3	1	56
65-74 - - - - -	16	7	21	47	94	4	11	2	57
75-84 - - - - -	21	12	21	29	93	7	8	1	58
85 and over - - - - -	5	1	13	5	31	-	1	-	59
Not stated - - - - -	-	-	-	-	-	-	-	-	60
ALL AGES - - - - -	98	37	106	188	496	25	41	5	61

Marginal Index Numbers.	EAST LoTHIAN COUNTY.						FIFE COUNTY.							
	Haddington B.	North Berwick B.	Prestonpans B.	Tranent B.	Eastern C.D.	Western C.D.	Fife County.	Anstruther-Easter B.	Anstruther-Wester B.	Auchtermuchty B.	Buckhaven and Methil.	Burntisland B.	Cowdenbeath B.	Craik B.
1	3,928	5,104	2,016	4,853	5,522	19,434	295,452	924	577	1,136	16,907	5,965	14,009	1,624
2	74	31	53	120	120	415	5,948	8	3	20	422	95	293	8
3	77	35	50	128	123	432	6,023	8	3	20	430	101	293	9
4	45	22	28	67	67	238	3,142	4	2	10	216	56	152	7
5	32	13	22	61	56	194	2,881	4	1	10	214	45	141	2
6	4	2	5	9	14	27	353	-	-	-	18	9	7	1
7	24	12	19	31	27	61	1,617	5	-	4	111	30	74	4
8	64	29	20	32	50	181	3,045	8	6	17	144	49	128	14
9	53	37	30	41	60	204	3,264	10	7	20	163	64	158	15
10	27	16	20	22	35	93	1,597	4	2	6	77	32	86	6
11	26	21	10	19	25	111	1,667	6	5	14	86	32	72	9
12	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	2	-	-	1	1	-	11	-	-	-	-	-	4	-
16	-	-	-	-	-	3	18	-	-	-	-	-	-	-
17	-	-	-	-	-	-	55	-	-	-	-	-	8	-
18	-	-	-	1	-	1	22	-	-	-	2	-	2	-
19	-	1	1	-	-	3	57	-	-	-	4	-	1	-
20	1	-	-	-	-	-	11	-	-	-	1	-	-	-
21	-	-	-	-	-	-	2	-	-	-	-	-	1	-
22	-	-	-	1	-	-	16	-	-	-	1	-	4	-
23	2	2	3	1	2	11	128	1	-	-	11	2	5	1
24	-	-	-	-	-	4	22	-	-	-	1	-	1	-
25	-	-	2	-	-	3	20	-	-	-	1	-	-	-
26	-	1	-	1	-	2	34	1	-	-	2	2	3	-
27	8	4	3	1	3	22	352	-	-	4	15	9	10	-
28	-	-	-	-	-	3	11	-	-	-	-	1	-	-
29	-	-	-	-	-	1	24	-	-	-	3	1	2	-
30	6	7	9	5	5	15	359	2	2	5	10	9	16	6
31	6	4	2	6	10	27	382	1	-	1	13	2	16	2
32	2	2	-	-	2	2	59	-	-	-	1	-	1	3
33	1	-	1	2	4	9	166	-	-	1	6	2	12	-
34	1	2	-	3	1	19	168	1	-	-	10	2	8	1
35	2	-	-	-	1	2	57	1	-	1	3	-	2	-
36	1	-	1	1	-	1	23	-	-	-	1	-	1	-
37	-	1	-	-	-	2	28	-	-	-	1	1	1	-
38	-	2	-	-	1	2	43	-	-	-	5	1	2	-
39	2	1	1	2	3	5	99	-	-	-	1	7	1	-
40	1	-	-	-	-	-	9	-	-	-	1	-	1	-
41	-	-	-	2	-	1	28	-	1	-	1	1	4	-
42	2	-	1	5	2	15	219	-	-	1	20	2	11	1
43	-	-	-	-	-	3	16	-	-	-	-	1	-	-
44	3	-	1	4	7	13	137	1	-	-	6	4	8	-
45	10	10	5	4	18	34	650	2	4	6	42	17	31	1
46	3	-	-	1	-	1	38	-	-	1	1	-	2	-
47	53	37	30	41	60	24	3,264	10	7	20	163	64	158	5
48	4	-	2	7	6	31	401	-	-	2	32	4	27	1
49	4	-	-	5	4	12	197	-	-	-	9	1	19	-
50	1	-	1	3	2	6	65	-	-	1	2	1	6	-
51	-	1	2	1	1	7	50	-	-	-	5	-	2	-
52	2	-	1	2	3	11	147	1	-	-	12	2	8	-
53	2	1	1	4	-	16	118	-	1	-	11	3	4	-
54	3	1	2	1	-	6	183	3	-	-	15	5	13	1
55	3	7	4	2	5	15	278	1	1	-	16	7	12	-
56	8	5	5	5	5	21	447	-	1	2	13	11	20	2
57	12	6	7	3	14	35	646	2	1	5	26	12	29	5
58	9	9	4	6	14	35	529	2	2	8	16	10	15	3
59	5	7	1	2	6	9	203	1	1	2	6	8	3	3
60	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	53	37	30	41	60	204	3,264	10	7	20	163	64	158	15

FIFE COUNTY—(continued).									
	Calross B.	Cupar B.	Dunfermline B.	Dysart B.	Earlsferry B.	Elie, Liberty, & Williamsburgh B.	Falkland B.	Inverkeithing B.	Marginal Index Numbers.
Population (Estimated) - - - - -	523	3,946	38,515	4,696	*322	*692	741	3,309	1
Total Births Registered (including Illegitimate)	14	62	821	116	3	8	19	74	2
„ „ Corrected for Transfers	17	68	764	118	3	8	23	76	3
„ „ „ Male - -	9	39	424	59	3	3	10	37	4
„ „ „ Female - -	8	29	340	59	-	5	13	39	5
„ „ „ Illegitimate	3	4	37	7	-	1	4	5	6
„ Marriages Registered - -	5	42	253	34	-	5	11	12	7
„ Deaths Registered - -	7	60	475	52	7	12	9	21	8
„ „ Corrected for Transfers	10	63	423	61	7	14	12	31	9
„ „ „ Male - -	6	30	220	29	3	4	7	19	10
„ „ „ Female - -	4	33	203	32	4	10	5	12	11
CAUSES OF DEATH.									
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	12
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	13
Small-pox - - - - -	-	-	-	-	-	-	-	-	14
Measles - - - - -	-	-	1	-	-	-	-	-	15
Scarlet Fever - - - - -	-	-	2	-	-	-	-	-	16
Whooping-cough - - - - -	1	-	1	4	-	-	-	-	17
Diphtheria - - - - -	2	-	4	-	-	-	-	-	18
Influenza - - - - -	1	1	5	1	-	-	-	2	19
Encephalitis Lethargica - - - - -	-	1	3	-	-	-	-	-	20
Cerebro-spinal Meningitis - - - - -	-	-	1	-	-	-	-	-	21
Other Epidemic Diseases - - - - -	-	-	-	-	-	-	-	-	22
Tuberculosis of Respiratory System - - - - -	-	1	22	3	-	-	1	-	23
Tuberculous Meningitis - - - - -	-	-	4	-	-	-	-	-	24
Tuberculosis of Intestines and Peritoneum - - - - -	-	-	3	-	-	-	-	-	25
Other Tuberculous Disease - - - - -	-	1	5	1	-	-	1	2	26
Malignant Tumours - - - - -	-	7	36	4	1	3	4	2	27
Rheumatic Fever - - - - -	-	-	2	1	-	-	-	-	28
Meningitis (not Cer. Spin. or Tuberc.) - - - - -	-	-	1	1	-	-	-	-	29
Apoplexy - - - - -	-	5	39	5	3	1	1	4	30
Heart Disease - - - - -	-	14	59	7	1	2	2	3	31
Diseases of Arteries - - - - -	-	1	6	4	-	-	-	-	32
Bronchitis - - - - -	-	1	29	4	-	2	-	-	33
Pneumonia (all forms) - - - - -	-	3	31	7	-	1	-	2	34
Other Diseases of Respiratory System - - - - -	1	6	7	1	-	-	-	-	35
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	3	-	-	-	-	-	36
Appendicitis - - - - -	-	2	7	-	-	1	-	-	37
All Diseases of Liver (not Malignant) - - - - -	-	-	6	-	-	-	-	-	38
Nephritis, Acute and Chronic - - - - -	1	1	17	7	1	-	-	1	39
Puerperal Sepsis - - - - -	-	1	1	-	-	-	-	-	40
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	3	-	-	-	-	-	41
Dis. of Early Infancy, and Malformations - - - - -	-	1	25	3	-	-	-	4	42
Suicide - - - - -	-	1	4	-	-	-	-	1	43
Other Violent Deaths - - - - -	1	4	10	2	-	-	1	2	44
Other Defined Diseases - - - - -	3	11	82	5	1	1	2	8	45
Causes Ill-defined or Unknown - - - - -	-	1	4	1	-	3	-	-	46
ALL CAUSES - - - - -	10	63	423	61	7	14	12	31	47
AGES AT DEATH.									
Under 1 - - - - -	1	1	49	9	-	-	-	5	48
1-4 - - - - -	1	1	23	7	-	-	-	2	49
5-9 - - - - -	2	-	12	-	-	-	-	1	50
10-14 - - - - -	-	1	5	-	-	-	-	-	51
15-24 - - - - -	1	2	21	5	-	2	-	-	52
25-34 - - - - -	-	4	18	2	-	-	1	2	53
35-44 - - - - -	-	-	22	1	-	-	-	1	54
45-54 - - - - -	-	8	36	5	-	1	-	4	55
55-64 - - - - -	-	12	66	8	2	3	4	2	56
65-74 - - - - -	1	7	92	8	5	6	2	7	57
75-84 - - - - -	3	18	59	12	-	1	2	6	58
85 and over - - - - -	1	9	20	4	-	1	3	1	59
Not stated - - - - -	-	-	-	-	-	-	-	-	60
ALL AGES - - - - -	10	63	423	61	7	14	12	31	61

* See footnote, Table 5.

Marginal Index Numbers.	FIFE COUNTY—(continued).													
	Kilrenny B.	Kinghorn B.	Kirkcaldy B.	Ladybank and Monkston B.	Leslie B.	Leven B.	Lochgelly B.	Markinch B.	Newburgh B.	Newport B.	Pittenweem B.	St. Andrews B.	Tayport B.	Cupar C.D.
1	1,769	*1,549	40,974	1,097	2,266	7,515	10,801	1,562	2,235	3,060	1,649	9,837	3,239	15,047
2	42	33	828	16	45	133	205	31	40	31	24	112	56	256
3	42	34	822	15	46	130	208	36	41	32	26	117	59	268
4	19	13	416	5	22	77	102	21	18	12	17	59	35	123
5	23	21	406	10	24	53	106	15	23	20	9	58	24	145
6	-	2	47	-	1	9	6	1	2	1	1	6	3	33
7	13	10	273	-	13	41	46	20	18	11	9	44	14	79
8	25	12	476	12	24	67	57	17	23	24	26	85	36	214
9	28	17	520	16	28	79	89	23	27	25	29	89	43	186
10	11	10	237	8	14	39	47	13	14	10	15	42	17	83
11	17	7	283	8	14	40	42	10	13	15	14	47	26	103
12	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	-	-	1	-	-	-	-	-	-	-	-	-	-	-
16	-	-	-	-	-	-	1	-	-	-	-	-	1	1
17	-	-	9	-	-	-	2	-	-	-	-	-	-	-
18	-	-	1	-	-	1	3	-	-	-	-	-	-	1
19	-	1	7	1	-	-	2	1	-	1	-	2	-	6
20	-	1	1	-	-	1	-	-	-	-	-	-	-	-
21	-	-	-	-	-	-	-	-	-	-	-	-	-	-
22	-	-	3	-	1	-	-	-	-	-	-	2	1	1
23	1	-	23	-	1	1	4	1	1	1	2	3	1	4
24	-	-	2	-	-	-	1	1	-	-	-	-	-	2
25	-	-	5	-	-	-	-	-	-	-	-	-	-	1
26	1	-	7	-	1	-	1	-	-	-	-	-	-	-
27	4	4	54	4	3	8	5	4	2	6	5	16	6	28
28	-	-	2	-	-	1	-	-	-	-	-	-	-	2
29	-	-	2	-	-	2	1	-	-	-	-	1	-	2
30	6	1	80	-	3	9	7	-	1	5	3	13	5	26
31	7	2	59	-	2	14	6	2	8	3	3	14	4	26
32	1	-	6	-	-	2	2	2	1	1	-	4	-	3
33	1	-	28	-	3	5	4	1	3	1	-	2	-	4
34	-	1	25	-	2	5	9	-	1	1	-	5	1	5
35	-	1	7	1	-	-	5	-	-	1	-	-	-	1
36	-	-	1	1	-	1	2	-	-	-	-	-	-	3
37	-	-	1	-	1	-	-	1	-	-	-	1	-	2
38	1	-	6	1	-	2	-	-	-	-	-	1	1	2
39	-	1	18	2	1	4	2	2	3	1	-	-	1	3
40	-	-	2	-	-	-	1	-	-	-	-	-	-	-
41	-	-	9	-	-	-	-	-	-	-	-	-	-	1
42	-	-	27	1	1	1	8	1	1	1	5	3	5	13
43	1	-	2	-	-	-	-	-	-	-	1	-	-	2
44	1	1	18	-	1	2	4	3	3	-	1	6	2	6
45	4	3	105	5	7	20	19	4	3	2	9	16	13	37
46	-	1	9	-	1	-	-	-	-	1	-	-	2	4
47	28	17	520	16	28	79	89	23	27	25	29	89	43	186
48	-	-	47	3	1	9	15	1	1	1	5	5	5	19
49	1	1	29	-	1	4	14	1	-	-	-	3	-	3
50	-	1	4	-	1	-	3	-	1	-	-	-	2	3
51	-	-	7	-	-	-	-	1	-	1	-	2	1	5
52	2	1	30	1	-	3	3	1	1	-	1	2	-	4
53	-	1	26	2	-	2	2	-	-	-	1	-	-	8
54	-	-	21	1	5	4	7	-	2	-	1	1	1	9
55	3	1	39	2	3	5	7	6	2	6	1	7	1	14
56	8	3	68	1	2	18	14	2	4	1	5	11	5	21
57	4	1	131	1	7	9	13	3	7	3	8	23	12	37
58	8	5	91	3	7	22	7	5	5	9	4	22	13	49
59	2	3	27	2	1	3	4	3	4	4	3	13	3	14
60	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	28	17	520	16	28	79	89	23	27	25	29	89	43	186

* See footnote, Table 5.

				FIFE COUNTY— (continued).			FORFAR COUNTY.					Marginal Index Numbers.
				Dunfermline C.D.	Kirkcaldy C.D.	St. Andrews C.D.	Forfar County.	Arbroath B.	Brechin B.	Carnoustie B.	Dundee B.	
Population (Estimated) - - -				36,343	44,776	14,818	269,550	18,540	6,816	6,120	170,060	1
Total Births Registered (including Illegitimate)				742	1,162	226	5,462	350	119	68	3,822	2
„ „ Corrected for Transfers				779	1,192	235	5,403	348	116	70	3,724	3
„ „ „ Male - -				411	638	123	2,824	182	52	36	1,945	4
„ „ „ Female - -				368	554	112	2,579	166	64	34	1,779	5
„ „ „ Illegitimate				48	84	13	405	20	14	4	256	6
„ Marriages Registered - -				182	193	61	1,826	118	50	26	1,317	7
„ Deaths Registered - -				282	489	167	3,963	282	106	75	2,638	8
„ „ Corrected for Transfers				317	498	192	3,841	284	114	81	2,514	9
„ „ „ Male - -				157	255	94	1,790	141	53	34	1,159	10
„ „ „ Female - -				160	243	98	2,051	143	61	47	1,355	11
CAUSES OF DEATH.												
Enteric Fever - - - -				-	-	-	1	-	-	-	1	12
Typhus Fever - - - -				-	-	-	-	-	-	-	-	13
Small-pox - - - -				-	-	-	-	-	-	-	-	14
Measles - - - -				2	2	1	1	-	-	-	1	15
Scarlet Fever - - - -				6	4	3	46	3	-	-	28	16
Whooping-cough - - -				6	23	1	10	2	-	-	4	17
Diphtheria - - - -				1	4	1	77	-	-	-	66	18
Influenza - - - -				8	11	2	53	4	1	-	36	19
Encephalitis Lethargica				1	2	-	4	-	-	-	3	20
Cerebro-spinal Meningitis				-	-	-	7	-	-	-	5	21
Other Epidemic Diseases				-	3	-	10	1	-	-	5	22
Tuberculosis of Respiratory System				12	21	5	182	12	7	3	138	23
Tuberculous Meningitis				4	5	1	29	5	2	-	19	24
Tuberculosis of Intestines and Peritoneum				2	6	2	21	1	1	-	14	25
Other Tuberculous Disease - - -				2	2	2	31	4	1	-	19	26
Malignant Tumours - - - -				34	55	19	421	31	14	4	272	27
Rheumatic Fever - - - -				-	1	1	8	-	-	-	6	28
Meningitis (not Cer. Spin. or Tuberc.)				2	5	1	17	2	-	-	10	29
Apoplexy - - - -				28	33	31	384	40	9	12	221	30
Heart Disease - - - -				28	52	29	453	40	8	12	298	31
Diseases of Arteries - - - -				6	11	4	62	3	1	1	46	32
Bronchitis - - - -				22	28	7	211	28	5	3	146	33
Pneumonia (all forms) - - - -				15	24	8	300	15	3	2	219	34
Other Diseases of Respiratory System				7	9	3	53	3	4	-	36	35
Diarrhoea and Enteritis (under 2 years)				2	6	2	44	2	1	-	35	36
Appendicitis - - - -				2	5	2	21	-	1	-	12	37
All Diseases of Liver (not Malignant)				7	6	2	41	1	1	-	26	38
Nephritis, Acute and Chronic - -				7	12	5	112	6	4	5	71	39
Puerperal Sepsis - - - -				-	2	-	11	-	1	-	10	40
Other Diseases and Accidents of Pregnancy and Parturition				3	5	-	26	1	-	-	23	41
Dis. of Early Infancy, and Malformations				27	52	5	301	18	7	1	213	42
Suicide - - - -				2	1	-	34	7	2	-	21	43
Other Violent Deaths - - - -				15	22	13	111	1	5	3	76	44
Other Defined Diseases - - - -				66	80	41	690	49	35	33	385	45
Causes Ill-defined or Unknown - -				-	6	1	69	5	1	2	49	46
ALL CAUSES - - -				317	498	192	3,841	284	114	81	2,514	47
AGES AT DEATH.												
Under 1 - - - -				47	100	11	521	32	10	2	382	48
1-4 - - - -				22	50	5	206	8	4	-	157	49
5-9 - - - -				6	15	4	69	2	-	-	47	50
10-14 - - - -				3	14	3	49	1	1	-	27	51
15-24 - - - -				14	17	13	131	8	6	2	89	52
25-34 - - - -				6	18	6	137	14	3	1	99	53
35-44 - - - -				30	29	11	205	13	8	5	152	54
45-54 - - - -				29	46	15	316	26	9	4	224	55
55-64 - - - -				39	74	25	545	41	14	10	364	56
65-74 - - - -				54	83	42	802	68	18	24	517	57
75-84 - - - -				46	43	33	646	55	29	20	357	58
85 and over - - - -				21	9	24	214	16	12	13	99	59
Not stated - - - -				-	-	-	-	-	-	-	-	60
ALL AGES - - -				317	498	192	3,841	284	114	81	2,514	61

Marginal Index Numbers.	FORFAR COUNTY.								INVERNESS COUNTY.					
	Forfar B.	Kirriemuir B.	Monifieth B.	Montrose B.	Arbroath C.D.	Brechin C.D.	Dundee C.D.	Forfar C.D.	Inverness County.	Fort-William B.	Inverness B.	Kingussie B.	Inverness C.D.	Aird C.D.
1	8,776	3,268	3,219	10,754	8,578	12,329	9,941	11,149	78,440	1,831	19,901	1,192	7,475	8,052
2	154	34	31	163	149	202	184	186	1,374	41	439	16	136	126
3	155	39	33	164	157	202	202	193	1,395	41	420	16	144	136
4	78	21	22	90	86	106	107	99	743	22	237	8	69	65
5	77	18	11	74	71	96	95	94	652	19	183	8	75	71
6	16	6	1	18	19	19	12	20	126	5	26	1	13	16
7	71	21	14	60	42	39	31	37	432	17	253	14	16	25
8	134	33	38	164	79	172	108	134	1,208	37	426	19	127	77
9	136	51	50	158	88	124	95	146	1,176	33	370	21	84	96
10	62	19	23	74	42	67	48	68	604	14	196	15	38	49
11	74	32	27	84	46	57	47	78	572	19	174	6	46	47
12	-	-	-	-	-	-	-	-	1	-	-	-	-	-
13	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	-	-	-	-	-	-	-	-	2	-	-	1	-	-
16	-	-	2	-	2	-	7	4	-	-	-	-	-	-
17	1	-	-	-	-	-	1	2	1	-	-	-	-	-
18	-	2	-	-	1	-	5	3	6	1	1	-	-	1
19	1	2	1	2	-	3	2	1	56	2	20	-	4	1
20	-	-	-	-	-	-	1	-	3	1	1	-	-	-
21	-	-	-	1	-	-	1	-	2	-	-	-	-	-
22	2	-	-	-	1	-	-	1	2	-	-	-	1	-
23	3	2	2	2	4	2	3	4	67	1	18	3	7	6
24	-	-	-	-	-	-	2	1	8	1	1	1	-	1
25	1	1	-	-	1	1	-	1	5	-	3	-	1	-
26	2	1	-	1	1	1	-	1	10	-	5	-	-	1
27	15	8	5	18	8	16	9	21	132	5	56	1	12	7
28	1	-	-	-	-	1	-	-	7	-	-	-	-	1
29	-	-	1	-	1	1	1	1	7	1	3	-	-	1
30	22	9	6	16	13	10	8	18	110	3	42	5	3	9
31	21	8	3	17	13	9	9	15	151	2	39	3	14	17
32	2	1	1	2	1	2	2	-	16	-	9	-	1	-
33	2	2	-	6	8	6	-	5	55	2	19	-	6	3
34	13	5	2	12	6	11	3	9	62	1	16	2	3	7
35	-	-	1	4	2	-	1	2	13	-	6	-	2	-
36	1	-	1	1	1	-	2	-	3	-	2	-	-	-
37	1	-	-	3	1	-	2	1	10	-	5	-	1	1
38	3	1	1	6	-	-	-	2	6	-	1	-	-	1
39	5	-	3	6	1	5	1	5	32	-	9	-	4	4
40	-	-	-	-	-	-	-	-	2	-	1	-	1	-
41	-	-	-	-	-	1	1	-	9	-	5	-	-	-
42	10	-	1	13	9	13	7	9	24	2	10	1	2	1
43	1	-	-	-	-	2	-	1	4	-	1	-	1	-
44	2	-	3	3	3	7	3	5	45	2	16	-	5	4
45	27	9	16	40	11	29	23	33	285	7	72	4	16	27
46	-	-	1	5	-	4	1	1	40	2	9	-	-	3
47	136	51	50	158	88	124	95	146	1,176	33	370	21	84	96
48	11	1	3	22	14	14	16	14	64	3	33	2	9	3
49	7	2	2	5	3	3	9	6	37	-	12	1	3	6
50	1	-	1	3	3	2	7	3	11	1	5	-	-	1
51	5	3	1	3	-	3	1	4	17	-	3	-	3	3
52	6	2	1	5	2	3	4	3	50	3	7	1	4	5
53	2	-	3	2	-	3	5	5	52	1	19	1	2	1
54	2	3	3	5	5	2	4	3	63	2	20	3	7	5
55	8	3	4	9	8	6	4	11	101	4	41	2	7	7
56	21	7	7	25	13	21	6	16	140	9	55	4	16	8
57	35	10	8	36	19	21	17	29	231	3	72	3	8	26
58	29	16	12	33	15	32	17	31	281	7	74	4	16	19
59	9	4	5	10	6	14	5	21	129	-	29	-	9	12
60	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	136	51	50	158	88	124	95	146	1,176	33	370	21	84	96

	INVERNESS COUNTY—(continued).						KINCARDINE COUNTY.			Marginal Index Numbers.
	Badenoch C.D.	Lochaber C.D.	Skye C.D.	Harris C.D.	North Uist C.D.	South Uist C.D.	Kincardine County.*	Banchory B.	Inverbervie B.	
Population (Estimated) - - -	7,749	6,859	10,546	5,084	2,939	6,812	42,262	1,808	957	1
Total Births Registered (including Illegitimate)	87	108	157	104	39	121	826	23	31	2
" " Corrected for Transfers	98	114	160	105	41	120	873	22	30	3
" " " Male - - -	49	62	81	58	26	66	453	7	15	4
" " " Female - - -	49	52	79	47	15	54	420	15	15	5
" " " Illegitimate	14	8	16	13	7	7	90	1	2	6
" Marriages Registered - - -	22	14	23	21	11	16	187	16	6	7
" Deaths Registered - - -	74	90	152	71	50	85	474	22	16	8
" " Corrected for Transfers	90	108	163	74	52	85	546	27	18	9
" " " Male - - -	56	55	77	33	26	45	265	16	10	10
" " " Female - - -	34	53	86	41	26	40	281	11	8	11
CAUSES OF DEATH.										
Enteric Fever - - - - -	-	-	-	1	-	-	-	-	-	12
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	13
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	14
Measles - - - - -	1	-	-	-	-	-	5	-	-	15
Scarlet Fever - - - - -	-	-	-	-	-	-	2	-	-	16
Whooping-cough - - - - -	-	-	-	-	-	1	14	-	2	17
Diphtheria - - - - -	-	2	-	1	-	-	5	-	-	18
Influenza - - - - -	3	1	9	4	6	6	14	-	-	19
Encephalitis Lethargica - - - - -	-	-	-	-	1	-	-	-	-	20
Cerebro-spinal Meningitis - - - - -	-	1	-	1	-	-	-	-	-	21
Other Epidemic Diseases - - - - -	-	-	-	-	1	-	1	-	-	22
Tuberculosis of Respiratory System - - -	5	5	8	8	3	3	30	-	1	23
Tuberculous Meningitis - - - - -	1	1	2	-	-	-	10	1	-	24
Tuberculosis of Intestines and Peritoneum - - -	-	-	1	-	-	-	5	-	-	25
Other Tuberculous Disease - - - - -	-	1	3	-	-	-	4	1	-	26
Malignant Tumours - - - - -	9	9	15	4	7	7	52	4	-	27
Rheumatic Fever - - - - -	-	-	2	1	-	3	1	-	-	28
Meningitis (not Cer. Spin. or Tuberc.) - - -	-	-	2	-	-	-	5	1	-	29
Apoplexy - - - - -	15	6	13	6	4	4	35	2	1	30
Heart Disease - - - - -	9	16	24	5	8	14	84	7	2	31
Diseases of Arteries - - - - -	4	-	1	1	-	-	12	1	-	32
Bronchitis - - - - -	5	4	8	2	1	5	15	-	-	33
Pneumonia (all forms) - - - - -	4	10	14	3	2	-	31	1	3	34
Other Diseases of Respiratory System - - -	1	-	2	-	-	2	13	-	-	35
Diarrhoea and Enteritis (under 2 years) - - -	-	-	-	1	-	-	4	-	-	36
Appendicitis - - - - -	-	1	2	-	-	-	1	-	-	37
All Diseases of Liver (not Malignant) - - -	-	2	-	-	-	2	6	-	-	38
Nephritis, Acute and Chronic - - - - -	1	2	4	2	4	2	11	2	-	39
Puerperal Sepsis - - - - -	-	-	-	-	-	-	1	-	-	40
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	2	1	-	-	1	4	-	-	41
Dis. of Early Infancy, and Malformations - - -	-	3	1	2	-	2	27	-	2	42
Suicide - - - - -	1	-	-	-	1	-	4	-	-	43
Other Violent Deaths - - - - -	2	11	1	2	1	1	28	-	1	44
Other Defined Diseases - - - - -	28	25	42	23	13	28	112	6	6	45
Causes Ill-defined or Unknown - - -	1	6	8	7	-	4	10	1	-	46
ALL CAUSES - - -	90	108	163	74	52	85	546	27	18	47
AGES AT DEATH.										
Under 1 - - - - -	1	4	1	4	-	4	73	-	5	48
1-4 - - - - -	1	3	4	4	1	2	32	2	1	49
5-9 - - - - -	1	1	-	1	-	1	9	-	-	50
10-14 - - - - -	1	1	3	1	-	2	4	-	-	51
15-24 - - - - -	4	5	12	4	2	3	21	-	-	52
25-34 - - - - -	5	10	6	5	1	1	17	-	-	53
35-44 - - - - -	4	11	4	1	3	3	24	1	1	54
45-54 - - - - -	8	7	8	8	2	7	49	3	1	55
55-64 - - - - -	10	12	15	5	2	4	75	5	5	56
65-74 - - - - -	18	18	36	14	14	19	87	9	4	57
75-84 - - - - -	28	24	54	16	15	24	109	7	1	58
85 and over - - - - -	9	12	20	11	12	15	46	-	-	59
Not stated - - - - -	-	-	-	-	-	-	-	-	-	60
ALL AGES - - -	90	108	163	74	52	85	546	27	18	61

* Including the portion within the Burgh of Aberdeen.

Marginal Index Numbers.	KINCARDINE COUNTY.							KINROSS COUNTY.			KIRKCUDBRIGHT COUNTY.			
	Laurencekirk B.	Stonehaven B.	Laurencekirk C.D.	Lower Deeside C.D.	St. Cyrus C.D.	Stonehaven C.D.	Upper Deeside C.D.	Kinross County.	Kinross B.	Kinross C.D.	Kirkcud- bright County.	Castle- Douglas B.	Dalbeattie B.	Gatehouse B.
1	1,442	5,038	4,936	3,712	4,496	4,542	3,291	8,007	2,583	5,424	35,804	2,640	2,763	808
2	29	60	106	74	90	74	66	126	56	70	702	50	62	21
3	32	65	111	83	93	79	62	138	58	80	746	50	61	19
4	18	31	57	42	60	36	31	69	30	39	380	23	31	9
5	14	34	54	41	33	43	31	69	28	41	366	27	30	10
6	7	9	15	11	18	12	7	9	3	6	98	13	7	2
7	7	41	17	30	12	11	7	24	15	9	239	18	30	2
8	23	76	48	44	53	40	50	124	31	93	425	41	37	15
9	23	79	58	49	59	47	42	101	40	61	495	36	43	16
10	9	38	22	25	25	20	22	53	22	31	237	21	23	10
11	14	41	36	24	34	27	20	48	18	30	258	15	20	6
12	-	-	-	-	-	-	-	-	-	-	1	-	-	-
13	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	-	-	-	-	2	-	-	-	-	-	4	-	1	-
16	-	-	-	-	1	-	-	1	-	1	1	-	-	-
17	-	-	-	3	6	-	-	2	1	1	-	-	-	-
18	-	-	-	-	-	1	-	-	-	-	-	-	-	-
19	-	6	2	4	-	-	1	2	-	2	7	-	-	-
20	-	-	-	-	-	-	-	-	-	-	-	-	-	-
21	-	-	-	-	-	-	-	1	-	1	-	-	-	-
22	1	-	-	-	-	-	-	-	-	-	1	-	-	-
23	-	3	2	-	1	2	3	6	4	2	16	-	2	1
24	-	-	-	2	-	-	-	1	-	1	5	1	-	-
25	-	1	1	-	-	-	1	-	-	-	5	1	1	-
26	-	1	-	-	1	-	-	1	-	-	6	1	1	-
27	3	11	7	7	8	2	3	11	4	7	56	1	4	1
28	-	-	-	1	-	-	-	1	1	-	2	-	-	-
29	-	1	-	-	2	1	-	-	-	-	7	1	-	-
30	-	6	5	6	1	2	1	15	4	11	54	2	4	1
31	5	12	8	3	15	6	7	13	4	9	81	8	8	3
32	2	-	3	2	-	-	-	1	1	-	6	1	1	-
33	-	-	3	-	1	3	4	5	3	2	30	1	3	1
34	1	3	4	-	3	3	5	3	1	2	12	1	1	-
35	1	1	-	1	2	3	1	2	-	2	9	1	1	-
36	-	-	2	1	1	-	-	-	-	-	3	1	-	-
37	-	-	1	-	-	-	-	-	-	-	8	1	1	-
38	-	2	-	-	-	-	1	2	1	1	6	3	-	-
39	-	5	1	2	-	1	-	1	-	1	16	1	2	1
40	-	-	-	-	-	-	-	-	-	-	1	-	-	-
41	-	-	-	1	-	1	-	-	-	-	2	1	-	-
42	1	2	3	3	1	2	2	3	-	3	32	-	2	6
43	1	1	-	-	-	2	-	-	-	-	4	-	-	-
44	1	2	4	5	3	5	2	7	5	2	16	1	3	-
45	6	21	10	7	11	11	10	21	9	12	92	9	7	2
46	1	1	2	1	-	2	1	2	2	-	12	-	1	-
47	23	79	58	49	59	47	42	101	40	61	495	36	43	16
48	2	2	6	11	12	4	7	5	1	4	52	2	5	6
49	3	1	1	-	4	1	2	7	4	3	18	-	2	-
50	-	-	-	-	1	3	-	2	1	1	2	-	-	-
51	-	-	1	-	-	-	-	-	-	-	2	-	-	-
52	-	3	1	2	2	2	2	3	-	3	14	-	3	-
53	-	3	1	2	-	-	2	4	1	3	25	5	1	-
54	1	2	2	1	3	4	2	5	1	4	23	1	4	-
55	-	8	4	6	6	5	2	12	5	7	38	-	2	4
56	5	13	10	6	4	5	3	13	7	6	68	6	6	-
57	2	19	7	5	9	8	9	21	7	14	120	9	7	3
58	8	19	16	14	13	9	5	18	7	11	101	12	9	3
59	2	9	9	2	5	6	8	11	6	5	32	1	4	-
60	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	23	79	58	49	59	47	42	101	40	61	495	36	43	16

	KIRKCUDBRIGHT COUNTY—(continued).							Marginal Index Numbers.
	Kirkcubright B.	Maxwelltown B.	New Galloway B.	Eastern C.D.	Northern C.D.	Southern C.D.	Western C.D.	
Population (Estimated) - - -	2,007	5,917	339	7,716	2,785	7,946	2,883	1
Total Births Registered (including Illegitimate)	38	108	6	146	44	179	48	2
" " Corrected for Transfers	41	135	6	157	48	176	53	3
" " " Male - - -	23	76	4	75	24	90	25	4
" " " Female - -	18	59	2	82	24	86	28	5
" " " Illegitimate	4	5	-	25	8	30	4	6
" Marriages Registered - -	21	36	2	43	22	42	23	7
" Deaths Registered - - -	29	66	5	80	20	95	37	8
" " Corrected for Transfers	35	90	7	94	25	107	42	9
" " " Male - - -	18	38	2	39	12	49	25	10
" " " Female - -	17	52	5	55	13	58	17	11
CAUSES OF DEATH.								
Enteric Fever - - - - -	-	-	-	1	-	-	-	12
Typhus Fever - - - - -	-	-	-	-	-	-	-	13
Small-pox - - - - -	-	-	-	-	-	-	-	14
Measles - - - - -	-	1	-	1	-	1	-	15
Scarlet Fever - - - - -	-	1	-	-	-	-	-	16
Whooping-cough - - - - -	-	-	-	-	-	-	-	17
Diphtheria - - - - -	-	-	-	-	-	-	-	18
Influenza - - - - -	1	4	-	1	-	1	-	19
Encephalitis Lethargica - - - -	-	-	-	-	-	-	-	20
Cerebro spinal Meningitis - - -	-	-	-	-	-	-	-	21
Other Epidemic Diseases - - - -	-	-	-	1	-	-	-	22
Tuberculosis of Respiratory System -	1	2	1	3	-	5	1	23
Tuberculous Meningitis - - - -	1	1	-	1	-	1	-	24
Tuberculosis of Intestines and Peritoneum	-	2	-	1	-	-	-	25
Other Tuberculous Disease - - -	-	-	-	-	1	2	1	26
Malignant Tumours - - - - -	5	10	1	11	3	13	7	27
Rheumatic Fever - - - - -	-	1	-	1	-	-	-	28
Meningitis (not Cer. Spin. or Tuberc.)	-	1	-	5	-	-	-	29
Apoplexy - - - - -	4	17	1	7	1	12	5	30
Heart Disease - - - - -	5	11	1	14	4	20	7	31
Diseases of Arteries - - - - -	1	-	-	-	1	1	1	32
Bronchitis - - - - -	2	4	1	8	-	5	5	33
Pneumonia (all forms) - - - - -	3	2	-	3	-	1	1	34
Other Diseases of Respiratory System -	1	2	-	-	1	2	1	35
Diarrhoea and Enteritis (under 2 years)	-	-	-	-	1	1	-	36
Appendicitis - - - - -	2	1	-	1	1	1	-	37
All Diseases of Liver (not Malignant) -	1	1	-	-	-	-	1	38
Nephritis, Acute and Chronic - - -	-	2	-	7	1	2	-	39
Puerperal Sepsis - - - - -	-	-	-	1	-	-	-	40
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	1	-	-	-	41
Dis. of Early Infancy, and Malformations	1	8	1	4	2	7	1	42
Suicide - - - - -	-	1	-	2	-	1	-	43
Other Violent Deaths - - - - -	-	2	-	1	-	8	1	44
Other Defined Diseases - - - - -	7	14	-	18	7	23	5	45
Causes Ill-defined or Unknown - - -	-	2	1	1	2	-	5	46
ALL CAUSES - - - - -	35	90	7	94	25	107	42	47
AGES AT DEATH.								
Under 1 - - - - -	5	10	1	5	2	13	3	48
1-4 - - - - -	1	7	-	5	1	2	-	49
5-9 - - - - -	-	1	-	1	-	-	-	50
10-14 - - - - -	-	1	-	-	-	1	-	51
15-24 - - - - -	1	3	-	3	2	2	-	52
25-34 - - - - -	-	6	-	6	1	5	1	53
35-44 - - - - -	2	5	-	8	-	1	2	54
45-54 - - - - -	3	10	1	6	3	6	3	55
55-64 - - - - -	7	9	2	12	4	14	8	56
65-74 - - - - -	7	26	2	19	3	30	14	57
75-84 - - - - -	7	9	1	22	7	22	9	58
85 and over - - - - -	2	3	-	7	2	11	2	59
Not stated - - - - -	-	-	-	-	-	-	-	60
ALL AGES - - - - -	35	90	7	94	25	107	42	61

Marginal Index Numbers.	LANARK COUNTY.											
	Lanark County.*	Airdrie B.	Biggar B.	Coatbridge B.	Glasgow B.	Hamilton B.	Lanark B.	Motherwell & Wishaw B.	Rutherglen B.	Lower Lanark C.D.	Middle Lanark C.D.	Upper Lanark C.D.
1	1,570,888	24,911	1,536	44,397	1,048,963	39,916	6,314	70,789	24,435	30,220	231,720	47,660
2	37,523	672	20	996	25,036	1,035	123	1,632	408	524	6,123	954
3	37,196	681	17	1,160	24,542	1,029	134	1,660	458	581	5,935	999
4	19,013	345	7	597	12,553	535	64	815	223	310	3,050	514
5	18,183	336	10	563	11,989	494	70	845	235	271	2,885	485
6	2,156	32	1	66	1,460	47	7	85	21	21	340	76
7	11,340	186	5	253	8,659	196	47	332	213	121	1,128	200
8	22,070	277	22	554	16,428	441	77	686	221	433	2,485	446
9	21,858	318	22	606	15,731	504	78	778	338	357	2,626	500
10	11,368	183	14	337	8,158	267	34	409	159	175	1,397	235
11	10,490	135	8	269	7,573	237	44	369	179	182	1,229	265
12	19	-	-	-	14	-	-	2	-	1	2	-
13	1	-	-	-	1	-	-	-	-	-	-	-
14	-	-	-	-	-	-	-	-	-	-	-	-
15	591	5	-	21	435	25	1	15	5	7	70	7
16	122	3	-	6	90	2	-	3	2	4	11	1
17	237	5	-	1	182	9	-	9	5	1	25	-
18	179	2	-	3	134	-	7	5	2	6	16	4
19	575	13	-	14	384	20	-	12	11	22	86	13
20	69	1	-	2	43	3	-	2	-	1	15	2
21	46	1	-	-	41	-	1	1	-	-	1	1
22	100	-	-	4	73	4	-	3	-	4	9	3
23	1,230	10	-	30	943	28	-	37	18	20	124	20
24	194	4	-	5	136	5	-	7	5	-	32	-
25	127	1	-	5	71	6	1	4	4	3	27	5
26	214	3	-	7	150	3	-	6	2	3	34	6
27	2,029	27	7	55	1,490	44	3	78	39	30	213	43
28	66	1	-	4	37	2	-	2	-	2	14	4
29	179	5	-	10	113	4	1	3	6	2	33	2
30	1,699	27	1	36	1,202	42	14	52	37	30	202	56
31	2,101	33	3	55	1,522	38	7	75	49	31	225	63
32	191	3	-	1	147	6	-	7	5	2	15	5
33	1,448	24	2	32	1,044	23	3	77	22	12	174	35
34	2,596	36	1	83	2,040	61	4	74	21	25	219	32
35	238	6	-	3	176	3	-	4	1	4	31	10
36	399	4	-	15	309	8	-	13	1	5	39	5
37	157	1	-	4	95	4	2	7	2	5	33	4
38	163	1	-	8	118	3	1	5	4	3	17	3
39	607	9	1	14	452	14	1	26	12	9	59	10
40	87	2	-	3	52	1	1	6	1	2	16	3
41	181	4	-	8	112	7	1	9	3	4	29	4
42	1,445	28	1	49	944	37	10	70	11	19	244	32
43	153	-	-	4	123	3	-	2	1	1	15	4
44	792	15	-	28	523	16	4	29	13	22	118	24
45	3,181	34	5	85	2,210	75	16	124	48	69	428	87
46	442	10	1	11	325	8	-	9	8	8	50	12
47	21,858	318	22	606	15,731	504	78	778	338	357	2,626	500
48	3,566	56	1	112	2,548	96	15	122	26	40	498	52
49	2,094	39	-	60	1,485	60	9	79	21	26	287	28
50	438	8	-	22	294	7	3	13	8	8	69	6
51	302	2	-	9	202	7	-	13	2	10	50	7
52	999	22	-	31	692	20	3	30	22	14	140	25
53	1,113	15	-	28	791	28	3	39	18	23	136	27
54	1,476	16	1	39	1,124	29	3	46	17	21	150	30
55	2,242	28	1	62	1,678	53	4	78	34	42	226	36
56	3,170	42	2	83	2,340	67	3	125	56	42	318	72
57	3,679	54	9	105	2,582	77	17	144	78	59	447	107
58	2,284	32	6	46	1,632	50	14	76	45	51	246	86
59	495	4	2	9	343	10	4	13	11	16	59	24
60	-	-	-	-	-	-	-	-	-	-	-	-
61	21,858	318	22	606	15,731	504	78	778	338	357	2,626	500

* Including the portion within the Burgh of Renfrew.

MIDLOTHIAN COUNTY.										
	Midlothian County.	Bonnyrigg B.	Dalkeith B.	Edinburgh B.	Lasswade B.	Loanhead B.	Musselburgh B.	Penicuik B.	Marginal Index Numbers.	
Population (Estimated) - - -	509,547	3,110	7,206	424,025	910	3,349	17,316	2,587	1	
Total Births Registered (including Illegitimate)	10,001	80	134	8,308	23	68	356	46	2	
" " Corrected for Transfers	9,705	74	151	7,926	30	71	371	45	3	
" " " Male - - -	4,937	41	81	4,008	13	45	189	23	4	
" " " Female - -	4,768	33	70	3,918	17	26	182	22	5	
" " " Illegitimate	637	5	12	549	-	2	11	1	6	
" Marriages Registered - -	4,253	3	46	3,823	6	21	104	17	7	
" Deaths Registered - - -	7,251	29	94	6,348	11	33	191	30	8	
" " Corrected for Transfers	6,773	38	112	5,710	15	40	230	34	9	
" " " Male - - -	3,319	19	58	2,770	10	21	120	17	10	
" " " Female - -	3,454	19	54	2,940	5	19	110	17	11	
CAUSES OF DEATH.										
Enteric Fever - - - - -	7	-	1	5	-	-	-	-	12	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	13	
Small-pox - - - - -	-	-	-	-	-	-	-	-	14	
Measles - - - - -	47	-	-	42	-	-	5	-	15	
Scarlet Fever - - - - -	44	-	-	36	-	-	3	1	16	
Whooping-cough - - - -	19	-	1	17	-	-	-	-	17	
Diphtheria - - - - -	51	1	2	43	-	1	1	-	18	
Influenza - - - - -	144	3	2	116	-	2	9	-	19	
Encephalitis Lethargica - - -	27	-	1	23	-	1	1	-	20	
Cerebro-spinal Meningitis - -	20	-	-	18	-	-	-	-	21	
Other Epidemic Diseases - - -	26	-	-	24	-	-	-	-	22	
Tuberculosis of Respiratory System -	399	1	4	356	-	2	10	2	23	
Tuberculous Meningitis - - -	61	-	1	49	-	2	2	-	24	
Tuberculosis of Intestines and Peritoneum	38	-	3	32	-	-	-	-	25	
Other Tuberculous Disease - - -	61	-	3	45	-	-	5	1	26	
Malignant Tumours - - - - -	754	5	11	653	-	1	23	5	27	
Rheumatic Fever - - - - -	27	-	1	19	1	-	2	-	28	
Meningitis (not Cer. Spin. or Tuberc.)	40	-	1	28	-	2	-	5	29	
Apoplexy - - - - -	723	6	20	606	1	4	23	3	30	
Heart Disease - - - - -	904	5	5	794	1	3	25	4	31	
Diseases of Arteries - - - - -	124	-	-	113	1	-	3	-	32	
Bronchitis - - - - -	348	-	6	300	-	2	5	2	33	
Pneumonia (all forms) - - - -	477	3	5	398	1	3	28	1	34	
Other Diseases of Respiratory System -	103	-	4	83	-	1	7	-	35	
Diarrhoea and Enteritis (under 2 years)	65	1	1	50	-	-	4	-	36	
Appendicitis - - - - -	46	-	1	36	1	-	2	-	37	
All Diseases of Liver (not Malignant) -	72	-	-	65	-	-	2	-	38	
Nephritis, Acute and Chronic - - -	205	-	1	175	-	3	4	1	39	
Puerperal Sepsis - - - - -	8	-	-	8	-	-	-	-	40	
Other Diseases and Accidents of Pregnancy and Parturition	36	-	1	31	-	-	-	-	41	
Dis. of Early Infancy, and Malformations	348	1	4	281	1	-	20	4	42	
Suicide - - - - -	70	-	1	61	-	-	-	-	43	
Other Violent Deaths - - - - -	226	2	2	187	1	-	10	-	44	
Other Defined Diseases - - - - -	1,218	10	25	993	7	12	35	5	45	
Causes Ill-defined or Unknown - - -	35	-	5	23	-	1	1	-	46	
ALL CAUSES - - - - -	6,773	38	112	5,710	15	40	230	34	47	
AGES AT DEATH.										
Under 1 - - - - -	778	3	15	632	3	6	39	8	48	
1-4 - - - - -	332	1	8	271	-	1	19	3	49	
5-9 - - - - -	104	3	2	80	-	1	6	-	50	
10-14 - - - - -	79	-	2	61	-	-	6	-	51	
15-24 - - - - -	267	2	6	222	1	1	3	-	52	
25-34 - - - - -	341	1	5	296	-	4	13	1	53	
35-44 - - - - -	418	2	5	365	-	3	12	-	54	
45-54 - - - - -	660	3	7	555	4	2	24	3	55	
55-64 - - - - -	987	8	12	831	1	8	34	3	56	
65-74 - - - - -	1,419	7	27	1,211	3	5	35	7	57	
75-84 - - - - -	1,061	7	19	914	1	6	26	7	58	
85 and over - - - - -	327	1	4	272	2	3	13	2	59	
Not stated - - - - -	-	-	-	-	-	-	-	-	60	
ALL AGES - - - - -	6,773	38	112	5,710	15	40	230	34	61	

Marginal Index Numbers.	MIDLOTHIAN COUNTY.			MORAY COUNTY.								NAIRN COUNTY.		
	Calder C.D.	Gala-Water C.D.	Lasswade C.D.	Moray County.	Burghead B.	Elgin B.	Forres B.	Grantown-on- Spey B.	Lossiemouth B.	Roths B.	Moray C.D.	Nairn County.	Nairn B.	Nairn C.D.
1	19,050	7,141	24,853	39,800	1,255	7,193	3,886	1,670	4,060	1,198	20,538	8,355	4,269	4,086
2	354	122	510	854	27	145	81	22	93	33	453	171	81	90
3	386	125	526	850	25	140	80	22	91	33	459	168	79	89
4	192	75	270	439	12	67	47	11	42	23	237	88	44	44
5	194	50	256	411	13	73	33	11	49	10	222	80	35	45
6	23	7	27	111	-	14	12	1	13	5	66	21	9	12
7	107	36	90	241	3	98	40	8	12	8	72	48	37	11
8	159	77	279	538	14	124	64	15	49	19	253	122	56	66
9	221	90	283	544	14	112	74	24	56	23	241	126	63	63
10	117	36	151	259	10	53	36	10	30	9	111	63	33	30
11	104	54	132	285	4	59	38	14	26	14	130	63	30	33
12	1	-	-	-	-	-	-	-	-	-	-	-	-	-
13	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	-	-	-	-	-	-	-	-	-	-	-	-	-	-
16	1	-	3	4	-	2	-	-	-	-	2	-	-	-
17	-	-	1	8	-	3	-	-	1	-	4	-	-	-
18	-	-	3	1	-	-	-	-	-	-	1	-	-	-
19	1	4	7	10	-	4	2	1	-	-	3	-	-	-
20	1	-	-	-	-	-	-	-	-	-	-	1	-	1
21	1	-	1	-	-	-	-	-	-	-	-	-	-	-
22	1	-	1	1	-	-	-	-	1	-	-	-	-	-
23	7	5	12	29	-	8	6	3	2	-	10	7	4	3
24	4	-	3	2	-	-	-	-	-	-	2	-	-	-
25	3	-	-	1	-	1	-	-	-	-	-	-	-	-
26	3	2	2	2	-	1	-	-	-	-	1	1	-	1
27	21	5	30	62	4	10	12	2	7	2	25	17	10	7
28	1	1	2	1	1	-	-	-	-	-	-	-	-	-
29	2	-	2	6	-	1	2	-	1	-	2	1	1	-
30	19	9	32	65	1	13	8	4	10	4	25	10	6	4
31	33	6	28	69	1	9	10	1	3	5	40	17	8	9
32	3	3	1	12	-	4	3	-	-	-	5	5	4	1
33	15	7	11	12	-	5	2	-	1	2	2	10	4	6
34	11	9	18	28	-	6	4	1	4	2	11	4	-	4
35	2	3	3	12	-	4	-	1	1	-	6	7	3	4
36	5	2	2	2	-	-	-	-	-	-	2	-	-	-
37	3	-	3	3	-	-	1	-	-	-	2	2	-	2
38	3	1	1	3	-	-	-	2	-	1	-	2	1	1
39	3	6	12	16	1	6	1	1	-	1	6	5	3	2
40	-	-	-	1	-	-	-	-	-	-	1	-	-	-
41	-	1	3	3	-	-	1	-	-	2	-	2	1	1
42	8	2	27	35	-	6	3	-	7	1	18	5	2	3
43	2	3	3	3	-	1	-	-	-	-	2	-	-	-
44	8	4	12	22	-	4	3	1	2	1	11	1	-	1
45	55	16	60	120	6	23	15	6	15	2	53	24	16	8
46	4	1	-	11	-	1	1	1	1	-	7	5	-	5
47	221	90	283	544	14	112	74	24	56	23	241	126	63	63
48	22	10	40	65	-	10	7	1	11	1	35	10	4	6
49	11	1	17	16	-	6	1	-	4	1	4	1	1	-
50	6	1	5	7	-	4	1	-	-	-	2	1	1	-
51	2	1	7	6	-1	-	1	-	2	-	2	-	-	-
52	9	2	21	15	-	6	4	-	1	1	3	3	1	2
53	8	3	10	17	-	4	1	4	1	1	6	3	-	3
54	7	7	17	30	1	3	6	4	3	-	13	8	5	3
55	22	13	27	38	1	9	4	4	2	4	14	15	8	7
56	39	11	40	69	1	13	6	5	9	1	34	18	10	8
57	47	22	55	122	4	25	19	4	11	5	54	26	10	16
58	40	11	30	117	5	25	18	1	5	7	56	29	16	13
59	8	8	14	42	1	7	6	1	7	2	18	12	7	5
60	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	221	90	283	544	14	112	74	24	56	23	241	126	63	63

	ORKNEY COUNTY.							Marginal Index Numbers.
	Orkney County.	Kirkwall B.	Stromness B.	Mainland C.D.	North Isles C.D.	South Ronaldsay C.D.	Walls C.D.	
Population (Estimated) - - -	22,754	3,567	1,582	8,395	5,899	1,916	1,395	1
Total Births Registered (including Illegitimate)	356	68	19	139	86	24	20	2
" " Corrected for Transfers	358	65	19	143	86	26	19	3
" " " Male - -	194	37	10	72	49	16	10	4
" " " Female - -	164	28	9	71	37	10	9	5
" " " Illegitimate	24	4	1	7	7	4	1	6
" Marriages Registered - -	128	31	5	54	20	14	4	7
" Deaths Registered - -	327	64	24	108	78	31	22	8
" " Corrected for Transfers	343	51	28	124	84	33	23	9
" " " Male - -	159	22	10	56	47	15	9	10
" " " Female - -	184	29	18	68	37	18	14	11
CAUSES OF DEATH.								
Enteric Fever - - - -	-	-	-	-	-	-	-	12
Typhus Fever - - - -	-	-	-	-	-	-	-	13
Small-pox - - - -	-	-	-	-	-	-	-	14
Measles - - - -	-	-	-	-	-	-	-	15
Scarlet Fever - - - -	2	1	-	1	-	-	-	16
Whooping cough - - - -	-	-	-	-	-	-	-	17
Diphtheria - - - -	-	-	-	-	-	-	-	18
Influenza - - - -	8	-	1	1	5	1	-	19
Encephalitis Lethargica - - - -	1	-	-	-	1	-	-	20
Cerebro-spinal Meningitis - - - -	2	-	-	1	1	-	-	21
Other Epidemic Diseases - - - -	-	-	-	-	-	-	-	22
Tuberculosis of Respiratory System - -	18	1	5	5	3	2	2	23
Tuberculous Meningitis - - - -	1	-	-	-	-	-	1	24
Tuberculosis of Intestines and Peritoneum -	-	-	-	-	-	-	-	25
Other Tuberculous Disease - - - -	3	2	-	-	1	-	-	26
Malignant Tumours - - - -	31	2	2	12	10	4	1	27
Rheumatic Fever - - - -	1	-	-	1	-	-	-	28
Meningitis (not Cer. Spin. or Tuberc.)	4	-	-	1	1	2	-	29
Apoplexy - - - -	27	6	-	9	8	1	3	30
Heart Disease - - - -	70	14	8	30	12	2	4	31
Diseases of Arteries - - - -	3	-	1	1	1	-	-	32
Bronchitis - - - -	17	3	-	7	6	-	1	33
Pneumonia (all forms) - - - -	4	-	-	2	1	-	1	34
Other Diseases of Respiratory System -	5	1	1	2	1	-	-	35
Diarrhoea and Enteritis (under 2 years)	1	1	-	-	-	-	-	36
Appendicitis - - - -	2	-	1	-	1	-	-	37
All Diseases of Liver (not Malignant) -	1	-	-	-	-	-	1	38
Nephritis, Acute and Chronic - - - -	9	1	-	6	2	-	-	39
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	40
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	41
Dis. of Early Infancy, and Malformations	11	2	-	6	2	-	1	42
Suicide - - - -	-	-	-	-	-	-	-	43
Other Violent Deaths - - - -	10	2	1	6	1	-	-	44
Other Defined Diseases - - - -	104	14	8	31	23	20	8	45
Causes Ill-defined or Unknown - - -	8	1	-	2	4	1	-	46
ALL CAUSES - - -	343	51	28	124	84	33	23	47
AGES AT DEATH.								
Under 1 - - - -	19	4	2	8	3	1	1	48
1-4 - - - -	5	2	-	1	1	1	-	49
5-9 - - - -	-	-	-	-	-	-	-	50
10-14 - - - -	5	1	-	2	-	1	1	51
15-24 - - - -	9	-	-	5	3	-	1	52
25-34 - - - -	5	3	-	1	-	1	-	53
35-44 - - - -	15	3	4	5	3	-	-	54
45-54 - - - -	27	1	5	12	4	3	2	55
55-64 - - - -	45	6	2	16	12	7	2	56
65-74 - - - -	67	14	4	17	21	5	6	57
75-84 - - - -	94	9	8	44	18	8	7	58
85 and over - - - -	52	8	3	13	19	6	3	59
Not stated - - - -	-	-	-	-	-	-	-	60
ALL AGES - - -	343	51	28	124	84	33	23	61

Marginal Index Numbers.	PEEBLES COUNTY.				PERTH COUNTY.								
	Peebles County.	Innerleithen B.	Peebles B.	Peebles C.D.	Perth County.	Aberfeldy B.	Abernethy B.	Alyth B.	Auchterarder B.	Blairstown B.	Callander B.	Coupar-Angus B.	Crieff B.
1	15,051	2,284	5,406	7,361	125,231	1,512	623	1,603	2,201	2,923	2,012	1,878	5,953
2	214	23	106	85	1,932	15	8	46	32	51	13	27	62
3	219	33	86	100	1,995	15	7	38	35	54	15	27	60
4	127	17	53	57	988	5	1	16	11	28	9	11	34
5	92	16	33	43	1,007	10	6	22	24	26	6	16	26
6	13	3	5	5	190	-	-	1	4	6	2	4	5
7	90	19	43	28	692	6	4	10	21	35	5	16	39
8	142	20	58	64	1,613	20	7	23	38	59	14	21	69
9	154	24	62	68	1,623	25	11	31	41	60	15	31	80
10	70	13	24	33	766	14	7	14	19	26	6	14	30
11	84	11	38	35	857	11	4	17	22	34	9	17	50
12	-	-	-	-	-	-	-	-	-	-	-	-	-
13	-	-	-	-	-	-	-	-	-	-	-	-	-
14	-	-	-	-	-	-	-	-	-	-	-	-	-
15	-	-	-	-	4	-	-	-	-	-	-	-	-
16	1	-	-	1	7	-	-	-	-	-	-	-	1
17	1	-	-	1	4	-	-	-	-	-	-	-	-
18	1	-	-	1	7	1	-	-	-	-	-	-	-
19	1	-	1	-	44	-	1	-	1	3	3	-	3
20	-	-	-	-	5	1	-	-	-	-	-	-	2
21	-	-	-	-	1	-	-	-	-	-	-	-	-
22	-	-	-	-	9	1	-	-	-	-	-	-	-
23	8	1	3	4	60	2	1	-	2	2	2	-	2
24	-	-	-	-	2	-	-	-	-	-	-	-	-
25	1	1	-	-	3	-	-	-	-	-	-	-	-
26	1	1	-	-	12	-	-	-	-	-	-	1	-
27	18	3	7	8	225	4	-	8	5	10	2	6	14
28	2	1	-	1	4	-	-	-	-	-	-	1	-
29	-	-	-	-	8	-	-	-	-	1	-	-	-
30	18	4	6	8	185	1	-	2	4	4	1	3	9
31	23	3	9	11	212	3	2	3	9	11	-	1	10
32	3	1	2	-	40	1	1	2	-	-	-	1	1
33	8	2	2	4	93	-	-	1	4	2	1	2	1
34	8	-	3	5	61	2	-	2	2	4	-	-	2
35	1	-	-	1	27	-	-	-	-	3	1	-	2
36	-	-	-	-	7	-	-	-	-	-	-	1	-
37	-	-	-	-	17	-	1	-	1	1	-	-	1
38	5	1	1	3	10	-	-	-	-	-	-	-	2
39	7	-	6	1	55	-	1	3	1	1	1	-	2
40	-	-	-	-	1	-	-	-	-	-	-	-	-
41	-	-	-	-	13	-	-	-	-	2	-	-	1
42	3	-	2	1	76	-	-	3	2	2	-	2	3
43	-	-	-	-	12	-	-	-	-	1	-	1	-
44	7	1	2	4	53	2	-	1	1	3	1	1	1
45	35	5	17	13	328	7	3	6	7	10	2	9	20
46	2	-	1	1	38	-	1	-	2	-	1	2	3
47	154	24	62	68	1,623	25	11	31	41	60	15	31	80
48	7	1	2	4	125	1	-	3	3	1	-	4	5
49	4	2	1	1	49	-	-	-	1	4	-	-	3
50	2	-	-	2	21	1	-	-	-	-	-	1	-
51	1	-	-	1	11	-	-	-	-	-	-	-	-
52	2	-	-	2	68	2	2	-	1	3	3	-	1
53	7	-	2	5	59	-	1	-	-	1	-	1	3
54	2	-	2	-	67	1	-	3	1	2	1	-	2
55	16	4	5	7	130	1	2	1	4	9	2	2	9
56	23	4	12	7	258	4	1	7	9	4	2	5	15
57	48	9	19	20	376	5	3	8	11	12	2	10	21
58	39	4	19	16	330	5	2	5	11	19	3	7	14
59	3	-	-	3	129	5	-	4	-	5	2	1	7
60	-	-	-	-	-	-	-	-	-	-	-	-	-
61	154	24	62	68	1,623	25	11	31	41	60	15	31	80

	PERTH COUNTY—(continued).									Marginal Index Numbers.
	Doune B.	Dunblane B.	Perth B.	Ratray B.	Blaingowie C.D.	Central C.D.	Highland C.D.	Perth C.D.	Western C.D.	
Population (Estimated) - - -	834	2,855	33,027	1,709	9,823	11,186	14,244	21,957	10,891	1
Total Births Registered (including Illegitimate)	12	40	669	41	124	163	160	314	155	2
" " Corrected for Transfers	14	45	661	40	127	173	172	345	167	3
" " " Male - -	6	27	302	26	69	91	89	183	80	4
" " " Female -	8	18	359	14	58	82	83	162	87	5
" " " Illegitimate	3	3	44	8	12	25	17	34	22	6
" Marriages Registered - -	6	10	285	4	33	50	47	96	25	7
" Deaths Registered - -	9	43	574	35	100	125	173	212	91	8
" " Corrected for Transfers	13	37	437	45	118	141	166	271	101	9
" " " Male - -	5	12	214	24	61	72	80	123	45	10
" " " Female -	8	25	223	21	57	69	86	148	56	11
CAUSES OF DEATH.										
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	12
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	13
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	14
Measles - - - - -	-	-	3	-	-	1	-	-	-	15
Scarlet Fever - - - - -	-	1	2	-	1	-	-	2	-	16
Whooping-cough - - - -	-	-	4	-	-	-	-	-	-	17
Diphtheria - - - - -	-	-	2	-	3	-	-	1	-	18
Influenza - - - - -	-	2	12	2	1	3	4	4	5	19
Encephalitis Lethargica - -	-	-	1	-	-	-	1	-	-	20
Cerebro-spinal Meningitis -	-	-	-	-	-	-	-	1	-	21
Other Epidemic Diseases - -	-	-	4	-	1	2	-	1	-	22
Tuberculosis of Respiratory System	-	1	13	1	3	5	6	15	5	23
Tuberculous Meningitis - -	-	-	-	-	-	1	-	1	-	24
Tuberculosis of Intestines and Peritoneum	-	-	2	-	-	-	-	1	-	25
Other Tuberculous Disease - -	1	-	3	1	1	-	2	2	1	26
Malignant Tumours - - - -	3	7	56	7	14	16	23	36	14	27
Rheumatic Fever - - - - -	-	1	-	-	-	1	1	-	-	28
Meningitis (not Cer. Spin. or Tuberc.)	-	-	3	-	2	1	-	-	1	29
Apoplexy - - - - -	2	5	51	5	18	10	19	42	9	30
Heart Disease - - - - -	1	4	45	5	19	17	21	46	15	31
Diseases of Arteries - - - -	-	2	18	-	1	4	2	6	1	32
Bronchitis - - - - -	-	4	36	2	3	8	6	17	6	33
Pneumonia (all forms) - - -	3	2	20	1	5	4	3	9	2	34
Other Diseases of Respiratory System	-	-	7	1	1	1	4	5	2	35
Diarrhoea and Enteritis (under 2 years)	-	-	1	1	-	1	2	1	-	36
Appendicitis - - - - -	-	-	6	-	1	4	-	-	2	37
All Diseases of Liver (not Malignant) -	-	-	5	-	1	1	1	-	-	38
Nephritis, Acute and Chronic - -	1	1	13	3	4	5	6	12	1	39
Puerperal Sepsis - - - - -	-	-	1	-	-	-	-	-	-	40
Other Diseases and Accidents of Pregnancy and Parturition	-	-	5	-	1	1	-	2	1	41
Dis. of Early Infancy, and Malformations	-	2	19	2	6	13	7	10	5	42
Suicide - - - - -	-	-	4	-	2	-	1	1	2	43
Other Violent Deaths - - - -	1	-	10	1	4	7	8	6	6	44
Other Defined Diseases - - - -	1	4	80	13	25	31	45	44	21	45
Causes Ill-defined or Unknown - -	-	1	11	-	1	4	4	6	2	46
ALL CAUSES - - - - -	13	37	437	45	118	141	166	271	101	47
AGES AT DEATH.										
Under 1 - - - - -	1	2	36	4	6	16	14	20	9	48
1-4 - - - - -	1	1	20	2	1	5	1	9	1	49
5-9 - - - - -	-	-	8	-	4	2	1	3	1	50
10-14 - - - - -	-	-	3	1	2	-	3	2	-	51
15-24 - - - - -	1	-	13	3	8	6	6	12	7	52
25-34 - - - - -	-	2	22	-	2	4	5	14	4	53
35-44 - - - - -	-	1	19	2	3	12	5	8	7	54
45-54 - - - - -	4	5	33	1	11	6	18	16	6	55
55-64 - - - - -	4	4	81	8	19	22	23	37	13	56
65-74 - - - - -	-	9	101	8	30	31	35	68	22	57
75-84 - - - - -	1	10	77	13	21	25	34	60	23	58
85 and over - - - - -	1	3	24	3	11	12	21	22	8	59
Not stated - - - - -	-	-	-	-	-	-	-	-	-	60
ALL AGES - - - - -	13	37	437	45	118	141	166	271	101	61

Marginal Index Numbers.	RENFREW COUNTY.										ROSS AND CROMARTY COUNTY.			
	Renfrew County.	Barthead B.	Gourock B.	Greenock B.	Johnstone B.	Paisley B.	Port-Glasgow B.	Renfrew B. *	Upper C.D.	Lower C.D.	Ross and Cromarty County.	Cromarty B.	Dingwall B.	Fortrose B.
1	291,773	11,265	11,226	81,558	12,421	86,103	21,783	14,625	25,851	26,969	68,128	1,113	2,124	938
2	6,343	268	137	1,943	311	1,961	543	285	531	364	1,028	17	40	13
3	6,397	267	138	1,947	318	1,929	542	298	565	393	1,048	16	38	9
4	3,260	139	70	947	172	996	272	157	290	217	528	9	25	2
5	3,137	128	68	1,000	146	933	270	141	275	176	520	7	13	7
6	294	11	3	110	11	100	15	5	21	18	65	-	1	-
7	1,585	69	36	441	96	535	138	49	144	77	266	3	41	3
8	3,886	105	94	1,162	151	1,281	273	116	462	242	903	14	34	25
9	3,865	131	113	1,121	185	1,224	305	162	367	257	952	13	32	19
10	2,006	71	55	600	69	646	183	75	169	138	464	5	13	13
11	1,859	60	58	521	116	578	122	87	198	119	488	8	19	6
12	2	-	-	-	-	-	-	1	1	-	1	-	-	-
13	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	104	4	1	38	5	37	11	3	3	2	3	-	-	-
16	19	2	-	-	-	13	1	-	3	-	-	-	-	-
17	44	-	-	1	1	34	4	-	-	4	3	-	1	-
18	21	-	1	11	-	5	1	1	1	1	2	-	-	-
19	97	5	2	38	2	23	9	2	12	4	17	-	1	-
20	7	-	1	2	1	2	-	-	1	-	1	-	-	-
21	3	-	-	-	-	2	-	-	-	1	1	-	-	-
22	8	1	-	2	-	1	2	-	2	-	1	-	-	-
23	227	9	7	80	11	64	20	8	15	13	75	-	1	2
24	35	4	3	5	5	7	3	1	1	6	4	-	-	-
25	25	-	-	10	-	9	2	1	1	2	2	-	-	-
26	36	2	2	13	-	9	6	3	-	1	12	-	-	-
27	391	13	16	95	22	145	24	20	33	23	127	3	5	2
28	15	-	-	6	1	3	2	-	2	1	2	-	-	-
29	46	1	3	26	5	5	2	1	2	1	7	-	-	-
30	295	4	15	88	12	73	28	15	38	22	80	1	4	3
31	431	10	16	105	22	132	28	21	61	36	102	2	3	-
32	39	-	2	15	-	12	2	-	3	5	4	-	-	-
33	211	9	8	65	12	64	14	10	22	7	48	1	2	1
34	373	10	4	122	12	135	39	11	28	12	60	4	1	1
35	45	2	-	17	1	8	3	4	6	4	14	-	-	1
36	49	-	-	14	4	19	6	3	1	2	4	-	-	-
37	32	-	2	8	-	13	4	1	-	4	5	-	1	-
38	35	1	1	5	2	12	1	5	4	4	5	-	-	-
39	105	4	5	21	5	29	12	6	12	11	23	-	-	-
40	8	-	-	6	-	2	-	-	-	-	2	-	-	-
41	31	1	-	9	3	7	4	2	5	-	4	-	-	-
42	278	9	2	85	16	106	22	10	20	8	29	1	2	1
43	14	-	-	5	1	6	-	-	2	-	1	-	-	-
44	116	4	3	35	8	33	10	4	6	13	17	-	-	1
45	655	34	15	167	30	198	44	27	76	64	258	1	10	7
46	68	2	4	27	4	16	1	2	6	6	38	-	1	-
47	3,865	131	113	1,121	185	1,224	305	162	367	257	952	13	32	19
48	571	14	7	176	34	220	47	17	33	23	60	1	4	3
49	358	16	3	131	15	112	36	11	16	18	25	-	1	-
50	78	3	4	25	6	16	11	6	4	3	4	-	-	-
51	52	2	1	21	1	8	7	1	5	6	15	-	-	1
52	182	8	4	65	8	47	19	6	11	14	44	-	-	-
53	200	6	4	68	5	56	18	12	25	6	44	-	-	-
54	223	10	6	66	14	68	23	10	12	14	38	-	3	-
55	392	13	14	111	9	126	25	19	44	31	67	2	2	1
56	562	21	10	145	31	189	62	18	52	34	104	3	4	2
57	634	12	29	166	34	209	35	28	72	49	193	4	5	6
58	488	23	24	128	19	138	15	30	69	42	229	1	8	4
59	125	3	7	19	9	35	7	4	24	17	129	2	5	2
60	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	3,865	131	113	1,121	185	1,224	305	162	367	257	952	13	32	19

* Including the portion within the County of Lanark.

				ROSS AND CROMARTY COUNTY—(continued).									Marginal Index Numbers.
				Invergordon B.	Stornoway B.	Tain B.	Black Isle C.D.	Easter Ross C.D.	Lewis C.D.	Mid-Ross C.D.	South-Western C.D.	Western C.D.	
Population (Estimated) - - -				1,515	4,126	1,496	5,126	10,529	23,077	11,432	3,244	3,408	1
Total Births Registered (including Illegitimate)				11	61	17	84	179	364	161	40	41	2
" " Corrected for Transfers				12	58	18	87	183	365	170	47	45	3
" " " Male - -				5	27	12	52	93	176	84	21	22	4
" " " Female - -				7	31	6	35	90	189	86	26	23	5
" " " Illegitimate				2	3	1	6	20	15	10	3	4	6
" Marriages Registered - -				6	20	30	13	30	65	39	12	4	7
" Deaths Registered - -				9	50	26	72	140	270	149	53	61	8
" " Corrected for Transfers				9	54	26	82	139	277	184	52	65	9
" " " Male - -				6	21	12	37	71	125	105	28	23	10
" " " Female - -				3	33	14	45	68	152	79	24	37	11
CAUSES OF DEATH.													
Enteric Fever - - - - -				-	-	-	-	-	1	-	-	-	12
Typhus Fever - - - - -				-	-	-	-	-	-	-	-	-	13
Small-pox - - - - -				-	-	-	-	-	-	-	-	-	14
Measles - - - - -				-	-	-	-	-	3	-	-	-	15
Scarlet Fever - - - - -				-	-	-	-	-	-	-	-	-	16
Whooping-cough - - - - -				-	-	-	-	-	2	-	-	-	17
Diphtheria - - - - -				-	-	-	-	-	-	1	-	1	18
Influenza - - - - -				-	-	-	6	1	3	3	-	3	19
Encephalitis Lethargica - - - - -				-	-	-	-	-	1	-	-	-	20
Cerebro-spinal Meningitis - - - - -				-	-	-	1	-	-	-	-	-	21
Other Epidemic Diseases - - - - -				-	-	-	1	-	-	-	-	-	22
Tuberculosis of Respiratory System - -				1	2	3	5	6	43	6	1	5	23
Tuberculous Meningitis - - - - -				-	-	-	2	-	1	1	-	-	24
Tuberculosis of Intestines and Peritoneum -				-	-	-	-	1	-	1	-	-	25
Other Tuberculous Disease - - - - -				1	-	-	2	2	4	2	1	-	26
Malignant Tumours - - - - -				1	9	5	9	20	34	26	5	8	27
Rheumatic Fever - - - - -				-	-	-	-	-	-	2	-	-	28
Meningitis (not Cer. Spin. or Tuberc.) -				-	1	-	-	2	1	3	-	-	29
Apoplexy - - - - -				-	7	2	4	11	23	9	10	6	30
Heart Disease - - - - -				1	4	5	13	18	20	28	2	6	31
Diseases of Arteries - - - - -				-	-	-	-	-	-	3	-	1	32
Bronchitis - - - - -				1	2	-	-	4	25	6	2	4	33
Pneumonia (all forms) - - - - -				1	7	-	6	6	18	9	3	4	34
Other Diseases of Respiratory System -				-	1	-	-	3	3	4	1	1	35
Diarrhoea and Enteritis (under 2 years)				1	2	-	-	-	-	1	-	-	36
Appendicitis - - - - -				-	-	-	-	-	2	2	-	-	37
All Diseases of Liver (not Malignant) -				-	1	1	1	1	-	1	-	-	38
Nephritis, Acute and Chronic - - - - -				-	3	1	-	1	10	5	3	-	39
Puerperal Sepsis - - - - -				-	-	-	1	-	1	-	-	-	40
Other Diseases and Accidents of Pregnancy and Parturition				-	-	-	1	1	1	1	-	-	41
Dis. of Early Infancy, and Malformations				-	-	1	6	9	5	3	1	-	42
Suicide - - - - -				-	-	-	-	1	-	-	-	-	43
Other Violent Deaths - - - - -				-	1	1	-	2	4	6	-	2	44
Other Defined Diseases - - - - -				2	9	7	24	45	55	55	22	21	45
Causes Ill-defined or Unknown - - -				-	5	-	-	5	17	6	1	3	46
ALL CAUSES - - -				9	54	26	82	139	277	184	52	65	47
AGES AT DEATH.													
Under 1 - - - - -				-	4	1	7	16	17	6	1	-	48
1-4 - - - - -				1	4	-	2	-	8	4	2	3	49
5-9 - - - - -				-	-	-	1	-	1	1	1	-	50
10-14 - - - - -				-	-	-	1	3	7	2	1	-	51
15-24 - - - - -				-	3	2	3	2	22	7	-	5	52
25-34 - - - - -				1	2	2	3	7	22	1	1	5	53
35-44 - - - - -				1	3	-	4	1	15	10	-	1	54
45-54 - - - - -				-	4	3	7	17	18	9	-	4	55
55-64 - - - - -				-	11	3	9	20	29	15	6	2	56
65-74 - - - - -				-	12	6	11	24	51	53	9	12	57
75-84 - - - - -				4	6	5	22	29	54	54	23	19	58
85 and over - - - - -				2	5	4	12	20	33	22	8	14	59
Not stated - - - - -				-	-	-	-	-	-	-	-	-	60
ALL AGES - - -				9	54	26	82	139	277	184	52	65	61

Marginal Index Numbers.	ROXBURGH COUNTY.										SELKIRK COUNTY.			
	Roxburgh County.	Hawick B.	Jedburgh B.	Kelso B.	Melrose B.	Hawick C.D.	Jedburgh C.D.	Kelso C.D.	Liddesdale C.D.	Melrose C.D.	Selkirk County.	Galashiels B.	Selkirk B.	Selkirk C.D.
1	43,001	15,762	2,220	3,236	2,104	2,896	4,539	5,776	1,776	4,692	21,182	11,918	5,602	3,662
2	643	251	36	57	20	39	66	85	27	62	326	183	84	59
3	651	243	36	55	22	44	72	83	27	69	321	179	74	68
4	329	127	13	35	11	23	33	39	15	33	165	90	38	37
5	322	116	23	20	11	21	39	44	12	36	156	89	36	31
6	53	19	-	-	1	5	11	9	2	6	20	12	2	6
7	237	95	14	20	11	21	17	32	7	20	123	78	37	13
8	612	224	42	64	40	53	62	58	19	50	309	186	87	36
9	632	244	47	57	18	52	70	68	19	57	316	192	82	42
10	286	113	23	22	9	22	31	35	10	21	152	102	34	16
11	346	131	24	35	9	30	39	33	9	36	164	90	48	26
12	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	2	2	-	-	-	-	-	-	-	-	-	-	-	-
16	2	-	-	-	-	-	1	-	1	-	4	1	3	-
17	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18	-	-	-	-	-	-	-	-	-	-	-	-	-	-
19	7	2	-	-	2	-	2	1	-	-	3	3	-	-
20	1	-	-	-	-	-	-	1	-	-	2	1	1	-
21	-	-	-	-	-	-	-	-	-	-	1	-	-	1
22	1	1	-	-	-	-	-	-	-	-	3	3	-	-
23	31	14	2	3	2	1	2	3	2	2	12	6	4	2
24	1	1	-	-	-	-	-	-	-	-	-	-	-	-
25	4	1	2	-	-	-	1	-	-	-	1	1	-	-
26	11	4	1	-	-	1	1	4	-	-	3	1	2	-
27	76	31	8	4	4	7	10	8	1	3	47	29	15	3
28	2	-	-	2	-	-	-	-	-	-	1	1	-	-
29	1	1	-	-	-	-	-	-	-	-	2	1	1	-
30	77	30	6	11	1	7	4	8	3	7	34	22	7	5
31	126	54	9	10	3	13	12	11	3	11	64	41	15	8
32	12	-	2	1	-	1	1	2	-	5	4	3	1	-
33	38	14	2	3	1	5	5	4	1	3	11	6	3	2
34	23	8	2	3	-	2	3	2	1	2	13	8	3	2
35	13	5	2	1	-	-	1	1	1	2	6	3	3	-
36	3	-	1	-	-	-	-	2	-	-	-	-	-	-
37	2	-	-	1	-	-	1	-	-	-	-	-	-	-
38	10	5	1	1	-	-	1	1	-	1	6	5	-	1
39	22	10	2	3	1	1	1	1	1	2	10	7	1	2
40	2	-	-	-	-	-	1	-	-	1	-	-	-	-
41	3	1	-	1	-	1	-	-	-	-	-	-	-	-
42	27	12	1	1	1	-	6	4	1	1	12	7	3	2
43	7	3	-	1	-	-	1	1	-	1	3	2	-	1
44	15	6	1	2	-	1	2	3	-	-	6	3	1	2
45	102	35	3	8	3	10	13	11	4	15	62	37	16	9
46	11	4	2	1	-	2	1	-	-	1	6	1	3	2
47	632	244	47	57	18	52	70	68	19	57	316	192	82	42
48	44	18	3	2	1	-	10	6	3	1	18	11	4	3
49	13	11	-	-	1	-	-	1	-	-	10	5	4	1
50	2	-	-	-	-	-	2	-	-	-	2	-	2	-
51	4	1	-	1	-	-	1	-	1	-	3	3	-	-
52	21	8	3	2	2	-	3	3	-	-	7	5	-	2
53	23	12	-	3	-	2	4	1	-	1	8	4	4	-
54	36	11	5	3	-	3	3	2	1	8	12	7	3	2
55	53	21	3	3	2	4	7	6	1	6	30	21	5	4
56	91	40	6	6	1	7	7	16	4	1	65	41	14	10
57	165	67	13	17	4	12	18	19	4	11	79	46	24	9
58	141	42	12	15	6	20	13	12	4	17	70	44	18	8
59	39	13	2	5	1	4	2	2	1	9	12	5	4	3
60	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	632	244	47	57	18	52	70	68	19	57	316	192	82	42

			SHETLAND COUNTY.				STIRLING COUNTY.					Marginal Index Numbers.
			Shetland County.	Lerwick B.	Mainland C.D.	North Isles C.D.	Stirling County.	Bridge of Allan B.	Denny and Dunipace B.	Falkirk B.	Grangemouth B.	
Population (Estimated) - - -			23,845	4,753	15,258	3,834	160,471	3,724	5,007	34,244	9,513	1
Total Births Registered (including Illegitimate)			320	79	190	51	3,573	30	133	717	231	2
" " Corrected for Transfers			321	73	196	52	3,626	29	134	742	238	3
" " " Male -			154	31	96	27	1,818	14	74	375	105	4
" " " Female -			167	42	100	25	1,808	15	60	367	133	5
" " " Illegitimate			25	7	12	6	187	-	5	25	6	6
" Marriages Registered -			117	78	33	6	998	18	34	241	70	7
" Deaths Registered -			305	66	196	43	1,883	34	37	465	99	8
" " Corrected for Transfers			317	53	214	50	1,884	41	50	424	121	9
" " " Male -			134	13	94	27	1,019	15	27	238	67	10
" " " Female -			183	40	120	23	865	26	23	186	54	11
CAUSES OF DEATH.												
Enteric Fever - - -			-	-	-	-	3	-	-	1	-	12
Typhus Fever - - -			-	-	-	-	-	-	-	-	-	13
Small-pox - - -			-	-	-	-	-	-	-	-	-	14
Measles - - -			2	-	2	-	23	-	1	3	-	15
Scarlet Fever - - -			-	-	-	-	7	-	-	1	-	16
Whooping-cough - - -			1	1	-	-	27	1	2	2	9	17
Diphtheria - - -			-	-	-	-	22	-	1	10	-	18
Influenza - - -			9	2	7	-	42	2	-	7	2	19
Encephalitis Lethargica - - -			-	-	-	-	4	-	-	1	-	20
Cerebro-spinal Meningitis - - -			-	-	-	-	4	-	-	1	-	21
Other Epidemic Diseases - - -			-	-	-	-	3	-	-	-	1	22
Tuberculosis of Respiratory System -			21	2	14	5	96	1	1	33	6	23
Tuberculous Meningitis - - -			2	1	-	1	10	-	2	2	1	24
Tuberculosis of Intestines and Peritoneum -			1	-	1	-	17	-	-	4	2	25
Other Tuberculous Disease - - -			6	3	3	-	27	1	-	8	2	26
Malignant Tumours - - -			25	7	14	4	182	7	5	32	9	27
Rheumatic Fever - - -			-	-	-	-	6	-	-	1	1	28
Meningitis (not Cer. Spin. or Tuberc.) -			-	-	-	-	17	-	-	4	1	29
Apoplexy - - -			29	7	17	5	154	5	5	32	11	30
Heart Disease - - -			50	6	37	7	210	7	7	53	14	31
Diseases of Arteries - - -			3	1	2	-	23	-	1	7	2	32
Bronchitis - - -			15	3	10	2	105	3	1	27	6	33
Pneumonia (all forms) - - -			11	1	9	1	139	2	7	22	5	34
Other Diseases of Respiratory System -			3	-	3	-	20	-	-	2	-	35
Diarrhoea and Enteritis (under 2 years). -			1	1	-	-	23	1	-	4	-	36
Appendicitis - - -			-	-	-	-	18	-	2	6	-	37
All Diseases of Liver (not Malignant) -			3	-	2	1	18	-	1	5	1	38
Nephritis, Acute and Chronic - - -			11	1	9	1	43	-	-	13	2	39
Puerperal Sepsis - - -			1	-	1	-	7	-	1	3	1	40
Other Diseases and Accidents of Pregnancy and Parturition -			1	-	1	-	16	-	-	4	2	41
Dis. of Early Infancy, and Malformations -			7	-	4	3	136	-	1	34	12	42
Suicide - - -			2	1	1	-	7	-	-	1	1	43
Other Violent Deaths - - -			9	-	9	-	74	1	3	10	7	44
Other Defined Diseases - - -			93	15	62	16	376	10	9	82	23	45
Causes Ill-defined or Unknown - - -			11	1	6	4	25	-	-	9	-	46
ALL CAUSES - - -			317	53	214	50	1,884	41	50	424	121	47
AGES AT DEATH.												
Under 1 - - -			13	1	8	4	272	3	7	52	20	48
1-4 - - -			3	2	1	-	121	-	4	30	8	49
5-9 - - -			3	-	3	-	54	-	1	17	1	50
10-14 - - -			2	-	-	2	30	-	1	6	1	51
15-24 - - -			13	3	7	3	65	-	3	13	5	52
25-34 - - -			21	5	13	3	89	3	3	19	9	53
35-44 - - -			11	2	8	1	121	-	1	26	4	54
45-54 - - -			23	4	17	2	176	4	8	49	15	55
55-64 - - -			25	7	13	5	246	6	8	68	17	56
65-74 - - -			60	7	42	11	359	11	10	90	14	57
75-84 - - -			84	12	57	15	271	10	4	44	23	58
85 and over - - -			59	10	45	4	80	4	-	10	4	59
Not stated - - -			-	-	-	-	-	-	-	-	-	60
ALL AGES - - -			317	53	214	50	1,884	41	50	424	121	61

STIRLING COUNTY.					SUTHERLAND COUNTY.			WEST LOTHIAN COUNTY.								
Kilsyth B.	Stirling B.	Central C.D.	Eastern C.D.	Western C.D.	Sutherland County.	Dornoch B.	Sutherland C.D.	West Lothian County.	Armada B.	Bathgate B.	Bo'ness B.	Linlithgow B.	Queensferry B.	Whitburn B.	Bathgate C.D.	Linlithgow C.D.
7,201	20,972	27,500	40,692	11,618	16,294	766	15,528	84,765	4,915	8,461	9,616	3,742	2,240	1,976	38,315	15,500
173	500	686	919	184	226	8	218	1,884	142	205	208	79	44	49	867	290
166	495	696	938	188	237	9	228	1,965	144	212	218	80	51	53	894	313
89	247	363	468	83	112	3	109	954	63	117	105	41	22	31	428	147
77	248	333	470	105	125	6	119	1,011	81	95	113	39	29	22	466	166
7	42	38	52	12	26	1	25	100	5	6	12	1	4	3	46	23
46	188	144	215	42	50	5	45	433	28	57	79	21	14	19	151	64
70	366	262	440	110	231	7	224	816	41	70	75	39	16	14	308	253
92	290	314	431	121	240	7	233	904	51	94	119	44	20	18	399	159
52	151	171	229	69	110	2	108	488	27	50	63	26	13	8	210	91
40	139	143	202	52	130	5	125	416	24	44	56	18	7	10	189	68
-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	9	6	3	1	-	-	-	10	-	-	-	-	-	-	7	3
-	-	3	2	1	-	-	-	3	-	1	-	1	-	-	1	-
-	4	4	5	-	-	-	-	8	3	1	2	-	-	-	-	1
-	2	2	6	1	1	-	1	17	3	3	-	-	-	-	11	-
6	9	5	7	4	10	-	10	22	3	2	5	1	-	-	5	6
-	-	1	2	-	-	-	-	5	-	-	1	-	-	-	4	-
-	1	1	1	-	1	-	1	-	-	-	-	-	-	-	-	-
-	-	1	1	-	-	-	-	4	-	-	-	1	-	-	-	-
7	17	13	15	3	11	1	10	42	1	2	8	1	1	1	16	12
1	4	-	-	-	-	-	-	15	1	1	3	-	-	-	9	1
-	3	1	5	2	-	-	-	5	-	-	-	-	-	-	4	1
1	3	2	7	3	4	-	4	17	4	-	4	-	1	1	3	4
11	32	33	35	18	31	1	30	68	4	8	6	5	1	1	28	15
-	1	-	3	-	1	-	1	7	1	1	-	-	-	1	2	2
-	2	8	2	-	-	-	-	4	-	-	1	-	-	-	2	1
3	33	24	32	9	19	1	18	68	4	5	5	7	5	3	33	6
11	23	32	49	14	27	1	26	83	6	13	11	7	2	-	33	11
-	4	2	7	-	1	-	1	6	-	2	1	1	1	-	-	1
4	12	18	26	8	7	-	7	60	7	6	5	5	-	4	22	11
9	22	21	43	8	14	1	13	50	2	11	9	1	2	-	18	7
2	3	2	7	4	2	1	1	19	-	1	3	1	1	5	5	3
-	6	9	2	1	-	-	-	9	-	2	1	-	-	-	6	-
-	2	3	4	1	1	-	1	14	-	4	2	-	-	-	5	3
1	4	-	3	3	2	-	2	7	-	-	-	-	-	-	5	2
2	6	6	10	4	7	-	7	19	1	-	4	3	2	-	7	2
1	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
1	1	5	2	1	2	-	2	8	1	2	1	-	-	-	3	1
14	19	23	28	5	4	-	4	72	2	7	12	1	-	-	33	17
1	-	1	2	1	2	-	2	1	-	-	-	-	-	-	1	-
4	7	20	17	5	7	-	7	46	-	4	5	3	-	1	25	8
11	57	62	98	24	83	1	82	209	8	16	30	5	4	1	104	41
2	3	5	6	-	3	-	3	5	-	1	-	-	-	-	4	-
92	290	314	431	121	240	7	233	904	51	94	119	44	20	18	399	159
20	43	49	67	11	9	-	9	146	7	14	21	4	1	1	71	27
5	21	26	22	5	1	-	1	64	5	4	16	-	-	2	33	4
2	11	7	14	1	2	-	2	33	3	5	-	2	-	-	17	6
-	5	6	7	4	4	-	4	16	1	2	3	-	-	-	6	4
2	8	11	17	6	11	-	11	55	1	4	6	3	2	2	25	12
5	10	15	19	6	10	1	9	53	5	8	5	2	1	1	18	13
6	24	26	27	7	6	1	5	53	2	4	6	1	1	-	24	15
8	22	27	33	10	18	-	18	74	3	11	8	4	3	-	33	12
6	32	37	54	18	22	1	21	120	4	17	18	9	4	4	50	14
24	52	45	92	21	50	3	47	152	14	15	18	9	5	6	61	24
13	47	49	57	24	71	1	70	106	4	10	14	9	2	2	48	17
1	15	16	22	8	36	-	36	32	2	-	4	1	1	-	13	11
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
92	290	314	431	121	240	7	233	904	51	94	119	44	20	18	399	159

	WIGTOWN COUNTY.							Marginal Index Numbers.
	Wigtown County.	Newton- Stewart B.	Stranraer B.	Whithorn B.	Wigtown B.	Machars C.D.	Rhins C.D.	
Population (Estimated) - - -	29,564	1,682	5,864	946	1,239	7,783	12,050	1
Total Births Registered (including Illegitimate)	592	22	123	13	19	162	253	2
„ „ Corrected for Transfers	601	23	122	13	21	169	253	3
„ „ „ Male - -	309	13	65	7	12	88	124	4
„ „ „ Female - -	292	10	57	6	9	81	129	5
„ „ „ Illegitimate	93	8	10	3	5	25	42	6
„ Marriages Registered - -	133	5	40	3	6	22	57	7
„ Deaths Registered - -	405	32	99	18	16	95	145	8
„ „ Corrected for Transfers	422	33	89	19	16	108	157	9
„ „ „ Male - -	194	13	38	10	8	48	77	10
„ „ „ Female - -	228	20	51	9	8	60	80	11
CAUSES OF DEATH.								
Enteric Fever - - - - -	-	-	-	-	-	-	-	12
Typhus Fever - - - - -	-	-	-	-	-	-	-	13
Small-pox - - - - -	-	-	-	-	-	-	-	14
Measles - - - - -	1	-	-	-	-	-	1	15
Scarlet Fever - - - - -	-	-	-	-	-	-	-	16
Whooping-cough - - - -	1	-	1	-	-	-	-	17
Diphtheria - - - - -	-	-	-	-	-	-	-	18
Influenza - - - - -	8	-	2	-	1	2	3	19
Encephalitis Lethargica -	-	-	-	-	-	-	-	20
Cerebro-spinal Meningitis -	-	-	-	-	-	-	-	21
Other Epidemic Diseases -	2	-	-	-	-	-	2	22
Tuberculosis of Respiratory System -	13	1	4	2	-	2	4	23
Tuberculous Meningitis - -	3	-	1	-	2	-	-	24
Tuberculosis of Intestines and Peritoneum -	-	-	-	-	-	-	-	25
Other Tuberculous Disease - -	1	-	1	-	-	-	-	26
Malignant Tumours - - - -	36	2	7	5	2	11	9	27
Rheumatic Fever - - - - -	1	-	-	-	-	-	1	28
Meningitis (not. Cer. Spin. or Tuberc.)	2	-	-	-	-	-	2	29
Apoplexy - - - - -	50	6	9	1	1	13	20	30
Heart Disease - - - - -	65	4	14	2	3	17	25	31
Diseases of Arteries - - - -	5	-	-	-	-	3	2	32
Bronchitis - - - - -	30	7	9	-	-	5	9	33
Pneumonia (all forms) - - -	16	1	5	-	-	3	7	34
Other Diseases of Respiratory System -	5	-	1	-	-	1	3	35
Diarrhoea and Enteritis (under 2 years)	5	-	4	-	-	-	1	36
Appendicitis - - - - -	6	-	-	-	-	5	1	37
All Diseases of Liver (not Malignant) -	6	-	1	-	1	3	1	38
Nephritis, Acute and Chronic - -	22	5	3	-	2	7	5	39
Puerperal Sepsis - - - - -	1	-	-	-	-	1	-	40
Other Diseases and Accidents of Pregnancy and Parturition	5	1	-	-	-	1	3	41
Dis. of Early Infancy, and Malformations	29	1	5	1	2	6	14	42
Suicide - - - - -	1	-	-	1	-	-	-	43
Other Violent Deaths - - - -	12	1	3	1	-	1	6	44
Other Defined Diseases - - -	89	4	19	5	2	23	36	45
Causes Ill-defined or Unknown - -	7	-	-	1	-	4	2	46
ALL CAUSES - - - - -	422	33	89	19	16	108	157	47
AGES AT DEATH.								
Under 1 - - - - -	48	1	13	1	2	6	25	48
1-4 - - - - -	10	-	3	-	1	2	4	49
5-9 - - - - -	1	-	1	-	-	-	-	50
10-14 - - - - -	3	-	1	-	1	1	-	51
15-24 - - - - -	16	-	4	-	-	4	8	52
25-34 - - - - -	17	1	3	2	-	6	5	53
35-44 - - - - -	18	2	5	2	-	4	5	54
45-54 - - - - -	34	-	9	-	2	8	15	55
55-64 - - - - -	64	5	13	3	2	23	18	56
65-74 - - - - -	84	11	13	3	2	24	31	57
75-84 - - - - -	94	8	21	5	6	23	31	58
85 and over - - - - -	33	5	3	3	-	7	15	59
Not stated - - - - -	-	-	-	-	-	-	-	60
ALL AGES - - - - -	422	33	89	19	16	108	157	61

NOTES ON METEOROLOGICAL TABLES, 1926.

The "Height of Station" is that of the cistern of the Barometer above Mean Sea-Level, or, where no barometer is in use, the height of the rain-gauge above Mean Sea-Level.

The observations of pressure have been reduced to mean sea-level but not to Lat. 45°.

The Air Temperatures are from standard thermometers exposed in the regulation "Stevenson Screen."

The averages for Temperature and Rainfall referred to in the statistics for individual stations are in general for the 35-year period 1881-1915. For stations at which the available observations do not cover the entire 35-year period, averages have been adjusted by comparison with neighbouring stations. The Sunshine averages are also for the 35-year period 1881-1915, or have been adjusted to that period.

The hours of observation refer to Greenwich Mean Time (G.M.T.). Thus 7h. or 7 = 7 a.m., 9 = 9 a.m., 13 = 1 p.m., 15 = 3 p.m., 18 = 6 p.m., 21 = 9 p.m., all G.M.T.

STATIONS, OBSERVERS' NAMES, AND HOURS OF OBSERVATION.*	Height of Stations above Sea Level.	Months.	BARO- METER.	AIR TEMPERATURE.							
			Mean at Mean Sea Level and 32° Fahr.†	Mean of		Mean of A and B	Difference from Average.	Absolute Maximum and Minimum.			
				Maximum.	Minimum.			Maximum.	Day of Month.	Minimum.	Day of Month.
Feet.	Inch.	°	°	°	°	°	°	°	°	°	
Shetland. BALTASOUND— Dr. T. Edmonston Saxby, F.R.F.P.S. (Glas.), J.P. (9, —, —.)	50	Jan.	29·627	43·8	38·2	41·0	...	48	8th, 9th, 10th	32	1st
		Feb.	29·677	44·3	36·9	40·6	...	52	25th	30	10th
		Mch.	29·716	45·5	36·1	40·8	...	51	1st, 2nd	28	14th
		Apl.	29·798	51·5	41·1	46·3	...	59	28th	32	1st
		May	29·842	50·5	40·7	45·6	...	58	29th	32	7th
		June	29·857	57·1	47·8	52·5	...	61	6th, 14th, 15th	40	1st
		July	29·921	60·6	51·1	55·9	...	77	12th	44	16th, 19th
		Aug.	29·810	60·0	51·2	55·6	...	64	19th	42	5th
		Sept.	29·855	56·2	46·2	51·2	...	66	18th	35	25th
		Oct.	29·779	46·2	37·8	42·0	...	57	3rd	26	24th
		Nov.	29·409	47·0	38·9	42·9	...	52	4th, 5th	30	2nd
		Dec.	29·915	44·1	35·0	39·5	...	51	8th	26	22nd
		Year	29·767	50·6	41·7	46·2	...	77		26	
LERWICK— The Meteorologi- cal Office. (7, —, 18.)	59	Jan.	29·600	43·7	39·6	41·7	+2·6	48	9th, 27th	33	1st
		Feb.	29·665	43·9	38·8	41·3	+3·0	52	23rd, 25th	31	10th
		Mch.	29·735	45·1	38·5	41·8	+3·1	51	2nd, 15th	30	9th
		Apl.	29·790	49·8	42·6	46·2	+4·7	56	5th	39	1, 11, 17, 23, 24
		May	29·825	49·6	41·8	45·7	+0·5	57	29th	35	6th, 7th, 8th
		June	29·845	56·1	48·7	52·4	+2·9	62	6th	44	1st, 24th
		July	29·925	60·3	52·1	56·2	+3·6	71	12th	47	24th
		Aug.	29·800	59·4	52·6	56·0	+3·2	64	2nd	48	26th
		Sept.	29·830	55·7	47·7	51·7	+1·1	64	19th	39	14th
		Oct.	29·765	46·2	39·1	42·7	−3·5	58	3rd	32	24th
		Nov.	29·380	47·1	41·9	44·5	+1·9	53	5th	31	1st
		Dec.	29·930	43·9	38·2	41·1	+1·0	51	9th	29	14th, 21st
		Year	29·757	50·1	43·5	46·8	+2·0	71		29	
Orkney. DEERNESS— Wm. Delday. (9, —, 21.)	165	Jan.	29·574	43·1	38·8	40·9	+1·9	48	10th	33	15th
		Feb.	29·644	43·3	38·0	40·7	+2·2	49	23rd 24th 25th	32	10th 11th 13th
		Mch.	29·804	45·4	37·3	41·3	+2·1	52	2nd	30	10th
		Apl.	29·769	49·8	41·7	45·7	+3·4	54	2nd, 4th	38	24th
		May	29·829	50·1	40·7	45·4	−0·9	58	29th	33	14th, 15th
		June	29·849	55·0	47·5	51·3	+0·6	60	6th	42	1st
		July	29·947	60·2	51·1	55·7	+2·2	71	13th	45	26th
		Aug.	29·844	60·2	51·0	55·6	+2·2	66	11th	48	15th, 16th
		Sept.	29·869	56·3	48·0	52·1	+0·7	63	4th, 19th	41	24th
		Oct.	29·809	46·8	38·4	42·6	−4·3	60	4th	32	20, 29, 30, 31
		Nov.	29·377	46·1	40·3	43·2	+0·4	52	5th	36	30th
		Dec.	30·029	44·2	37·9	41·1	+1·1	52	9th	30	14th, 20th
		Year	29·779	50·0	42·6	46·3	+1·0	71		30	
Caithness. WICK— The Meteorologi- cal Office. (7, —, 18.)	97	Jan.	29·575	43·3	38·5	40·9	+3·0	50	11th	30	1st
		Feb.	29·650	44·1	37·9	41·0	+3·2	51	25th	23	13th
		Mch.	29·818	45·6	37·5	41·5	+2·1	56	2nd. 11th	27	5th
		Apl.	29·788	48·6	41·0	44·8	+1·8	56	5th, 7th	35	8th, 18th
		May	29·842	49·6	41·0	45·3	−1·8	58	27th	31	16th
		June	29·853	53·5	46·8	50·1	−1·7	60	21st	38	3rd, 28th
		July	29·958	58·8	50·1	54·5	0·0	75	12th	42	26th
		Aug.	29·853	59·1	50·6	54·9	+0·5	63	15th	44	31st
		Sept.	29·883	56·1	47·1	51·6	−0·3	65	18th	37	25th
		Oct.	29·803	47·6	38·5	43·1	−3·5	61	4th	28	27th, 31st
		Nov.	29·390	46·3	38·6	42·5	+0·5	53	5th	27	9th
		Dec.	30·060	44·1	37·0	40·5	+1·5	54	8th	23	24th
		Year	29·789	49·7	42·1	45·9	+0·5	75		23	

* See Note, p. 125.

HYGROMETER.				CLOUD. Mean (0-10.) †	RAIN, AND OTHER FORMS OF PRECIPITATION.					WEATHER. Number of Days with—					WIND DIRECTIONS. ‡ Number of Observations.								
Mean. †					Number of Days.	Total Fall.	Difference from Average.	Most in a Day.		Snow.	Hail.	Thunderstorm.	Fog.	Gale.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm
Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure	Humidity.					Amount.	Day of Month.														
°	°	Inch.	%			Inch.	Inch.	Inch.															
42.0	1.5	.233	87	8.6	29	4.64	...	0.53	21st	2	4	0	0	7	0	2	2	12	10	26	10	0	0
41.7	1.8	.228	84	8.7	26	4.79	...	0.72	5th	6	4	0	1	3	0	2	4	10	6	18	14	0	2
42.0	2.7	.203	77	8.0	30	4.81	...	0.66	10th	8	10	1	0	3	6	12	6	0	2	20	8	8	0
48.3	3.0	.260	77	6.8	20	2.65	...	0.54	17th	0	3	0	0	0	4	4	6	16	8	18	2	2	0
47.1	3.2	.246	75	7.5	22	2.84	..	0.38	27th	3	6	1	1	0	18	8	10	12	2	4	6	2	0
53.4	2.5	.336	83	7.8	14	1.71	...	0.35	20th	0	0	3	0	0	4	8	12	16	2	10	6	2	0
57.0	3.1	.379	81	7.5	15	1.03	...	0.35	22nd	0	0	1	1	0	10	2	10	8	2	18	8	4	0
57.1	3.1	.379	81	7.5	23	4.56	...	0.74	11th	0	0	1	0	1	6	4	0	6	12	20	8	4	2
52.5	3.0	.323	79	7.2	26	4.92	...	0.67	16th	0	1	0	0	0	2	8	2	0	4	22	8	10	4
42.8	2.9	.213	76	6.9	25	4.11	...	1.17	11th	15	16	0	0	0	12	18	6	6	0	6	4	4	6
44.8	2.3	.246	82	7.5	30	5.33	...	0.82	18th	3	1	1	0	9	2	4	6	6	6	28	4	2	2
40.3	2.0	.203	82	8.0	30	5.42	...	0.51	31st	8	9	0	0	6	10	6	2	0	0	12	18	14	0
					290	46.81	...	1.17															
42.0	1.3	.240	89	7.8	27	5.22	+0.96	0.49	20th	2	5	0	0	1	0	0	1	16	33	5	2	0	5
41.0	0.9	.240	91	7.9	22	4.62	+1.46	1.74	6th	8	1	0	0	0	1	1	3	11	21	9	5	1	4
41.5	1.3	.233	88	7.3	25	6.09	+2.95	1.19	12th	8	8	1	0	0	12	8	4	2	8	6	15	3	4
46.1	2.1	.263	83	6.9	14	1.68	-0.60	0.38	14th	0	4	0	0	0	8	3	8	8	21	2	6	2	2
45.7	2.1	.255	83	6.3	19	2.19	+0.10	0.37	11th	6	6	0	0	0	22	6	9	9	9	2	2	0	3
52.3	1.8	.343	88	7.3	13	1.41	-0.37	0.41	19th	0	0	1	5	0	14	4	6	9	9	3	5	3	7
56.4	2.3	.393	85	7.1	11	1.12	-1.17	0.35	13th	0	0	0	0	0	7	6	7	3	7	9	10	7	6
55.9	1.6	.405	90	7.7	18	3.74	+0.73	0.75	20th	0	0	0	0	0	4	0	2	5	18	5	13	6	9
51.4	2.2	.323	85	6.8	24	4.85	+1.84	0.69	30th	0	0	0	0	0	5	1	4	1	10	14	12	7	6
41.9	2.3	.215	80	6.1	21	2.68	-1.27	0.62	11th	15	4	0	0	1	10	4	6	3	7	1	9	17	5
44.6	2.3	.240	82	6.0	27	4.81	+0.56	0.86	19th	1	2	0	0	3	3	4	4	7	18	8	5	1	10
41.5	1.7	.220	85	6.1	25	4.61	-0.18	0.46	1st	10	8	2	0	2	12	0	0	2	2	12	21	6	7
					246	43.02	+5.01	1.74															
41.1	1.3	.233	89	7.8	30	3.20	-0.25	0.30	8th	3	0	0	0	3	0	0	1	13	27	9	8	2	2
40.5	1.4	.228	87	7.3	22	2.00	-1.01	0.47	6th	1	2	0	0	3	1	1	2	14	20	8	5	2	3
41.1	1.6	.226	86	8.4	27	5.35	+2.54	0.86	30th	3	2	4	0	4	4	6	6	4	9	8	17	8	0
45.4	1.7	.256	86	6.4	20	3.80	+1.73	0.98	18th	0	1	0	2	0	9	4	8	7	15	9	4	1	3
45.3	2.5	.240	80	7.1	22	1.63	-0.36	0.28	10th	3	3	1	0	0	13	9	7	11	6	2	5	7	2
51.3	2.2	.316	85	8.5	18	2.21	+0.37	1.02	30th	0	0	1	2	0	9	6	8	12	9	2	7	4	3
54.7	1.9	.380	87	7.7	16	1.63	-0.94	0.35	24th, 28th	0	0	0	3	0	7	5	10	8	6	4	3	12	7
55.1	1.9	.380	87	7.7	20	2.95	+0.08	0.89	20th	0	0	0	1	0	3	0	3	4	18	4	8	14	8
52.1	1.5	.349	89	8.0	23	4.76	+1.86	1.16	11th	0	0	1	0	0	4	3	2	4	13	10	15	8	1
42.5	1.2	.249	90	6.9	28	8.62	+4.83	1.17	8th	10	6	3	0	3	13	5	5	6	5	4	6	13	5
43.3	2.0	.230	83	6.7	23	3.88	-0.05	0.94	19th	0	0	1	0	3	2	2	5	8	21	12	5	1	4
41.2	1.6	.223	86	8.3	30	5.46	+1.27	1.04	1st	3	3	0	1	2	8	3	0	0	3	8	25	10	5
					279	45.49	+10.07	1.17															
40.7	0.7	.240	93	7.5	23	2.22	-0.24	0.34	23rd	5	1	0	0	4	0	0	2	10	21	20	6	3	0
40.7	0.6	.240	95	7.9	20	2.10	-0.17	0.42	6th	3	2	0	0	2	2	1	4	13	15	10	7	4	0
41.2	0.8	.240	93	8.0	21	2.78	+0.51	0.38	7th	8	5	1	0	0	2	4	2	7	7	10	17	13	0
45.3	1.4	.265	89	7.0	20	2.71	+0.72	0.47	16th	0	2	0	0	0	5	9	4	6	12	11	5	7	1
46.2	1.9	.273	85	6.9	19	1.89	-0.18	0.28	11th	2	6	2	0	0	6	7	6	9	9	6	2	17	0
51.3	7.9	20	1.54	-0.26	0.28	20th	0	0	1	2	0	6	8	7	12	7	5	2	12	1
55.5	7.7	14	1.56	-1.07	0.37	24th	0	0	1	1	0	9	8	4	7	9	4	6	15	0
55.9	1.4	.410	91	7.1	20	2.02	-0.73	0.32	20th	0	0	0	0	0	4	1	2	3	11	15	9	14	3
51.8	1.1	.355	93	7.5	21	3.00	+0.50	0.48	30th	0	0	0	0	0	2	2	2	3	10	14	12	15	0
42.2	1.1	.243	91	7.7	27	6.24	+3.28	0.67	21st	11	11	1	0	2	6	6	2	4	10	6	11	17	0
42.3	1.5	.233	87	6.3	20	2.45	-0.69	0.87	19th	0	0	0	0	3	0	3	3	7	13	20	9	5	0
40.8	1.3	.230	89	6.9	23	3.53	+0.45	0.58	15th	8	3	0	0	0	3	1	0	0	1	16	22	19	0
					248	32.04	+2.12	0.87															

† For Stations observing only once a day the means in these columns are the means of the observations at 9h.; for other Stations they are the means of the morning and evening observations.

‡ Adjusted to 62 or 60 observations for the various months; to 56 for February.

STATIONS, OBSERVERS' NAMES, AND HOURS OF OBSERVATION.*	Height of Stations above Sea Level.	Months.	BARO- METER. Mean at Mean Sea-Level and 32° Fahr. †	AIR TEMPERATURE.							
				Mean of		Mean of A and B	Difference from Average.	Absolute Maximum and Minimum.			
				A Maximum.	B Minimum.			Maximum.	Day of Month.	Minimum.	Day of Month.
	Feet.		Inch.	°	°	°	°	°		°	
Ross & Cromarty. FORTROSE— Archd. Thom, M.A. (9, —, —.)	69	Jan.	...	44·9	35·6	40·3	...	54	9th, 10th	29	1st, 18th, 19th
		Feb.	...	47·5	35·7	41·6	...	56	26th	24	11th, 13th
		Mar.	...	48·4	36·8	42·6	...	56	2nd	28	25th, 27th
		Apl.	...	54·1	41·1	47·6	...	61	6th	35	17th
		May	...	54·5	41·6	48·1	...	65	25th, 28th	35	7th 15th 16th
		June	...	60·2	48·5	54·3	...	69	5th	41	1st
		July	...	65·9	52·4	59·1	...	77	12th	42	26th
		Aug.	...	64·3	52·1	58·2	...	71	29th	47	31st
		Sept.	...	60·6	46·8	53·7	...	72	18th	38	26th
		Oct.	...	48·8	38·8	43·8	...	66	2nd	29	31st
		Nov.	...	45·4	36·5	40·9	...	55	4th	29	1st, 18th
		Dec.	...	45·8	37·3	41·5	...	54	9th, 11th	25	24th, 25th
		Year	...	53·4	41·9	47·6	...	77		24	
STRATHPEFFER— Wm. P. Hutton. (9, —, —.)	125	Jan.	...	43·0	32·5	37·7	+0·4	54	10th	23	1st
		Feb.	...	46·0	33·4	39·7	+2·1	58	25th	20	12th, 13th
		Mar.	...	48·4	36·4	42·4	+3·0	57	1st	24	25th
		Apl.	...	54·9	39·6	47·3	+3·3	67	5th	33	16th
		May	...	55·5	40·2	47·9	−1·2	68	26th	32	8th, 16th
		June	...	62·5	47·4	54·9	+0·1	71	7th	35	1st
		July	...	68·5	51·0	59·7	+2·8	82	13th	39	26th
		Aug.	...	66·2	50·5	58·3	+2·1	75	1st	42	31st
		Sept.	...	61·2	45·8	53·5	+0·7	78	18th	36	26th
		Oct.	...	48·8	37·4	43·1	−3·1	67	3rd, 4th	25	27th
		Nov.	...	44·3	32·0	38·1	−3·4	55	5th	24	1st
		Dec.	...	45·3	35·5	40·4	+2·8	55	10th, 11th	19	24th
		Year	...	53·7	40·1	46·9	+0·8	82		19	
ACHNASHELLACH— W. M'Clymont, Forester. (9, —, 17.)	234	Jan.	...	44·7	36·4	40·5	+3·4	55	10th, 27th	23	1st
		Feb.	...	46·5	36·0	41·3	+4·2	58	24th, 25th	21	13th
		Mar.	...	46·7	35·3	41·0	+2·6	54	27th, 28th	24	5th, 25th
		Apl.	...	53·9	40·3	47·1	+4·4	68	6th	32	17th
		May	...	56·0	39·7	47·9	−0·1	70	26th	29	16th, 17th
		June	...	60·5	47·3	53·9	+0·6	69	18th	37	2nd
		July	...	65·7	51·2	58·5	+3·7	73	3rd, 13th	36	26th
		Aug.	...	63·2	50·0	56·6	+2·1	75	29th	38	31st
		Sept.	...	58·2	46·5	52·3	+0·6	72	18th	38	9, 13, 25, 26
		Oct.	...	47·5	36·5	42·0	−3·7	65	5th	24	29th
		Nov.	...	44·6	35·2	39·9	−1·1	54	5th	19	1st
		Dec.	...	43·1	35·9	39·5	+1·8	52	11th	20	24th, 25th
		Year	...	52·5	40·9	46·7	+1·5	75		19	
STORNOWAY— The Meteorologi- cal Office. (7, —, 18.)	41	Jan.	29·546	45·3	37·7	41·5	+2·2	53	10th	28	14th
		Feb.	29·581	45·9	37·7	41·8	+2·6	52	25th	23	13th
		Mar.	29·819	47·2	36·6	41·9	+2·0	54	11th 12th 13th	28	4th, 26th
		Apl.	29·749	51·8	41·7	46·7	+3·2	59	12th	34	11th
		May	29·824	52·7	41·2	46·9	−0·6	61	23rd 26th 27th	32	16th
		June	29·819	58·4	47·9	53·1	+0·7	66	5th	40	2nd, 5th
		July	29·931	63·0	48·8	55·9	+1·3	72	13th	40	29th
		Aug.	29·819	62·0	50·4	56·2	+1·7	69	1st, 29th	42	4th
		Sept.	29·866	57·4	47·1	52·3	+0·3	71	18th	38	16th
		Oct.	29·806	47·7	38·4	43·1	−3·6	60	3rd	27	27th
		Nov.	29·334	46·8	37·5	42·1	−0·7	53	4th	26	1st, 30th
		Dec.	30·099	45·1	38·3	41·7	+1·8	52	8th, 9th, 29th	25	24th
		Year	29·766	51·9	41·9	46·9	+0·9	72		23	

HYGROMETER.				Cloud. Mean (0-10.) †	RAIN, AND OTHER FORMS OF PRECIPITATION.					WEATHER.					WIND DIRECTIONS. †									
Mean. †					Number of Days.	Total Fall.	Difference from Average.	Most in a Day.		Snow.	Hail.	Thunderstorm.	Fog.	Gale.	Number of Observations.									
Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.	Humidity.	Amount.				Day of Month.														N.	N.E.	E.
°	°	Inch.	%			Inch.	Inch.	Inch.																
40.4	2.0	.203	82	5.9	19	1.02	...	0.23	1st	0	0	0	0	0	0	10	4	2	0	4	34	2	6	
41.4	1.7	.220	85	6.0	13	1.09	...	0.30	15th	0	0	0	0	0	0	0	10	22	4	6	10	4	0	
43.5	2.4	.220	79	6.0	21	3.06	...	0.45	8th	5	2	0	0	0	0	8	10	6	0	6	20	8	4	
48.7	2.6	.286	80	7.2	18	2.03	...	0.75	17th	0	1	0	0	0	0	22	10	4	0	14	6	0	4	
49.2	3.4	.263	75	7.0	16	1.71	...	0.23	4th, 6th	0	0	1	0	0	0	12	22	8	0	10	8	2	0	
55.9	3.1	.363	81	6.2	19	0.85	...	0.08	13, 14, 19, 21	0	0	0	0	0	0	10	16	6	4	0	10	4	10	
61.8	4.1	.430	77	6.0	10	1.11	...	0.40	24th	0	0	1	0	0	0	2	8	4	0	2	12	2	32	
60.4	3.3	.423	81	6.4	18	1.80	...	0.30	6th	0	0	1	0	0	0	8	2	20	0	6	8	2	16	
54.6	3.0	.350	81	6.1	17	2.24	...	0.73	30th	0	0	0	0	0	0	2	6	0	0	4	36	2	10	
43.6	2.3	.236	81	5.5	18	3.17	...	0.70	12th	4	1	1	0	1	0	4	10	0	0	6	32	10	0	
41.0	1.7	.220	85	5.9	17	2.37	...	0.56	18th	0	0	0	0	0	2	0	8	0	0	0	46	2	2	
41.7	1.9	.226	83	5.2	17	1.76	...	0.46	17th	3	0	0	0	0	4	2	2	0	0	6	46	2	0	
					203	22.21	...	0.75																
37.3	1.2	.196	89	...	25	3.01	-0.12	0.31	1st	6	0	0	...	0	
39.0	1.8	.198	83	...	20	2.31	-0.38	0.57	2nd	0	0	0	...	0	
42.6	2.7	.216	77	...	25	4.02	+1.40	0.68	8th	4	3	0	...	0	
48.6	3.5	.260	73	...	16	1.60	-0.35	0.37	26th	0	0	0	...	0	
50.6	5.1	.243	65	...	21	2.13	+0.30	0.31	10th	0	6	1	...	0	
57.0	5.0	.326	69	...	20	2.07	+0.25	0.39	21st	0	0	0	...	0	
61.2	5.4	.376	69	...	12	2.57	-0.03	1.31	9th	0	0	1	...	0	
59.4	4.2	.379	75	...	16	1.87	-0.73	0.52	16th	0	0	0	...	0	
55.9	4.6	.323	71	...	19	2.48	+0.27	0.75	30th	0	0	0	...	0	
42.6	2.2	.226	81	...	19	4.87	+2.30	1.16	12th	4	1	1	...	0	
36.5	0.7	.203	93	...	20	3.78	+0.74	0.98	18th	1	0	0	...	1	
39.7	2.0	.203	82	...	21	3.59	+0.11	0.80	2nd	3	0	0	...	0	
					234	34.30	+3.76	1.31																
40.9	1.6	.226	86	8.1	25	12.42	+2.35	2.40	8th	0	0	1	0	0	0	3	19	5	1	3	25	6	0	
41.9	1.9	.223	83	7.0	20	5.70	-1.66	1.08	15th	2	0	0	0	1	0	1	27	1	0	1	21	4	1	
42.3	1.6	.233	86	7.7	19	13.01	+5.44	3.54	7th	7	3	0	1	1	1	3	19	3	2	0	25	7	2	
48.7	2.3	.293	83	7.3	18	4.66	-1.33	0.86	14th	0	0	0	0	0	0	1	27	2	1	5	22	2	0	
48.8	2.2	.293	83	7.1	21	3.09	-1.43	0.49	31st	1	1	0	0	0	1	0	24	2	0	3	29	3	0	
55.3	0.5	.426	97	7.3	15	4.59	+0.45	1.04	21st	0	0	0	0	0	1	2	18	2	0	3	30	4	0	
60.8	2.8	.453	84	6.7	13	3.46	-1.89	1.39	22nd	0	0	0	0	0	0	1	21	0	0	1	39	0	0	
58.1	2.5	.410	85	7.3	22	6.05	-0.89	1.12	13th	0	0	0	0	0	1	2	5	3	0	5	42	4	0	
52.5	2.7	.330	82	7.4	21	8.94	+1.39	2.17	30th	0	0	0	0	0	3	1	16	0	0	2	35	3	0	
41.9	1.9	.226	83	7.3	21	9.05	+0.73	1.76	14th	8	0	0	1	0	4	2	35	1	0	3	16	1	0	
39.9	1.4	.220	87	7.5	22	6.92	-2.56	1.03	13th	0	1	2	0	0	0	4	23	7	0	2	20	4	0	
40.4	1.4	.220	87	7.6	26	12.31	+1.85	1.39	9th	0	1	0	0	0	0	0	13	2	2	0	40	5	0	
					243	90.20	+2.45	3.54																
41.9	1.6	.230	85	7.7	26	5.47	+0.30	0.56	27th	0	3	0	0	0	0	1	4	7	17	14	7	3	9	
41.8	1.5	.233	88	7.7	20	3.23	-1.23	0.48	25th	2	1	0	0	3	0	1	2	15	9	12	4	1	12	
41.7	1.7	.229	85	7.1	20	4.34	+0.24	0.82	7th	5	4	1	0	7	1	5	3	6	0	8	17	7	15	
46.9	2.1	.270	83	7.0	19	2.32	-0.71	0.46	26th	0	0	0	0	0	1	6	6	6	12	8	4	2	5	
48.3	2.7	.275	80	7.5	22	3.46	+0.90	0.36	12th	0	3	2	0	0	8	14	5	4	10	8	2	5	6	
54.3	2.5	.350	83	7.8	17	2.05	-0.27	0.46	1st	0	0	0	0	0	1	12	8	1	7	8	5	1	7	
58.3	2.6	.415	84	7.1	17	1.86	-1.17	0.40	20th	0	0	0	0	0	5	7	9	6	9	8	6	4	8	
57.3	2.3	.409	85	7.5	24	4.06	+0.09	0.86	20th	0	0	0	0	0	1	2	0	3	10	16	8	13	9	
51.9	1.3	.353	90	8.5	24	6.62	+2.67	0.98	30th	0	0	0	0	0	5	4	0	2	9	12	10	5	13	
42.3	0.9	.245	92	8.3	26	5.75	+0.57	0.57	8th	4	7	0	0	0	14	7	2	4	4	2	8	9	12	
41.3	0.9	.240	92	7.1	23	5.04	-0.79	0.65	4th	1	3	0	0	1	4	2	5	5	7	14	4	1	18	
42.3	1.3	.240	89	7.7	26	5.27	-0.98	0.85	1st	0	7	1	0	2	3	3	0	1	5	13	10	16	11	
					264	49.47	-0.38	0.98																

STATIONS, (OBSERVERS' NAMES, AND HOURS OF OBSERVATION.*	Height of Stations above Sea Level.	Months.	BARO- METER.	AIR TEMPERATURE.								
				Mean at Mean Sea Level and 32° Fahr.†	Mean of		Mean of A and B	Difference from Average.	Absolute Maximum and Minimum.			
					Maximum. A	Minimum. B			Maximum.	Day of Month.	Minimum.	Day of Month.
	Feet.		Inch.	°	°	°	°	°		°		
Inverness. CASTLEBAY— The Meteorologi- cal Office. (7, —, 18.)	48	Jan.	29·525	46·8	42·0	44·4	...	51	8th, 11th	36	1st, 14th, 15th	
		Feb.	29·598	46·4	42·3	44·3	...	51	20th, 25th	36	10th, 12th	
		Mar.	29·883	47·4	41·5	44·5	...	52	11th	32	4th, 9th	
		Apl.	29·770	50·8	45·2	48·0	...	57	30th	40	16th	
		May	29·830	52·8	45·3	49·1	...	58	23rd	38	8th	
		June	29·828	57·4	50·9	54·1	...	63	14th, 18th	45	1st, 2nd	
		July	29·953	62·0	54·2	58·1	...	69	7th	47	26th	
		Aug.	29·863	60·7	54·8	57·7	...	65	3rd	51	7th	
		Sept.	29·910	57·4	51·6	54·5	...	63	18th	44	26th	
		Oct.	29·828	49·3	43·3	46·3	...	63	5th	34	31st	
		Nov.	29·355	48·0	42·9	45·5	...	55	4th	38	1st, 17th, 27th	
		Dec.	30·190	47·1	42·7	44·9	...	52	9th	34	14th	
		Year	29·794	52·2	46·4	49·3	...	69		32		
INVERNESS— (Culduthel Reservoir.) Alex. Knowles, Sanitary In- spector. (9, —, 17.)	250	Jan.	29·588	43·0	36·1	39·5	+1·0	55	10th	28	1st	
		Feb.	29·648	45·1	36·1	40·6	+1·6	56	25th	22	12th	
		Mar.	29·861	46·7	36·4	41·5	+0·7	59	2nd	27	25th	
		Apl.	29·768	53·3	41·0	47·1	+1·8	64	5th	32	17th	
		May	29·838	54·0	40·8	47·4	-1·8	68	26th	34	1st, 16th, 19th	
		June	29·831	60·3	48·0	54·1	-0·6	68	4th, 7th	40	3rd, 25th	
		July	29·948	65·5	51·7	58·6	+1·6	80	13th	41	26th	
		Aug.	29·868	65·2	51·1	58·1	+1·4	72	17, 25, 30	39	31st	
		Sept.	29·898	59·8	47·4	53·6	+0·5	76	18th	39	26th	
		Oct.	29·828	48·2	38·2	43·2	-3·7	68	3rd	27	27th	
		Nov.	29·393	45·0	36·0	40·5	-1·2	55	4th	26	1st, 18th	
		Dec.	30·148	45·4	36·8	41·1	+2·4	55	30th	21	25th	
		Year	29·801	52·6	41·6	47·1	+0·3	80		21		
FORT AUGUSTUS— The Procurator. (9, —, —.)	68	Jan.	...	44·9	35·1	40·0	+2·3	55	10th	22	1st	
		Feb.	...	47·0	35·8	41·4	+3·7	57	25th	18	12th, 13th	
		Mar.	...	48·0	35·4	41·7	+2·0	56	16th	22	5th	
		Apl.	...	53·9	40·3	47·1	+3·2	65	3rd	29	17th	
		May	...	54·5	41·2	47·9	-0·8	71	26th	31	16th	
		June	...	61·2	47·5	54·3	0·0	69	7th	36	3rd	
		July	...	65·8	51·9	58·9	+2·2	78	13th	37	26th	
		Aug.	...	65·3	51·5	58·4	+2·2	75	1st	42	31st	
		Sept.	...	59·9	46·2	53·1	+0·4	76	18th	35	26th	
		Oct.	...	48·7	36·0	42·3	-4·4	67	4th	21	30th	
		Nov.	...	45·5	34·4	39·9	-1·9	55	4th	24	1st	
		Dec	...	44·3	34·6	39·5	+1·3	52	9th, 16th, 11th	17	25th	
		Year	...	53·3	40·8	47·1	+0·9	78		17		
ONICH— R. Cameron, Forester. Forestry Com- mission (Scotland). (9, —, 17.)	50	Jan.	...	47·4	36·7	42·1	...	58	11th	27	14th	
		Feb.	...	47·4	37·6	42·5	...	55	24th, 25th	25	12th	
		Mar.	...	48·9	37·7	43·3	...	53	11th	29	5th	
		Apl.	...	53·8	41·4	47·6	...	61	2nd, 6th	35	19th, 24th	
		May	...	56·5	41·7	49·1	...	68	26th	32	16th	
		June	...	61·4	48·0	54·7	...	66	16th	38	3rd	
		July	
		Aug.	
		Sept.	
		Oct.	
		Nov.	
		Dec.	
		Year	

STATIONS, OBSERVERS' NAMES, AND HOURS OF OBSERVATION.*	Height of Stations above Sea Level.	Months.	BARO- METER.	AIR TEMPERATURE.							
				Mean of		Mean of A and B	Difference from Average.	Absolute Maximum and Minimum.			
				Maximum.	Minimum.			Maximum.	Day of Month.	Minimum.	Day of Month.
	Feet.		Inch.	°	°	°	°	°		°	
Nairn. NAIRN— The Meteorologi- cal Office. (7, —, 18.)	82	Jan.	29.565	42.6	35.9	39.3	+2.1	55	10th	26	1st, 18th
		Feb.	29.642	45.3	35.9	40.6	+3.0	57	25th	20	12th, 13th
		Mar.	29.837	46.7	36.4	41.5	+2.0	56	1st, 2nd	23	25th
		Apl.	29.772	53.9	39.8	46.9	+3.0	65	4th, 5th	29	17th
		May	29.825	55.1	40.9	48.0	-0.8	69	26th	30	19th
		June	29.830	60.0	48.1	54.1	-0.1	70	20th	36	1st
		July	29.942	65.2	51.4	58.3	+1.6	84	13th	41	26th
		Aug.	29.852	65.7	50.9	58.3	+2.1	75	30th	44	16th
		Sept.	29.892	60.5	46.8	53.7	+1.0	76	18th	36	26th
		Oct.	29.812	47.7	38.3	43.0	-3.1	67	3rd	25	27th
		Nov.	29.387	43.4	35.3	39.3	-1.9	55	5th	26	9th, 18th
		Dec.	30.115	43.2	37.5	40.3	+2.7	54	11th	20	24th
		Year	29.789	52.4	41.4	46.9	+0.9	84		20	
Moray (Elgin). GORDON CASTLE— C. Webster, for the Duke of Richmond and Gordon, K.G. (9, —, 21.)	107	Jan.	...	44.7	35.6	40.1	+2.0	57	10th	28	1st, 14th, 18th
		Feb.	...	46.2	35.8	41.0	+2.4	59	24th	23	13th
		Mar.	...	49.1	35.5	42.3	+2.2	60	8th	27	26th
		Apl.	...	54.6	40.7	47.7	+3.5	68	5th	34	17th, 25th
		May	...	55.5	39.5	47.5	-1.5	69	27th	31	9th
		June	...	62.6	47.6	55.1	+0.6	75	7th	39	3rd
		July	...	67.5	51.6	59.5	+2.7	84	13th	40	26th
		Aug.	...	66.0	50.4	58.2	+1.8	73	17th	43	16th
		Sept.	...	61.7	46.9	54.3	+1.1	78	18th	36	26th
		Oct.	...	50.2	37.1	43.7	-3.4	70	3rd	28	22nd
		Nov.	...	46.1	35.7	40.9	-1.3	56	5th	27	9th, 18th
		Dec.	...	45.5	36.0	40.7	+2.1	55	11th	22	24th, 25th
		Year	...	54.1	41.0	47.6	+1.0	84		22	
Banff. BANFF— I. H. Gordon. (9, —, 17.)	44	Jan.	...	42.7	36.2	39.5	...	51	11th, 25th	29	1st, 18th
		Feb.	...	44.6	36.1	40.3	...	55	24th, 25th	22	12th
		Mar.	...	47.9	37.8	42.9	...	60	8th	29	10th
		Apl.	...	52.5	41.6	47.1	...	67	5th	36	17th, 18th
		May	...	52.6	41.8	47.2	...	67	25th, 27th	35	9th
		June	...	58.7	47.8	53.3	...	70	30th	41	1st, 2nd
		July	...	64.4	52.5	58.5	...	82	12th	43	16th, 26th
		Aug.	...	63.0	52.0	57.5	...	72	1st, 5th	45	16th
		Sept.	...	59.7	47.8	53.7	...	76	18th	39	25th
		Oct.	...	49.8	39.4	44.6	...	74	3rd	28	27th
		Nov.	...	46.1	36.9	41.5	...	54	5th	29	1st, 18th
		Dec.	...	45.2	37.5	41.3	...	54	9th, 11th	28	24th, 25th
		Year	...	52.3	42.3	47.3	...	82		22	
Aberdeen. BRAEMAR— A. M. Shirran. (9, —, 21.)	1114	Jan.	...	40.6	30.8	35.7	+1.4	49	10th	16	1st
		Feb.	...	42.7	31.0	36.9	+2.5	51	24th, 25th	10	12th
		Mar.	...	45.5	31.1	38.3	+2.3	58	2nd	19	30th
		Apl.	...	52.3	34.6	43.5	+2.8	65	4th, 5th	24	17th
		May	...	52.3	35.8	44.1	-2.1	66	26th	25	16th
		June	...	59.6	42.8	51.2	-1.4	70	5th, 20th	34	1, 2, 3, 4
		July	...	67.4	47.5	57.5	+2.7	80	13th	33	26th
		Aug.	...	63.5	45.8	54.7	+1.1	73	1st, 17th	37	28th
		Sept.	...	59.1	42.3	50.7	+0.8	72	18th	28	9th
		Oct.	...	47.9	32.4	40.1	-3.4	75	4th	13	27th
		Nov.	...	41.6	31.3	36.5	-1.9	50	5th	9	1st
		Dec.	...	42.5	31.5	37.0	+2.2	52	11th	7	25th
		Year	...	51.3	36.4	43.9	+0.6	80		7	

HYGROMETER.				CLOUD. Mean (0-10.) †	RAIN, AND OTHER FORMS OF PRECIPITATION.					WEATHER. Number of Days with—					WIND DIRECTIONS. ‡ Number of Observations.									
Mean. †					Number of Days.	Total Fall.	Difference from Average.	Most in a Day.		Snow.	Hail.	Thunderstorm.	Fog.	Gale.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm	
Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure	Humidity.					Amount.	Day of Month.															
°	°	Inch.	%			Inch.	Inch.	Inch.																
39.5	1.5	.210	86	6.5	19	1.74	-0.25	0.46	23rd	4	0	0	0	2	1	1	3	6	3	8	8	0	32	
39.9	1.9	.205	83	6.5	15	1.13	-0.67	0.31	21st	0	0	0	1	0	0	0	4	6	2	5	11	2	26	
41.2	1.9	.215	84	6.7	20	2.08	+0.21	0.40	8th	7	0	0	1	3	0	1	13	0	0	1	25	3	19	
46.8	2.5	.255	81	6.5	17	1.15	-0.35	0.22	21st	0	2	0	0	0	2	8	8	0	2	0	8	3	29	
48.5	3.3	.260	76	6.3	19	2.02	+0.22	0.43	24th	0	3	1	0	0	7	11	12	0	1	2	7	3	19	
55.1	3.0	.350	81	6.5	21	2.22	+0.46	0.25	30th	0	1	1	0	0	4	8	12	1	0	2	8	2	23	
59.5	3.5	.405	79	6.3	11	1.70	-0.98	0.39	24th	0	0	2	0	0	1	4	14	1	0	2	13	2	25	
58.4	3.3	.395	80	6.3	16	1.56	-0.85	0.30	16th	0	0	0	0	1	0	0	4	1	0	10	19	1	27	
52.9	3.0	.323	80	6.9	20	2.50	+0.30	0.70	30th	0	0	0	0	0	0	0	2	1	0	5	17	4	31	
41.3	1.7	.223	85	6.8	21	3.28	+0.93	0.80	12th	9	1	1	0	3	2	0	7	1	0	1	11	6	34	
38.5	1.4	.203	87	6.6	20	2.26	-0.10	0.45	18th	0	0	0	0	1	0	0	4	0	1	4	14	0	37	
40.4	1.5	.220	86	6.2	19	1.66	-0.56	0.48	17th	3	2	0	0	1	1	0	1	0	0	3	36	6	15	
					218	23.30	-1.64	0.80																
40.4	1.6	.216	86	...	17	1.76	-0.26	0.58	23rd	3	0	0	0	0	0	4	4	11	32	10	0	1	0	
40.5	1.3	.230	89	...	19	1.42	-0.50	0.27	3rd	0	0	0	0	0	0	0	1	19	20	11	3	2	0	
42.8	2.1	.230	83	...	17	1.37	-0.95	0.25	9th	6	0	0	0	0	1	7	2	10	3	15	16	8	0	
47.7	2.4	.279	82	...	15	2.12	+0.37	0.40	25th	0	0	1	0	0	5	5	7	2	13	18	4	6	0	
47.7	2.4	.276	82	...	23	2.54	+0.42	0.43	13th	1	2	3	0	0	9	9	2	7	10	10	0	15	0	
55.1	2.6	.363	83	...	19	2.78	+0.74	0.46	14th	0	0	2	0	0	7	7	1	15	2	11	6	11	0	
59.4	2.5	.429	85	...	11	1.74	-1.46	0.42	18th	0	0	3	0	0	2	15	2	10	9	11	10	3	0	
58.3	2.5	.410	85	...	16	1.63	-1.54	0.26	11th	0	0	1	0	0	2	2	0	5	14	23	6	10	0	
53.5	2.5	.336	83	...	19	2.59	+0.09	0.45	30th	0	0	0	0	0	3	4	0	8	15	12	12	6	0	
42.8	1.9	.233	84	...	22	4.13	+0.97	1.02	12th	10	13	4	0	1	2	2	1	10	9	13	5	20	0	
40.8	1.8	.220	84	...	19	2.78	-0.10	0.65	22nd	0	0	0	0	0	1	1	0	12	25	19	0	2	0	
41.1	1.8	.220	84	...	18	1.82	-0.87	0.25	13th	2	0	0	0	0	2	1	0	0	17	22	10	10	0	
					215	26.68	-3.09	1.02																
39.2	0.4	.228	96	8.1	24	2.22	...	0.46	23rd	1	0	0	0	0	0	0	1	20	26	10	2	2	1	
40.2	0.5	.236	95	7.7	19	1.99	...	0.33	16th	4	0	0	0	0	1	1	2	18	14	5	8	2	5	
42.9	1.1	.250	91	7.1	18	1.43	...	0.31	5th	6	0	0	0	1	5	3	5	8	6	12	15	7	1	
47.4	1.9	.276	85	6.8	14	1.76	...	0.36	25th	0	0	1	0	0	9	0	7	18	7	4	3	8	4	
48.5	1.5	.310	89	6.7	22	3.28	...	0.76	30th	0	5	3	0	0	18	9	8	9	9	3	0	4	2	
54.5	1.5	.393	90	6.9	19	2.40	...	0.75	30th	0	0	2	0	0	9	5	9	14	4	0	4	10	5	
60.0	2.7	.433	84	6.2	10	1.51	...	0.29	28th	0	0	2	0	0	8	5	11	12	7	3	2	9	5	
58.7	1.3	.463	91	6.7	17	1.50	...	0.28	5th	0	0	1	0	0	5	0	3	5	15	4	12	13	5	
54.1	1.0	.393	93	7.2	22	3.00	...	0.68	19th	0	0	1	0	0	4	3	1	8	9	14	7	10	4	
43.7	0.7	.273	94	6.9	26	4.83	...	0.42	7th	1	11	3	0	4	8	1	5	5	11	5	9	14	4	
40.9	0.7	.243	94	6.9	18	2.76	...	0.61	20th	1	1	0	0	0	5	0	1	18	17	14	5	0	0	
40.8	0.9	.240	92	7.1	16	1.40	...	0.18	1st	7	0	0	0	0	4	0	0	3	5	16	24	10	0	
					225	28.08	...	0.76																
35.4	1.9	.163	81	...	25	5.12	+1.93	0.80	10th	12	0	0	0	0	2	4	2	8	10	32	4	0	0	
37.0	2.1	.173	79	...	15	1.70	-1.15	0.30	15th	8	0	0	7	0	0	4	14	6	4	28	0	0	0	
39.0	2.5	.183	77	...	11	1.49	-1.49	0.40	3rd	4	0	0	1	0	0	14	2	0	6	26	10	4	0	
46.3	3.3	.233	75	...	12	2.04	-0.33	0.62	14th	4	1	0	4	0	0	16	2	0	0	34	0	8	0	
45.0	3.2	.223	75	...	16	2.12	-0.26	0.54	10th	1	1	3	1	0	14	10	2	0	4	10	6	16	0	
52.1	1.9	.340	87	...	16	3.41	+1.45	0.82	10th	0	1	1	0	0	6	10	8	4	10	16	2	4	0	
59.0	4.5	.370	73	...	7	0.72	-1.85	0.25	19th	0	0	1	4	0	6	0	6	8	2	28	12	0	0	
56.1	4.4	.329	72	...	8	1.73	-1.68	0.48	20th	0	0	1	0	0	2	0	2	2	8	30	16	2	0	
51.2	3.2	.293	77	...	13	2.88	+0.37	0.50	19th	0	0	0	2	0	6	2	2	2	0	18	28	2	0	
40.8	2.8	.196	75	...	19	5.93	+2.17	1.06	9th	7	0	1	0	0	14	10	2	0	0	12	2	22	0	
36.4	1.8	.173	82	...	21	5.99	+2.15	1.30	18th	5	0	1	6	0	2	8	8	4	0	24	10	4	0	
37.3	2.0	.176	81	...	7	0.36	-3.20	0.10	19th, 20th	9	0	0	4	0	10	4	4	0	2	0	14	28	0	
					170	33.49	-1.89	1.30																

STATIONS, OBSERVERS' NAMES, AND HOURS OF OBSERVATION.*	Height of Stations above Sea Level.	Months.	BARO- METER.	AIR TEMPERATURE.							
				Mean of		Mean of A and B	Difference from Average.	Absolute Maximum and Minimum.			
				A	B			Maximum.	Day of Month.	Minimum.	Day of Month.
	Feet.		Inch.	°	°	°	°	°		°	
Aberdeen (contd.)											
BALMORAL— R. F. Chalmers.	927	Jan.	...	40·8	30·3	35·5	+0·8	52	10th	17	1st
		Feb.	...	42·7	31·0	36·9	+1·9	54	25th	9	12th, 13th
		Mar.	...	45·6	33·5	39·5	+2·7	54	7th, 8th, 16th	24	26th
(9, —, —.)		Apl.	...	51·9	35·0	43·5	+2·3	66	5th	24	17th
		May	...	52·4	35·6	44·0	−2·6	65	26th	26	9th, 16th
		June	...	60·3	43·0	51·7	−1·5	71	20th	32	1st
		July	...	66·3	47·1	56·7	+1·1	79	13th	32	26th
		Aug.	...	64·5	45·8	55·1	+0·8	75	1st	36	8th
		Sept.	...	59·8	41·6	50·7	+0·4	75	18th	27	25th
		Oct.	...	45·9	32·0	38·9	−4·7	75	4th	15	30th
		Nov.	...	42·2	30·8	36·5	−2·2	52	4th	9	1st
		Dec.	...	42·6	32·1	37·3	+2·3	52	8th	14	25th
		Year	...	51·3	36·5	43·9	+0·1	79		9	
CRAIBSTONE— Aberdeen and North of Scot- land College of Agriculture.	300	Jan.	...	42·5	34·4	38·5	...	49	10th 11th 25th	26	1st
		Feb.	...	44·2	34·7	39·5	...	54	24th	17	12th
		Mar.	...	48·0	36·3	42·1	...	60	2nd	29	5th
		Apl.	...	51·2	39·5	45·3	...	66	5th	33	18th
		May	...	51·5	39·7	45·6	...	63	26th	32	9th, 16th
		June	...	59·4	45·4	52·4	...	74	20th	37	2nd
		July	...	64·6	50·9	57·7	...	80	13th	41	16th
		Aug.	...	64·0	49·9	56·9	...	71	5th, 17th	42	1st, 4th, 16th
		Sept.	...	60·3	45·6	52·9	...	72	3rd	36	25th
		Oct.	...	48·3	37·3	42·8	...	73	4th	26	21st
		Nov.	...	45·5	35·6	40·5	...	52	4th, 5th	27	1st
		Dec.	...	44·6	35·0	39·8	...	55	11th	28	15th
		Year	...	52·0	40·4	46·2	...	80		17	
LOGIE COLD- STONE (The Schoolhouse)— J. B. Anderson.	608	Jan.	...	42·2	30·8	36·5	+1·0	54	10th	18	19th
		Feb.	...	44·3	32·3	38·3	+2·5	55	24th	8	12th
		Mar.	...	48·5	34·9	41·7	+4·3	60	3rd	28	26th, 27th
		Apl.	...	52·8	36·2	44·5	+2·2	70	5th	26	17th
		May	...	54·3	37·3	45·8	−1·7	66	26th	27	16th
(9, —, —.)		June	...	61·4	45·1	53·3	−0·7	74	20th	32	4th
		July	...	67·9	49·7	58·8	+2·8	85	13th	39	24th
		Aug.	...	65·9	47·1	56·5	+1·0	77	1st	39	9th
		Sept.	...	61·3	42·2	51·7	0·0	77	17th	30	9th
		Oct.	...	47·5	35·1	41·3	−2·9	72	4th	21	27th
		Nov.	...	44·1	31·7	37·9	−0·9	52	4th, 5th	17	1st
		Dec.	...	44·6	33·1	38·9	+3·1	59	8th	14	25th
		Year	...	52·9	37·9	45·4	+0·9	85		8	
ABERDEEN (King's Coll.)— The Meteorologi- cal Office.	88	Jan.	29·643	42·9	37·1	40·0	+2·1	50	9th	28	31st
		Feb.	29·704	44·6	37·5	41·1	+2·8	54	24th, 28th	20	12th
		Mar.	29·868	48·9	38·9	43·9	+3·8	61	2nd	31	5th
		Apl.	29·803	51·7	40·8	46·3	+2·6	66	5th	32	18th
		May	29·844	53·2	41·1	47·1	−1·1	62	26th, 27th, 29th	32	16th
		June	29·851	59·4	48·3	53·9	+0·4	75	20th	40	2nd
		July	29·957	65·5	52·6	59·1	+2·5	80	13th	43	16th, 26th
		Aug.	29·886	64·6	51·4	58·0	+1·7	72	17th	43	1st, 16th
		Sept.	29·918	61·0	47·3	54·1	+1·1	72	3rd, 17th, 19th	35	25th
		Oct.	29·823	49·5	38·6	44·1	−3·2	73	4th	27	21st
		Nov.	29·438	46·1	38·6	42·3	+0·2	53	5th	28	1st
		Dec.	30·121	44·1	37·1	40·6	+2·0	56	11th	29	15th, 23rd
		Year	29·821	52·6	42·4	47·5	+1·2	80		20	

HYGROMETER.				CLOUD.	RAIN, AND OTHER FORMS OF PRECIPITATION.					WEATHER.					WIND DIRECTIONS.†										
Mean.†					Mean (0-10.) †	Number of Days.	Total Fall.	Difference from Average.	Most in a Day.		Number of Days with—					Number of Observations.									
Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.	Humidity.						Amount.	Day of Month.	Snow.	Hail.	Thunderstorm.	Fog.	Gale.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.	
°	°	Inch.	%			Inch.	Inch.	Inch.																	
35.9	1.4	.183	86	8.4	28	4.20	+1.44	0.79	29th	6	0	0	...	0	0	0	11	9	0	9	31	2	0		
36.0	1.4	.180	86	7.3	21	1.93	-0.67	0.53	6th	2	0	0	...	0	0	0	3	6	0	4	14	1	0		
39.2	2.2	.193	79	7.5	23	2.00	-0.86	0.32	3rd	5	0	0	...	2	3	7	6	5	0	0	22	19	0		
44.8	3.0	.228	76	7.4	19	3.00	+0.85	0.58	25th	0	0	0	...	0	5	2	17	5	0	7	16	8	0		
46.5	3.9	.230	71	7.6	20	1.70	-0.62	0.29	13th	1	1	0	...	0	11	7	14	7	0	4	15	4	0		
54.5	4.5	.310	71	7.2	21	3.47	+1.77	0.71	10th	0	0	0	...	0	3	3	13	7	0	3	14	17	0		
59.5	3.8	.393	77	6.5	19	1.96	-0.59	0.40	18th	0	0	3	...	1	4	0	22	6	0	1	20	9	0		
57.4	4.7	.333	71	6.7	14	1.04	-1.99	0.20	11th	0	0	3	...	0	0	0	4	4	1	3	40	10	0		
50.2	3.7	.266	73	6.9	21	3.11	+0.71	0.66	19th	0	0	0	...	1	0	1	4	2	0	3	40	10	0		
39.7	2.3	.199	79	7.1	21	5.87	+2.27	0.90	24th	6	0	1	...	2	9	3	10	2	2	2	20	14	0		
36.5	1.7	.183	84	7.2	23	5.50	+1.81	0.99	18th	1	0	0	...	1	0	1	12	8	2	2	27	8	0		
37.9	2.6	.170	75	8.1	23	1.27	-2.11	0.21	17th	4	0	0	...	2	2	1	0	0	0	1	41	17	0		
					253	35.05	+2.01	0.99																	
38.4	1.0	.206	91	7.6	23	4.00	...	0.52	18th	7	1	0	...	1	0	0	2	10	28	16	4	0	2		
39.8	1.4	.216	87	7.7	19	4.65	...	1.88	6th	6	1	0	...	0	2	0	0	10	14	10	10	6	4		
42.6	2.5	.220	79	7.1	17	1.03	...	0.18	9th	7	3	0	...	2	4	2	4	6	4	14	16	12	0		
46.4	2.2	.260	83	7.2	19	2.45	...	0.51	25th	0	2	1	...	0	8	4	8	2	16	10	8	4	0		
47.3	3.2	.246	75	7.6	22	1.83	...	0.22	6th	5	5	3	...	0	12	10	0	8	10	2	6	14	0		
54.3	2.8	.343	81	7.0	17	2.15	...	0.69	12th	0	0	1	...	0	8	8	2	10	16	2	2	12	0		
59.3	3.4	.403	79	6.2	11	2.11	...	0.87	19th	0	0	2	...	0	6	6	4	12	10	4	4	16	0		
58.6	3.3	.406	79	6.9	12	1.45	...	0.31	11th	0	0	3	...	0	0	0	0	8	24	12	6	12	0		
54.1	3.2	.333	79	6.2	16	4.72	...	0.93	19th	0	0	1	...	0	0	4	2	6	12	8	8	16	4		
42.3	1.4	.236	88	5.7	22	5.59	...	1.60	12th	11	2	4	...	4	2	4	2	0	6	10	10	22	6		
40.6	1.1	.233	91	6.3	18	5.64	...	1.09	18th	1	0	0	...	0	0	4	0	2	22	12	8	6	6		
40.2	1.7	.210	85	5.5	14	1.04	...	0.38	3rd	5	0	0	...	0	2	0	0	0	8	12	26	12	2		
					210	36.66	...	1.88																	
...	7.2	28	2.36	+0.15	0.62	29th	6	0	0	...	0	0	0	4	8	10	14	6	4	16		
...	7.0	23	1.99	-0.09	0.50	7th	4	0	0	...	0	4	0	6	8	2	20	0	2	14		
...	6.9	24	1.11	-1.49	0.16	4th	3	0	0	...	0	0	0	2	6	0	18	12	14	10		
...	6.0	23	2.85	+0.84	0.35	21st	0	0	1	...	0	2	2	0	14	4	22	2	10	4		
...	6.9	28	3.03	+0.54	0.39	13th	1	0	1	...	0	0	2	0	8	6	8	6	26	6		
...	6.4	22	3.52	+1.57	0.66	12th	0	0	0	...	0	0	6	2	16	0	20	2	8	6		
...	6.4	14	1.80	-1.16	0.34	19th	0	0	1	...	0	0	0	0	2	4	34	8	6	8		
...	5.6	16	1.13	-2.04	0.24	11th	0	0	0	...	0	0	0	0	0	2	32	10	10	8		
...	6.0	16	3.40	+1.07	0.77	19th	0	0	1	...	0	0	0	0	2	0	10	12	14	22		
...	5.4	24	5.52	+2.28	1.05	12th	6	0	0	...	0	2	0	4	0	4	6	6	24	16		
...	6.9	22	3.94	+0.87	0.70	18th	1	0	0	...	0	2	2	6	6	8	16	10	2	8		
...	5.9	19	1.13	-1.68	0.19	2nd, 20th	3	0	0	...	0	4	6	0	0	0	4	26	20	2		
					259	31.78	+0.86	1.05																	
39.9	1.0	.226	91	7.4	24	3.24	+1.06	0.42	23rd	5	2	0	1	1	0	0	4	10	24	16	5	2	1		
40.1	1.2	.223	89	7.5	19	3.49	+1.44	0.93	6th	6	3	0	1	1	0	2	1	14	15	9	5	7	3		
42.4	2.7	.203	77	6.2	15	0.99	-1.42	0.17	31st	5	4	0	0	0	5	0	3	7	8	12	16	8	3		
45.4	1.9	.250	85	6.4	18	2.44	+0.57	0.43	21st	0	5	0	0	0	2	7	7	6	10	6	3	8	11		
47.1	2.5	.263	81	6.3	22	1.53	-0.80	0.26	6th	0	5	0	0	0	7	8	2	9	12	6	1	16	1		
53.9	2.7	.343	82	6.7	17	1.61	-0.10	0.31	14th	0	0	2	3	0	5	9	6	7	11	15	1	12	4		
58.9	3.3	.406	80	6.0	9	2.40	-0.41	1.20	19th	0	0	2	0	0	6	6	3	1	13	6	7	9	1		
57.9	3.1	.393	81	6.4	13	1.32	-1.42	0.25	7th	0	0	2	0	0	2	2	1	4	16	12	5	8	12		
53.1	2.7	.330	82	6.0	16	4.57	+2.35	1.12	20th	0	0	1	0	0	4	0	0	4	11	15	9	11	6		
41.8	1.5	.233	87	5.7	24	5.23	+2.23	0.78	12th	7	7	3	1	1	1	2	1	5	9	6	15	19	4		
41.5	1.5	.226	87	5.8	19	4.23	+1.28	0.90	2nd	0	3	0	1	0	2	0	3	6	15	18	6	10	0		
40.2	2.1	.200	81	5.4	13	0.95	-2.27	0.32	3rd	6	2	0	0	0	0	0	0	0	4	19	18	18	3		
					209	32.00	+2.51	1.20																	

STATIONS, OBSERVERS' NAMES, AND HOURS OF OBSERVATION.*	Height of Stations above Sea Level.	Months.	BARO- METER.	AIR TEMPERATURE.							
				Mean at Mean Sea Level and 32° Fahr. †	Mean of		Mean of A and B	Difference from Average.	Absolute Maximum and Minimum.		
			Maximum.		Minimum.	Maximum.			Day of Month.	Minimum.	Day of Month.
	Feet.		Inch.	°	°	°	°	°		°	
Forfar. MONTROSE (Royal Asylum)— The Medical Superintendent. (9, —, —.)	200	Jan.	...	42·4	33·8	38·1	+0·8	50	24th	27	1st
		Feb.	...	44·6	35·4	40·0	+2·4	55	24th	20	12th
		Mar.	...	49·0	37·2	43·1	+3·8	58	12th, 13th	30	4th, 10th
		Apl.	...	54·7	39·3	47·0	+3·3	66	5th	30	12th
		May	...	54·6	39·8	47·2	-0·9	64	28th	32	16th
		June	...	60·7	46·6	53·7	-0·7	73	20th	40	1st
		July	...	66·6	51·1	58·9	+1·4	80	13th	42	26th, 27th
		Aug.	...	65·5	48·1	56·7	-0·1	74	17th	45	25, 27, 29, 30
		Sept.	...	61·5	44·8	53·1	+0·3	72	3rd, 19th	34	25th
		Oct.	...	50·6	37·3	43·9	-2·9	72	4th	26	21st, 27th
		Nov.	...	46·7	35·2	40·9	-0·1	54	4th	23	1st
		Dec.	...	45·6	35·0	40·3	+2·3	55	9th	26	27th
		Year	...	53·5	40·3	46·9	+0·8	80		20	
MONTROSE— D. Maxwell, C.E., Burgh Surveyor. (9, —, 17.)	16	Jan.	...	42·7	34·7	38·7	...	51	24th	22	31st
		Feb.	...	44·8	36·7	40·7	...	54	24th, 25th	21	13th
		Mar.	...	48·4	38·3	43·3	...	61	13th	30	16th
		Apl.	...	52·2	39·1	45·7	...	67	5th	30	12th
		May	...	53·0	40·1	46·5	...	66	28th	29	19th
		June	...	58·2	46·8	52·5	...	74	20th	38	5th
		July	...	65·4	52·1	58·7	...	77	14th	40	22nd
		Aug.	...	65·8	50·6	58·2	...	75	17th	42	1st, 16th
		Sept.	...	61·1	46·2	53·7	...	74	3rd	37	2, 16, 25
		Oct.	...	50·3	38·3	44·3	...	70	3rd, 4th	26	21st
		Nov.	...	46·7	36·5	41·6	...	55	5th	26	1st
		Dec.	...	45·4	36·7	41·1	...	54	11th, 30th	24	27th
		Year	...	52·8	41·3	47·1	...	77		21	
ARBROATH— J. W. Robertson. (9, —, 21.)	102	Jan.	...	43·5	34·7	39·1	+1·2	51	11th	25	1st
		Feb.	...	45·1	35·2	40·1	+1·6	54	24th	14	12th
		Mar.	...	49·5	36·8	43·1	+2·6	60	13th	30	5th
		Apl.	...	52·7	38·6	45·7	+1·3	63	5th	30	19th
		May	...	54·5	39·3	46·9	-1·8	64	28th	30	16th
		June	...	59·3	46·8	53·1	-1·4	72	20th, 21st	38	2nd
		July	...	65·2	51·0	58·1	+0·6	78	14th	38	26th
		Aug.	...	64·9	50·0	57·5	+0·4	73	17th	42	1st
		Sept.	...	61·6	46·0	53·8	+0·3	72	3rd	33	25th
		Oct.	...	50·5	37·4	43·9	-3·0	71	3rd, 4th	22	20th
		Nov.	...	47·2	36·6	41·9	+0·6	57	5th	23	1st
		Dec.	...	45·5	35·0	40·3	+1·4	53	29th, 30th	27	25th
		Year	...	53·3	40·6	46·9	+0·3	78		14	
CARNOUSTIE— A. F. Anderson, C.E., Burgh Surveyor. (9, —, 17.)	39	Jan.	...	43·6	34·8	39·2	...	52	10th, 11th	26	2nd
		Feb.	...	44·9	35·3	40·1	...	54	24th	22	12th
		Mar.	...	48·5	36·8	42·7	...	59	13th	29	6th
		Apl.	...	52·2	39·0	45·6	...	64	5th	33	17th
		May	...	53·9	40·3	47·1	...	64	28th, 29th	32	15th
		June	...	59·1	47·0	53·1	...	73	20th	40	1st, 2nd
		July	...	65·6	51·7	58·7	...	79	13th	41	26th
		Aug.	...	65·6	50·0	57·8	...	74	17th	45	7th
		Sept.	...	61·8	46·6	54·2	...	72	3rd	36	26th
		Oct.	...	50·5	37·4	43·9	...	70	3rd, 4th	25	22nd
		Nov.	...	46·6	36·0	41·3	...	55	5th	25	1st, 2nd
		Dec.	...	45·1	35·5	40·3	...	53	28th	26	15th
		Year	...	53·1	40·9	47·0	...	79		22	

HYGROMETER.				CLOUD. Mean (0-10.) †	RAIN, AND OTHER FORMS OF PRECIPITATION.					WEATHER. Number of Days with—					WIND DIRECTIONS. ‡ Number of Observations.										
Mean. †					Number of Days.	Total Fall.	Difference from Average.	Most in a Day.		Snow.	Hail.	Thunderstorm.	Fog.	Gale.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm		
Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure	Humidity.					Amount.	Day of Month.																
°	°	Inch.	%			Inch.	Inch.	Inch.																	
...	23	3.91	+1.92	0.53	23rd	2	0	0	...	0	6	2	8	0	30	4	8	4	0		
...	20	4.21	+2.37	1.10	6th	3	0	0	...	0	16	0	10	4	12	10	0	4	0		
...	16	0.65	-1.43	0.08	31st	4	0	0	...	1	18	4	6	0	14	6	14	0	0		
...	15	1.73	-0.09	0	5	1	...	0	18	4	10	2	14	10	2	0	0		
...	20	1.92	-0.12	0.28	20th	0	1	1	...	0	32	0	8	4	14	4	0	0	0		
...	18	2.34	+0.68	0.56	12th	0	0	3	...	1	10	6	4	4	22	12	0	2	0		
...	12	2.43	-0.20	0.75	24th	0	0	1	...	0	12	6	4	0	30	8	0	2	0		
...	13	2.37	-0.42	0.78	6th	0	0	0	...	0	12	0	2	6	24	12	4	2	0		
...	16	4.39	+2.40	1.09	20th	0	0	0	...	0	24	0	0	0	28	2	4	2	0		
...	16	5.52	+2.76	1.42	12th	3	0	0	...	2	24	2	0	2	14	14	4	2	0		
...	20	4.38	+1.73	0.96	18th	0	0	0	...	2	24	0	2	6	20	6	0	2	0		
...	7	0.29	-2.49	0.06	1st, 5th	2	0	0	...	0	22	0	0	4	6	10	16	4	0		
					196	34.14	+7.11	1.42																	
...	7.9	25	4.02	...	0.54	23rd	3	1	0	0	0	1	2	9	8	17	5	19	1	0		
...	7.5	20	3.85	...	0.81	6th	3	2	0	4	0	4	1	13	5	8	9	10	6	0		
...	5.9	15	0.61	...	0.09	19th	4	1	0	1	1	4	5	3	5	6	10	22	5	2		
...	6.3	18	1.55	...	0.37	25th	2	0	1	1	0	4	15	6	8	12	3	8	4	0		
...	6.0	20	2.32	...	0.49	31st	0	3	0	0	0	15	10	2	4	11	6	11	2	1		
...	6.5	17	1.94	...	0.44	12th	0	0	3	0	1	7	6	13	6	15	4	8	1	0		
...	6.1	11	2.23	...	0.54	24th	0	0	0	0	0	4	8	13	5	11	6	12	3	0		
...	5.6	11	1.71	...	0.58	6th	0	0	2	0	0	3	3	3	12	11	7	16	5	2		
...	5.8	11	3.42	...	1.33	19th	0	0	1	0	0	6	3	4	1	13	6	24	3	0		
...	5.3	14	5.21	...	1.19	12th	3	2	4	1	2	10	6	1	1	8	8	14	12	2		
...	5.9	20	4.78	...	0.91	18th	0	3	0	1	2	6	2	4	2	13	10	14	4	5		
...	5.3	6	0.27	...	0.09	1st	1	0	0	0	0	13	4	0	0	0	12	24	8	1		
					188	31.91	..	1.33																	
38.7	0.6	.229	94	8.0	24	3.86	+1.70	0.72	22nd	3	2	0	3	1	2	1	4	6	15	15	5	3	11		
39.9	1.0	.226	91	7.4	19	4.41	+2.60	0.86	6th	3	1	0	4	0	4	4	10	8	11	9	2	4			
42.4	2.3	.236	73	5.5	16	0.58	-1.16	0.10	31st	5	0	0	0	4	5	5	6	7	2	10	16	7	4		
45.8	2.1	.263	83	7.7	16	1.87	+0.11	0.50	25th	0	0	1	3	0	7	7	7	4	13	5	3	10			
47.0	2.5	.263	81	5.8	17	1.89	+0.04	0.32	24th	0	5	3	0	0	11	10	8	5	7	9	5	2	5		
53.1	1.9	.353	87	6.4	16	2.56	+0.71	0.70	9th	0	0	1	1	0	4	4	10	7	5	5	7	3	15		
57.8	2.6	.408	84	6.4	13	2.52	-0.17	0.60	18th	0	0	0	0	0	3	6	9	5	10	8	7	3	11		
57.3	2.7	.390	83	5.3	12	1.88	-1.00	0.58	6th	0	1	4	0	1	1	2	0	4	5	14	12	6	18		
53.3	2.9	.326	80	6.1	13	4.20	+1.82	1.20	20th	0	0	1	0	0	8	4	1	0	8	15	9	10	5		
43.5	2.1	.229	83	4.6	16	4.51	+2.12	0.95	1st	1	1	3	1	2	12	2	4	3	2	8	8	11	12		
41.2	1.5	.226	87	5.7	17	3.58	+1.26	0.79	18th	0	0	0	2	1	4	3	1	2	8	13	8	2	19		
39.3	1.9	.198	83	4.9	6	0.23	-2.21	0.15	5th	0	0	0	0	0	7	7	0	0	0	13	19	7	9		
					185	32.09	+5.82	1.20																	
...	8.4	23	3.82	...	0.75	23rd	4	0	0	...	0	8	6	6	12	4	20	2	4	0		
...	7.9	20	4.35	...	0.74	6th	4	0	0	...	0	4	4	2	16	4	18	2	6	0		
...	7.1	16	0.82	...	0.16	9th	6	0	0	...	0	0	18	2	4	0	10	6	22	0		
...	7.2	18	2.33	...	0.41	25th	1	1	1	...	0	0	16	0	10	0	18	0	16	0		
...	6.8	19	2.01	...	0.36	26th	0	3	3	...	0	4	24	0	8	2	12	2	10	0		
...	7.4	16	2.54	...	0.49	10th	0	1	1	...	0	4	8	4	26	0	4	2	12	0		
...	7.3	14	2.54	...	0.46	23rd	0	0	1	...	0	0	20	0	16	0	22	0	4	0		
...	6.2	13	2.03	...	0.51	6th	0	0	0	...	0	0	10	6	8	2	16	0	20	0		
...	6.8	14	4.11	...	0.87	19th	0	0	1	...	0	6	14	0	4	0	14	0	22	0		
...	6.0	17	5.20	...	0.91	24th	0	4	1	...	0	10	6	0	6	0	8	0	32	0		
...	7.5	21	4.06	...	0.81	18th	0	0	0	...	0	4	12	2	10	2	14	4	12	0		
...	7.0	10	0.33	...	0.08	4th	2	0	0	...	0	4	4	2	0	0	22	12	18	0		
					201	34.14	...	0.91																	

STATIONS, OBSERVERS' NAMES, AND HOURS OF OBSERVATION.*	Height of Stations above Sea Level.	Months.	BARO- METER.	AIR TEMPERATURE.							
				Mean of		Mean of A and B	Difference from Average.	Absolute Maximum and Minimum.			
			Mean at Mean Sea Level and 32° Fahr. †	A Maximum.	B Minimum.			Maximum.	Day of Month.	Minimum.	Day of Month.
	Feet.		Inch.	°	°	°	°	°		°	
Forfar (contd.)											
DUNDEE	164	Jan.	29·652	42·0	34·5	38·3	+1·2	53	11th	25	1st
(Eastern Necro- polis)—		Feb.	29·708	44·1	35·9	40·0	+2·5	52	24th, 26th 28th	21	12th
W. Shepherd, for		Mar.	29·902	48·3	36·9	42·6	+2·8	58	13th	31	4th
A. Macrae,		Apl.	29·799	53·0	39·6	46·3	+2·2	66	4th	33	17th
Curator of		May	29·835	54·8	40·6	47·7	-1·7	66	27th, 28th 29th	31	8th
Parks,		June	29·854	60·9	47·7	54·3	-1·1	73	20th	40	1st, 2nd
(9, —, 21.)		July	29·965	68·3	52·7	60·5	+2·1	84	14th	44	26th
		Aug.	29·894	67·2	51·8	59·5	+2·2	73	5th, 17th	46	7th
		Sept.	29·940	62·3	47·2	54·7	+1·2	72	3rd	36	26th
		Oct.	29·827	49·6	37·3	43·5	-3·2	72	4th	26	27th
		Nov.	29·445	44·6	35·9	40·3	-1·0	54	5th	28	1st
		Dec.	30·156	43·8	34·9	39·3	+1·7	52	30th	28	14th, 15th 25th
		Year	29·831	53·2	41·3	47·3	+0·8	84		21	
DUNDEE	147	Jan.	...	43·3	34·7	39·0	...	52	10th	28	1st
(Mayfield)—		Feb.	...	45·6	36·5	41·1	...	53	20th, 25th, 28th	22	12th
A. Duncan, for		Mar.	...	48·8	37·6	43·2	...	58	13th	31	4th, 5th
the Director		Apl.	...	53·5	40·8	47·1	...	66	4th	34	12th, 17th
of Studies.		May	...	55·6	41·0	48·3	...	67	27th, 28th	33	8th, 14th
(9, —, —.)		June	...	61·9	47·5	54·7	...	74	20th	40	1st
		July	...	70·1	53·5	61·8	...	85	14th	44	26th
		Aug.	...	68·4	52·2	60·3	...	75	17th	47	7th, 23rd
		Sept.	...	63·4	47·5	55·5	...	73	3rd	37	26th
		Oct.	...	50·5	37·9	44·2	...	74	4th	27	22nd
		Nov.	...	46·0	36·2	41·1	...	57	4th	25	1st
		Dec.	...	44·7	35·9	40·3	...	54	28th	28	15th
		Year	...	54·3	41·8	48·1	...	85		22	
KETTINS	218	Jan.	...	43·4	32·5	37·9	...	55	10th	21	1st
(The School- house)—		Feb.	...	45·5	34·4	39·9	...	55	19th, 25th	17	12th
W. Andrew.		Mar.	...	49·4	36·1	42·7	...	59	13th	30	4, 5, 21, 26
(9, —, —.)		Apl.	...	53·9	37·9	45·9	...	66	4th	29	17th
		May	...	55·5	38·6	47·1	...	67	26th	29	8th
		June	...	63·1	46·0	54·5	...	72	20th	38	2nd, 25th
		July	...	68·2	51·1	59·7	...	83	14th	42	6th
		Aug.	...	66·5	49·3	56·9	...	73	1st	43	1st, 7th, 23rd
		Sept.	...	61·5	45·0	53·3	...	74	18th	32	26th
		Oct.	...	50·2	35·1	42·7	...	74	4th	23	22nd, 23rd
		Nov.	...	45·5	32·8	39·1	...	57	4th	20	1st
		Dec.	...	44·8	33·8	39·3	...	54	11th	21	25th
		Year	...	53·9	39·4	46·6	...	83		17	
Perth.											
PERTH—	22	Jan.	29·643	43·4	33·8	38·6	+1·6	55	10th	22	1st
J. Ritchie, The		Feb.	29·695	45·9	36·5	41·2	+3·6	57	25th	23	13th
Museum.		Mar.	29·904	48·7	37·4	43·1	+3·0	59	13th	30	4th, 5th, 16th
(9, 15, —.)		Apl.	29·797	55·4	39·0	47·2	+2·7	67	4th	28	17th
		May	29·830	57·1	40·2	48·7	-1·1	70	26th	31	13th
		June	29·844	65·2	47·7	56·5	+0·8	73	6th, 20th	38	1st
		July	29·968	70·3	52·3	61·3	+2·9	84	14th	40	26th
		Aug.	29·914	68·9	51·1	60·0	+2·7	78	1st	43	8th
		Sept.	29·947	62·7	45·9	54·3	+1·0	77	18th	30	26th
		Oct.	29·837	50·9	35·5	43·2	-3·2	77	4th	23	23rd, 30th
		Nov.	29·460	45·9	33·5	39·7	-1·4	57	4th	18	1st
		Dec.	30·168	44·8	34·7	39·7	+2·2	53	28th	20	25th
		Year	29·834	54·9	40·6	47·8	+1·2	84		18	

HYGROMETER.				CLOUD. Mean (0-10.) †	RAIN, AND OTHER FORMS OF PRECIPITATION.				WEATHER.					WIND DIRECTIONS. ‡									
Mean. †					Number of Days.	Total Fall.	Difference from Average.	Most in a Day.		Snow.	Hail.	Thunderstorm.	Fog.	Gale.	Number of Observations.								
Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure	Humidity.	Amount.				Day of Month.															
°	°	Inch.	%			Inch.	Inch.	Inch.															
38·0	0·7	·216	93	9·1	24	4·78	+2·83	0·59	23rd	5	0	0	...	0	0	12	0	14	0	28	0	8	0
39·5	0·9	·220	91	8·7	20	4·95	+3·07	0·89	2nd	2	0	0	...	0	0	1	0	23	0	27	0	5	0
41·3	1·8	·220	84	7·9	16	1·17	-0·89	0·33	9th	2	0	0	...	3	0	10	0	12	0	30	0	10	0
45·7	1·7	·273	87	7·5	20	2·07	+0·37	0·35	25th	0	1	1	...	0	1	8	0	20	0	29	0	2	0
47·6	2·6	·273	80	7·8	19	2·31	+0·22	0·39	26th	0	4	2	...	0	0	16	0	21	0	12	0	13	0
53·9	2·3	·356	85	8·5	18	3·05	+1·25	0·69	10th	0	1	2	...	0	0	9	0	31	0	13	0	7	0
59·3	2·7	·423	84	8·1	12	3·18	+0·44	1·29	24th	0	0	0	...	0	0	12	0	14	0	27	6	3	0
58·5	2·7	·423	84	6·7	13	2·29	-1·09	0·53	20th	0	0	2	...	1	0	1	0	20	0	35	0	6	0
54·0	2·3	·356	85	7·0	17	4·04	+1·96	1·05	19th	0	0	1	...	0	0	3	1	6	0	43	0	7	0
42·1	1·8	·229	84	7·1	17	5·12	+2·46	1·25	24th	1	1	1	...	2	0	6	0	8	0	20	0	28	0
40·3	0·7	·230	93	7·9	24	5·09	+2·65	1·16	18th	0	0	0	...	2	0	10	0	20	0	17	2	11	0
39·2	1·4	·210	87	8·7	8	0·31	-2·35	0·08	4th	0	1	0	...	0	0	5	0	2	0	40	0	15	0
					208	38·36	+10·92	1·29															
38·5	1·0	·216	91	7·7	24	4·82	...	0·63	23rd	4	1	0	...	0	4	4	4	10	12	16	8	4	0
40·7	1·4	·226	87	7·3	19	4·98	...	0·96	2nd	2	0	0	...	1	0	10	2	10	12	16	4	2	0
43·3	3·1	·210	73	7·0	16	1·02	...	0·29	9th	3	0	0	...	4	10	10	2	6	14	14	2	4	0
47·8	3·0	·260	77	6·8	18	1·84	...	0·41	25th	0	0	1	...	0	2	8	2	10	20	10	6	2	0
50·6	4·7	·253	68	6·9	18	2·23	...	0·38	26th	0	7	3	...	0	10	8	0	10	10	10	4	10	0
56·5	4·0	·350	75	7·1	19	2·83	...	0·66	10th	0	1	2	...	1	4	8	8	4	18	10	2	6	0
62·0	4·5	·420	75	7·1	13	3·16	...	1·25	24th	0	0	0	...	0	4	10	4	6	14	16	2	6	0
61·2	4·7	·396	73	6·4	13	2·13	...	0·47	20th	0	0	3	...	0	4	4	2	10	10	20	8	4	0
56·4	3·9	·340	75	6·5	13	3·78	...	1·00	19th	0	0	1	...	0	6	4	0	0	8	32	8	2	0
43·1	1·8	·236	85	6·9	16	5·25	...	1·28	24th	0	1	3	...	3	2	2	4	2	14	14	10	14	0
40·8	1·5	·226	87	6·6	19	5·08	...	1·27	18th	0	0	0	...	1	4	10	4	4	10	10	10	8	0
40·0	2·1	·200	81	6·7	6	0·21	...	0·07	17th	1	0	0	...	0	6	4	0	0	14	24	6	8	0
					194	37·33	...	1·28															
37·5	1·5	·190	85	7·8	27	5·98	...	1·02	29th	7	1	0	1	1	2	8	6	2	6	2	24	2	10
39·9	1·8	·210	84	7·1	19	4·86	...	1·01	6th	3	0	0	1	0	6	6	8	4	0	2	18	4	8
42·8	3·1	·206	75	6·6	15	0·87	...	0·16	9th	4	1	0	0	0	0	6	4	2	4	0	18	16	12
47·4	2·9	·250	77	5·9	16	2·19	...	0·50	14th	0	1	1	0	0	6	10	4	0	0	4	26	2	8
49·0	4·2	·243	69	5·8	19	1·82	...	0·29	24th	0	3	2	0	0	16	6	2	0	0	0	14	8	16
56·5	3·6	·363	77	6·6	17	3·12	...	0·77	10th, 12th	0	0	1	1	0	4	10	2	2	2	2	16	8	14
60·4	3·9	·403	78	5·7	12	2·55	...	0·62	23rd	0	0	2	0	0	8	4	4	2	4	6	18	2	14
58·8	3·4	·403	79	5·6	16	2·61	...	0·88	6th	0	0	2	1	0	6	2	2	2	6	2	24	6	12
53·3	2·6	·333	83	5·3	12	3·95	...	0·73	30th	0	0	0	0	0	2	2	0	0	2	4	30	6	4
43·0	2·3	·226	81	5·1	17	5·41	...	1·20	24th	1	0	1	1	1	8	8	2	2	2	2	14	12	12
38·5	1·3	·210	88	5·8	21	6·42	...	1·07	18th	0	0	0	2	2	0	2	2	4	4	8	14	2	24
39·0	2·4	·186	77	4·6	11	0·41	...	0·11	2nd	1	1	0	0	0	6	2	2	0	8	2	30	4	8
					202	40·19	...	1·20															
37·4	0·9	·198	91	9·2	26	5·00	+2·49	0·70	22nd	7	0	0	...	1	0	7	1	14	3	35	0	2	0
40·9	0·9	·236	92	8·3	24	4·81	+2·54	0·93	5th	2	0	0	...	2	2	2	5	22	2	17	4	2	0
42·8	2·1	·230	82	8·0	17	1·49	-1·00	0·35	9th	5	3	0	...	6	2	0	8	12	2	20	18	0	0
47·9	2·1	·286	84	8·2	17	1·76	-0·02	0·29	25th	0	2	0	...	0	4	5	14	8	7	14	4	4	0
50·2	4·2	·253	70	7·9	21	2·06	-0·16	0·33	29th	0	8	3	...	0	7	2	6	16	0	17	2	12	0
57·3	4·3	·346	73	7·8	18	2·91	+0·94	0·72	10th	0	2	1	...	1	4	2	1	21	3	21	0	8	0
61·7	4·3	·429	75	7·3	11	2·58	-0·31	0·71	24th	0	0	3	...	0	5	8	4	11	2	27	2	3	0
59·7	4·0	·400	77	7·1	16	1·78	-1·59	0·39	6th	0	0	2	...	0	1	0	0	16	8	33	2	1	1
53·2	2·7	·330	82	7·9	16	3·21	-0·98	0·62	19th	0	0	1	...	0	1	0	2	10	4	29	6	8	0
41·6	1·4	·236	88	7·5	17	4·66	+1·71	1·09	24th	6	0	1	...	2	5	2	2	6	3	15	2	27	0
38·8	0·9	·220	92	8·7	24	6·13	+3·25	1·44	18th	2	0	0	...	4	0	5	0	13	0	33	0	9	0
39·1	1·4	·210	87	7·3	10	0·31	-2·92	0·08	4th	2	1	0	...	2	2	5	0	0	0	32	4	19	0
					217	36·70	+5·91	1·44															

STATIONS, OBSERVERS' NAMES, AND HOURS OF OBSERVATION.*	Height of Stations above Sea Level.	Months.	BARO- METER.	AIR TEMPERATURE.							
			Mean at Mean Sea Level and 32° Fahr.†	Mean of		Mean of A and B	Difference from Average.	Absolute Maximum and Minimum.			
				A Maximum.	B Minimum.			Maximum.	Day of Month.	Minimum.	Day of Month.
	Feet.		Inch.	°	°	°	°	°		°	
Perth (contd.).											
CRIEFF—	482	Jan.	29·643	42·3	33·8	38·1	+1·2	52	10th	25	1st
G. Reid, for		Feb.	29·683	44·1	34·9	39·5	+1·6	53	24th, 25th	23	12th
Dr. G. Meikle.		Mar.	29·905	47·5	36·0	41·7	+1·6	57	13th	28	4th
(9, —, 21.)		Apl.	29·793	53·5	38·6	46·1	+1·4	66	4th	31	17th
		May	29·845	54·9	39·2	47·1	−3·0	69	26th	30	8th
		June	29·840	62·6	46·8	54·7	−1·3	73	6th	38	2nd
		July	29·973	67·7	50·4	59·1	+0·7	82	14th	42	26th
		Aug.	29·908	66·3	50·2	58·3	+1·0	74	1st	45	7th, 11th, 23rd
		Sept.	29·940	61·0	45·6	53·3	−0·3	76	18th	33	26th
		Oct.	29·840	48·9	35·3	42·1	−4·8	72	4th	23	22nd
		Nov.	29·443	44·3	34·9	39·6	−1·8	55	5th	23	1st
		Dec.	30·185	45·4	34·5	39·9	+2·4	53	9th, 28th	25	14th, 15th
		Year	29·833	53·2	40·0	46·6	−0·1	82		23	
Fife.											
LEUCHARS—	36	Jan.	29·640	42·8	35·1	38·9	...	53	11th	25	1st
The Meteorologi- cal Office.		Feb.	29·675	45·7	37·0	41·3	...	56	24th, 25th	24	11th
(7, —, 18.)		Mar.	29·900	48·6	38·0	43·3	...	59	13th	30	26th
		Apl.	29·803	53·6	39·0	46·3	...	67	4th	32	12th, 17th
		May	29·858	55·0	40·4	47·7	...	66	25th, 29th	30	15th
		June	29·855	61·1	47·0	54·1	...	73	20th	37	2nd
		July	29·970	67·5	52·4	59·9	...	83	14th	41	26th
		Aug.	29·920	66·8	50·3	58·5	...	73	17th	43	26th
		Sept.	29·950	62·2	46·1	54·1	...	73	18th	34	26th
		Oct.	29·828	50·7	37·1	43·9	...	72	4th	25	30th, 31st
		Nov.	29·443	46·3	35·7	41·0	...	57	5th	22	1st
		Dec.	30·165	44·5	36·2	40·3	...	53	28th, 30th	27	15th
		Year	29·834	53·7	41·2	47·4	...	83		22	
St. Andrews—	20	Jan.	...	43·9	35·3	39·6	...	53	10th	26	1st
W. Watson,		Feb.	...	45·9	36·9	41·4	...	56	24th	23	12th
C.E., Burgh		Mar.	...	48·4	37·5	42·9	...	59	13th	29	26th
Surveyor.		Apl.	...	53·1	38·9	46·0	...	64	13th	30	12th, 17th
(9, —, 17.)		May	...	54·8	40·6	47·7	...	67	25th	31	13th 16th 19th
		June	...	61·3	47·3	54·3	...	73	20th	39	2nd, 3rd
		July	...	68·3	52·5	60·4	...	82	14th	44	24th
		Aug.	...	67·6	50·9	59·3	...	74	17th	44	1st
		Sept.	...	63·1	46·4	54·7	...	74	18th, 19th	36	25th, 26th
		Oct.	...	52·3	37·6	44·9	...	73	4th	25	21st, 27th
		Nov.	...	47·2	35·8	41·5	...	56	4th	23	1st
		Dec.	...	45·8	36·0	40·9	...	53	11th, 28th 30th	28	15th
		Year	...	54·3	41·3	47·8	...	82		23	
CUPAR—	210	Jan.	...	43·4	33·8	38·6	+1·5	54	10th	25	13th
(Fife and Kinross Asylum)—		Feb.	...	45·6	36·0	40·8	+2·9	55	24th	22	12th
The Medical		Mar.	...	47·9	37·1	42·5	+2·6	57	13th	30	4th, 5th
Superintendent.		Apl.	...	53·0	38·6	45·8	+1·7	66	4th	31	12th
(9, —, —.)		May	...	55·1	40·4	47·7	−1·4	70	26th	30	15th
		June	...	62·2	46·9	54·5	−1·2	73	20th	38	1st
		July	...	67·9	52·7	60·3	+2·5	82	14th	41	26th
		Aug.	...	66·8	51·2	59·0	+2·2	73	17th	45	1st
		Sept.	...	61·6	46·7	54·1	+1·2	74	17th	36	25th, 26th
		Oct.	...	49·9	35·9	42·9	−3·6	73	4th	20	27th
		Nov.	...	45·9	34·7	40·3	−0·5	56	4th	22	1st
		Dec.	...	44·6	35·1	39·9	+1·7	52	11th, 28th	25	15th, 25th
		Year	...	53·7	40·8	47·2	+0·8	82		20	

HYGROMETER.				Cloud. Mean (0-10.) †	RAIN, AND OTHER FORMS OF PRECIPITATION.					WEATHER. Number of Days with—					WIND DIRECTIONS. ‡ Number of Observations.									
Mean. †					Number of Days.	Total Fall.	Difference from Average.	Most in a Day.		Snow.	Hail.	Thunderstorm.	Fog.	Gale.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm	
Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure	Humidity.	Amount.				Day of Month.																
°	°	Inch.	%		Inch.	Inch.	Inch.																	
38.2	1.2	.203	89	8.5	26	7.71	+3.68	1.09	10th	7	1	0	...	1	2	4	18	0	5	6	25	2	0	
39.5	1.3	.210	88	8.5	25	6.87	+3.35	1.17	2nd	2	1	0	...	0	3	4	16	4	2	9	16	2	0	
41.7	2.7	.203	77	7.7	18	1.82	-1.38	0.34	3rd	6	3	0	...	2	4	1	17	0	0	2	34	4	0	
45.3	2.5	.240	80	7.0	19	2.67	+0.48	0.68	14th	1	1	0	...	0	6	1	22	0	0	3	23	5	0	
46.8	3.5	.240	73	7.9	21	3.41	+0.92	0.58	27th	0	6	4	...	0	11	4	15	3	3	2	18	6	0	
54.1	3.5	.326	77	8.0	14	2.62	-0.02	0.89	10th	0	1	1	...	0	14	0	15	6	4	4	14	3	0	
58.7	3.4	.403	79	6.7	10	2.49	-0.48	0.70	23rd	0	0	2	...	0	3	1	23	3	2	6	23	1	0	
57.1	3.3	.373	79	6.7	18	2.81	-1.40	0.47	18th, 20th	0	0	1	...	0	0	0	2	1	7	10	37	5	0	
52.9	3.0	.323	80	6.3	16	3.44	+0.58	0.60	12th	0	0	0	...	0	3	5	5	0	0	3	42	2	0	
41.7	2.1	.220	82	5.7	17	6.74	+2.81	1.53	24th	7	1	0	...	1	13	1	15	2	1	0	14	16	0	
39.6	1.4	.220	87	7.7	25	8.47	+4.13	1.21	18th	1	0	0	...	0	4	1	17	3	4	9	18	4	0	
39.8	2.3	.198	79	6.1	12	0.59	-3.89	0.13	2nd, 17th	2	0	0	...	0	12	3	4	1	0	1	33	8	0	
					221	49.64		1.53																
39.1	1.2	.213	89	7.1	26	4.09	...	0.90	23rd	4	2	1	0	3	1	2	7	10	7	16	8	1	10	
40.4	1.3	.220	88	7.7	19	4.02	...	0.66	2nd	5	4	0	1	2	2	3	9	8	7	11	8	3	5	
41.9	2.1	.223	82	7.8	16	0.95	...	0.22	3rd	5	6	0	0	3	2	6	6	6	2	11	21	2	6	
46.1	2.1	.263	83	7.7	16	1.81	...	0.32	26th	0	3	1	0	0	3	14	6	3	3	13	10	0	8	
48.1	2.9	.263	78	7.5	19	1.50	...	0.29	26th	0	5	4	0	0	6	7	12	3	4	8	10	5	7	
54.8	2.7	.360	83	7.1	18	2.30	...	0.62	10th	0	0	1	0	0	4	4	19	8	0	9	8	5	3	
60.0	3.2	.423	81	7.4	15	2.89	...	0.62	24th	0	0	3	0	0	4	7	15	1	6	9	13	3	4	
58.5	2.9	.416	83	6.5	12	1.97	...	0.57	6th	0	0	3	1	1	0	2	8	3	5	16	19	3	6	
53.3	2.5	.336	83	6.9	12	3.80	...	0.86	19th	0	0	1	0	0	4	1	1	2	7	19	14	3	9	
42.1	1.8	.228	84	6.1	17	4.70	...	0.85	1st	1	2	1	1	2	3	4	4	3	1	13	19	10	5	
40.2	1.3	.223	88	6.9	20	4.52	...	0.90	18th	0	0	0	1	2	0	3	3	9	5	15	10	3	12	
39.8	1.7	.210	85	5.4	7	0.32	...	0.09	5th	2	1	0	0	0	4	0	1	0	0	24	21	8	4	
					197	32.87	...	0.90																
39.5	0.8	.223	93	8.2	22	4.42	...	0.62	22nd	6	1	1	0	0	0	6	4	8	14	26	4	0	0	
41.6	1.1	.246	91	7.5	19	3.92	...	0.89	5th	3	0	0	1	0	0	6	12	6	2	28	2	0	0	
43.5	2.3	.226	81	7.7	16	0.98	...	0.24	3rd	2	1	0	0	0	4	10	10	0	4	22	12	0	0	
48.2	2.9	.260	78	7.4	16	1.74	...	0.51	25th	0	0	0	0	0	0	20	6	0	2	24	4	4	0	
50.2	4.1	.256	71	7.0	18	1.60	...	0.27	26th	0	4	3	0	0	2	18	2	4	4	16	4	12	0	
55.6	3.3	.356	79	7.4	16	2.51	...	0.54	11th	0	0	1	0	0	2	22	6	2	0	16	10	2	0	
60.9	3.7	.426	79	7.2	13	2.29	...	0.51	24th	0	0	1	0	0	2	6	6	12	0	20	10	0	6	
60.4	3.6	.410	79	6.5	16	2.01	...	0.37	6th	0	1	1	0	0	2	0	8	4	4	30	10	2	2	
56.4	3.9	.340	75	6.5	11	4.29	...	1.48	19th	0	0	1	0	0	0	8	0	0	6	28	14	0	4	
45.2	3.0	.229	76	6.5	15	4.84	...	0.98	24th	0	1	0	0	0	0	4	2	0	2	26	16	8	4	
41.4	1.4	.229	87	6.8	17	5.24	...	1.59	1st	0	0	0	0	0	2	10	2	8	2	18	10	2	6	
41.2	2.0	.213	83	6.0	8	0.32	...	0.08	2nd	0	1	0	0	0	4	2	2	0	2	28	18	2	4	
					187	34.16	...	1.59																
...	8.8	22	4.83	+2.52	0.68	23rd	3	2	1	...	0	0	0	14	2	20	8	10	4	4	
...	8.0	17	3.97	+1.99	0.80	5th	2	0	0	...	0	4	0	6	8	14	8	10	4	2	
...	7.9	16	1.13	-0.71	0.29	3rd	3	0	0	...	0	2	6	12	4	0	8	20	10	0	
...	8.4	14	1.89	+0.01	0.43	25th	0	1	0	...	0	6	6	12	0	10	6	18	2	0	
...	8.1	19	1.82	-0.07	0.27	24th	0	3	0	...	0	8	14	4	2	2	18	10	4	0	
...	8.1	19	3.42	+1.52	0.87	10th	0	0	0	...	0	0	18	8	0	6	20	4	2	2	
...	7.6	13	2.78	+0.19	0.84	24th	0	0	1	...	0	2	20	6	0	2	22	8	0	2	
...	7.6	16	1.99	-1.22	0.45	20th	0	0	2	...	0	0	2	4	2	8	26	16	0	4	
...	7.1	12	4.11	+1.27	1.95	19th	0	0	0	...	0	4	4	0	0	4	30	10	2	6	
...	6.3	14	4.23	+1.61	0.87	8th	1	0	0	...	0	4	2	8	0	12	8	10	14	4	
...	6.9	19	5.21	+2.62	1.00	1st	0	0	0	...	0	2	0	6	0	16	16	16	2	2	
...	7.1	5	0.25	-2.53	0.11	5th	0	2	0	...	0	12	0	0	2	4	14	12	16	2	
					186	35.63	+7.20	1.05																

STATIONS, OBSERVERS' NAMES, AND HOURS OF OBSERVATION.*	Height of Stations above Sea Level.	Months.	BARO- METER.	AIR TEMPERATURE.										
				Mean at Mean Sea Level and 32 Fahr.†	Mean of		Mean of A and B	Difference from Average.	Absolute Maximum and Minimum.					
					A Maximum.	B Minimum.			Maximum.	Day of Month.	Minimum.	Day of Month.		
				Feet.		Inch.	°	°	°	°	°	°	°	°
Fife (contd.).														
KIRKCALDY—	66	Jan.	...	44·6	35·6	40·1	...	54	10th	26	1st			
Francis Braid,		Feb.	...	46·3	38·0	42·1	...	57	24th	25	12th			
Sanitary Inspec-		Mar.	...	48·2	38·9	43·5	...	55	12th, 13th	32	4th, 5th, 10th			
tor.		Apl.	...	53·5	40·9	47·2	...	66	4th	33	13th			
(9, —, —.)		May	...	56·3	42·5	49·4	...	67	25th	34	14th, 16th			
		June	...	63·0	49·1	56·1	...	74	30th	40	1st			
		July	...	68·3	54·0	61·1	...	84	14th	45	26th			
		Aug.	...	67·3	52·3	59·8	...	74	2nd, 17th	48	1st, 23rd			
		Sept.	...	62·9	48·5	55·7	...	78	18th	36	26th			
		Oct.	...	51·4	39·1	45·3	...	73	4th	28	21st, 27th			
		Nov.	...	46·1	36·2	41·1	...	53	5th, 12th	25	1st			
		Dec.	...	45·5	37·1	41·3	...	52	9th	29	15th			
		Year	...	54·5	42·7	48·6	...	84		25				
INCHKEITH—	184	Jan.	29·634	43·9	38·3	41·1	...	53	10th, 11th	30	18th			
The Meteoro-		Feb.	29·686	45·1	39·1	42·1	...	53	24th, 25th	30	12th			
logical Office.		Mar.	29·896	46·7	39·4	43·1	...	54	15th	31	4th, 10th			
(7, —, 18.)		Apl.	29·784	51·4	42·1	46·7	...	61	4th	38	12th, 17th			
		May	29·831	54·0	43·2	48·6	...	63	25th	36	7th, 15th			
		June	29·829	59·9	49·3	54·6	...	70	20th	43	1st			
		July	29·946	65·2	54·8	60·0	...	81	14th	50	3rd, 4th, 24th			
		Aug.	29·906	64·0	54·0	59·0	...	72	17th	51	8, 23, 26, 27			
		Sept.	29·941	60·7	51·0	55·9	...	79	18th	41	26th			
		Oct.	29·811	50·2	42·2	46·2	...	69	4th	31	30th			
		Nov.	29·431	46·3	40·1	43·2	...	58	4th	31	1st			
		Dec.	30·169	44·8	39·5	42·1	...	51	9th 28th 30th	31	15th			
		Year	29·822	52·7	44·4	48·5	...	81		30				
Stirling.														
STIRLING—	99	Jan.	...	43·8	35·3	39·5	...	53	10th	26	1st			
John Fyfe, C.S.I.,		Feb.	...	46·1	37·3	41·7	...	55	25th	24	12th			
Sanitary Inspec-		Mar.	...	48·4	38·2	43·3	...	57	12th	31	4th, 5th			
tor.		Apl.	...	54·2	39·7	46·9	...	65	4th	33	17th			
(9, —, —.)		May	...	56·0	40·8	48·4	...	69	26th	31	15th			
		June	...	64·0	47·7	55·9	...	73	6th, 20th	41	1st, 3rd			
		July	...	69·2	52·9	61·1	...	85	13th, 14th	47	26th, 29th			
		Aug.	...	67·3	51·9	59·6	...	75	1st	47	7th			
		Sept.	...	62·2	47·3	54·7	...	77	18th	33	26th			
		Oct.	...	49·9	37·2	43·5	...	72	4th	25	30th, 31st			
		Nov.	...	45·3	35·6	40·5	...	56	4th	21	1st			
		Dec.	...	45·2	35·9	40·5	...	52	11th, 28th	26	15th			
		Year	...	54·3	41·7	48·0	...	85		21				
Dumbarton.														
HELENSBURGH—	21	Jan.	...	44·8	36·1	40·5	+1·6	51	11th	27	1st			
J. N. Stirling,		Feb.	...	46·8	37·3	42·1	+3·4	54	23rd	26	12th, 13th			
B.Sc., Burgh		Mar.	...	48·5	37·5	43·0	+2·5	57	15th	29	25th			
Surveyor.		Apl.	...	54·2	39·9	47·1	+1·9	62	4th	34	12th, 24th			
(9, —, —.)		May	...	56·3	40·7	48·5	-1·6	63	26th	30	15th			
		June	...	63·6	48·1	55·9	+0·5	71	6th	39	3rd			
		July	...	68·3	52·4	60·3	+2·8	81	14th	43	29th			
		Aug.	...	65·9	52·5	59·2	+2·1	72	1st, 30th	45	23rd			
		Sept.	...	61·7	47·7	54·7	+1·2	76	18th	33	26th			
		Oct.	...	50·7	37·9	44·3	-2·3	70	4th	24	30th			
		Nov.	...	47·2	35·4	41·3	+0·1	56	4th	24	1st			
		Dec.	...	45·6	36·3	40·9	+2·1	52	28th	25	22nd, 26th			
		Year	...	54·5	41·8	48·2	+1·2	81		24				

HYGROMETER.				CLOUD.	RAIN, AND OTHER FORMS OF PRECIPITATION.				WEATHER.					WIND DIRECTIONS.†										
Mean.†					Mean (0-10.) †	Number of Days.	Total Fall.	Difference from Average.	Most in a Day.		Number of Days with—					Number of Observations.								
Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.	Humidity.	Amount.					Day of Month.	Snow.	Hail.	Thunderstorm.	Fog.	Gale.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm	
°	°	Inch.	%		Inch.	Inch.	Inch.																	
...	6.3	21	3.84	...	0.62	22nd	3	1	1	...	0	2	6	10	2	2	10	20	6	4	
...	6.1	21	4.22	...	0.75	2nd	3	0	0	...	0	6	10	8	4	2	0	12	8	6	
...	6.0	23	1.95	...	0.34	3rd	2	2	0	...	0	2	8	16	0	0	4	20	12	0	
...	6.5	17	1.46	...	0.32	26th	0	0	0	...	0	2	16	12	0	0	6	12	10	2	
...	5.6	18	2.38	...	0.39	24th	0	6	0	...	0	4	26	6	2	0	2	14	6	2	
...	5.4	16	2.64	...	0.63	10th	0	0	0	...	1	0	8	10	14	4	12	8	4	0	
...	5.4	14	3.48	...	0.91	24th	0	0	0	...	0	4	16	16	4	0	2	8	10	2	
...	5.2	17	1.89	...	0.34	6th	0	0	0	...	0	4	10	6	2	0	2	12	22	4	
...	5.0	15	4.04	...	1.08	19th	0	0	1	...	0	4	6	2	2	2	4	24	16	0	
...	4.6	18	4.18	...	0.84	1st	0	0	0	...	0	10	6	4	0	0	0	8	34	0	
...	5.9	22	4.48	...	0.80	1st	0	0	0	...	1	4	2	6	2	4	6	16	8	12	
...	5.5	14	0.55	...	0.13	4th	1	0	0	...	0	14	0	2	0	0	4	14	26	2	
					216	35.11	...	1.08																
40.7	1.3	.225	88	6.9	19	2.45	...	0.81	23rd	8	2	1	0	0	2	3	6	6	16	21	3	2	3	
41.7	1.5	.229	87	7.5	16	3.28	...	0.65	2nd	4	0	0	1	0	1	3	11	8	6	20	6	0	1	
42.1	2.1	.215	82	7.1	17	0.89	...	0.17	26th	8	2	0	0	1	1	6	15	3	1	14	20	2	0	
45.8	1.9	.263	85	7.6	16	1.29	...	0.33	26th	0	1	2	1	0	0	8	14	5	0	16	11	3	3	
47.5	2.7	.263	80	6.8	17	2.21	...	0.27	24th	2	3	3	0	0	6	3	16	2	3	19	0	6	2	
54.3	2.6	.355	83	7.3	16	2.07	...	0.46	10th	0	0	3	1	0	3	6	17	7	2	8	11	2	4	
58.7	2.5	.423	85	6.6	14	2.26	...	0.45	9th	0	0	2	0	0	5	8	16	4	0	12	13	2	2	
57.9	3.1	.383	81	5.9	15	1.92	...	0.38	20th	0	0	2	0	0	2	3	6	3	3	22	19	3	1	
54.7	2.9	.345	81	6.7	18	3.83	...	0.87	19th	0	0	2	1	0	2	6	4	0	1	25	19	0	3	
45.0	2.5	.243	81	6.2	13	3.07	...	0.83	1st	2	1	0	1	2	5	5	5	4	4	12	15	1	1	
42.7	1.2	.245	89	6.1	17	3.01	...	0.57	1st	2	2	0	2	1	5	3	4	5	7	24	7	1	4	
41.8	1.5	.233	87	5.3	10	0.29	...	0.12	5th	4	0	0	0	0	5	5	0	1	1	23	23	3	1	
					188	26.60	...	0.87																
39.7	1.2	.223	89	8.6	22	5.73	...	0.65	22nd	3	0	0	9	1	12	8	2	0	0	10	22	8	0	
41.5	1.0	.236	91	8.0	20	5.29	...	1.16	5th	3	1	0	8	0	10	6	0	0	0	4	30	6	0	
43.4	2.5	.220	79	7.6	16	2.39	...	0.60	3rd	3	1	0	2	1	8	10	6	2	0	4	16	16	0	
47.8	2.8	.266	79	7.9	11	1.92	...	0.71	14th	0	0	1	0	0	14	4	0	0	0	4	34	4	0	
49.3	3.5	.260	75	6.8	21	2.98	...	0.37	27th	1	5	3	0	0	2	8	4	2	4	8	20	8	6	
56.9	4.4	.343	73	7.5	15	2.54	...	0.55	10th	0	0	0	0	0	2	4	6	8	8	8	12	12	0	
61.2	4.5	.403	75	6.6	9	4.02	...	1.03	23rd	0	0	3	1	1	2	14	4	0	0	8	24	6	4	
60.0	4.5	.383	73	7.3	14	2.79	...	1.00	20th	0	0	0	1	0	0	2	2	4	2	12	30	2	8	
55.4	3.7	.330	76	7.0	17	3.36	...	0.58	10th	0	0	0	3	0	2	2	2	0	2	10	26	10	6	
44.6	2.1	.249	83	6.5	15	4.27	...	1.00	8th	3	1	0	2	2	4	6	6	0	0	4	26	12	4	
41.5	1.5	.226	87	7.8	20	6.67	...	1.11	4th	2	0	0	3	1	2	6	6	2	2	6	18	10	8	
41.3	2.1	.210	82	8.2	10	0.95	...	0.30	2nd	0	0	0	4	0	2	2	0	0	0	6	30	22	0	
					190	42.91	...	1.16																
...	9.1	25	7.03	+1.80	0.83	23rd	4	2	0	0	0	14	10	4	6	0	2	22	4	0	
...	7.7	22	7.03	+2.51	0.96	21st	0	0	0	0	0	10	2	18	0	0	2	22	2	0	
...	7.6	20	5.24	+1.39	0.95	7th	0	0	0	0	0	6	4	22	0	2	2	20	6	0	
...	8.3	21	2.48	-0.22	0.73	14th	0	1	0	0	0	6	8	14	0	0	2	24	4	2	
...	5.5	18	3.44	+0.59	0.89	4th	0	2	1	0	0	12	2	24	2	2	4	10	6	0	
...	6.1	13	3.92	+1.13	0.93	16th	0	1	0	0	0	2	2	22	6	0	2	26	0	0	
...	6.1	14	2.91	-0.55	0.79	22nd	0	0	0	0	0	0	6	28	0	0	0	26	2	0	
...	6.6	18	4.85	+0.01	1.15	16th	0	0	0	0	0	0	2	16	8	6	10	18	2	0	
...	6.1	21	3.91	-0.04	0.96	14th	0	0	0	0	0	0	6	14	6	4	2	22	6	0	
...	6.8	21	7.60	+3.24	1.60	24th	2	1	1	0	1	26	2	4	2	0	2	20	6	0	
...	7.9	23	7.49	+2.38	1.04	18th	0	0	0	2	1	14	10	12	0	2	6	12	2	2	
...	7.9	22	3.61	-2.47	0.49	2nd, 17th	0	0	0	0	0	22	2	2	0	0	0	20	16	0	
					238	59.51	+9.77	1.60																

STATIONS, OBSERVERS' NAMES, AND HOURS OF OBSERVATION.*	Height of Stations above Sea Level.	Months.	BARO- METER.	AIR TEMPRATURE.							
				Mean of		Mean of A and B	Difference from Average.	Absolute Maximum and Minimum.			
				Maximum.	Minimum.			Maximum.	Day of Month.	Minimum.	Day of Month.
			Mean at Mean Sea Level and 32° Fahr. †								
Dumbarton (contd.).	Feet.		Inch.	°	°	°	°	°		°	
CARDROSS—	130	Jan.	...	44·5	35·9	40·2	...	50	10th, 27th	28	14th
Claud A. Allan.		Feb.	...	45·7	37·2	41·5	...	52	24th 25th 28th	26	12th
(9, —, —.)		Mar.	...	47·3	38·0	42·7	...	54	15th	28	5th, 25th
		Apl.	...	55·6	38·8	47·2	...	62	4th, 12th	32	24th
		May	...	56·8	41·5	49·1	...	68	26th	30	15th
		June	...	64·4	45·7	55·1	...	71	30th	37	23rd
		July	...	68·6	50·7	59·7	...	81	14th	40	26th
		Aug.	...	66·2	51·1	58·7	...	74	1st	44	23rd
		Sept.	...	62·4	47·0	54·7	...	78	18th	31	26th
		Oct.	...	50·5	35·7	43·1	...	71	4th	20	22nd
		Nov.	...	46·8	36·0	41·4	...	53	6th	22	1st
		Dec.	...	45·4	33·9	39·7	...	52	10th, 16th	20	15th
		Year	...	54·5	41·0	47·8	...	81		20	
Argyll.											
ARDTORNISH—	48	Jan.	...	46·2	38·2	42·2	...	53	11th	28	13th
A. Taylor, for		Feb.	...	47·0	36·9	41·9	...	54	25th	25	12th
G. Craig Sellar.		Mar.	...	48·8	36·6	42·7	...	55	15th	26	24th, 25th
(9, —, 21.)		Apl.	...	54·5	41·9	48·2	...	60	2nd, 4th, 30th	35	16th
		May	...	57·8	40·5	49·1	...	68	26th	30	15th
		June	...	63·1	45·8	54·5	...	72	17th	35	7th
		July	...	69·2	50·2	59·7	...	81	13th	40	25th
		Aug.	...	65·7	48·3	57·0	...	72	1st, 2nd	42	8th, 31st
		Sept.	...	61·1	45·4	53·3	...	73	18th	34	25th
		Oct.	...	50·3	35·6	42·9	...	69	4th	22	29th
		Nov.	...	46·9	32·5	39·7	...	52	5th	22	30th
		Dec.	...	45·9	37·0	41·5	...	54	12th
		Year	...	54·7	40·7	47·7	...	81		...	
OBAN—	32	Jan.	...	46·6	38·1	42·3	+1·5	54	12th	26	14th
D. Galloway,		Feb.	...	46·7	37·9	42·3	+2·0	54	25th	25	13th
Burgh Surveyor.		Mar.	...	48·5	37·0	42·7	+1·4	53	13th, 27th	29	5th
(9, —, 17.)		Apl.	...	54·6	41·6	48·1	+2·5	62	2nd	32	24th
		May	...	56·4	41·3	48·9	−1·1	66	23rd 24th 26th	32	6th, 15th
		June	...	60·9	47·1	54·0	−1·0	70	15th	39	3rd
		July	...	65·3	51·4	58·3	+1·4	75	13th	43	26th
		Aug.	...	62·5	52·2	57·3	+0·3	70	1st	45	3rd
		Sept.	...	59·7	49·3	54·5	+0·8	74	18th	37	25th
		Oct.	...	50·4	39·8	45·1	−3·5	63	5th	25	30th, 31st
		Nov.	...	47·6	38·7	43·1	−0·7	56	4th	29	1st
		Dec.	...	46·4	38·8	42·6	+1·0	51	5, 10, 28, 31	25	25th
		Year	...	53·8	42·8	48·3	+0·4	75		25	
FORD—	149	Jan.	...	45·3	34·3	39·8	...	54	4th	22	1st
R. Cameron.		Feb.	...	47·0	37·5	42·3	...	52	24th 25th 28th	22	13th
The Forestry		Mar.	...	49·1	36·3	42·7	...	53	8th, 16th	28	5th, 21st
Commission		Apl.	...	54·1	39·8	46·9	...	61	5th, 6th	28	24th
(Scotland).		May	...	55·9	40·5	48·2	...	64	23rd, 26th	27	15th, 16th
(9, —, —.)		June	...	61·7	46·0	53·9	...	68	5th, 17th	35	3rd
		July	...	66·9	51·3	59·1	...	78	13th	39	26th
		Aug.	...	64·6	48·9	56·7	...	71	1st	39	10th
		Sept.	...	61·5	45·9	53·7	...	72	18th, 19th	34	26th
		Oct.	...	50·0	36·4	43·2	...	66	4th	20	31st
		Nov.	...	47·5	34·6	41·1	...	54	4th	24	1st, 2nd
		Dec.	...	46·4	35·8	41·1	...	51	10th 11th 29th	21	15th
		Year	...	54·2	40·6	47·4	...	78		20	

HYGROMETER.				Cloud.	RAIN, AND OTHER FORMS OF PRECIPITATION.					WEATHER.					WIND DIRECTIONS.†								
Mean.†				Mean (0-10.) †	Number of Days.	Total Fall.	Difference from Average.	Most in a Day.		Number of Days with—					Number of Observations.								
Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure	Humidity.					Amount.	Day of Month.	Snow.	Hail.	Thunderstorm.	Fog.	Gale.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm
°	°	Inch.	%			Inch.	Inch.	Inch.															
...	25	7.16	...	0.88	22nd	16	4	2	4	0	20	4	12	0
...	21	5.54	...	0.84	5th	6	10	2	0	2	18	10	8	0
...	18	3.35	...	0.42	3rd, 7th	4	22	8	2	2	10	12	2	0
...	14	2.30	...	0.65	14th	2	2	2	...	1	0	14	8	6	8	18	2	4	0
...	17	3.57	...	1.11	4th	1	3	1	...	0	0	18	8	8	0	18	4	6	0
...	15	3.32	...	0.85	10th	0	2	0	0	2	38	18	0	0
...	11	1.92	...	0.50	23rd	0	0	0	...	0	0	12	0	8	14	28	10	0	0
...	18	3.98	...	0.70	5th	0	0	0	...	0	0	0	0	0	6	36	14	6	0
...	18	3.63	...	0.76	10th	0	0	0	...	0	8	8	0	0	4	20	18	2	0
...	18	7.33	...	1.90	24th	1	0	1	...	0	6	26	8	0	0	10	2	10	0
...	23	7.35	...	0.97	1st	0	0	0	...	0	0	24	4	2	0	22	2	6	0
...	19	2.88	...	0.35	2nd	0	0	0	...	0	2	34	2	0	0	8	2	14	0
...	217	52.33	...	1.90															
...	8.9	25	14.65	...	2.34	10th	1	0	0	...	4	2	5	25	12	2	8	8	0	0
...	8.9	22	8.26	...	0.92	5th, 21st	0	2	0	...	2	0	12	18	1	5	1	16	3	0
...	7.7	18	8.70	...	1.41	7th	5	7	2	...	5	3	7	12	2	3	2	23	10	0
...	8.1	19	4.03	...	1.02	14th	0	3	0	...	1	1	11	26	4	1	4	9	4	0
...	7.5	20	5.10	...	0.92	27th	1	5	0	...	1	1	4	14	2	7	9	22	3	0
...	6.9	17	6.01	...	1.38	11th	0	0	1	...	0	3	2	15	7	4	6	15	8	0
...	7.1	18	4.91	...	1.18	22nd	0	0	0	...	0	0	1	19	0	1	9	25	7	0
...	8.1	24	9.06	...	1.23	20th	0	0	0	...	0	0	3	17	1	2	6	31	2	0
...	8.2	25	5.90	...	0.95	30th	0	0	0	...	0	0	1	8	3	4	5	35	4	0
...	7.9	23	12.37	...	2.28	1st	5	3	2	...	3	8	16	15	1	0	0	17	5	0
...	8.9	25	12.96	...	1.90	4th	0	5	3	...	5	3	10	24	0	1	0	20	2	0
...	8.9	26	10.93	...	1.47	10th	0	0	1	...	4	4	5	13	0	0	1	31	8	0
...	262	102.88	...	2.34															
43.1	1.7	.236	85	8.9	24	7.72	...	1.18	8th	3	6	0	0	0	8	5	1	14	17	15	2	0	0
43.5	1.6	.243	87	8.1	22	4.91	...	0.58	13th	0	1	0	0	0	2	18	3	6	14	11	0	2	0
44.1	2.1	.243	83	7.6	18	4.98	...	0.64	7th	2	5	2	0	4	6	8	0	4	8	17	4	15	0
49.2	2.4	.290	83	6.7	19	3.18	...	0.89	14th	0	2	0	0	0	7	2	3	9	12	10	6	11	0
50.7	2.9	.300	80	5.9	18	2.79	...	0.66	27th	0	1	1	0	0	11	3	0	9	7	11	4	17	0
55.7	2.1	.393	87	6.5	13	3.08	...	0.53	11th	0	0	0	0	0	8	2	0	2	8	17	2	21	0
60.0	2.3	.453	87	6.3	15	3.73	...	0.89	20th	0	0	0	0	0	3	5	1	1	5	16	11	20	0
58.2	2.1	.423	87	6.7	22	5.05	...	0.72	17th	0	0	1	0	0	2	0	1	3	8	20	19	9	0
55.2	3.0	.350	81	7.5	22	6.05	...	1.43	30th	0	0	0	0	0	5	1	0	4	13	15	5	16	1
45.5	2.6	.243	80	6.7	20	7.01	...	1.46	1st	1	0	1	1	1	5	7	6	9	9	7	4	14	1
42.0	1.1	.243	91	7.4	20	6.95	...	1.01	6th	0	5	2	0	2	5	5	7	10	10	18	3	0	2
42.6	1.4	.246	88	7.3	24	4.12	...	1.02	1st	0	2	0	0	1	10	5	2	3	5	11	13	13	0
...	237	59.57	...	1.46															
41.2	1.5	.226	87	8.9	25	9.80	...	0.85	26th	1	0	1	...	1	4	2	4	6	0	46	0	0	0
42.6	1.6	.240	87	8.8	21	7.48	...	0.76	19th	2	0	1	...	0	8	0	2	6	0	30	8	0	2
43.5	2.2	.229	81	9.0	18	6.71	...	0.80	6th	2	0	0	...	2	4	0	16	0	0	28	6	2	6
48.4	2.9	.260	78	8.5	14	3.02	...	0.68	14th	0	1	2	...	0	10	4	6	4	0	22	4	4	6
51.2	3.9	.276	73	7.5	17	3.48	0	2	2	...	0	12	4	12	0	2	28	4	0	0
57.0	3.8	.356	77	7.1	16	5.21	...	1.06	11th	0	0	2	...	0	10	4	10	0	0	30	2	4	0
61.1	4.1	.413	77	8.1	14	5.62	...	1.34	20th	0	0	1	...	0	8	0	10	0	8	36	0	0	0
58.7	3.0	.413	82	7.5	22	8.02	...	1.96	16th	0	0	2	...	0	6	0	6	0	2	30	12	2	4
55.2	2.9	.353	81	8.5	20	6.45	...	1.34	14th	0	0	1	...	0	2	2	6	2	2	38	2	2	4
43.7	2.0	.243	84	6.5	19	9.25	...	1.91	1st	1	1	1	...	2	12	0	19	0	0	14	8	4	14
40.3	1.8	.210	84	7.7	21	7.87	...	1.16	10th	0	2	2	...	2	0	2	14	4	0	26	0	0	14
41.2	1.4	.229	87	8.1	24	7.72	...	0.88	8th	0	0	0	...	0	8	0	0	0	0	28	10	0	16
...	231	80.63	...	1.96															

STATIONS, OBSERVERS' NAMES, AND HOURS OF OBSERVATION.*	Height of Stations above Sea Level.	Months.	BARO- METER.	AIR TEMPERATURE.							
			Mean at Mean Sea Level and 32° Fahr.†	Mean of		Mean of A and B	Difference from Average.	Absolute Maximum and Minimum.			
				A Maximum.	B Minimum.			Maximum.	Day of Month.	Minimum.	Day of Month.
Feet.			Inch.	°	°	°	°	°		°	
Argyll (contd.) ARDNADAM— Rev. J. Cairns Mitchell, B.D. (9, —, —.)	60	Jan.	...	44.8	38.3	41.5	...	51	27th	27	1st
		Feb.	...	45.4	39.1	42.3	...	53	27th, 28th	27	13th
		Mar.	...	48.5	39.9	44.2	...	57	15th	31	5th
		Apl.	...	54.5	41.8	48.1	...	62	4th	34	24th
		May	...	56.9	42.9	49.9	...	65	26th	33	15th, 16th
		June	...	64.6	49.5	57.1	...	73	18th, 29th	41	3rd
		July	...	68.6	54.3	61.5	...	82	14th	48	5th, 24th
		Aug.	...	65.9	53.7	59.8	...	74	29th, 30th	47	24th
		Sept.	...	62.0	49.2	55.6	...	72	18th	39	21st, 26th
		Oct.	...	50.7	39.8	45.3	...	69	4th	27	30th
		Nov.	...	46.0	37.9	41.9	...	55	5th	27	1st
		Dec.	...	46.2	38.1	42.1	...	52	9th	27	15th 22nd 25th
		Year	...	54.5	43.7	49.1	...	82		27	
GLENBRANTER— R. T. Anderson, Forester, Forestry Commission, (Scotland).	188	Jan.	...	44.9	35.6	40.3	...	52	10th, 12th	23	14th
		Feb.	...	46.1	36.5	41.3	...	53	25th	20	13th
		Mar.	...	47.4	36.4	41.9	...	55	15th	27	5th
		Apl.	...	55.2	39.3	47.3	...	63	4th	30	24th
		May	...	56.4	39.6	48.0	...	64	23rd	27	15th, 16th
		June	...	62.7	45.4	54.1	...	69	5th, 29th	35	3rd
		July	...	67.2	51.0	59.1	...	81	13th	40	26th, 29th
		Aug.	...	64.5	49.6	57.1	...	72	1st, 2nd	42	4th, 7th
		Sept.	...	61.1	46.3	53.7	...	74	18th	31	26th
		Oct.	...	49.5	35.9	42.7	...	68	4th	21	31st
		Nov.	...	45.6	34.5	40.1	...	55	4th, 5th	21	1st
		Dec.	...	45.1	35.3	40.2	...	51	5th, 10th	20	15th, 25th
		Year	...	53.8	40.5	47.1	...	81		20	
Bute. ROTHESAY— J. Davidson, for Sir John Reid. (9, —, 21.)	187	Jan.	29.646	44.9	37.4	41.1	+1.6	50	8th 10th 25th	31	1st 15th, 17th
		Feb.	29.684	45.5	37.4	41.5	+1.6	52	27th	28	12th
		Mar.	29.951	47.5	37.9	42.7	+1.4	53	15th	30	4th
		Apl.	29.809	52.9	41.4	47.1	+1.6	59	4th	36	16th
		May	29.854	54.5	41.9	48.2	-2.2	62	26th	35	6th, 15th
		June	29.841	61.8	48.2	55.0	-0.8	70	20th	41	1st
		July	29.964	66.3	52.6	59.5	+1.8	78	14th	47	26th
		Aug.	29.926	63.8	52.3	58.1	+1.0	69	3rd, 30th	49	7th, 26th
		Sept.	29.964	60.5	48.3	54.4	+0.3	72	18th	39	26th
		Oct.	29.841	49.5	40.0	44.7	-3.5	67	4th	29	30th
		Nov.	29.414	46.5	38.4	42.5	-1.1	55	5th	31	1st, 3rd
		Dec.	30.234	45.8	37.9	41.9	+1.5	50	5, 9, 10, 28	28	15th
		Year	29.844	53.3	42.8	48.1	+0.3	78		28	
Renfrew. GREENOCK— J. MacAlister, A.M.Inst.C.E. (9, —, —.)	233	Jan.	29.653	44.1	38.0	41.1	+2.7	52	10th	31	1st
		Feb.	29.700	45.1	38.5	41.8	+3.2	52	24th, 25th	27	12th
		Mar.	29.939	46.6	39.3	42.9	+2.8	52	11th	31	5th, 25th
		Apl.	29.810	52.9	42.3	47.6	+3.0	61	2nd, 4th	39	11, 12, 16, 24
		May	29.866	54.7	42.8	48.7	-1.1	65	26th	35	6th, 15th
		June	29.855	61.8	49.7	55.7	+0.2	69	29th	45	2nd
		July	29.976	66.7	54.3	60.5	+2.9	79	13th, 14th	49	29th
		Aug.	29.934	63.9	53.9	58.9	+1.7	72	1st	50	7th
		Sept.	29.973	59.9	50.1	55.0	+1.2	75	18th	39	26th
		Oct.	29.863	48.5	40.5	44.5	-3.0	67	4th	30	30th, 31st
		Nov.	29.457	45.2	37.7	41.5	-1.2	55	4th	28	1st
		Dec.	30.231	44.8	38.3	41.5	+2.1	51	28th	29	15th
		Year	29.855	52.9	43.8	48.3	+1.2	79		27	

STATIONS, OBSERVERS' NAMES, AND HOURS OF OBSERVATION.*	Height of Stations above Sea Level.	Months.	BARO- METER.	AIR TEMPERATURE.							
				Mean of		Mean of A and B	Difference from Average.	Absolute Maximum and Minimum.			
				A	B			Maximum.	Day of Month.	Minimum.	Day of Month.
			Mean at Mean Sea Level and 32° Fahr.†	Maximum.	Minimum.						
	Feet.		Inch.	°	°	°	°	°		°	
Renfrew (contd.)											
PAISLEY—	107	Jan.	29·641	44·8	37·7	41·3	+2·2	53	10th	28	1st, 31st
The Coats		Feb.	29·704	46·2	37·9	42·1	+2·5	54	25th	26	12th, 13th
Observatory.		Mar.	29·951	48·6	39·7	44·1	+2·3	55	15th	31	25th
(9, —, 21.)		Apl.	29·814	55·9	41·4	48·7	+2·5	64	2nd, 4th	35	12th, 13th
		May	29·847	58·3	42·5	50·4	−1·2	69	26th	32	15th
		June	29·847	65·8	49·5	57·7	+0·4	74	6th, 30th	43	3rd, 23rd, 25th
		July	29·964	70·8	53·8	62·3	+3·0	86	14th	47	26th, 29th
		Aug.	29·921	67·4	52·9	60·1	+1·6	76	1st, 30th	49	4, 7, 12, 16
		Sept.	29·976	61·7	48·6	55·1	+0·2	77	18th	34	26th
		Oct.	29·856	49·7	38·5	44·1	−4·3	70	4th	24	30th
		Nov.	29·451	45·8	36·9	41·3	−1·7	57	5th	23	1st
		Dec.	30·234	45·1	37·0	41·1	+1·2	52	9th	26	22nd
		Year	29·851	55·0	43·0	49·0	+0·7	86		23	
RENFREW—	40	Jan.	29·646	44·2	37·0	40·6	+2·0	53	10th	22	31st
The Meteorolo-		Feb.	29·699	45·9	37·4	41·7	+2·6	55	25th	21	12th, 13th
gical Office.		Mar.	29·937	48·1	38·0	43·1	+2·5	55	15th	23	25th
(7, —, 18.)		Apl.	29·809	55·4	38·8	47·1	+2·1	64	2nd	28	12th, 13th
		May	29·854	56·3	40·2	48·3	−2·0	69	26th	36	16th
		June	29·844	63·7	46·2	54·9	−0·9	71	6th, 20th, 30th	35	3rd
		July	29·967	68·8	51·1	59·9	+1·9	83	14th	41	29th
		Aug.	29·924	66·3	50·3	58·3	+1·2	74	1st	41	4th
		Sept.	29·964	61·7	46·6	54·1	+0·6	77	18th	26	26th
		Oct.	29·846	49·9	36·1	43·0	−4·4	70	4th	17	30th
		Nov.	29·451	45·2	34·9	40·1	−2·5	57	5th	18	1st
		Dec.	30·226	44·0	35·5	39·7	+0·2	52	9th	19	22nd
		Year	29·847	54·1	41·0	47·6	+0·3	83		17	
Ayr.											
KILMARNOCK	90	Jan.	...	46·3	37·4	41·9	+4·4	53	10th, 11th	27	14th
(Holmes Farm)—		Feb.	...	47·3	38·3	42·8	+4·2	55	25th	25	13th
Professor R. A.		Mar.	...	49·2	37·4	43·3	+3·1	57	15th, 16th	25	5th
Berry.		Apl.	...	56·7	40·9	48·8	+4·4	67	3rd	31	23rd
(9, —, —.)		May	...	59·0	41·5	50·3	+0·5	69	23rd	28	15th, 16th
		June	...	65·5	47·4	56·5	+1·4	72	7, 20, 29, 30	36	3rd
		July	...	70·3	53·0	61·7	+4·5	83	13th	44	26th, 29th
		Aug.	...	68·1	52·4	60·3	+4·1	78	30th	44	27th
		Sept.	...	63·6	48·1	55·9	+2·9	77	18th	32	26th
		Oct.	...	51·8	37·3	44·5	−2·4	71	4th	19	30th, 31st
		Nov.	...	47·0	35·5	41·3	−0·3	56	4th	23	1st
		Dec.	...	44·8	35·1	39·9	+1·0	50	5, 8, 9, 28	20	22nd
		Year	...	55·8	42·0	48·9	+2·3	83		19	
TURNBERRY—	96	Jan.	...	46·2	37·7	41·9	+1·8	52	10th, 11th	30	13th 15th 17th
B. M'Kinlay.		Feb.	...	47·5	38·5	43·0	+2·5	54	24th, 25th	28	12th, 13th
(9, —, —.)		Mar.	...	49·2	37·5	43·3	+2·1	55	15th	27	10th
		Apl.	...	55·4	42·7	49·1	+3·9	66	2nd	36	21st, 23rd
		May	...	56·8	43·1	49·9	+0·7	69	26th	32	15th
		June	...	62·7	48·8	55·7	+1·2	70	20th	42	3rd, 7th
		July	...	66·7	54·0	60·3	+2·8	74	13th	45	26th
		Aug.	...	65·5	53·9	59·7	+2·4	75	1st	49	3rd, 4th, 9th
		Sept.	...	62·1	50·6	56·3	+1·7	73	18th	40	26th
		Oct.	...	52·6	39·9	46·3	−2·9	67	4th	25	30th, 31st
		Nov.	...	48·6	37·8	43·2	−1·4	57	4th	25	1st
		Dec.	...	45·8	38·1	41·9	−0·7	55	7th	26	15th, 23rd
		Year	...	54·9	43·5	49·2	+1·2	75		25	

HYGROMETER.				CLOUD. Mean (0-10.) †	RAIN, AND OTHER FORMS OF PRECIPITATION.				WEATHER. Number of Days with—	WIND DIRECTIONS. †															
Mean. †					Number of Days.	Total Fall.	Difference from Average.	Most in a Day.		Snow.	Hail.	Thunderstorm.	Fog.	Gale.	Number of Observations.										
Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure	Humidity.	Inch.				Inch.	Inch.						Amount.	Day of Month.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm
°	°	Inch.	%																						
41.2	1.5	.226	87	9.3	26	6.68	+2.69	0.97	22nd	2	2	0	7	3	1	5	8	4	13	13	4	2	12		
42.0	1.3	.240	89	8.3	22	5.07	+1.56	1.08	5th	3	1	0	1	3	0	5	14	6	8	10	5	1	7		
43.1	2.1	.230	83	7.3	18	3.66	+0.48	0.69	8th	4	4	1	0	5	0	6	13	1	2	13	17	5	5		
47.5	2.3	.270	83	7.2	20	3.03	+0.71	0.73	14th	0	1	0	0	0	3	6	12	1	5	9	9	5	10		
49.6	3.7	.266	73	6.9	20	2.87	+0.38	0.50	4th	1	2	0	0	0	6	7	12	4	4	7	6	9	7		
57.1	4.3	.346	74	6.2	14	1.91	-0.57	0.47	10th	0	0	1	0	0	5	5	9	5	6	9	6	9	6		
61.3	4.1	.413	77	6.7	11	2.97	+0.11	1.23	23rd	0	0	0	0	0	6	5	16	2	1	7	15	6	4		
59.6	3.5	.413	80	6.9	18	3.52	-0.39	1.10	20th	0	0	1	0	1	2	3	4	2	7	18	16	6	4		
54.7	2.6	.363	84	6.9	20	3.17	+0.16	0.77	14th	0	0	0	0	0	3	1	1	3	10	12	20	7	3		
43.4	1.5	.243	87	6.3	17	7.02	+3.28	1.49	1st	1	1	1	2	4	1	5	5	5	5	8	17	7	9		
41.0	1.1	.233	90	8.1	21	6.79	+2.61	1.01	4th	2	2	1	7	5	1	6	12	5	10	9	7	3	7		
41.2	1.5	.226	87	7.5	20	1.70	-3.35	0.42	2nd	1	1	0	4	1	0	2	0	0	4	17	25	7	7		
					227	48.39	+7.67	1.49																	
40.3	1.2	.223	89	8.5	26	5.81	+2.54	1.02	23rd	5	1	0	2	1	2	7	10	8	8	11	7	4	5		
41.6	1.1	.243	91	8.6	20	4.44	+1.56	0.87	5th	4	1	0	1	0	0	12	11	6	6	11	6	1	3		
42.1	1.9	.226	83	8.2	16	2.91	+0.24	0.51	8th	7	3	0	0	5	0	10	8	1	1	11	24	3	4		
46.6	2.2	.270	83	7.9	17	2.69	+0.61	0.72	14th	0	4	3	1	0	3	8	10	0	7	5	15	7	5		
48.7	3.0	.273	78	...	20	2.91	+0.32	0.49	4th	1	7	2	0	0	0	9	10	3	6	6	11	10	7		
56.3	3.6	.348	77	7.5	13	1.76	-0.76	0.57	10th	0	1	0	0	0	1	1	10	3	1	8	20	8	8		
60.9	3.3	.436	81	7.4	10	2.88	-0.21	0.78	23rd	0	0	2	0	0	0	12	9	1	2	11	15	6	6		
58.7	3.1	.410	81	7.8	15	3.02	-0.89	0.99	5th	0	0	1	0	1	0	1	3	5	6	12	24	6	5		
53.1	1.9	.353	87	7.5	19	2.78	-0.20	0.78	14th	0	0	0	3	0	0	2	2	5	3	14	17	7	10		
41.0	1.1	.233	91	...	19	6.39	+2.99	1.30	1st	4	0	0	6	2	2	5	6	2	3	8	19	6	11		
39.5	0.8	.223	93	7.5	22	6.59	+2.95	0.94	18th	2	4	1	8	2	2	7	9	5	4	13	12	1	7		
39.9	1.0	.226	91	7.6	17	1.42	-2.73	0.43	2nd	2	1	0	3	0	3	2	1	1	3	8	31	5	8		
					214	43.60	+6.42	1.30																	
41.3	0.7	.243	94	7.8	24	4.28	+0.87	0.91	22nd	1	0	0	...	0	0	4	16	6	4	20	10	2	0		
42.6	1.0	.253	91	7.1	19	4.47	+1.60	0.75	5th	0	0	0	...	0	0	2	6	18	6	16	8	0	0		
42.9	2.5	.220	79	7.1	18	3.07	+0.27	0.48	5th	3	1	1	...	2	0	0	16	4	0	10	16	10	6		
49.4	3.2	.270	77	6.6	16	1.67	-0.39	0.43	3rd	0	0	0	...	0	2	8	6	4	2	22	6	6	4		
51.6	4.9	.260	67	5.9	18	2.78	+0.47	0.59	4th	0	0	2	...	0	4	18	6	0	0	20	8	6	0		
58.2	4.8	.346	71	5.9	15	1.76	-0.44	0.51	10th	0	0	0	...	0	2	12	6	0	2	16	18	4	0		
62.4	4.4	.423	75	6.7	16	3.90	+0.79	1.40	23rd	0	0	0	...	0	0	20	0	0	0	12	22	6	2		
61.3	3.5	.430	80	7.5	17	3.51	-0.41	0.92	20th	0	0	0	...	0	2	2	0	8	2	32	10	6	0		
57.1	3.7	.360	77	7.6	17	3.85	+0.79	1.07	14th	0	0	1	...	0	0	2	0	2	18	20	18	0	0		
43.9	1.8	.249	85	8.1	19	4.87	+1.36	1.00	1st	2	1	1	...	1	2	0	20	2	18	2	10	0	8		
40.1	1.6	.213	86	8.6	20	4.95	+1.18	0.65	18th	0	4	1	...	1	6	2	12	0	20	2	10	0	8		
39.9	1.4	.220	87	9.0	22	2.44	-1.83	0.39	2nd	0	0	0	...	0	4	0	10	2	6	6	26	2	6		
					221	41.55	+4.26	1.40																	
...	9.4	23	2.75	-0.74	0.56	22nd	2	0	0	0	0	0	10	6	14	10	20	2	0	0		
...	19	2.67	-0.21	0.36	27th	1	0	0	0	0	0	4	16	12	18	4	2	0	0		
...	7.1	15	1.37	-1.45	0.32	5th	1	1	1	0	1	0	18	2	8	2	12	14	6	0		
...	7.7	11	1.71	-0.24	0.31	14th	0	0	1	1	0	10	8	2	6	16	10	6	2	0		
...	5.9	19	2.19	+0.07	0.45	30th	0	0	3	0	0	14	10	10	10	4	6	2	6	0		
...	6.6	11	1.45	-0.85	0.38	10th	0	0	0	0	0	6	16	4	8	6	8	10	2	0		
...	6.9	13	2.81	-0.03	0.70	20th	0	0	1	0	0	2	20	6	2	6	10	4	12	0		
...	6.6	12	2.99	-0.88	0.35	15th	0	0	1	0	0	2	4	4	6	10	18	16	2	0		
...	6.8	12	3.47	-0.26	1.22	14th	0	0	0	0	0	4	6	0	4	4	22	16	4	0		
...	7.3	12	4.18	+0.32	1.51	24th	0	0	1	0	2	10	14	6	2	12	2	10	6	0		
...	7.8	16	2.73	-1.05	0.50	10th	0	1	1	0	2	0	16	2	10	6	20	2	2	2		
...	7.9	15	1.37	-2.33	0.35	2nd	0	2	0	0	0	0	18	0	4	0	18	8	14	0		
					178	29.69	-7.65	1.51																	

STATIONS, OBSERVERS' NAMES, AND HOURS OF OBSERVATION.*	Height of Stations above Sea Level.	Months.	BARO- METER.	AIR TEMPERATURE.							
				Mean of		Mean of A and B	Difference from Average.	Absolute Maximum and Minimum.			
				Maximum.	Minimum.			Maximum.	Day of Month.	Minimum.	Day of Month.
	Feet.		Inch.	°	°	°	°	°		°	
Ayr (contd.)											
COLMONELL	170	Jan.	...	46·2	37·5	41·9	+3·1	52	10th, 11th	26	16th
(Knockdolian)—		Feb.	...	47·5	37·9	42·7	+3·9	53	25th 27th 28th	24	13th
Andrew Ogg, for		Mar.	...	48·9	36·9	42·9	+2·0	54	8 15, 26, 27	28	21st, 28th
Mrs. McConnel.		Apl.	...	55·0	41·4	48·2	+3·5	65	4th	34	17th
(9, —, —.)		May	...	57·0	42·2	49·6	−0·3	66	26th	28	16th
		June	...	62·4	47·5	54·9	+0·4	73	20th	36	2nd
		July	...	67·4	53·6	60·5	+3·9	79	13th	45	16th
		Aug.	...	65·7	52·2	58·9	+2·7	72	1st, 30th	43	27th
		Sept.	...	63·2	50·5	56·9	+3·2	73	18th	34	21st
		Oct.	...	52·6	39·3	45·9	−2·3	71	4th	21	30th, 31st
		Nov.	...	48·5	35·9	42·2	−1·1	57	4th	23	1st
		Dec.	...	45·6	36·6	41·1	+1·3	50	5th, 8th, 9th	21	15th
		Year	...	55·0	42·6	48·8	+1·7	79		21	
Lanark.											
GLASGOW	139	Jan.	...	45·1	37·8	41·5	+2·9	53	10th	30	1st
(The Univer-		Feb.	...	46·4	38·6	42·5	+3·4	54	24th, 25th	27	12th
sity)—		Mar.	...	47·7	39·0	43·3	+2·7	53	15th	30	25th
Professor J. R.		Apl.	...	54·1	42·2	48·1	+3·1	63	2nd	37	12th 16th 24th
Currie, M.D.,		May	...	55·5	43·0	49·3	−1·0	68	26th	33	15th
D.P.H.		June	...	63·2	49·8	56·5	+0·7	71	20th	42	1st
		July	...	67·8	54·0	60·9	+2·9	82	13th	47	29th
		Aug.	...	65·5	53·4	59·5	+2·4	74	1st	50	4, 7, 23, 26
		Sept.	...	61·4	49·1	55·3	+1·8	77	18th	34	26th
		Oct.	...	49·5	39·1	44·3	−3·1	69	4th	26	30th, 31st
		Nov.	...	46·1	36·3	41·2	−1·4	57	4th	25	1st
		Dec.	...	45·1	37·5	41·3	+1·8	52	9th	27	22nd
		Year	...	53·9	43·3	48·6	+1·3	82		25	
THORNTONHALL—	440	Jan.	...	43·3	34·9	39·1	...	51	10th	25	14th
J. Dowie, for		Feb.	...	45·0	35·4	40·2	...	54	24th	20	12th
A. Henderson		Mar.	...	46·6	35·8	41·2	...	55	15th	23	5th, 25th
Bishop.		Apl.	...	53·6	38·4	46·0	...	63	2nd	29	12th
(9, —, —.)		May	...	55·6	38·7	47·1	...	68	26th	27	15th
		June	...	62·6	45·5	54·1	...	71	30th	37	3rd, 25th
		July	...	67·9	50·8	59·3	...	83	13th	43	29th
		Aug.	...	66·0	50·2	58·1	...	77	17th	43	7th
		Sept.	...	61·0	45·7	53·3	...	76	18th	31	26th
		Oct.	...	49·4	35·4	42·4	...	68	4th	19	30th
		Nov.	...	44·7	33·7	39·2	...	55	4th	20	1st
		Dec.	...	43·1	33·8	38·5	...	49	5th, 9th, 28th	19	25th
		Year	...	53·2	39·9	46·5	...	83		19	
DUNGAVAL—	798	Jan.	...	42·2	34·1	38·1	...	49	10th, 12th	24	14th
A. K. Foulis,		Feb.	...	44·3	35·3	39·8	...	52	26th, 27th	21	12th
for the Duke of		Mar.	...	45·3	34·4	39·9	...	53	15th, 16th	23	25th
Hamilton and		Apl.	...	52·0	38·0	45·0	...	64	2nd, 3rd	32	12th, 17th
Brandon.		May	...	53·5	37·2	45·3	...	65	26th	27	15th
(9, —, —.)		June	...	60·2	44·2	52·2	...	70	30th	36	2nd
		July	...	65·3	49·7	57·5	...	79	14th	43	17th
		Aug.	...	62·7	49·5	56·1	...	72	1st	43	2nd
		Sept.	...	58·3	45·2	51·7	...	73	18th	32	26th
		Oct.	...	47·3	35·2	41·3	...	66	4th	20	31st
		Nov.	...	43·0	34·3	38·7	...	53	4th	25	1st
		Dec.	...	41·5	33·0	37·3	...	47	5, 8, 9, 29	20	15th
		Year	...	51·3	39·2	45·2	...	79		20	

HYGROMETER.				CLOUD. Mean (0-10.) †	RAIN, AND OTHER FORMS OF PRECIPITATION.					WEATHER.					WIND DIRECTIONS. †										
Mean. †					Number of Days.	Total Fall.	Difference from Average.	Most in a Day.		Snow.	Hail.	Thunderstorm.	Fog.	Gale.	Number of Observations.										
Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure	Humidity.	Amount.				Day of Month.													N.	N.E.	E.	S.E.	S.
°	°	Inch.	%			Inch.	Inch.	Inch.																	
41.0	1.7	.220	85	7.5	24	7.29	+2.96	0.88	18th	1	0	0	4	1	0	0	10	4	20	8	16	4	0		
41.6	1.7	.228	85	7.5	21	3.76	-0.10	0.50	6th	0	0	0	4	0	0	0	14	2	16	6	14	2	2		
42.1	1.5	.233	87	7.0	18	2.03	-1.35	0.38	5th	2	0	2	1	1	4	2	20	4	0	2	20	8	2		
48.2	2.2	.280	83	6.4	12	1.97	-0.56	0.57	14th	0	0	0	2	0	2	4	20	6	10	0	16	2	0		
50.2	3.7	.266	73	4.4	16	2.53	-0.03	0.49	28th	0	1	1	0	0	10	10	12	2	10	4	10	4	0		
56.0	2.9	.366	81	4.7	14	2.23	-0.30	0.99	11th	0	0	0	0	0	12	6	4	0	16	2	14	6	0		
61.2	2.5	.460	85	5.8	16	3.91	+0.76	0.85	20th, 23rd	0	0	0	0	0	0	2	6	2	14	4	24	6	4		
59.4	2.1	.440	87	5.1	18	3.95	-0.05	0.83	17th	0	0	1	0	0	0	0	4	2	12	8	34	2	0		
...	5.8	20	4.61	+1.14	0.73	9th	0	0	0	0	0	0	0	4	0	4	14	30	6	2		
44.0	1.4	.256	88	5.3	18	5.40	+0.95	1.66	24th	1	1	1	0	1	0	2	18	2	6	0	16	6	12		
40.4	0.8	.230	93	4.9	19	5.90	+0.91	0.98	18th	0	0	1	2	1	4	4	18	2	10	0	16	2	4		
40.5	0.8	.240	93	6.0	23	2.11	-3.47	0.33	17th	0	0	0	2	0	8	2	8	0	2	6	20	10	6		
					219	45.69	+0.86	1.66																	
41.3	1.8	.220	84	8.5	25	4.78	+1.51	0.78	22nd	5	2	0	8	0	0	8	8	8	10	10	10	2	6		
42.6	1.8	.236	85	8.5	18	4.28	+1.40	0.96	5th	2	1	0	10	0	0	0	10	18	8	14	4	0	2		
43.4	2.7	.216	78	8.6	16	2.72	+0.05	0.54	8th	6	2	1	7	1	0	10	6	0	0	20	12	8	6		
47.8	2.9	.260	78	8.4	19	2.44	+0.36	0.57	14th	0	2	2	14	0	6	8	6	4	8	10	12	6	0		
50.2	4.8	.243	66	7.0	18	3.45	+0.86	0.46	4th	0	5	1	0	0	4	12	12	4	4	10	6	10	0		
57.0	4.6	.336	71	7.0	15	2.18	-0.34	0.57	10th	0	1	0	0	0	4	8	10	8	2	8	6	10	4		
61.1	4.7	.393	73	7.8	12	3.16	+0.07	1.41	23rd	0	0	2	0	0	6	14	14	2	0	6	8	12	0		
59.7	4.3	.393	75	7.4	17	3.06	-0.85	0.83	5th	0	0	1	0	0	4	2	6	8	2	18	14	8	0		
55.8	3.7	.346	77	8.0	17	2.84	-0.14	0.83	14th	0	0	0	4	0	4	2	4	2	2	14	28	4	0		
44.0	2.2	.236	82	7.8	18	5.33	+1.93	1.07	1st	2	0	0	9	0	2	6	6	8	0	14	18	8	0		
40.8	1.6	.223	86	7.9	22	5.98	+2.34	0.84	4th, 18th	2	4	1	15	1	2	2	14	8	6	16	2	6	4		
41.4	2.1	.210	82	7.7	19	1.52	-2.63	0.50	2nd	3	2	0	10	0	0	4	6	0	6	16	22	4	4		
					216	41.74	+4.56	1.41																	
38.5	0.8	.223	93	8.3	27	5.73	...	0.81	22nd	3	3	0	...	2	0	8	4	12	4	26	2	0	6		
39.8	0.8	.230	93	8.2	20	4.33	...	0.84	5th	3	2	0	...	2	0	0	4	8	14	0	20	4	6		
41.0	1.6	.223	86	7.8	18	3.87	...	0.79	8th	2	2	1	...	5	0	6	10	4	0	28	4	6	4		
46.7	2.2	.270	83	7.9	18	2.67	...	0.74	14th	0	2	2	...	0	2	12	0	6	2	18	8	6	6		
47.8	3.5	.249	73	6.9	18	2.48	...	0.41	4th	0	5	2	...	0	2	14	6	4	0	22	4	10	0		
55.3	3.5	.336	77	7.3	15	2.18	...	0.66	10th	0	1	0	...	0	2	10	0	16	2	14	2	14	0		
59.7	3.2	.423	81	7.5	14	3.48	...	1.21	23rd	0	0	2	...	0	4	10	8	4	2	22	2	8	2		
58.0	3.0	.396	82	7.3	15	2.63	...	1.21	20th	0	0	1	...	0	0	0	2	6	4	30	6	12	2		
54.6	2.7	.360	82	6.9	20	3.17	...	0.80	14th	0	0	0	...	0	0	0	4	0	2	30	10	14	0		
41.7	1.3	.240	89	6.2	17	4.96	...	1.15	8th	1	0	0	...	1	6	6	6	2	0	22	8	4	8		
38.3	0.8	.213	92	7.1	24	6.76	...	0.98	18th	0	0	1	...	1	0	2	6	20	2	24	0	4	2		
38.2	1.0	.206	91	7.3	20	1.73	...	0.34	2nd	2	0	0	...	0	6	4	4	0	2	12	16	12	6		
					226	43.99	...	1.21																	
...	8.7	28	6.22	...	0.85	8th	4	0	0	...	1	4	4	4	10	14	24	2	0	0		
...	22	3.90	...	0.63	27th	1	0	0	...	0	4	12	0	6	16	16	0	2	0		
...	20	5.72	...	0.76	5th	8	1	0	...	2	2	10	14	2	4	22	6	2	0		
...	21	3.06	...	0.61	14th	0	0	1	...	0	4	6	10	2	14	14	10	0	0		
...	19	5.14	...	0.71	24th, 30th	8	1	0	...	0	8	24	2	0	2	16	10	0	0		
...	17	3.26	...	0.72	10th	0	0	0	...	0	4	8	6	4	2	6	30	0	0		
...	16	4.33	...	1.21	22nd	0	0	0	...	0	0	6	14	0	0	24	18	0	0		
...	8.5	19	4.20	...	1.37	20th	0	0	1	...	0	0	2	4	2	4	44	4	2	0		
...	6.5	22	5.01	...	1.47	14th	0	2	0	...	0	2	4	12	8	4	28	2	0	0		
...	5.9	16	6.45	...	1.11	8th	3	0	0	...	2	2	2	14	0	14	26	4	0	0		
...	8.5	25	7.79	...	1.47	18th	1	0	0	...	1	2	4	6	6	26	14	2	0	0		
...	7.6	19	2.72	...	0.60	16th	2	0	0	...	0	10	2	2	0	8	32	2	6	0		
					244	57.80	...	1.47																	

STATIONS, OBSERVERS' NAMES, AND HOURS OF OBSERVATION.*	Height of Stations above Sea Level.	Months.	BARO- METER.	AIR TEMPERATURE.							
			Mean at Mean Sea Level and 32° Fahr. †	Mean of		Mean of A and B	Difference from Average.	Absolute Maximum and Minimum.			
				Maximum.	Minimum.			Maximum.	Day of Month.	Minimum.	Day of Month.
Feet.	Inch.	°	°	°	°	°	°	°	°	°	°
Lanark (contd.)											
LEADHILLS (The Schoolhouse)— J. M'Farlane, J.P.	1310	Jan.	...	40·6	31·6	36·1	+2·6	47	1, 10, 24, 27	23	15th
		Feb.	...	41·7	33·1	37·4	+3·5	49	27th	18	12th
		Mar.	...	43·5	32·4	37·9	+2·3	52	15th	25	5th, 21st, 25th
		Apl.	...	50·5	37·3	43·9	+4·0	63	3rd	30	17th, 21st
		May	...	51·6	36·6	44·1	−1·5	65	26th	25	6th, 15th
(9, —, —.)		June	...	59·5	43·4	51·5	−0·2	70	5th	35	1st, 2nd
		July	...	63·9	48·9	56·4	+2·5	78	13th, 14th	41	16th
		Aug.	...	61·1	47·4	54·3	+1·6	68	1st, 29th	38	27th, 28th
		Sept.	...	57·3	45·0	51·1	+1·9	73	18th	30	26th
		Oct.	...	46·9	34·0	40·5	−2·2	68	4th	19	30th, 31st
		Nov.	...	41·4	32·1	36·7	−0·2	50	4th	22	1st, 2nd
		Dec.	...	39·7	31·3	35·5	+1·6	46	9th, 11th, 12th	20	15th 22nd 23rd
		Year	...	49·8	37·8	43·8	+1·3	78		18	
Linlithgow.											
BANGOUR (The Asylum)— John Keay, M.D.	584	Jan.	...	42·8	34·2	38·5	...	52	10th	25	31st
		Feb.	...	44·1	35·2	39·7	...	53	24th	21	12th
		Mar.	...	45·3	34·0	39·7	...	53	16th	22	5th
		Apl.	...	51·7	37·5	44·6	...	61	4th, 12th	30	12th
(9 —, 21.)		May	...	53·3	38·6	45·9	...	69	26th	29	16th
		June	...	60·7	45·2	52·9	...	71	20th	37	1st
		July	...	65·9	50·2	58·1	...	81	13th	42	24th, 26th
		Aug.	...	65·3	49·0	57·1	...	74	1st	44	8th, 16th
		Sept.	...	59·8	45·5	52·7	...	78	18th	32	26th
		Oct.	...	47·8	35·4	41·6	...	68	4th	21	30th
		Nov.	...	43·9	34·1	39·0	...	54	5th	21	1st
		Dec.	...	42·8	34·1	38·5	...	49	9th, 28th	22	22nd
		Year	..	51·9	39·4	45·7	...	81		21	
Midlothian.											
EDINBURGH (The Royal Obser- vatory)— Professor R. A. Sampson, F.R.S.	441	Jan.	29·671	44·2	36·7	40·5	+2·5	54	10th	29	17th, 18th
		Feb.	29·729	45·7	37·4	41·5	+3·2	55	24th	26	12th
		Mar.	29·947	46·2	37·1	41·7	+1·8	54	1st, 8th	29	4th
		Apl.	29·829	52·1	40·7	46·4	+2·6	63	5th	35	11th
		May	29·864	53·5	40·9	47·2	−1·3	72	26th	33	6th, 15th
(9, —, 21.)		June	29·867	60·3	48·1	54·2	+0·2	72	20th	41	1st
		July	29·986	65·6	53·2	59·4	+2·5	80	14th	47	16th
		Aug.	29·938	65·6	52·5	59·1	+2·4	73	17th	48	7th, 8th
		Sept.	29·984	61·1	49·0	55·1	+1·8	79	18th	38	26th
		Oct.	29·859	49·1	39·2	44·1	−3·3	69	4th	28	31st
		Nov.	29·471	45·6	37·4	41·5	−0·7	56	5th	28	1st
		Dec.	30·216	44·5	37·1	40·8	+1·9	50	9th, 28th	28	14th, 15th
		Year	29·863	52·8	42·4	47·6	+1·1	80		26	
EDINBURGH											
(The Univer- sity)— Professor Sir T. Hudson Beare, F.R.S.E.	227	Jan.	...	45·9	37·9	41·9	...	55	10th	31	18th
		Feb.	...	47·6	38·9	43·3	...	57	24th	28	12th
		Mar.	...	47·7	39·3	43·5	...	55	1st, 8th	32	4th, 5th, 10th
		Apl.	...	53·4	42·7	48·1	...	64	5th	37	17th
		May	...	55·0	43·5	49·3	...	67	26th	36	6th, 15th
(9, —, —.)		June	...	62·7	50·0	56·3	...	74	20th	43	1st
		July	...	67·3	54·9	61·1	...	83	14th	50	3rd, 26th
		Aug.	...	66·8	54·4	60·6	...	73	17th	51	8th, 26th
		Sept.	...	62·9	50·8	56·9	...	81	18th	39	26th
		Oct.	...	50·2	40·6	45·4	...	71	4th	29	31st
		Nov.	...	45·9	38·5	42·2	...	59	4th	29	1st
		Dec.	...	45·2	38·3	41·7	...	54	12th	29	15th
		Year		54·2	44·1	49·2	...	83		28	

STATIONS, OBSERVERS' NAMES, AND HOURS OF OBSERVATION.*	Height of Stations above Sea Level.	Months.	BARO- METER. Mean at Mean Sea Level and 32° Fahr. †	AIR TEMPERATURE.							
				Mean of		Mean of A and B	Difference from Average.	Absolute Maximum and Minimum.			
				A Maximum.	B Minimum.			Maximum.	Day of Month.	Minimum.	Day of Month.
Midlothian (<i>contd.</i>)	Feet.		Inch.	°	°	°	°	°		°	
BOGHALL.	645	Jan.	...	43·7	34·3	39·0	...	53	10th	28	18th
Edinburgh and		Feb.	...	44·8	36·0	40·4	...	55	24th	28	12th
East of Scotland		Mar.	...	45·3	36·7	41·0	...	52	1st	28	5th
College of Agri- culture.		Apl.	...	51·6	39·5	45·5	...	62	4th	33	17th
(9, —, —.)		May	...	53·3	40·1	46·7	...	70	26th	33	6th, 15th, 16th
		June	...	60·9	46·7	53·8	...	71	20th, 30th	40	1st
		July	...	65·8	51·7	58·7	...	80	14th	44	16th, 26th
		Aug.	...	64·5	50·8	57·7	...	73	30th	45	8th
		Sept.	...	61·0	47·2	54·1	...	78	18th	33	26th
		Oct.	...	48·5	38·0	43·3	...	69	4th	27	21st
		Nov.	...	45·1	35·9	40·5	...	55	5th	23	1st
		Dec.	...	43·7	35·9	39·8	...	49	9th, 10th, 28th	26	15th
		Year	...	52·3	41·1	46·7	...	80		23	
Haddington.											
NORTH BERWICK—	155	Jan.	...	44·4	36·7	40·5	...	53	10th, 11th	30	1st
A. Robertson,		Feb.	...	46·0	37·9	41·9	...	60	25th	25	12th
C.E., Burgh Surveyor.		Mar.	...	47·6	38·3	42·9	...	55	8th, 12th, 13th	32	4th, 21st
(9, —, 17.)		Apl.	...	54·9	40·2	47·5	...	66	4th, 5th, 6th	31	17th
		May	...	55·5	42·1	48·8	...	66	25th	33	15th
		June	...	61·5	47·6	54·5	...	73	20th	39	2nd
		July	...	67·3	52·9	60·1	...	82	14th	42	26th
		Aug.	...	66·7	51·5	59·1	...	73	17th	46	1st
		Sept.	...	62·9	48·3	55·6	...	79	18th	36	26th
		Oct.	...	50·9	38·3	44·6	...	70	4th	25	31st
		Nov.	...	46·7	36·6	41·7	...	56	4th	25	1st
		Dec.	...	45·2	36·8	41·0	...	51	9th	29	15th
		Year	...	54·1	42·3	48·2	...	82		25	
SMEATON—	100	Jan.	...	44·4	34·9	39·7	+2·0	53	10th, 11th	27	1st
J. Chapman, for		Feb.	...	47·0	37·1	42·1	+3·9	58	24th	22	12th
Sir A. Buchan- Hepburn, Bart.		Mar.	...	48·8	37·5	43·1	+2·1	56	8th, 13th	29	5th
(9, —, —.)		Apl.	...	55·1	39·4	47·3	+1·0	66	5th	31	12th
		May	...	57·0	39·9	48·5	-2·0	69	26th	30	15th
		June	...	63·3	46·7	55·0	-1·7	73	20th	39	1, 2, 3, 4
		July	...	69·3	51·7	60·5	+1·1	84	14th	40	26th
		Aug.	...	68·5	49·2	58·9	+0·8	76	17th	44	1st
		Sept.	...	62·9	46·4	54·7	+0·8	75	18th	34	26th
		Oct.	...	51·6	36·5	44·1	-2·7	72	4th	24	31st
		Nov.	...	46·4	35·2	40·8	-0·1	56	4th	22	1st
		Dec.	...	44·9	35·5	40·2	+2·0	51	9th, 10th, 28th	26	15th
		Year	...	54·9	40·8	47·9	+0·6	84		22	
Berwick.											
MARCHMONT—	500	Jan.	...	43·0	33·0	38·0	+1·6	53	11th	25	1st
P. Ross.		Feb.	...	44·8	35·3	40·1	+2·9	55	24th	25	12th
(9, —, 21.)		Mar.	...	47·3	36·5	41·9	+2·9	56	16th	29	5th
		Apl.	...	52·9	38·6	45·7	+2·4	65	4th	31	12th, 17th
		May	...	54·4	39·8	47·1	-1·2	72	26th	32	6th, 8th, 15th
		June	...	61·4	46·0	53·7	-0·2	72	30th	38	2nd, 13th
		July	...	67·4	52·3	59·9	+3·2	85	13th	43	16th
		Aug.	...	65·8	50·3	58·1	+1·9	75	1st	44	27th
		Sept.	...	62·2	46·1	54·1	+1·5	79	18th	32	26th
		Oct.	...	50·1	37·0	43·5	-2·7	72	4th	26	21st, 27th
		Nov.	...	44·9	35·0	39·9	-1·0	53	5th	23	1st
		Dec.	...	44·5	34·9	39·7	+2·7	51	9th, 28th	25	15th
		Year	...	53·2	40·4	46·8	+1·2	85		23	

HYGROMETER.				CLOUD. Mean (0-10.) †	RAIN, AND OTHER FORMS OF PRECIPITATION.					WEATHER.					WIND DIRECTIONS. ‡														
Mean. †					Number of Days.	Total Fall.	Difference from Average.	Most in a Day.		Snow.	Hail.	Thunderstorm.	Fog.	Gale.	Number of Observations.														
Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure	Humidity.					Amount.	Day of Month.						N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm						
°	°	Inch.	%			Inch.	Inch.	Inch.																					
39·1	1·0	·216	91	8·6	22	3·73	...	0·56	22nd	3	1	1	...	2	8	0	0	0	16	32	6	0	0						
40·3	0·7	·230	93	8·1	19	2·86	...	0·41	2nd	6	0	0	...	0	6	4	6	0	4	30	6	0	0						
40·5	1·1	·233	90	8·2	22	2·10	...	0·52	8th	7	2	0	...	1	4	6	6	8	2	4	26	6	0						
46·3	1·6	·273	87	7·1	20	1·88	...	0·33	26th	0	2	2	...	0	2	14	8	4	4	12	10	6	0						
47·6	2·7	·270	79	7·2	19	3·42	...	0·92	30th	4	5	1	...	0	0	14	8	6	4	6	8	16	0						
54·9	3·0	·350	81	7·4	15	3·76	...	1·54	14th	0	0	1	...	0	2	16	8	6	2	4	14	8	0						
59·5	2·7	·423	83	7·3	15	3·44	...	0·74	19th	0	0	2	...	0	2	10	12	6	4	6	12	8	2						
58·5	3·1	·410	81	7·2	17	2·50	...	0·53	20th	0	0	4	...	0	0	2	8	2	2	14	20	14	0						
55·1	2·8	·356	81	7·0	16	3·93	...	1·34	19th	0	0	3	...	0	2	4	4	0	0	10	26	14	0						
43·6	2·0	·243	84	6·3	17	3·99	...	0·83	25th	3	0	0	...	0	6	10	2	2	2	10	16	14	0						
39·9	0·8	·230	93	6·7	22	3·43	...	0·47	18th	1	0	0	...	2	4	4	2	2	4	28	8	8	0						
39·8	1·2	·223	89	7·3	11	0·90	...	0·29	13th	4	0	0	...	0	0	6	2	0	0	8	34	12	0						
					215	35·94	...	1·54																					
39·6	1·4	·216	87	7·5	19	2·38	...	0·46	22nd	5	0	0	1	1	0	2	8	8	16	20	6	0	2						
41·1	1·2	·230	89	6·5	15	2·17	...	0·53	14th	1	0	0	1	0	2	0	12	6	12	18	6	0	0						
42·9	2·1	·230	83	7·4	17	0·98	...	0·19	8th	3	0	0	0	4	2	10	8	4	2	14	18	4	0						
48·1	2·7	·270	79	6·9	12	1·35	...	0·33	26th	0	0	0	...	0	4	6	12	2	2	18	12	4	0						
48·9	3·5	·260	75	6·2	18	2·28	...	0·55	30th	0	0	1	0	0	10	8	12	0	4	10	12	6	0						
55·1	3·0	·350	81	6·5	17	2·64	...	0·59	14th	0	0	2	0	0	4	14	12	4	0	4	18	4	0						
59·6	3·1	·426	81	6·8	16	3·58	...	1·05	24th	0	0	1	0	1	4	8	14	6	0	8	20	2	0						
58·9	3·2	·409	81	5·9	16	1·85	...	0·62	6th	0	0	1	0	2	0	0	10	6	0	12	32	2	0						
55·7	3·0	·366	81	6·4	13	3·80	...	1·07	19th	0	0	1	0	1	0	6	8	2	0	12	24	6	2						
45·0	2·3	·246	82	5·4	18	3·52	...	0·73	1st	0	1	0	1	2	8	2	8	4	2	10	24	4	0						
41·3	1·8	·220	84	5·4	20	2·76	...	0·50	18th	0	0	0	0	4	2	2	6	6	6	24	12	2	0						
40·6	1·6	·223	86	6·0	6	0·34	...	0·11	5th	1	0	0	0	0	2	4	0	4	2	22	26	2	0						
					187	27·65	...	1·07																					
...	7·5	17	2·60	+1·05	0·53	22nd	2	0	0	0	0	2	0	6	6	4	6	20	18	0						
...	6·6	13	2·40	+0·96	0·35	27th	1	0	0	1	0	0	2	8	8	6	8	24	0	0						
...	7·2	10	0·68	-1·07	0·15	8th	2	0	0	0	3	0	0	22	0	2	0	24	12	0						
...	6·6	12	1·78	+0·47	0·40	25th	0	0	0	0	0	0	8	18	2	0	2	24	6	0						
...	5·7	20	2·63	+0·58	0·43	25th, 30th	0	3	3	0	0	10	10	10	2	2	20	6	2	0						
...	6·3	16	2·86	+1·08	0·55	14th	0	1	2	0	0	6	2	22	2	0	4	16	8	0						
...	6·6	15	3·91	+1·17	0·71	24th	0	0	3	0	0	4	6	12	2	6	6	4	22	0						
...	5·7	13	1·85	-1·30	0·34	11th	0	0	3	0	0	0	0	2	6	14	8	24	8	0						
...	5·8	13	5·05	+3·09	2·16	19th	0	0	1	0	0	0	16	0	0	4	8	20	12	0						
...	5·5	14	3·22	+0·45	0·65	25th	1	0	0	1	2	8	10	12	4	4	2	6	16	0						
...	6·3	18	2·66	+0·44	0·68	18th	0	0	0	2	1	6	2	6	10	6	8	20	2	0						
...	6·4	7	0·39	-1·76	0·09	5th, 14th	1	0	0	0	0	10	6	8	2	0	0	28	8	0						
					168	30·03	+5·16	2·16																					
37·2	1·3	·193	87	7·5	21	3·16	+0·91	0·56	22nd	5	1	0	...	1	7	3	1	2	13	26	8	2	0						
39·1	1·1	·216	90	7·3	23	4·62	+2·54	0·70	26th	1	0	0	...	1	4	14	6	0	2	16	14	0	0						
40·9	1·5	·226	87	7·7	19	1·58	-1·07	0·23	9th	4	0	0	...	2	6	6	12	0	0	17	13	8	0						
44·7	2·0	·250	84	6·7	18	3·30	+1·28	0·52	17th	0	2	1	...	0	4	13	4	2	1	18	16	2	0						
45·9	1·7	·270	87	7·1	19	1·95	-0·52	0·28	26th	0	0	2	...	0	16	8	0	0	7	12	6	13	0						
53·6	2·3	·356	85	7·1	17	3·83	+1·52	1·17	14th	0	0	1	...	0	13	11	3	1	5	15	9	3	0						
58·3	2·5	·410	85	6·7	13	3·50	+0·45	0·88	18th	0	0	3	...	0	11	8	2	0	5	14	17	5	0						
57·5	2·7	·390	83	6·0	19	3·04	-0·27	0·64	20th	0	0	4	...	1	5	3	0	0	9	30	10	5	0						
52·8	2·5	·336	83	6·0	15	4·55	+2·14	1·90	19th	0	0	2	...	0	9	5	0	0	0	20	24	2	0						
42·1	1·8	·228	84	5·5	20	4·54	+0·72	1·02	25th	3	0	1	...	2	15	1	1	0	6	7	20	12	0						
39·9	1·3	·220	88	6·5	28	3·94	+0·94	0·79	18th	0	0	1	...	2	0	6	1	3	7	21	9	13	0						
39·1	1·7	·200	85	5·3	9	0·61	-2·20	0·19	13th	1	1	0	...	0	14	0	0	0	0	11	28	9	0						
					221	38·62	+6·44	1·90																					

STATIONS, OBSERVERS' NAMES, AND HOURS OF OBSERVATION.*	Height of Stations above Sea Level.	Months.	BARO- METER.	AIR TEMPERATURE.							
			Mean at Mean Sea Level and 32° Fahr.†	Mean of		Mean of A and B	Difference from Average.	Absolute Maximum and Minimum.			
				A Maximum.	B Minimum.			Maximum.	Day of Month.	Minimum.	Day of Month.
	Feet.		Inch.	°	°	°	°	°		°	
Peebles. WEST LINTON— W. Mackie. (9, —, —.)	770	Jan.	...	43·2	31·7	37·5	+3·3	52	10th	20	31st
		Feb.	...	44·5	34·2	39·3	+3·9	53	25th	17	12th
		Mar.	...	45·9	33·5	39·7	+2·8	55	16th	20	5th
		Apl.	...	54·0	34·5	44·3	+3·0	63	3rd	25	12th
		May	...	54·1	36·3	45·2	-1·5	69	27th	26	16th, 19th
		June	...	61·2	43·4	52·3	-0·2	70	20th, 30th	36	2, 4, 5, 25
		July	...	65·6	48·5	57·1	+2·1	82	13th	37	16th
		Aug.	...	64·3	45·9	55·1	+1·1	73	1st, 2nd, 3rd	39	1st, 8th, 9th
		Sept.	...	59·7	43·7	51·7	+1·6	79	18th	27	26th
		Oct.	...	47·1	31·5	39·3	-4·8	67	4th	14	30th
		Nov.	...	43·0	30·9	36·9	-1·0	53	4th	12	1st
		Dec.	...	42·0	31·4	36·7	+1·9	50	9th	20	1st, 15th
		Year	...	52·1	37·1	44·6	+1·0	82		12	
Roxburgh. KELSO (Broom- lands)— J. C. Scott. (9, —, —.)	195	Jan.	...	43·8	33·2	38·5	+1·3	54	9th, 10th	25	1, 13, 19
		Feb.	...	46·3	35·9	41·1	+3·0	57	24th	25	12th
		Mar.	...	49·9	36·6	43·3	+3·6	60	16th	28	16th
		Apl.	...	55·2	38·7	46·9	+1·9	67	2nd	28	12th
		May	...	56·7	39·6	48·1	-1·4	73	26th	31	8th, 19th
		June	...	64·1	46·6	55·3	-0·2	73	30th	39	2nd, 13th
		July	...	69·2	52·3	60·7	+2·7	87	13th, 14th	41	26th
		Aug.	...	67·7	50·4	59·1	+2·0	78	1st	43	1st 27th 28th
		Sept.	...	62·9	47·3	55·1	+1·8	79	18th	32	26th
		Oct.	...	50·9	35·9	43·4	-3·1	74	4th	18	31st
		Nov.	...	46·1	33·5	39·8	-0·9	55	4th	18	1st
		Dec.	...	44·8	33·5	39·1	+1·4	52	9, 10, 11, 28	25	15th
		Year	...	54·8	40·3	47·5	+1·0	87		18	
WOLFELEE— J. Minto, for Captain Paton. (9, —, —.)	537	Jan.	...	43·0	32·2	37·6	+2·0	51	10th	22	14th, 31st
		Feb.	...	44·9	34·5	39·7	+3·1	55	24th	24	12th
		Mar.	...	47·9	33·4	40·7	+2·2	56	15th, 16th	18	5th
		April	...	54·6	36·7	45·7	+2·5	65	2nd, 3rd	23	12th
		May	...	56·5	35·7	46·1	-2·9	73	26th	23	6th 15th 19th
		June	...	63·3	42·9	53·1	-1·8	72	6th, 30th	34	4th, 13th
		July	...	68·1	49·1	58·6	+1·7	85	13th	34	16th
		Aug.	...	65·5	47·7	56·6	+0·5	76	30th	37	1, 27, 28
		Sept.	...	60·8	44·7	52·7	+0·1	77	18th	28	26th
		Oct.	...	49·3	33·4	41·3	-4·0	72	4th	13	31st
		Nov.	...	44·3	33·5	38·9	-1·1	51	4th	14	1st
		Dec.	...	42·9	31·8	37·3	+0·4	50	10th, 28th	18	15th
		Year.	...	53·4	38·0	45·7	+0·2	85		13	
Dumfries. ESKDALEMUIR (The Observa- tory)— The Meteorologi- cal Office. (7, —, 18.)	794	Jan.	29·686	41·6	33·3	37·4	...	50	10th	19	1st
		Feb.	29·731	43·5	34·9	39·2	...	50	20th	24	11th
		Mar.	29·961	45·8	33·9	39·8	...	52	15th	25	16th
		April	29·816	51·9	35·9	43·9	...	64	3rd, 4th	25	12th, 13th
		May	29·853	53·6	36·7	45·1	...	70	26th	27	13th, 16th
		June	29·848	60·5	43·9	52·2	...	69	6th	35	2nd
		July	29·973	65·5	49·6	57·6	...	81	14th	41	16th
		Aug.	29·948	63·2	48·4	55·8	...	73	30th	39	27th
		Sept.	29·991	58·7	44·3	51·5	...	73	18th	25	26th
		Oct.	29·856	48·0	34·8	41·4	...	70	4th	17	31st
		Nov.	29·483	43·6	33·1	38·3	...	53	5th	13	1st
		Dec.	30·233	42·7	33·2	37·9	...	50	28th	19	15th
		Year	29·865	51·5	38·5	45·0	...	81		13	

HYGROMETER.				CLOUD.	RAIN, AND OTHER FORMS OF PRECIPITATION.					WEATHER.					WIND DIRECTIONS.†									
Mean.†					Mean (0-10.)†	Number of Days.	Total Fall.	Difference from Average.	Most in a Day.		Number of Days with—					Number of Observations.								
Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.	Humidity.	Number of Days.					Total Fall.	Difference from Average.	Amount.	Day of Month.	Snow.	Hail.	Thunderstorm.	Fog.	Gale.	N.	N.E.	E.	S.E.	S.	S.W.	W.
°	°	Inch.	%			Inch.	Inch.	Inch.																
38.5	1.7	.203	85	8.7	28	4.60	...	0.73	22nd	7	0	0	...	4	0	6	0	10	4	24	12	2	4	
40.0	1.4	.220	87	8.5	24	3.82	...	0.45	14th, 26th	6	0	0	...	1	2	4	8	12	4	22	4	0	0	
40.9	1.7	.223	85	8.2	27	3.43	...	0.60	3rd	15	5	0	...	7	0	12	2	10	8	14	10	6	0	
46.5	2.4	.263	81	7.3	25	2.44	...	0.39	19th	4	5	3	...	3	4	8	8	2	6	20	6	6	0	
47.6	2.9	.263	78	6.8	24	4.03	...	1.00	30th	5	6	2	...	1	6	16	0	4	6	16	2	12	0	
54.1	2.9	.340	81	7.8	20	3.68	...	0.82	14th	0	0	1	...	0	6	14	2	10	0	8	14	6	0	
58.5	4.1	.380	75	7.8	20	3.54	...	0.51	23rd	0	0	3	...	0	2	6	10	6	6	14	14	4	0	
57.4	3.0	.380	81	7.4	21	3.21	...	0.52	20th	0	0	5	...	5	0	2	0	0	8	30	12	10	0	
52.9	2.9	.326	80	7.1	23	4.47	...	1.05	19th	0	0	3	...	1	2	2	2	0	2	22	20	10	0	
42.9	2.6	.216	79	7.0	20	4.99	...	0.87	25th	6	1	0	...	2	4	4	0	12	2	6	14	20	0	
39.5	1.5	.206	86	7.5	27	4.01	...	0.46	4th, 14th	4	1	1	...	1	2	4	2	8	4	30	8	2	0	
38.8	1.3	.210	88	7.8	28	1.76	...	0.27	16th	9	3	0	...	6	0	6	2	2	0	18	24	10	0	
					287	43.98	...	1.05																
...	7.1	19	2.40	+0.65	0.53	22nd	2	0	0	5	1	0	4	0	0	4	42	4	0	8	
...	7.6	19	2.48	+0.78	0.43	26th	2	0	0	4	0	0	0	14	4	0	34	2	0	2	
...	6.9	19	1.01	-0.94	0.16	3rd	4	0	0	0	1	0	4	22	0	0	22	14	0	0	
...	7.1	19	2.27	+0.70	0.44	15th, 25th	0	0	2	2	0	4	8	10	0	0	32	6	0	0	
...	7.5	19	1.94	+0.01	0.30	26th	1	1	5	0	0	4	24	4	2	0	22	2	4	0	
...	7.6	17	2.73	+0.62	0.80	14th	0	0	1	0	0	2	10	6	12	2	18	6	4	0	
...	7.3	12	3.89	+1.26	0.68	18th	0	0	3	1	0	0	10	10	4	4	22	6	6	0	
...	6.8	17	3.34	+0.39	0.87	6th	0	0	1	0	0	2	2	4	0	4	44	4	2	0	
...	6.5	12	3.94	+2.04	1.92	19th	0	0	1	0	0	0	0	4	0	4	38	14	0	0	
...	6.8	14	3.32	+0.41	0.90	25th	2	0	0	2	1	6	0	2	4	2	44	2	0	2	
...	7.1	22	2.08	-0.23	0.33	18th	0	0	0	5	2	2	6	0	2	0	46	2	2	0	
...	6.4	9	0.55	-1.77	0.13	13th	1	0	0	2	0	4	2	4	0	0	50	0	2	0	
					193	29.95	+3.92	1.92																
...	6.7	26	4.53	+1.33	0.55	22nd	6	0	0	...	1	0	6	0	0	4	46	4	2	0	
...	7.0	19	3.49	+0.23	0.62	26th	3	1	0	...	1	4	2	4	8	8	18	10	2	0	
...	6.3	17	1.65	-1.70	0.46	9th	6	1	0	...	1	4	6	4	8	0	16	6	18	0	
...	18	3.23	+0.97	0.92	14th	1	1	1	...	0	8	6	0	6	6	18	10	6	0	
...	6.3	21	2.67	+0.33	0.48	28th	1	1	3	...	0	12	14	2	0	6	12	6	10	0	
...	5.4	19	3.75	+1.41	1.08	14th	0	1	3	...	0	12	12	0	0	4	14	10	8	0	
...	15	3.47	+0.39	0.85	18th	0	1	3	...	0	4	20	0	0	2	16	12	8	0	
...	5.4	19	3.78	+0.44	0.71	20th	0	0	3	...	0	2	6	0	0	4	22	20	8	0	
...	5.5	17	4.12	+1.55	1.97	19th	0	0	2	...	0	2	4	0	2	0	22	14	16	0	
...	17	3.70	-0.14	0.86	8th	3	0	1	...	1	8	6	0	2	8	22	6	10	0	
...	6.4	25	5.52	+1.65	1.21	4th	2	0	1	...	4	4	4	0	2	10	30	8	2	0	
...	6.0	12	0.57	-3.61	0.15	5th	4	0	0	...	0	2	12	0	0	0	18	20	10	0	
					225	40.48	+2.85	1.97																
37.5	1.0	.205	91	8.6	24	9.43	...	1.40	23rd	9	2	0	3	0	5	5	2	4	14	13	5	2	12	
38.7	1.0	.223	91	8.9	22	7.92	...	1.17	15th	5	2	0	3	0	6	7	3	3	15	8	6	0	8	
38.8	1.9	.203	83	8.1	21	3.76	...	0.61	9th	8	7	0	0	3	1	11	6	0	4	10	18	3	9	
43.6	2.1	.240	84	7.9	21	4.06	...	0.91	15th	1	5	3	2	0	9	11	1	1	4	13	6	1	14	
46.1	3.2	.243	75	7.3	18	3.73	...	0.48	11th	2	5	2	0	0	11	15	2	0	9	7	4	4	10	
54.0	3.7	.315	76	7.4	16	3.88	...	1.07	10th	0	2	2	1	0	11	5	5	4	5	10	6	3	11	
58.4	2.9	.410	83	7.3	14	5.62	...	1.19	19th	0	0	3	1	0	13	9	3	0	8	10	5	4	10	
55.9	2.7	.375	83	7.5	19	6.95	...	1.40	20th	0	2	3	2	1	2	5	0	0	11	20	7	6	11	
51.1	1.9	.333	87	7.5	17	5.79	...	1.41	20th	0	1	2	2	0	6	2	0	0	7	19	11	2	13	
39.5	1.6	.225	85	6.7	20	6.06	...	1.68	9th	4	0	0	0	1	11	5	1	2	2	10	7	2	22	
37.8	1.0	.210	91	8.1	24	8.26	...	1.96	4th	2	3	1	3	1	2	6	1	1	14	11	0	0	25	
37.5	1.6	.199	85	6.7	19	2.02	...	0.43	17th	8	0	0	1	0	5	8	0	1	4	10	18	7	9	
					235	67.48	...	1.96																

STATIONS, OBSERVERS' NAMES, AND HOURS OF OBSERVATION.*	Height of Stations above Sea Level.	Months.	BARO- METER.	AIR TEMPERATURE.							
				Mean of		Mean of A and B	Difference from Average.	Absolute Maximum and Minimum.			
			Mean at Mean Sea Level and 32° Fahr. †	A	B			Maximum.	Day of Month.	Minimum.	Day of Month.
				Maximum.	Minimum.						
	Feet.		Inch.	°	°	°	°	°		°	
Dumfries (contd.)											
DUMFRIES (Crich- ton Royal)—	160	Jan.	...	44·4	36·0	40·2	+2·2	52	10th 11th 27th	26	1st
C.C. Easterbrook,		Feb.	...	46·1	37·1	41·6	+2·8	53	27th	25	13th
M.D., and E.		Mar.	...	48·4	36·6	42·5	+1·7	55	15th	26	5th
Joss.		Apl.	...	54·3	39·7	47·0	+1·6	67	2nd	30	12th
(9, 15, 21.)		May	...	55·8	40 8	48·3	-2·6	70	26th	30	15th, 16th
		June	...	62·9	47·1	55·0	-1·9	71	5th, 6th	38	1st, 2nd
		July	...	68·3	53·1	60·7	+1·7	83	13th	45	16th, 26th
		Aug.	...	66·0	51·3	58·7	+0·7	77	30th	42	27th
		Sept.	...	61·6	48·4	55·0	+0·7	77	18th	31	26th
		Oct.	...	51·2	37·6	44·4	-3·4	73	4th	24	30th
		Nov.	...	46·0	35·4	40·7	-1·6	55	5th	19	1st
		Dec.	...	44·8	35·3	40·1	+1·3	52	28th	26	15th
		Year.	...	54·1	41·5	47·9	+0·3	83		19	
RUTHWELL (Com- longon Castle)—	67	Jan.	...	44·4	34·8	39·6	...	53	10th	27	1st
W. Brown, for the		Feb.	...	46·4	36·9	41·7	...	51	6th, 15th	24	13th
Earl of Mansfield.		Mar.	...	49·4	35·9	42·7	...	56	12th, 15th	23	5th
(9, —, 21.)		Apl.	...	55·2	39·2	47·2	...	67	2nd	29	13th
		May	...	57·9	40·5	49·2	...	70	24th, 26th	29	16th
		June	...	64·7	46·7	55·7	...	79	6th	37	1st
		July	...	69·3	52·0	60·7	...	86	13th	45	16th, 27th
		Aug.	...	67·2	50·8	59·0	...	78	30th	42	27th
		Sept.	...	62·9	47·7	55·3	..	78	18th	29	26th
		Oct.	...	52·7	36 8	44·7	...	74	4th	21	31st
		Nov.	...	47·3	35 3	41·3	...	58	5th	18	1st
		Dec.	...	46·0	33·7	39·9	...	52	10th, 28th	21	15th
		Year	...	55·3	40·9	48·1	...	86		18	
Kirkcudbright.											
CARGEN—	85	Jan.	...	44·5	34·7	39·6	+1·3	53	10th	27	1st, 13th
Colonel R. F.		Feb.	...	46·6	36·9	41·7	+2·6	53	27th, 28th	25	13th
Dudgeon, C.B.		Mar.	...	49·2	37 0	43·1	+2·4	55	12th, 15th	25	25th
		Apl.	...	55·6	39·9	47·7	+2·4	66	2nd, 4th	30	12th, 13th
		May	...	58·0	41·1	49·5	-1·0	71	26th	30	16th
		June	...	64·6	47·6	56·1	-0·1	75	6th	38	1st, 2nd
		July	...	70·3	52·9	61·6	+3 0	84	13th	42	3rd
		Aug.	...	67·0	51·9	59·5	+1·8	74	1st, 30th	42	28th
		Sept.	...	62·9	47·6	55·3	+0 8	77	18th	30	26th
		Oct.	...	52·3	37·2	44·7	-2·6	72	4th	21	31st
		Nov.	...	45·9	34·7	40·3	-1·5	51	12th, 13th	18	1st
		Dec.	...	45·1	35·1	40·1	+1·3	52	28th	23	15th
		Year	...	55·2	41·4	48·3	+0·9	84		18	

1926.	Air Pressure at 32° F. and Mean Sea Level.		AIR TEMPERATURE.							
	Mean.	Difference from Normal.	Means of		Mean of A and B.	Difference of Mean from Normal.	Daily Range.		Absolute Extremes	
			A Maximum.	B Minimum.			Mean = A-B.	Difference from Normal.	Highest.	Lowest.
In.	In.	°	°	°	°	°	°	°	°	
January ...	29·650	- 0·218	43·7	36·4	40·0	+ 2·0	7·3	- 1·5	58	16
February ...	29·706	- 0·137	45·4	37·3	41·3	+ 2·9	8·1	- 2·1	60	8
March ...	29·921	+ 0·120	47·9	38·2	43·0	+ 2·7	9·7	- 1·9	61	18
April ...	29·809	- 0·081	53·8	40·3	47·0	+ 2·5	13·5	- 0·5	70	23
May ...	29·849	- 0·099	55·4	41·2	48·3	- 1 3	14·2	- 0 8	73	23
June ...	29·852	- 0·117	62·4	48·2	55·3	0 0	14·2	- 1·2	79	32
July ...	29·969	+ 0 069	68·0	52·8	60·4	+ 2·5	15·2	+ 0·9	87	32
August ...	29·916	+ 0 057	66·2	52·0	59·1	+ 1·9	14·3	+ 0·4	78	36
September ...	29·957	+ 0 009	61·5	47·8	54·6	+ 1·0	13·7	+ 0·3	81	25
October ...	29·844	- 0 004	49·6	37·9	43·8	- 3·5	11·7	+ 0·2	77	13
November ...	29·453	- 0·368	45·5	36·4	40·9	- 1·2	9·1	- 0·6	59	9
December ...	30·193	+ 0·451	44·4	36·4	40·4	+ 1·6	8·0	- 0·9	59	7
Means ...	29·843	- 0·027	53·7	42·1	47·8	+ 0·9	11·6	- 0·6	—	—

1926.	RAIN.				WIND.								
	Percentage of Normal.				No. of Observations—Total = 730.								
	Scotland.	England and Wales.	Ireland.	British Isles.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.
January ...	141	152	184	156	0	5	6	10	9	19	5	3	5
February ...	125	118	106	117	0	3	9	12	7	14	5	2	4
March ...	103	35	55	57	1	5	9	5	2	15	18	4	3
April ...	108	134	88	118	3	6	10	6	5	12	9	4	5
May...	109	121	117	117	4	7	8	8	5	9	7	10	4
June ...	122	125	114	122	3	5	6	11	4	10	8	9	4
July...	90	96	102	96	3	8	8	6	4	13	12	5	3
August ...	86	79	86	82	1	1	2	7	7	19	15	5	5
September ...	138	69	80	88	1	1	2	4	5	20	15	8	4
October ...	151	86	96	104	1	4	5	5	4	11	14	14	4
November ...	130	188	137	163	1	4	7	9	6	17	8	5	3
December ...	57	26	30	34	1	3	2	0	2	19	22	9	4
Year ...	109	102	99	103	19	52	74	83	60	178	138	78	48

* In this Table the figures, except those for Absolute Extremes of Temperature and for Rain, are extracted from the Monthly Reports for 1926 already published by the Registrar-General for Scotland and refer only to some of the Principal Towns of Scotland. Those for the Absolute Extremes of Temperature refer to Scotland as a whole, as represented by the Abstract of Meteorological Observations for 1926 in the present Report. The generalized figures for Rain are based on a large number of observations and are extracted from the Monthly Weather Report of the Meteorological Office.

EARTH TEMPERATURES.

1926.	At Depth.	Jan.	Feb.	Mar.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	YEAR.
Baltasound	1 Ft.	39.7	39.6	40.5	44.7	47.0	53.4	56.1	55.8	51.8	44.5	41.9	39.3	46.2
Aberdeen	4 "	39.8	40.4	42.2	44.5	46.6	51.5	55.6	56.2	54.6	50.8	44.6	42.3	47.4
Craibstone	1 "	37.0	38.3	40.7	44.7	47.6	54.4	59.3	58.0	53.5	45.5	39.9	37.5	46.4
	4 "	38.9	39.3	41.0	43.4	45.7	50.8	55.0	55.8	54.2	49.9	43.5	41.0	46.5
Dundee	1 "	36.5	38.5	42.1	46.5	48.7	56.5	61.5	60.5	57.1	48.3	40.1	38.4	47.9
St. Andrews	1 "	37.5	39.3	42.2	46.2	51.0	56.4	61.1	60.1	55.6	46.9	39.9	38.1	47.9
	4 "	39.8	40.3	42.5	44.7	47.0	52.0	55.9	57.1	55.5	51.1	44.1	42.1	47.7
Stirling	1 "	38.6	40.3	42.6	46.3	50.2	57.5	63.1	62.0	56.9	46.4	39.4	38.3	48.5
	4 "	42.6	42.1	42.9	44.3	46.4	50.4	56.1	58.0	57.1	53.1	45.9	43.8	48.6
Ford	1 "	40.1	40.3	42.7	46.9	50.8	56.5	60.8	60.5	57.2	49.2	41.8	40.2	48.9
	4 "	41.2	41.2	43.0	45.0	48.0	52.6	56.5	58.3	57.4	53.2	45.7	43.5	48.8
Rothsay	1 "	39.6	40.3	42.3	47.4	50.9	57.1	61.0	60.3	56.3	46.5	40.6	39.8	48.5
	4 "	42.1	42.5	43.7	45.9	48.5	52.2	55.9	57.0	56.1	51.6	45.2	44.3	48.7
Paisley	1 "	39.9	40.5	43.3	48.1	52.0	59.2	62.6	61.7	56.9	47.2	40.8	39.3	49.3
	4 "	42.0	42.4	43.9	45.9	48.5	52.9	56.5	58.0	56.5	52.4	45.9	44.1	49.1
Kilmarnock	1 "	39.8	40.7	42.5	47.5	51.1	57.4	61.8	60.0	56.7	47.6	40.7	39.1	48.7
	4 "	42.2	42.3	43.8	45.9	48.4	52.8	56.5	57.7	57.1	53.1	46.5	44.1	49.2
Edinburgh (University)	1 "	38.4	39.8	42.1	45.7	49.0	54.7	58.3	58.3	55.9	47.4	40.5	39.3	47.3
	4 "	40.7	41.1	43.1	45.0	47.3	51.9	56.1	52.0	43.9	43.2	...
	12 "	48.2	46.9	46.5	46.5	47.0	47.9	49.9	51.7	53.1	53.8	52.3	50.1	49.5
Boghall	1 "	37.3	38.8	41.1	45.1	49.0	55.8	59.9	58.6	54.1	45.5	39.4	38.2	46.9
	4 "	39.3	39.7	41.6	43.6	46.2	51.4	55.0	56.1	54.3	50.0	43.3	41.5	48.8
Smeaton	1 "	38.0	39.4	42.3	46.8	50.2	56.5	60.0	59.3	56.7	48.0	41.1	40.1	48.2
Dumfries	1 "	39.1	40.7	42.7	47.2	51.1	57.9	61.6	60.6	57.9	48.8	41.4	39.6	49.1
	4 "	41.0	41.6	43.3	45.5	48.2	53.4	57.2	58.3	57.3	53.1	45.7	43.4	49.0

1926.	NUMBER OF HOURS.												YEAR.	YEAR.
	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total. Hours.	Mean Daily Amount.
Baltasound ..	14	37	69	142	183	132	149	130	106	88	45	11	1106	3·03
Lerwick ...	19	35	76	135	176	127	189	121	121	104	37	9	1149	3·15
Deerness ...	33	51	42	155	180	100	155	137	95	76	66	15	1105	3·03
Stornoway...	19	61	101	150	195	159	214	145	76	69	61	18	1268	3·47
Castlebay ...	40	39	91	163	210	180	202	160	91	78	54	20	1328	3·64
Fortrose ...	49	62	108	137	200	138	190	160	116	118	82	34	1394	3·82
Fort Augustus ...	11	29	74	88	135	86	155	102	95	67	28	8	878	2·40
Inverness ...	44	66	92	133	188	126	192	164	119	96	83	30	1333	3·65
Onich ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Nairn ...	49	66	102	132	191	136	183	159	111	105	88	27	1349	3·70
Gordon Castle ...	46	65	113	131	196	170	194	144	114	99	80	27	1379	3·78
Banff ...	43	56	109	150	203	171	193	154	127	102	77	22	1407	3·85
Aberdeen (K.C.) ...	30	53	104	114	173	178	211	160	138	126	80	44	1411	3·86
Craibstone...	35	59	117	124	184	195	225	166	146	133	86	49	1519	4·16
Montrose ...	32	66	125	140	208	183	188	197	153	133	76	57	1558	4·27
Carnoustie...	32	56	107	135	203	191	168	182	136	127	62	42	1441	3·95
Dundee (College Gardens)	30	60	88	120	162	175	175	177	118	130	74	52	1361	3·73
Arbroath ...	31	61	119	138	216	192	183	188	141	133	75	45	1522	4·17
Perth ...	27	50	86	137	182	186	200	192	137	118	60	54	1429	3·91
Leuchars ...	32	69	108	151	201	193	183	194	148	139	75	53	1546	4·23
Inchkeith ...	38	61	95	145	210	201	212	203	144	112	64	40	1525	4·18
St. Andrews ...	29	69	107	141	191	181	175	176	140	121	62	48	1440	3·95
Stirling ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Oban ...	16	30	69	134	202	186	185	141	101	85	42	26	1217	3·33
Helensburgh ...	21	26	62	102	193	202	186	160	115	102	56	39	1264	3·46
Cardross ...	21	21	68	110	176	181	165	129	107	81	52	40	1151	3·15
Rothsay ..	24	34	63	124	168	200	209	165	130	97	52	35	1301	3·57
Paisley ...	22	28	72	109	190	203	186	176	123	94	45	34	1282	3·51
Renfrew ...	20	32	70	101	188	193	186	165	111	90	45	33	1234	3·38
Thorntonhall ...	21	29	68	107	166	163	157	157	112	92	43	28	1143	3·13
Kilmarnock ...	22	34	64	114	178	190	167	157	116	82	42	26	1192	3·27
Turnberry ...	—	—	71	157	221	230	193	172	127	99	51	17	—	—
Edinburgh...	40	67	85	128	182	177	180	185	152	123	67	47	1433	3·93
Boghall ...	39	49	67	113	173	166	171	177	144	120	61	48	1328	3·64
North Berwick ...	34	62	93	138	204	179	184	178	133	113	61	29	1408	3·86
Marchmont ...	33	46	85	116	194	179	191	186	138	109	57	53	1387	3·80
Eskdalemuir ...	29	27	78	85	171	167	157	148	107	102	37	42	1150	3·15
Dumfries ...	38	39	96	113	187	207	165	155	114	103	58	45	1320	3·61
Ruthwell ...	34	39	97	100	175	200	158	151	106	93	47	38	1238	3·39

1926.	NUMBER OF HOURS—DIFFERENCE FROM NORMAL (1881-1915).												
	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Year.
Deerness ...	+ 3	- 3	- 57	+ 9	+ 2	- 59	+ 17	+ 17	- 10	0	+ 30	- 5	- 56
Stornoway...	- 9	+ 3	- 4	- 4	+ 4	- 19	+ 69	+ 12	- 39	- 17	+ 18	- 5	+ 9
Aberdeen ...	- 18	- 20	- 13	- 44	- 14	- 6	+ 52	+ 10	+ 14	+ 31	+ 25	+ 8	+ 25
Edinburgh...	- 9	- 11	- 29	- 10	+ 9	- 7	+ 13	+ 35	+ 32	+ 24	+ 6	+ 4	+ 57
Marchmont ...	- 9	- 21	- 22	- 29	+ 19	- 8	+ 23	+ 38	+ 17	+ 26	+ 6	+ 19	+ 59
Rothsay ...	- 7	- 24	- 40	- 16	- 16	+ 26	+ 42	+ 31	+ 25	+ 11	+ 12	+ 11	+ 55

SUNSHINE.

PERCENTAGE OF POSSIBLE.												Year.	1926.
Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Mean.	
%	%	%	%	%	%	%	%	%	%	%	%	%	
7	15	19	33	34	23	27	27	27	28	21	7	25	Baltasound
9	14	21	31	33	23	34	25	31	33	17	5	26	Lerwick
15	20	12	36	35	18	28	29	25	24	28	8	25	Deerness
8	23	28	35	38	30	40	31	20	22	26	9	28	Stornoway
17	15	25	38	41	34	38	34	24	24	22	10	30	Castlebay
22	24	29	32	39	26	35	34	30	37	34	17	31	Fortrose
5	11	20	21	27	16	29	22	25	21	12	4	20	Fort Augustus
19	25	25	31	37	23	36	35	31	30	35	15	30	Inverness
—	—	—	—	—	—	—	—	—	—	—	—	—	Onich
22	25	28	31	37	25	34	34	29	33	37	13	30	Nairn
20	25	31	31	38	32	36	31	30	31	33	14	31	Gordon Castle
19	22	30	35	40	32	36	33	33	32	33	11	31	Banff
13	21	28	27	34	34	40	34	36	39	33	21	31	Aberdeen (K.C.)
15	22	32	29	36	37	43	35	38	42	36	24	34	Craibstone
14	25	34	33	41	35	36	42	40	41	31	27	35	Montrose
14	21	29	32	40	36	32	39	35	39	25	20	32	Carnoustie
13	23	24	28	32	33	33	38	31	40	30	24	30	Dundee (College
13	23	33	33	43	36	35	40	37	41	31	21	34	Gardens)
11	19	24	32	36	35	38	41	36	37	24	25	32	Arbroath
14	26	30	36	40	37	35	41	39	43	30	25	35	Perth
16	23	26	34	42	38	41	44	38	35	26	19	34	Leuchars
12	26	29	33	38	35	33	38	37	38	25	22	32	Inchkeith
—	—	—	—	—	—	—	—	—	—	—	—	—	St. Andrews
7	11	19	32	40	35	35	30	27	26	17	12	27	Stirling
9	10	17	24	38	39	35	34	30	32	23	18	28	Oban
9	8	19	26	35	35	31	28	28	25	21	19	27	Helensburgh
10	13	17	29	34	38	40	36	34	30	21	16	29	Cardross
9	11	20	26	38	39	35	38	32	29	18	16	29	Rothsay
9	12	19	24	37	37	36	35	29	28	18	15	28	Paisley
9	11	19	25	33	31	30	34	30	29	17	13	26	Renfrew
9	13	18	27	36	37	32	34	31	25	17	12	27	Thorntonhall
—	—	19	37	44	44	37	37	33	31	20	8	—	Kilmarnock
17	25	23	30	36	34	34	40	40	38	27	22	32	Turnberry
17	18	18	27	34	32	33	38	38	37	25	22	30	Edinburgh
15	23	25	33	40	34	35	38	35	35	25	13	32	Boghall
14	17	23	27	39	35	37	40	36	34	23	25	31	North Berwick
12	10	21	20	34	32	30	32	36	32	15	19	26	Marchmont
16	14	26	27	38	40	32	34	30	32	23	20	29	Eskdalemuir
14	15	27	24	35	39	31	33	28	29	19	17	28	Dumfries
													Ruthwell



